

Oliver Kimberger

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7068924/oliver-kimberger-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83

papers

2,191

citations

23

h-index

46

g-index

88

ext. papers

2,502

ext. citations

3.5

avg, IF

4.49

L-index

#	Paper	IF	Citations
83	Duration of invasive mechanical ventilation prior to extracorporeal membrane oxygenation is not associated with survival in acute respiratory distress syndrome caused by coronavirus disease 2019.. <i>Annals of Intensive Care</i> , 2022 , 12, 6	8.9	3
82	A retrospective study of sugammadex for reversal of neuromuscular blockade induced by rocuronium in critically ill patients in the ICU.. <i>Scientific Reports</i> , 2022 , 12, 897	4.9	1
81	Methaemoglobinemia after Liposuction under Tumescant Local Anaesthesia - Diagnostic Value of Pulse Oximetry.. <i>World Journal of Plastic Surgery</i> , 2022 , 11, 111-116	0.8	
80	Establishing reference ranges of cord blood: point-of-care hemostatic function assessment in preterm and term neonates. <i>Pediatric Research</i> , 2021 , 90, 452-458	3.2	0
79	Female Pelvic Floor Dysfunction Continues to Negatively Impact Quality-of-Life during the COVID-19 Lockdown. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
78	Clinical risk factors for recurrence of pelvic organ prolapse after primary native tissue prolapse repair. <i>Wiener Klinische Wochenschrift</i> , 2021 , 1	2.3	1
77	Does the choice of pelvic organ prolapse treatment influence subjective pelvic-floor related quality of life?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021 , 259, 161-166	2.4	1
76	Outcomes of non-COVID-19 critically ill patients during the COVID-19 pandemic : A retrospective propensity score-matched analysis. <i>Wiener Klinische Wochenschrift</i> , 2021 , 133, 942-950	2.3	2
75	A randomised, non-inferiority study of chloroprocaine 2% and ropivacaine 0.75% in ultrasound-guided axillary block. <i>Scientific Reports</i> , 2021 , 11, 10035	4.9	
74	Virtual and Augmented Reality Applications in Medicine: Analysis of the Scientific Literature. <i>Journal of Medical Internet Research</i> , 2021 , 23, e25499	7.6	30
73	Clinical validation of non-invasive hemoglobin monitoring-a prospective observational study. <i>Canadian Journal of Anaesthesia</i> , 2021 , 68, 729-731	3	
72	Epidural versus general anesthesia for open pyloromyotomy in infants: A retrospective observational study. <i>Paediatric Anaesthesia</i> , 2021 , 31, 452-460	1.8	2
71	Psychology versus medication for preanesthesia preparation of children: a randomized controlled trial. <i>Minerva Anestesiologica</i> , 2020 , 86, 627-635	1.9	1
70	The role of transforming growth factor- β (TGF- β) in postmenopausal women with pelvic organ prolapse: An immunohistochemical study. <i>European Journal of Obstetrics and Gynecology and Reproductive Biology: X</i> , 2020 , 7, 100111	2.3	1
69	Brainwave entrainment to minimise sedative drug doses in paediatric surgery: a randomised controlled trial. <i>British Journal of Anaesthesia</i> , 2020 , 125, 330-335	5.4	6
68	The effect of intraoperative goal-directed crystalloid versus colloid administration on perioperative inflammatory markers - a substudy of a randomized controlled trial. <i>BMC Anesthesiology</i> , 2020 , 20, 210	2.4	3
67	The role of tenascin-X in the uterosacral ligaments of postmenopausal women with pelvic organ prolapse: an immunohistochemical study. <i>International Urogynecology Journal</i> , 2020 , 31, 101-106	2	3

66	Prolapse surgery versus vaginal pessary in women with symptomatic pelvic organ prolapse: which factors influence the choice of treatment?. <i>Archives of Gynecology and Obstetrics</i> , 2019 , 299, 773-777	2.5	5
65	Prevalence and risk factors for pelvic floor disorders during early and late pregnancy in a cohort of Austrian women. <i>Archives of Gynecology and Obstetrics</i> , 2019 , 300, 1325-1330	2.5	12
64	Body Mass Index does not affect intraoperative goal-directed fluid requirements. <i>Minerva Anestesiologica</i> , 2019 , 85, 1071-1079	1.9	4
63	Impact of CPAP on Forehead Near-infrared Spectroscopy Measurements in Patients With Acute Respiratory Failure: Truth or Illusion. <i>Journal of Neurosurgical Anesthesiology</i> , 2019 , 31, 406-412	3	1
62	Effects of Anaesthesia on Thermoregulation 2019 , 222-237		
61	Association of endogenous circulating sex steroids and condition-specific quality of life domains in postmenopausal women with pelvic floor disorders. <i>Archives of Gynecology and Obstetrics</i> , 2018 , 297, 725-730	2.5	4
60	Management of the Perineum during Delivery with the Kiwi Omnicup: Effects of Mediolateral Episiotomy on Anal Sphincter Tears in Nulliparous Women. <i>Gynecologic and Obstetric Investigation</i> , 2018 , 83, 171-178	2.5	9
59	Pelvic organ prolapse and endogenous circulating sex steroids in postmenopausal women: A case control-study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017 , 210, 177-181	2.4	3
58	Airborne bacterial contamination during orthopedic surgery: A randomized controlled pilot trial. <i>Journal of Clinical Anesthesia</i> , 2017 , 38, 160-164	1.9	22
57	Role of serum steroid hormones in women with stress urinary incontinence: a case-control study. <i>BJU International</i> , 2017 , 120, 416-421	5.6	14
56	A ten-year study of midwife-led care at an Austrian tertiary care center: a retrospective analysis with special consideration of perineal trauma. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 357	3.2	16
55	The Impact of Monitoring on the Initiation of Cardiopulmonary Resuscitation in Children: Friend or Foe?. <i>Anesthesia and Analgesia</i> , 2016 , 122, 490-6	3.9	
54	Prognostic Significance of Pre-treatment Serum C-Reactive Protein Level in Patients with Adenocarcinoma of the Uterine Cervix. <i>Anticancer Research</i> , 2016 , 36, 4691-6	2.3	9
53	Forced-Air Warming During Pediatric Surgery: A Randomized Comparison of a Compressible with a Noncompressible Warming System. <i>Anesthesia and Analgesia</i> , 2016 , 122, 219-25	3.9	6
52	The role of fibroblast growth factor 2 in patients with uterine smooth muscle tumors: an immunohistochemical study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016 , 207, 62-67	2.4	4
51	A pharmacodynamic evaluation of dexmedetomidine as an additive drug to ropivacaine for peripheral nerve blockade: A randomised, triple-blind, controlled study in volunteers. <i>European Journal of Anaesthesiology</i> , 2015 , 32, 790-6	2.3	40
50	Mortality after hip fracture in Austria 2008-2011. <i>Calcified Tissue International</i> , 2014 , 95, 257-66	3.9	33
49	Bioimpedance spectroscopy for assessment of volume status in patients before and after general anaesthesia. <i>PLoS ONE</i> , 2014 , 9, e111139	3.7	18

48	Distance from the glottis to the grille: the LMA Unique, Air-Q and CobraPLA as intubation conduits: a randomised trial. <i>European Journal of Anaesthesiology</i> , 2014 , 31, 159-65	2.3	9
47	The accuracy of a disposable noninvasive core thermometer. <i>Canadian Journal of Anaesthesia</i> , 2013 , 60, 1190-6	3	16
46	Temperature monitoring in the OR [State of the art and a 2012 update. <i>Trends in Anaesthesia and Critical Care</i> , 2013 , 3, 8-12	0.4	1
45	Evaluation of airway management associated hands-off time during cardiopulmonary resuscitation: a randomised manikin follow-up study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2013 , 21, 10	3.6	20
44	In reply. <i>Anesthesiology</i> , 2013 , 118, 229-30	4.3	0
43	Forced-air warming design: evaluation of intake filtration, internal microbial buildup, and airborne-contamination emissions. <i>AANA Journal</i> , 2013 , 81, 275-80	0.5	14
42	Crystalloids versus colloids during acute normovolemic anemia: the quest continues. <i>Critical Care</i> , 2012 , 16, 131	10.8	1
41	Clinical airway realism in two patient simulators: Man vs. manikin. <i>Resuscitation</i> , 2012 , 83, e74	4	
40	HSP27 and HSP70 serum and urine levels in patients suffering from chronic kidney disease. <i>Clinica Chimica Acta</i> , 2012 , 413, 282-6	6.2	39
39	Degrees of reality: airway anatomy of high-fidelity human patient simulators and airway trainers. <i>Anesthesiology</i> , 2012 , 116, 1204-9	4.3	79
38	Impact of different-sized laminar air flow versus no laminar air flow on bacterial counts in the operating room during orthopedic surgery. <i>American Journal of Infection Control</i> , 2011 , 39, e25-9	3.8	55
37	Hypotension during fluid-restricted abdominal surgery: effects of norepinephrine treatment on regional and microcirculatory blood flow in the intestinal tract. <i>Anesthesiology</i> , 2011 , 114, 557-64	4.3	52
36	Patient-controlled oral analgesia following cesarean section: tramadol versus a combination of tramadol and acetaminophen. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011 , 90, 925-6	3.8	2
35	Expression of p16 protein and epidermal growth factor receptor in patients with adenocarcinoma of the uterine cervix: an immunohistochemical analysis. <i>Archives of Gynecology and Obstetrics</i> , 2011 , 283, 611-6	2.5	5
34	A comparison of paediatric airway anatomy with the SimBaby high-fidelity patient simulator. <i>Resuscitation</i> , 2011 , 82, 468-72	4	34
33	Hands-off time during insertion of six airway devices during cardiopulmonary resuscitation: a randomised manikin trial. <i>Resuscitation</i> , 2011 , 82, 1060-3	4	39
32	Hemodynamic parameters change earlier than tissue oxygen tension in hemorrhage. <i>Journal of Surgical Research</i> , 2010 , 160, 288-93	2.5	13
31	Resistive-polymer versus forced-air warming: comparable efficacy in orthopedic patients. <i>Anesthesia and Analgesia</i> , 2010 , 110, 834-8	3.9	31

30	The effects of nefopam on the gain and maximum intensity of shivering in healthy volunteers. <i>Anesthesia and Analgesia</i> , 2010 , 111, 409-14	3.9	13
29	Intrinsic positive end-expiratory pressure at various frequencies of supraglottic jet ventilation in a model of dynamic upper airway obstruction. <i>Anesthesia and Analgesia</i> , 2010 , 111, 703-6	3.9	5
28	Topical lidocaine reduces the risk of perioperative airway complications in children with upper respiratory tract infections. <i>Canadian Journal of Anaesthesia</i> , 2010 , 57, 745-50	3	22
27	Family satisfaction in the intensive care unit: what makes the difference?. <i>Intensive Care Medicine</i> , 2009 , 35, 2051-9	14.5	623
26	Crystalloids versus colloids for goal-directed fluid therapy in major surgery. <i>Critical Care</i> , 2009 , 13, R40	10.8	77
25	Goal-directed colloid administration improves the microcirculation of healthy and perianastomotic colon. <i>Anesthesiology</i> , 2009 , 110, 496-504	4.3	103
24	Goals Neither Validated Nor Met in Goal-directed Colloid versus Crystalloid Therapy. <i>Anesthesiology</i> , 2009 , 111, 926-927	4.3	
23	Thermoregulatory management for mild therapeutic hypothermia. <i>Baillieres Best Practice and Research in Clinical Anaesthesiology</i> , 2008 , 22, 729-44	4	11
22	Resistive polymer versus forced-air warming: comparable heat transfer and core rewarming rates in volunteers. <i>Anesthesia and Analgesia</i> , 2008 , 107, 1621-6	3.9	39
21	Meperidine and skin surface warming additively reduce the shivering threshold: a volunteer study. <i>Critical Care</i> , 2007 , 11, R29	10.8	49
20	Supplemental oxygen, but not supplemental crystalloid fluid, increases tissue oxygen tension in healthy and anastomotic colon in pigs. <i>Anesthesia and Analgesia</i> , 2007 , 105, 773-9	3.9	20
19	Temporal artery versus bladder thermometry during perioperative and intensive care unit monitoring. <i>Anesthesia and Analgesia</i> , 2007 , 105, 1042-7, table of contents	3.9	51
18	Lower flange modification improves performance of the Macintosh, but not the Miller laryngoscope blade. <i>Canadian Journal of Anaesthesia</i> , 2006 , 53, 595-601	3	6
17	Expression of thrombospondin 1 (TSP 1) in patients with uterine smooth muscle tumors: an immunohistochemical study. <i>Gynecologic Oncology</i> , 2006 , 103, 186-9	4.9	13
16	Tissue oxygenation in obese and non-obese patients during laparoscopy. <i>Obesity Surgery</i> , 2005 , 15, 813-9.	3.7	86
15	Expression of p16 protein in patients with uterine smooth muscle tumors: an immunohistochemical analysis. <i>Gynecologic Oncology</i> , 2005 , 96, 62-6	4.9	85
14	Influence of labor induction on obstetric outcomes in patients with prolonged pregnancy: a comparison between elective labor induction and spontaneous onset of labor beyond term. <i>Wiener Klinische Wochenschrift</i> , 2005 , 117, 287-92	2.3	17
13	Bcl-2 receptor expression in patients with uterine smooth muscle tumors: an immunohistochemical analysis comparing leiomyoma, uterine smooth muscle tumor of uncertain malignant potential, and leiomyosarcoma. <i>Journal of the Society for Gynecologic Investigation</i> , 2004 , 11, 187-91		21

12	Ki-67 expression in patients with uterine leiomyomas, uterine smooth muscle tumors of uncertain malignant potential (STUMP) and uterine leiomyosarcomas (LMS). <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2004 , 83, 1085-8	3.8	32
11	Ki-67 and vascular endothelial growth factor expression in uterine leiomyosarcoma. <i>Gynecologic Oncology</i> , 2004 , 92, 175-9	4.9	23
10	Bcl-2 expression and other clinicopathologic parameters in uterine leiomyosarcoma. <i>Wiener Klinische Wochenschrift</i> , 2004 , 116, 135-9	2.3	3
9	Influence of the birth attendant on maternal and neonatal outcomes during normal vaginal delivery: a comparison between midwife and physician management. <i>Wiener Klinische Wochenschrift</i> , 2004 , 116, 379-84	2.3	21
8	Estrogen and progesterone receptor expression in patients with uterine smooth muscle tumors. <i>Fertility and Sterility</i> , 2004 , 81, 1062-6	4.8	41
7	Onset time, quality of blockade, and duration of three-in-one blocks with levobupivacaine and bupivacaine. <i>Anesthesia and Analgesia</i> , 2003 , 97, 888-892	3.9	32
6	Bcl-2 expression in a primary leiomyosarcoma of the ovary: a case report. <i>Wiener Klinische Wochenschrift</i> , 2003 , 115, 191-5	2.3	9
5	Women's position during labour: influence on maternal and neonatal outcome. <i>Wiener Klinische Wochenschrift</i> , 2003 , 115, 720-3	2.3	23
4	The effect of epidural analgesia on obstetric lacerations and neonatal outcome during spontaneous vaginal delivery. <i>Archives of Gynecology and Obstetrics</i> , 2003 , 267, 130-3	2.5	9
3	Evaluating prognostic parameters in women with uterine leiomyosarcoma. A clinicopathologic study. <i>Journal of reproductive medicine, The</i> , 2003 , 48, 95-100		23
2	Estrogen and progesterone receptor expression in patients with uterine leiomyosarcoma and correlation with different clinicopathological parameters. <i>Anticancer Research</i> , 2003 , 23, 729-32	2.3	55
1	Influence of hypotensive and normotensive anesthesia on platelet aggregability and hemostatic markers in orthognathic surgery. <i>Thrombosis Research</i> , 2001 , 103, 185-92	8.2	14