

# Steen SÃ¸rensen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7069147/publications.pdf>

Version: 2024-02-01

13  
papers

255  
citations

1478280

6  
h-index

1281743

11  
g-index

13  
all docs

13  
docs citations

13  
times ranked

454  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prediction of Preeclampsia in Nulliparous Women according to First Trimester Maternal Factors and Serum Markers. <i>Fetal Diagnosis and Therapy</i> , 2020, 47, 277-283.	0.6	19
2	Fetal fraction of cell-free DNA in pregnancies after fresh or frozen embryo transfer following assisted reproductive technologies. <i>Human Reproduction</i> , 2020, 35, 1267-1275.	0.4	11
3	Noninvasive prenatal testing and maternal obesity: A review. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 744-750.	1.3	12
4	Glycodelin is internalized by peripheral monocytes. <i>Journal of Reproductive Immunology</i> , 2020, 138, 103102.	0.8	1
5	Soluble urokinase plasminogen activator receptor (suPAR) as a biomarker of early pregnancy location and viability compared with hCG, progesterone and estradiol. <i>Journal of Reproductive Immunology</i> , 2020, 138, 103103.	0.8	0
6	Maternal serum laeверin (aminopeptidase Q) measured in the first trimester of pregnancy does not predict preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 3348-3351.	0.7	1
7	Non-Invasive Prenatal Testing (NIPT) in pregnancies with trisomy 21, 18 and 13 performed in a public setting – factors of importance for correct interpretation of results. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 226, 35-39.	0.5	26
8	Serum anti-Müllerian hormone concentration before and after salpingectomy for ectopic pregnancy. <i>Reproductive BioMedicine Online</i> , 2018, 37, 624-630.	1.1	4
9	Discordant non-invasive prenatal testing (NIPT) - a systematic review. <i>Prenatal Diagnosis</i> , 2017, 37, 527-539.	1.1	167
10	Comparison of two immunoassay systems for hCG $\beta$ and PAPP-A in prenatal screening for trisomy 21, 18, and 13 in the first trimester. <i>Practical Laboratory Medicine</i> , 2017, 9, 18-23.	0.6	1
11	Affinity purification of native glycodelin from amniotic fluid for biological investigations and development of a glycodelin ELISA for clinical studies. <i>Protein Expression and Purification</i> , 2017, 130, 73-80.	0.6	3
12	First trimester D-vitamin in nulliparous women with early and late pre-eclampsia. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2016, 76, 508-510.	0.6	1
13	The maternal age-related first trimester risks for trisomy 21, 18 and 13 based on Danish first trimester data from 2005 to 2014. <i>Prenatal Diagnosis</i> , 2016, 36, 643-649.	1.1	9