

Brenda M Sandmaier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7069826/publications.pdf>

Version: 2024-02-01

394
papers

26,988
citations

9234

74
h-index

6630

156
g-index

398
all docs

398
docs citations

398
times ranked

13413
citing authors

#	ARTICLE	IF	CITATIONS
1	Hematopoietic cell transplantation (HCT)-specific comorbidity index: a new tool for risk assessment before allogeneic HCT. <i>Blood</i> , 2005, 106, 2912-2919.	0.6	2,427
2	HLA-Haploidentical Bone Marrow Transplantation for Hematologic Malignancies Using Nonmyeloablative Conditioning and High-Dose, Posttransplantation Cyclophosphamide. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 641-650.	2.0	1,525
3	Defining the Intensity of Conditioning Regimens: Working Definitions. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 1628-1633.	2.0	1,419
4	Reduced Mortality after Allogeneic Hematopoietic-Cell Transplantation. <i>New England Journal of Medicine</i> , 2010, 363, 2091-2101.	13.9	1,335
5	Hematopoietic cell transplantation in older patients with hematologic malignancies: replacing high-dose cytotoxic therapy with graft-versus-tumor effects. <i>Blood</i> , 2001, 97, 3390-3400.	0.6	1,306
6	Graft-versus-host disease after nonmyeloablative versus conventional hematopoietic stem cell transplantation. <i>Blood</i> , 2003, 102, 756-762.	0.6	531
7	Conditioning regimens for hematopoietic cell transplantation: one size does not fit all. <i>Blood</i> , 2014, 124, 344-353.	0.6	437
8	Risks and outcomes of invasive fungal infections in recipients of allogeneic hematopoietic stem cell transplants after nonmyeloablative conditioning. <i>Blood</i> , 2003, 102, 827-833.	0.6	432
9	Low-dose total body irradiation (TBI) and fludarabine followed by hematopoietic cell transplantation (HCT) from HLA-matched or mismatched unrelated donors and postgrafting immunosuppression with cyclosporine and mycophenolate mofetil (MMF) can induce durable complete chimerism and sustained remissions in patients with hematological diseases. <i>Blood</i> , 2003, 101, 1620-1629.	0.6	424
10	Allografting with nonmyeloablative conditioning following cytoreductive autografts for the treatment of patients with multiple myeloma. <i>Blood</i> , 2003, 102, 3447-3454.	0.6	382
11	Comorbidity and Disease Status-Based Risk Stratification of Outcomes Among Patients With Acute Myeloid Leukemia or Myelodysplasia Receiving Allogeneic Hematopoietic Cell Transplantation. <i>Journal of Clinical Oncology</i> , 2007, 25, 4246-4254.	0.8	380
12	Comorbidity-Age Index: A Clinical Measure of Biologic Age Before Allogeneic Hematopoietic Cell Transplantation. <i>Journal of Clinical Oncology</i> , 2014, 32, 3249-3256.	0.8	361
13	Cord-Blood Transplantation in Patients with Minimal Residual Disease. <i>New England Journal of Medicine</i> , 2016, 375, 944-953.	13.9	352
14	Significance of minimal residual disease before myeloablative allogeneic hematopoietic cell transplantation for AML in first and second complete remission. <i>Blood</i> , 2013, 122, 1813-1821.	0.6	325
15	HLA-matched unrelated donor hematopoietic cell transplantation after nonmyeloablative conditioning for patients with hematologic malignancies. <i>Blood</i> , 2003, 102, 2021-2030.	0.6	320
16	Graft-Versus-Tumor Effects After Allogeneic Hematopoietic Cell Transplantation With Nonmyeloablative Conditioning. <i>Journal of Clinical Oncology</i> , 2005, 23, 1993-2003.	0.8	312
17	Cytomegalovirus viral load and mortality after haemopoietic stem cell transplantation in the era of pre-emptive therapy: a retrospective cohort study. <i>Lancet Haematology</i> , 2016, 3, e119-e127.	2.2	307
18	Hematopoietic cell transplantation-specific comorbidity index as an outcome predictor for patients with acute myeloid leukemia in first remission: combined FHCRC and MDACC experiences. <i>Blood</i> , 2007, 110, 4606-4613.	0.6	292

#	ARTICLE	IF	CITATIONS
19	Long-term Outcomes Among Older Patients Following Nonmyeloablative Conditioning and Allogeneic Hematopoietic Cell Transplantation for Advanced Hematologic Malignancies. <i>JAMA - Journal of the American Medical Association</i> , 2011, 306, 1874.	3.8	274
20	Five-Year Follow-Up of Patients With Advanced Chronic Lymphocytic Leukemia Treated With Allogeneic Hematopoietic Cell Transplantation After Nonmyeloablative Conditioning. <i>Journal of Clinical Oncology</i> , 2008, 26, 4912-4920.	0.8	257
21	Allogeneic hematopoietic stem cell transplantation for myelofibrosis. <i>Blood</i> , 2003, 102, 3912-3918.	0.6	255
22	Comparison of Outcomes of HLA-Matched Related, Unrelated, or HLA-Haploidentical Related Hematopoietic Cell Transplantation following Nonmyeloablative Conditioning for Relapsed or Refractory Hodgkin Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 1279-1287.	2.0	251
23	Risks and outcomes of idiopathic pneumonia syndrome after nonmyeloablative and conventional conditioning regimens for allogeneic hematopoietic stem cell transplantation. <i>Blood</i> , 2003, 102, 2777-2785.	0.6	249
24	Allogeneic hematopoietic cell transplantation after fludarabine and 2 Gy total body irradiation for relapsed and refractory mantle cell lymphoma. <i>Blood</i> , 2004, 104, 3535-3542.	0.6	248
25	Treatment for Acute Myelogenous Leukemia by Low-Dose, Total-Body, Irradiation-Based Conditioning and Hematopoietic Cell Transplantation From Related and Unrelated Donors. <i>Journal of Clinical Oncology</i> , 2006, 24, 444-453.	0.8	243
26	Incidence and outcome of bacterial and fungal infections following nonmyeloablative compared with myeloablative allogeneic hematopoietic stem cell transplantation: A matched control study. <i>Biology of Blood and Marrow Transplantation</i> , 2002, 8, 512-520.	2.0	236
27	Hematopoietic cell transplantation—comorbidity index and Karnofsky performance status are independent predictors of morbidity and mortality after allogeneic nonmyeloablative hematopoietic cell transplantation. <i>Cancer</i> , 2008, 112, 1992-2001.	2.0	233
28	Kinetics of engraftment in patients with hematologic malignancies given allogeneic hematopoietic cell transplantation after nonmyeloablative conditioning. <i>Blood</i> , 2004, 104, 2254-2262.	0.6	226
29	Incidence and outcome of cytomegalovirus infections following nonmyeloablative compared with myeloablative allogeneic stem cell transplantation, a matched control study. <i>Blood</i> , 2002, 99, 1978-1985.	0.6	220
30	Hematopoietic Cell Transplantation After Nonmyeloablative Conditioning for Advanced Chronic Lymphocytic Leukemia. <i>Journal of Clinical Oncology</i> , 2005, 23, 3819-3829.	0.8	214
31	Graft-Versus-Host Disease and Graft-Versus-Tumor Effects After Allogeneic Hematopoietic Cell Transplantation. <i>Journal of Clinical Oncology</i> , 2013, 31, 1530-1538.	0.8	197
32	Nonmyeloablative Allogeneic Hematopoietic Cell Transplantation in Patients With Acute Myeloid Leukemia. <i>Journal of Clinical Oncology</i> , 2010, 28, 2859-2867.	0.8	191
33	Nonmyeloablative Allogeneic Hematopoietic Cell Transplantation in Relapsed, Refractory, and Transformed Indolent Non-Hodgkin's Lymphoma. <i>Journal of Clinical Oncology</i> , 2008, 26, 211-217.	0.8	186
34	Outcomes after allogeneic hematopoietic cell transplantation with nonmyeloablative or myeloablative conditioning regimens for treatment of lymphoma and chronic lymphocytic leukemia. <i>Blood</i> , 2008, 111, 446-452.	0.6	181
35	Hematopoietic Cell Transplantation as Curative Therapy for Idiopathic Myelofibrosis, Advanced Polycythemia Vera, and Essential Thrombocythemia. <i>Biology of Blood and Marrow Transplantation</i> , 2007, 13, 355-365.	2.0	174
36	Allogeneic hematopoietic cell transplantation after conditioning with 131I—anti-CD45 antibody plus fludarabine and low-dose total body irradiation for elderly patients with advanced acute myeloid leukemia or high-risk myelodysplastic syndrome. <i>Blood</i> , 2009, 114, 5444-5453.	0.6	161

#	ARTICLE	IF	CITATIONS
37	Survival, Nonrelapse Mortality, and Relapse-Related Mortality After Allogeneic Hematopoietic Cell Transplantation: Comparing 2003–2007 Versus 2013–2017 Cohorts. <i>Annals of Internal Medicine</i> , 2020, 172, 229.	2.0	157
38	Relapse risk in patients with malignant diseases given allogeneic hematopoietic cell transplantation after nonmyeloablative conditioning. <i>Blood</i> , 2007, 110, 2744-2748.	0.6	156
39	Hepatic injury after nonmyeloablative conditioning followed by allogeneic hematopoietic cell transplantation: a study of 193 patients. <i>Blood</i> , 2004, 103, 78-84.	0.6	151
40	Efficacy of a Viral Load-Based, Risk-Adapted, Preemptive Treatment Strategy for Prevention of Cytomegalovirus Disease after Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 1687-1699.	2.0	145
41	Reduced-Intensity Conditioning followed by Allogeneic Hematopoietic Cell Transplantation for Adult Patients with Myelodysplastic Syndrome and Myeloproliferative Disorders. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 246-255.	2.0	133
42	The Dynamic International Prognostic Scoring System for myelofibrosis predicts outcomes after hematopoietic cell transplantation. <i>Blood</i> , 2012, 119, 2657-2664.	0.6	133
43	Invasive aspergillosis before allogeneic hematopoietic stem cell transplantation: 10-year experience at a single transplant center. <i>Biology of Blood and Marrow Transplantation</i> , 2004, 10, 494-503.	2.0	132
44	In Support of a Patient-Driven Initiative and Petition to Lower the High Price of Cancer Drugs. <i>Mayo Clinic Proceedings</i> , 2015, 90, 996-1000.	1.4	128
45	The cumulative burden of double-stranded DNA virus detection after allogeneic HCT is associated with increased mortality. <i>Blood</i> , 2017, 129, 2316-2325.	0.6	126
46	Adoptive immunotherapy with donor lymphocyte infusions after allogeneic hematopoietic cell transplantation following nonmyeloablative conditioning. <i>Blood</i> , 2004, 103, 790-795.	0.6	124
47	Vaccination with Theratope® (STn-KLH) as treatment for breast cancer. <i>Expert Review of Vaccines</i> , 2004, 3, 655-663.	2.0	118
48	Allogeneic Hematopoietic Cell Transplantation for Chronic Myelomonocytic Leukemia: Relapse-Free Survival Is Determined by Karyotype and Comorbidities. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 908-915.	2.0	113
49	Outcomes among Patients with Recurrent High-Risk Hematologic Malignancies after Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2007, 13, 1160-1168.	2.0	110
50	Long-term outcome of patients with multiple myeloma after autologous hematopoietic cell transplantation and nonmyeloablative allografting. <i>Blood</i> , 2009, 113, 3383-3391.	0.6	106
51	Decreased transfusion requirements for patients receiving nonmyeloablative compared with conventional peripheral blood stem cell transplants from HLA-identical siblings. <i>Blood</i> , 2001, 98, 3584-3588.	0.6	101
52	Comparison of ARF after myeloablative and nonmyeloablative hematopoietic cell transplantation. <i>American Journal of Kidney Diseases</i> , 2005, 45, 502-509.	2.1	99
53	Results of a phase 1 study of quizartinib as maintenance therapy in subjects with acute myeloid leukemia in remission following allogeneic hematopoietic stem cell transplant. <i>American Journal of Hematology</i> , 2018, 93, 222-231.	2.0	99
54	Nonmyeloablative allogeneic haematopoietic cell transplantation for relapsed diffuse large B-cell lymphoma: a multicentre experience. <i>British Journal of Haematology</i> , 2008, 143, 395-403.	1.2	97

#	ARTICLE	IF	CITATIONS
55	Immunologic recovery after hematopoietic cell transplantation with nonmyeloablative conditioning. <i>Experimental Hematology</i> , 2003, 31, 941-952.	0.2	96
56	Non-myeloablative conditioning with allogeneic hematopoietic cell transplantation for the treatment of high-risk acute lymphoblastic leukemia. <i>Haematologica</i> , 2011, 96, 1113-1120.	1.7	95
57	Who is fit for allogeneic transplantation?. <i>Blood</i> , 2010, 116, 4762-4770.	0.6	93
58	Incidence, risk factors, and outcomes of sclerosis in patients with chronic graft-versus-host disease. <i>Blood</i> , 2013, 121, 5098-5103.	0.6	93
59	EASIX in patients with acute graft-versus-host disease: a retrospective cohort analysis. <i>Lancet Haematology</i> , 2017, 4, e414-e423.	2.2	92
60	Non-myeloablative allografting from human leucocyte antigen-identical sibling donors for treatment of acute myeloid leukaemia in first complete remission. <i>British Journal of Haematology</i> , 2003, 120, 281-288.	1.2	90
61	Allogeneic Hematopoietic Cell Transplantation for Metastatic Renal Cell Carcinoma after Nonmyeloablative Conditioning. <i>Clinical Cancer Research</i> , 2004, 10, 7799-7811.	3.2	89
62	Outcomes of haploidentical vs matched sibling transplantation for acute myeloid leukemia in first complete remission. <i>Blood Advances</i> , 2019, 3, 1826-1836.	2.5	89
63	Reduced Incidence of Acute and Chronic Graft-versus-Host Disease with the Addition of Thymoglobulin to a Targeted Busulfan/Cyclophosphamide Regimen. <i>Biology of Blood and Marrow Transplantation</i> , 2006, 12, 573-584.	2.0	88
64	Bismuth 213 ^{Bi} -labeled anti-CD45 radioimmunoconjugate to condition dogs for nonmyeloablative allogeneic marrow grafts. <i>Blood</i> , 2002, 100, 318-326.	0.6	86
65	Timing and severity of community acquired respiratory virus infections after myeloablative versus non-myeloablative hematopoietic stem cell transplantation. <i>Haematologica</i> , 2009, 94, 1101-1108.	1.7	86
66	Failure-free survival after initial systemic treatment of chronic graft-versus-host disease. <i>Blood</i> , 2014, 124, 1363-1371.	0.6	86
67	Characterization of Monoclonal Antibodies That Recognize Canine CD34. <i>Blood</i> , 1998, 91, 1977-1986.	0.6	85
68	Acute Renal Failure after Nonmyeloablative Hematopoietic Cell Transplantation. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 1868-1876.	3.0	84
69	Addition of sirolimus to standard cyclosporine plus mycophenolate mofetil-based graft-versus-host disease prophylaxis for patients after unrelated non-myeloablative haemopoietic stem cell transplantation: a multicentre, randomised, phase 3 trial. <i>Lancet Haematology</i> , 2019, 6, e409-e418.	2.2	84
70	Unrelated Donor Granulocyte Colony-Stimulating Factor ^α -Mobilized Peripheral Blood Mononuclear Cell Transplantation after Nonmyeloablative Conditioning: The Effect of Postgrafting Mycophenolate Mofetil Dosing. <i>Biology of Blood and Marrow Transplantation</i> , 2006, 12, 454-465.	2.0	83
71	Pretransplant comorbidities predict severity of acute graft-versus-host disease and subsequent mortality. <i>Blood</i> , 2014, 124, 287-295.	0.6	83
72	Total body irradiation dose and risk of subsequent neoplasms following allogeneic hematopoietic cell transplantation. <i>Blood</i> , 2019, 133, 2790-2799.	0.6	81

#	ARTICLE	IF	CITATIONS
73	Donor Lymphocyte Infusion for Relapsed Hematological Malignancies after Allogeneic Hematopoietic Cell Transplantation: Prognostic Relevance of the Initial CD3+ T Cell Dose. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 949-957.	2.0	79
74	Transplantation of Allogeneic Peripheral Blood Stem Cells Mobilized by Recombinant Human Granulocyte Colony Stimulating Factor. <i>Stem Cells</i> , 1996, 14, 90-105.	1.4	77
75	Allogeneic hematopoietic cell transplantation compared to chemotherapy consolidation in older acute myeloid leukemia (AML) patients 60-75 years in first complete remission (CR1): an alliance (A151509), SWOG, ECOG-ACRIN, and CIBMTR study. <i>Leukemia</i> , 2019, 33, 2599-2609.	3.3	76
76	Safety of allogeneic hematopoietic cell transplant in adults after CD19-targeted CAR T-cell therapy. <i>Blood Advances</i> , 2019, 3, 3062-3069.	2.5	74
77	Thymic recovery after allogeneic hematopoietic cell transplantation with non-myeloablative conditioning is limited to patients younger than 60 years of age. <i>Haematologica</i> , 2011, 96, 298-306.	1.7	71
78	Intravenous Busulfan Compared with Total Body Irradiation Pretransplant Conditioning for Adults with Acute Lymphoblastic Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 726-733.	2.0	71
79	The impact of the graft-versus-leukemia effect on survival in acute lymphoblastic leukemia. <i>Blood Advances</i> , 2019, 3, 670-680.	2.5	71
80	Decreased Rejection and Improved Survival of First and Second Marrow Transplants for Severe Aplastic Anemia (A 26-Year Retrospective Analysis). <i>Blood</i> , 1998, 92, 2742-2749.	0.6	70
81	Effect of Conditioning Regimen Intensity on CMV Infection in Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 694-703.	2.0	70
82	EASIX and mortality after allogeneic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2020, 55, 553-561.	1.3	70
83	Hematopoietic stem cell transplantation for advanced myelodysplastic syndrome after conditioning with busulfan and fractionated total body irradiation is associated with low relapse rate but considerable nonrelapse mortality. <i>Biology of Blood and Marrow Transplantation</i> , 2002, 8, 161-169.	2.0	66
84	Selective T-cell ablation with bismuth-213-labeled anti-TCR β as nonmyeloablative conditioning for allogeneic canine marrow transplantation. <i>Blood</i> , 2003, 101, 5068-5075.	0.6	65
85	Nonmyeloablative Hematopoietic Cell Transplantation. <i>Annals of the New York Academy of Sciences</i> , 2001, 938, 328-339.	1.8	65
86	Reduced-Intensity Conditioning for Unrelated Donor Progenitor Cell Transplantation: Long-Term Follow-Up of the First 285 Reported to the National Marrow Donor Program. <i>Biology of Blood and Marrow Transplantation</i> , 2007, 13, 844-852.	2.0	65
87	Outcomes of hematopoietic cell transplantation using donors or recipients with inherited chromosomally integrated HHV-6. <i>Blood</i> , 2017, 130, 1062-1069.	0.6	65
88	Reagents for Astatination of Biomolecules. 6. An Intact Antibody Conjugated with a Maleimido-Decaborate(2-) Reagent via Sulfhydryl Groups Had Considerably Higher Kidney Concentrations than the Same Antibody Conjugated with an Isothiocyanato-Decaborate(2-) Reagent via Lysine Amines. <i>Bioconjugate Chemistry</i> , 2012, 23, 409-420.	1.8	62
89	Design and Validation of an Augmented Hematopoietic Cell Transplantation-Comorbidity Index Comprising Pretransplant Ferritin, Albumin, and Platelet Count for Prediction of Outcomes after Allogeneic Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1418-1424.	2.0	62
90	Decreased Serum Albumin as a Biomarker for Severe Acute Graft-versus-Host Disease after Reduced-Intensity Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 1594-1601.	2.0	60

#	ARTICLE	IF	CITATIONS
91	<i>C19orf48</i> Encodes a Minor Histocompatibility Antigen Recognized by CD8+ Cytotoxic T Cells from Renal Cell Carcinoma Patients. <i>Clinical Cancer Research</i> , 2008, 14, 5260-5269.	3.2	59
92	Feasibility of Allogeneic Hematopoietic Stem Cell Transplantation for Autoimmune Disease: Position Statement from a National Institute of Allergy and Infectious Diseases and National Cancer Institute-sponsored International Workshop, Bethesda, MD, March 12 and 13, 2005. <i>Biology of Blood and Marrow Transplantation</i> , 2005, 11, 862-870.	2.0	56
93	Failure-free survival after second-line systemic treatment of chronic graft-versus-host disease. <i>Blood</i> , 2013, 121, 2340-2346.	0.6	55
94	Radiolabeled Anti-CD45 Antibody with Reduced-Intensity Conditioning and Allogeneic Transplantation for Younger Patients with Advanced Acute Myeloid Leukemia or Myelodysplastic Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1363-1368.	2.0	54
95	Contributions of a Highly Conserved VH/VL Hydrogen Bonding Interaction to scFv Folding Stability and Refolding Efficiency. <i>Biophysical Journal</i> , 1998, 75, 1473-1482.	0.2	53
96	Impact of Acute Kidney Injury on Long-Term Mortality after Nonmyeloablative Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 309-315.	2.0	52
97	What Is the Role for Donor Natural Killer Cells after Nonmyeloablative Conditioning?. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 580-588.	2.0	52
98	Durable donor engraftment after radioimmunotherapy using ^{131}I -emitter astatine-211-labeled anti-CD45 antibody for conditioning in allogeneic hematopoietic cell transplantation. <i>Blood</i> , 2012, 119, 1130-1138.	0.6	52
99	Astatine-211 conjugated to an anti-CD20 monoclonal antibody eradicates disseminated B-cell lymphoma in a mouse model. <i>Blood</i> , 2015, 125, 2111-2119.	0.6	52
100	Hematopoietic Cell Transplantation for Myelofibrosis: the Dynamic International Prognostic Scoring System Plus Risk Predicts Post-Transplant Outcomes. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 386-392.	2.0	52
101	Allogeneic haematopoietic cell transplantation for myelofibrosis in 30 patients 60-78 years of age. <i>British Journal of Haematology</i> , 2011, 153, 76-82.	1.2	51
102	Mixed Hematopoietic Chimerism after Marrow Allografts Transplantation in the Ambulatory Care Setting. <i>Annals of the New York Academy of Sciences</i> , 1999, 872, 372-376.	1.8	50
103	Donor statin treatment protects against severe acute graft-versus-host disease after related allogeneic hematopoietic cell transplantation. <i>Blood</i> , 2010, 115, 1288-1295.	0.6	50
104	Differential L-Selectin Binding Activities of Human Hematopoietic Cell L-Selectin Ligands, HCELL and PSGL-1. <i>Journal of Biological Chemistry</i> , 2001, 276, 47623-47631.	1.6	48
105	HLA-matched unrelated donor hematopoietic cell transplantation after nonmyeloablative conditioning for patients with chronic myeloid leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2005, 11, 272-279.	2.0	48
106	Quantitative single-particle digital autoradiography with ^{125}I -particle emitters for targeted radionuclide therapy using the iQID camera. <i>Medical Physics</i> , 2015, 42, 4094-4105.	1.6	48
107	Allogeneic transplantation for advanced acute myeloid leukemia: The value of complete remission. <i>Cancer</i> , 2017, 123, 2025-2034.	2.0	48
108	Biodistributions, Myelosuppression, and Toxicities in Mice Treated with an Anti-CD45 Antibody Labeled with the ^{211}At -Emitting Radionuclides Bismuth-213 or Astatine-211. <i>Cancer Research</i> , 2009, 69, 2408-2415.	0.4	47

#	ARTICLE	IF	CITATIONS
109	Cytopenias after day 28 in allogeneic hematopoietic cell transplantation: impact of recipient/donor factors, transplant conditions and myelotoxic drugs. <i>Haematologica</i> , 2011, 96, 1838-1845.	1.7	47
110	Treosulfan, Fludarabine, and 2-Gy Total Body Irradiation Followed by Allogeneic Hematopoietic Cell Transplantation in Patients with Myelodysplastic Syndrome and Acute Myeloid Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 549-555.	2.0	47
111	Impact of Donor Age on Outcome after Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 105-112.	2.0	47
112	Unrelated Donor Status and High Donor Age Independently Affect Immunologic Recovery after Nonmyeloablative Conditioning. <i>Biology of Blood and Marrow Transplantation</i> , 2006, 12, 1176-1187.	2.0	46
113	The impact of donor type and ABO incompatibility on transfusion requirements after nonmyeloablative haematopoietic cell transplantation. <i>British Journal of Haematology</i> , 2010, 149, 101-110.	1.2	46
114	Central Nervous System Relapse in Adults with Acute Lymphoblastic Leukemia after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1767-1771.	2.0	46
115	Nonmyeloablative allogeneic hematopoietic cell transplantation. <i>Haematologica</i> , 2016, 101, 521-530.	1.7	46
116	Reduced intensity conditioned allograft yields favorable survival for older adults with B-cell acute lymphoblastic leukemia. <i>American Journal of Hematology</i> , 2017, 92, 42-49.	2.0	46
117	Therapeutic vaccine (STn-KLH). <i>Expert Opinion on Biological Therapy</i> , 2001, 1, 881-891.	1.4	45
118	Multi-centre validation of the prognostic value of the haematopoietic cell transplantation-specific comorbidity index among recipient of allogeneic haematopoietic cell transplantation. <i>British Journal of Haematology</i> , 2015, 170, 574-583.	1.2	45
119	Does FLT3 mutation impact survival after hematopoietic stem cell transplantation for acute myeloid leukemia? A Center for International Blood and Marrow Transplant Research (CIBMTR) analysis. <i>Cancer</i> , 2016, 122, 3005-3014.	2.0	45
120	Allogeneic Hematopoietic Cell Transplantation Using Treosulfan-Based Conditioning for Treatment of Marrow Failure Disorders. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1669-1677.	2.0	45
121	Allogeneic haematopoietic cell transplantation after nonmyeloablative conditioning in patients with T-cell and natural killer cell lymphomas. <i>British Journal of Haematology</i> , 2010, 150, 170-178.	1.2	44
122	Comparison of lung function after myeloablative and 2 Gy of total body irradiation-based regimens for hematopoietic stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2005, 11, 288-296.	2.0	43
123	Association between Calcineurin Inhibitor Blood Concentrations and Outcomes after Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 414-422.	2.0	42
124	Frequency of Allogeneic Hematopoietic Cell Transplantation Among Patients With High- or Intermediate-Risk Acute Myeloid Leukemia in First Complete Remission. <i>Journal of Clinical Oncology</i> , 2013, 31, 3883-3888.	0.8	42
125	Prognostic relevance of 'early-onset' graft-versus-host disease following non-myeloablative haematopoietic cell transplantation. <i>British Journal of Haematology</i> , 2005, 129, 381-391.	1.2	41
126	Outcome of Allogeneic Hematopoietic Cell Transplantation from HLA-Identical Siblings for Severe Aplastic Anemia in Patients Over 40 Years of Age. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 1411-1418.	2.0	41

#	ARTICLE	IF	CITATIONS
127	Nonmyeloablative Unrelated Donor Hematopoietic Cell Transplantation to Treat Patients with Poor-Risk, Relapsed, or Refractory Multiple Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2007, 13, 423-432.	2.0	40
128	Impact of Recipient Statin Treatment on Graft-versus-Host Disease after Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 1463-1466.	2.0	40
129	Comparable Outcomes after Nonmyeloablative Hematopoietic Cell Transplantation with Unrelated and Related Donors. <i>Biology of Blood and Marrow Transplantation</i> , 2007, 13, 1499-1507.	2.0	39
130	Low-Dose Total Body Irradiation and Fludarabine Conditioning for HLA Class I-Mismatched Donor Stem Cell Transplantation and Immunologic Recovery in Patients with Hematologic Malignancies: A Multicenter Trial. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 384-394.	2.0	39
131	Allogeneic Hematopoietic Cell Transplantation for Patients with Mixed Phenotype Acute Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1024-1029.	2.0	39
132	Extending Postgrafting Cyclosporine Decreases the Risk of Severe Graft-versus-Host Disease after Nonmyeloablative Hematopoietic Cell Transplantation. <i>Transplantation</i> , 2006, 81, 818-825.	0.5	38
133	Improving the Efficacy of Reduced Intensity Allogeneic Transplantation for Lymphoma using Radioimmunotherapy. <i>Biology of Blood and Marrow Transplantation</i> , 2006, 12, 697-702.	2.0	36
134	Costs of Allogeneic Hematopoietic Cell Transplantation Using Reduced Intensity Conditioning Regimens. <i>Oncologist</i> , 2014, 19, 639-644.	1.9	36
135	Minimal Identifiable Disease and the Role of Conditioning Intensity in Hematopoietic Cell Transplantation for Myelodysplastic Syndrome and Acute Myelogenous Leukemia Evolving from Myelodysplastic Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1227-1233.	2.0	36
136	Conditioning intensity and peritransplant flow cytometric MRD dynamics in adult AML. <i>Blood</i> , 2022, 139, 1694-1706.	0.6	36
137	Current status of hematopoietic stem cell transplantation after nonmyeloablative conditioning. <i>Current Opinion in Hematology</i> , 2005, 12, 435-443.	1.2	34
138	Current and Future Preparative Regimens for Bone Marrow Transplantation in Thalassemia. <i>Annals of the New York Academy of Sciences</i> , 1998, 850, 276-287.	1.8	33
139	A randomized phase II trial of tacrolimus, mycophenolate mofetil and sirolimus after non-myeloablative unrelated donor transplantation. <i>Haematologica</i> , 2014, 99, 1624-1631.	1.7	33
140	Hematopoietic Cell Transplantation in Myelodysplastic Syndromes after Treatment with Hypomethylating Agents. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1509-1514.	2.0	33
141	Impact of Pre-Transplant Comorbidities on the Rate of- and Mortality-Following Acute Graft-Versus-Host Disease (GVHD) After Allogeneic Hematopoietic Cell Transplantation (HCT). <i>Blood</i> , 2011, 118, 156-156.	0.6	33
142	Impact of unrelated donor status on the incidence and outcome of cytomegalovirus infections after non-myeloablative allogeneic stem cell transplantation. <i>British Journal of Haematology</i> , 2003, 123, 662-670.	1.2	31
143	Allografting after nonmyeloablative conditioning as a treatment after a failed conventional hematopoietic cell transplant. <i>Biology of Blood and Marrow Transplantation</i> , 2003, 9, 266-272.	2.0	31
144	Histology and Time to Progression Predict Survival for Lymphoma Recurring after Reduced-Intensity Conditioning and Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 1537-1545.	2.0	30

#	ARTICLE	IF	CITATIONS
145	Number of Courses of Induction Therapy Independently Predicts Outcome after Allogeneic Transplantation for Acute Myeloid Leukemia in First Morphological Remission. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 373-378.	2.0	30
146	The β -emitter astatine-211 targeted to CD38 can eradicate multiple myeloma in a disseminated disease model. <i>Blood</i> , 2019, 134, 1247-1256.	0.6	30
147	Engraftment of early erythroid progenitors is not delayed after non-myeloablative major ABO-incompatible haematopoietic stem cell transplantation. <i>British Journal of Haematology</i> , 2002, 119, 740-750.	1.2	29
148	Salvage Allogeneic Hematopoietic Cell Transplantation with Fludarabine and Low-Dose Total Body Irradiation after Rejection of First Allografts. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 1314-1322.	2.0	29
149	Nonrelapse Mortality and Mycophenolic Acid Exposure in Nonmyeloablative Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 1159-1166.	2.0	29
150	Anti-CD45 radioimmunotherapy without TBI before transplantation facilitates persistent haploidentical donor engraftment. <i>Blood</i> , 2016, 127, 352-359.	0.6	29
151	Results of a Phase 1 Study of Quizartinib (AC220) As Maintenance Therapy in Subjects with Acute Myeloid Leukemia in Remission Following Allogeneic Hematopoietic Cell Transplantation. <i>Blood</i> , 2014, 124, 428-428.	0.6	29
152	Nonmyeloablative hematopoietic cell transplantation: status quo and future perspectives. <i>Journal of Clinical Immunology</i> , 2002, 22, 70-74.	2.0	28
153	Urinary Elafin and Kidney Injury in Hematopoietic Cell Transplant Recipients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 12-20.	2.2	28
154	Evaluation of allogeneic transplantation in first or later minimal residual disease "negative" remission following adult-inspired therapy for acute lymphoblastic leukemia. <i>Leukemia and Lymphoma</i> , 2016, 57, 2109-2118.	0.6	28
155	Conditioning Intensity, Pre-Transplant Flow Cytometric Measurable Residual Disease, and Outcome in Adults with Acute Myeloid Leukemia Undergoing Allogeneic Hematopoietic Cell Transplantation. <i>Cancers</i> , 2020, 12, 2339.	1.7	28
156	Superior survival with pediatric-style chemotherapy compared to myeloablative allogeneic hematopoietic cell transplantation in older adolescents and young adults with Ph-negative acute lymphoblastic leukemia in first complete remission: analysis from CALGB 10403 and the CIBMTR. <i>Leukemia</i> , 2021, 35, 2076-2085.	3.3	28
157	Reagents for Astatination of Biomolecules. 4. Comparison of Maleimido- <i>closo</i> -Decaborate(2-) and <i>meta</i> -[²¹¹ At]Astatobenzoate Conjugates for Labeling anti-CD45 Antibodies with [²¹¹ At]Astatine. <i>Bioconjugate Chemistry</i> , 2009, 20, 1983-1991.	1.8	27
158	Prognostic impact of discordant results from cytogenetics and flow cytometry in patients with acute myeloid leukemia undergoing hematopoietic cell transplantation. <i>Cancer</i> , 2012, 118, 2411-2419.	2.0	27
159	Allogeneic Hematopoietic Cell Transplantation following Minimal Intensity Conditioning: Predicting Acute Graft-versus-Host Disease and Graft-versus-Tumor Effects. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 792-798.	2.0	27
160	Long-term sustained disease control in patients with mantle cell lymphoma with or without active disease after treatment with allogeneic hematopoietic cell transplantation after nonmyeloablative conditioning. <i>Cancer</i> , 2015, 121, 3709-3716.	2.0	27
161	Association of Distance from Transplantation Center and Place of Residence on Outcomes after Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1319-1323.	2.0	27
162	Relapse or progression after hematopoietic cell transplantation using nonmyeloablative conditioning: effect of interventions on outcome. <i>Experimental Hematology</i> , 2003, 31, 974-980.	0.2	26

#	ARTICLE	IF	CITATIONS
163	cGMP production of astatine-211-labeled anti-CD45 antibodies for use in allogeneic hematopoietic cell transplantation for treatment of advanced hematopoietic malignancies. <i>PLoS ONE</i> , 2018, 13, e0205135.	1.1	26
164	Multisite 11-year experience of less-intensive vs intensive therapies in acute myeloid leukemia. <i>Blood</i> , 2021, 138, 387-400.	0.6	26
165	Radioimmunotherapy with Bismuth-213 as Conditioning for Nonmyeloablative Allogeneic Hematopoietic Cell Transplantation in Dogs: A Dose Deescalation Study. <i>Transplantation</i> , 2004, 78, 352-359.	0.5	25
166	Steroids Versus Steroids Plus Additional Agent in Frontline Treatment of Acute Graft-versus-Host Disease: A Systematic Review and Meta-Analysis of Randomized Trials. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1133-1137.	2.0	25
167	Comparing outcomes of matched related donor and matched unrelated donor hematopoietic cell transplants in adults with Bâ€Cell acute lymphoblastic leukemia. <i>Cancer</i> , 2017, 123, 3346-3355.	2.0	25
168	Long-term follow up of tandem autologous-allogeneic hematopoietic cell transplantation for multiple myeloma. <i>Haematologica</i> , 2019, 104, 380-391.	1.7	25
169	Allogeneic Hematopoietic Cell Transplantation (HCT) after Nonmyeloablative Conditioning for Relapsed or Refractory Follicular Lymphoma.. <i>Blood</i> , 2005, 106, 1130-1130.	0.6	25
170	A Polymorphic Oncofetal Antigen Recognized by CD8+ CTL from Two Patients Experiencing Regression of Metastatic Renal Cell Carcinoma after Allogeneic HCT.. <i>Blood</i> , 2005, 106, 3097-3097.	0.6	25
171	HLA-Haploidentical Hematopoietic Cell Transplantation for Treatment of Nonmalignant Diseases Using Nonmyeloablative Conditioning and Post-Transplant Cyclophosphamide. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 1332-1341.	2.0	24
172	THE USE OF AN ANTI-TCR???? MONOCLONAL ANTIBODY TO CONTROL HOST-VERSUS-GRAFT REACTIONS IN CANINE MARROW ALLOGRAFT RECIPIENTS CONDITIONED WITH LOW DOSE TOTAL BODY IRRADIATION1. <i>Transplantation</i> , 1999, 67, 1329-1335.	0.5	24
173	Fludarabine and 2-Gy TBI is Superior to 2ÂGy TBI as Conditioning for HLA-Matched Related Hematopoietic Cell Transplantation: A Phase III Randomized Trial. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 1340-1347.	2.0	23
174	Impact of cytogenetic abnormalities on outcomes of adult Philadelphia-negative acute lymphoblastic leukemia after allogeneic hematopoietic stem cell transplantation: a study by the Acute Leukemia Working Committee of the Center for International Blood and Marrow Transplant Research. <i>Haematologica</i> , 2020, 105, 1329-1338.	1.7	23
175	Dog leukocyte antigen-haploidentical stem cell allografts after anti-CD44 therapy and reduced-intensity conditioning in a preclinical canine model. <i>Experimental Hematology</i> , 2003, 31, 168-175.	0.2	22
176	A Limited Sampling Schedule to Estimate Individual Pharmacokinetic Parameters of Fludarabine in Hematopoietic Cell Transplant Patients. <i>Clinical Cancer Research</i> , 2009, 15, 5280-5287.	3.2	22
177	Impact of pretransplant measurable residual disease on the outcome of allogeneic hematopoietic cell transplantation in adult monosomal karyotype AML. <i>Leukemia</i> , 2020, 34, 1577-1587.	3.3	22
178	Prevention of Graft-versus-Host Disease.. <i>Annals of the New York Academy of Sciences</i> , 1995, 770, 149-164.	1.8	21
179	Pharmacokinetic and Pharmacodynamic Analysis of Inosine Monophosphate Dehydrogenase Activity in Hematopoietic Cell Transplantation Recipients Treated with Mycophenolate Mofetil. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1121-1129.	2.0	21
180	Yttrium-90-labeled anti-CD45 antibody followed by a reduced-intensity hematopoietic cell transplantation for patients with relapsed/refractory leukemia or myelodysplasia. <i>Haematologica</i> , 2020, 105, 1731-1737.	1.7	20

#	ARTICLE	IF	CITATIONS
181	Mechanisms of Enhancement of Natural Killer Activity by an Antibody to CD44: Increase in Conjugate Formation and Release of Tumor Necrosis Factor $\hat{\pm}$. Cellular Immunology, 1995, 164, 255-264.	1.4	19
182	Radioimmunotherapy as non-myeloablative conditioning for allogeneic marrow transplantation. Leukemia and Lymphoma, 2006, 47, 1205-1214.	0.6	19
183	Extended Mycophenolate Mofetil and Shortened Cyclosporine Failed to Reduce Graft-versus-Host Disease after Unrelated Hematopoietic Cell Transplantation with Nonmyeloablative Conditioning. Biology of Blood and Marrow Transplantation, 2007, 13, 1041-1048.	2.0	19
184	A novel phenotypic method to determine fludarabine triphosphate accumulation in T-lymphocytes from hematopoietic cell transplantation patients. Cancer Chemotherapy and Pharmacology, 2009, 63, 391-401.	1.1	19
185	Long-Term Outcomes of Patients with Persistent Indolent B-Cell Malignancies Undergoing Nonmyeloablative Allogeneic Transplantation. Biology of Blood and Marrow Transplantation, 2015, 21, 281-287.	2.0	19
186	Prognostic Performance of the Augmented Hematopoietic Cell Transplantation-Specific Comorbidity/Age Index in Recipients of Allogeneic Hematopoietic Stem Cell Transplantation from Alternative Graft Sources. Biology of Blood and Marrow Transplantation, 2019, 25, 1045-1052.	2.0	19
187	131I-Anti-CD45 Antibody Plus Fludarabine, Low-Dose Total Body Irradiation and Peripheral Blood Stem Cell Infusion for Elderly Patients with Advanced Acute Myeloid Leukemia (AML) or High-Risk Myelodysplastic Syndrome (MDS).. Blood, 2005, 106, 397-397.	0.6	19
188	It Is Easix to Predict Non-Relapse Mortality (NRM) of Allogeneic Stem Cell Transplantation (alloSCT). Blood, 2016, 128, 519-519.	0.6	19
189	$\hat{\pm}$ -Imaging Confirmed Efficient Targeting of CD45-Positive Cells After ²¹¹ At-Radioimmunotherapy for Hematopoietic Cell Transplantation. Journal of Nuclear Medicine, 2015, 56, 1766-1773.	2.8	18
190	Disability related to chronic graft -<i>versus</i>-host disease after alternative donor hematopoietic cell transplantation. Haematologica, 2019, 104, 835-843.	1.7	18
191	Reduced intensity conditioning for acute myeloid leukemia using melphalan- vs busulfan-based regimens: a CIBMTR report. Blood Advances, 2020, 4, 3180-3190.	2.5	18
192	Allogeneic hematopoietic cell transplantation with non-myeloablative conditioning for patients with hematologic malignancies: Improved outcomes over two decades. Haematologica, 2021, 106, 1599-1607.	1.7	18
193	Intensive Versus Non-Intensive Induction Therapy for Patients (Pts) with Newly Diagnosed Acute Myeloid Leukemia (AML) Using Two Different Novel Prognostic Models. Blood, 2016, 128, 216-216.	0.6	18
194	Immunomodulatory effects induced by cytotoxic T lymphocyte antigen 4 immunoglobulin with donor peripheral blood mononuclear cell infusion in canine major histocompatibility complex- $\hat{\pm}$ haplo-identical non-myeloablative hematopoietic cell transplantation. Cytotherapy, 2011, 13, 1269-1280.	0.3	17
195	A Phase I/II Study of Chemotherapy Followed by Donor Lymphocyte Infusion plus Interleukin-2 for Relapsed Acute Leukemia after Allogeneic Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2011, 17, 1308-1315.	2.0	17
196	A Limited Sampling Schedule to Estimate Mycophenolic Acid Area Under the Concentration- $\hat{\pm}$ Time Curve in Hematopoietic Cell Transplantation Recipients. Journal of Clinical Pharmacology, 2012, 52, 1654-1664.	1.0	17
197	Targeted Cancer Therapy Using Radiolabeled Monoclonal Antibodies. Technology in Cancer Research and Treatment, 2005, 4, 393-405.	0.8	16
198	211Astatine-Conjugated Monoclonal CD45 Antibody-Based Nonmyeloablative Conditioning for Stem Cell Gene Therapy. Human Gene Therapy, 2015, 26, 399-406.	1.4	16

#	ARTICLE	IF	CITATIONS
199	Sirolimus with CSP and MMF as GVHD prophylaxis for allogeneic transplantation with HLA antigen mismatched donors. <i>Blood</i> , 2020, 136, 1499-1506.	0.6	16
200	Phase I Study of a CD45-Targeted Antibody-Radionuclide Conjugate for High-Risk Lymphoma. <i>Clinical Cancer Research</i> , 2019, 25, 6932-6938.	3.2	15
201	Comparative analysis of total body irradiation (TBI)-based and non-TBI-based myeloablative conditioning for acute myeloid leukemia in remission with or without measurable residual disease. <i>Leukemia</i> , 2020, 34, 1701-1705.	3.3	15
202	Myeloablative Conditioning for Allogeneic Transplantation Results in Superior Disease-Free Survival for Acute Myelogenous Leukemia and Myelodysplastic Syndromes with Low/Intermediate but not High Disease Risk Index: A Center for International Blood and Marrow Transplant Research Study. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 68.e1-68.e9.	0.6	15
203	Allogeneic Transplantation to Treat Therapy-Related Myelodysplastic Syndrome and Acute Myelogenous Leukemia in Adults. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 923.e1-923.e12.	0.6	15
204	Low Albumin, High Ferritin, and Thrombocytopenia Before Transplant Predict Non-Relapse Mortality (NRM) Independent of the Hematopoietic Cell Transplantation Comorbidity Index (HCT-CI). <i>Blood</i> , 2009, 114, 651-651.	0.6	15
205	Tandem autologous/allogeneic hematopoietic cell transplantation with bortezomib maintenance therapy for high-risk myeloma. <i>Blood Advances</i> , 2017, 1, 2247-2256.	2.5	15
206	Pilot Study of a ²¹³ Bismuth-Labeled Anti-CD45 mAb as a Novel Nonmyeloablative Conditioning for DLA-Haploidentical Littermate Hematopoietic Transplantation. <i>Transplantation</i> , 2010, 89, 1336-1340.	0.5	14
207	Association of fludarabine pharmacokinetic/dynamic biomarkers with donor chimerism in nonmyeloablative HCT recipients. <i>Cancer Chemotherapy and Pharmacology</i> , 2015, 76, 85-96.	1.1	14
208	Cytogenetic risk determines outcomes after allogeneic transplantation in older patients with acute myeloid leukemia in their second complete remission: A Center for International Blood and Marrow Transplant Research cohort analysis. <i>Cancer</i> , 2017, 123, 2035-2042.	2.0	14
209	Allogeneic Hematopoietic Cell Transplantation in the Outpatient Setting. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 2152-2159.	2.0	14
210	Total body irradiation dose escalation decreases risk of progression and graft rejection after hematopoietic cell transplantation for myelodysplastic syndromes or myeloproliferative neoplasms. <i>Haematologica</i> , 2019, 104, 1221-1229.	1.7	14
211	Type of post-grafting immunosuppression after non-myeloablative blood cell transplantation may influence risk of delayed haemolysis due to minor ABO incompatibility. <i>British Journal of Haematology</i> , 2002, 116, 500-501.	1.2	13
212	Reduced Toxicity and Prompt Engraftment After Minimal Conditioning of a Patient With Fanconi Anemia Undergoing Hematopoietic Stem Cell Transplantation From an HLA-Matched Unrelated Donor. <i>Journal of Pediatric Hematology/Oncology</i> , 2003, 25, 581-583.	0.3	13
213	Dog leukocyte antigen nonidentical unrelated canine marrow grafts: enhancement of engraftment by CD4 and CD8 T cells. <i>Transplantation</i> , 2003, 76, 474-480.	0.5	13
214	Population pharmacokinetic/dynamic model of lymphosuppression after fludarabine administration. <i>Cancer Chemotherapy and Pharmacology</i> , 2015, 75, 67-75.	1.1	13
215	Description and prognostic significance of the kinetics of minimal residual disease status in adults with acute lymphoblastic leukemia treated with HyperCVAD. <i>American Journal of Hematology</i> , 2018, 93, 546-552.	2.0	13
216	High prevalence of potential drug interactions affecting mycophenolic acid pharmacokinetics in nonmyeloablative hematopoietic stem cell transplant recipients. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2013, 51, 711-7.	0.3	13

#	ARTICLE	IF	CITATIONS
217	Comparison of characteristics and outcomes of late acute and NIH chronic GVHD between Japanese and white patients. <i>Blood Advances</i> , 2019, 3, 2764-2777.	2.5	12
218	Engraftment of DLA-haploidentical marrow with ex vivo expanded, retrovirally transduced cytotoxic T lymphocytes. <i>Blood</i> , 2001, 98, 3447-3455.	0.6	11
219	Delaying DLA-Haploidentical Hematopoietic Cell Transplantation after Total Body Irradiation. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 1244-1250.	2.0	11
220	Low-Dose Azacitidine with DNMT1 Level Monitoring to Treat Post-Transplantation Acute Myelogenous Leukemia or Myelodysplastic Syndrome Relapse. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1122-1127.	2.0	10
221	Rituximab-based allogeneic transplant for chronic lymphocytic leukemia with comparison to historical experience. <i>Bone Marrow Transplantation</i> , 2020, 55, 172-181.	1.3	10
222	Nonmyeloablative and Myeloablative Hematopoietic Cell Transplantation for Hematologic Malignancies: Outcomes with HLA-Matched Unrelated Donors Compared to HLA-Identical Sibling Donors.. <i>Blood</i> , 2005, 106, 658-658.	0.6	10
223	A Phase II Trial of 90Y-Ibritumomab Tiuxetan-Based Reduced Intensity Allogeneic Peripheral Blood Stem Cell (PBSC) Transplantation for Relapsed CD20+ B-Cell Non-Hodgkins Lymphoma (NHL).. <i>Blood</i> , 2006, 108, 316-316.	0.6	10
224	Failure of Donor Lymphocyte Infusion to Prevent Graft Rejection in Dogs Given DLA-Identical Marrow after 1 Gy of Total Body Irradiation. <i>Biology of Blood and Marrow Transplantation</i> , 2006, 12, 813-817.	2.0	9
225	Transmission and expansion of HOXB4-induced leukemia in two immunosuppressed dogs: Implications for a new canine leukemia model. <i>Experimental Hematology</i> , 2009, 37, 1157-1166.	0.2	9
226	A pilot pharmacologic biomarker study in HLA-haploidentical hematopoietic cell transplant recipients. <i>Cancer Chemotherapy and Pharmacology</i> , 2013, 72, 607-618.	1.1	9
227	Preâ€transplant comorbidity burden and postâ€transplant chronic graftâ€versusâ€host disease. <i>British Journal of Haematology</i> , 2015, 171, 411-416.	1.2	9
228	Inosine Monophosphate Dehydrogenase Pharmacogenetics in Hematopoietic Cell Transplantation Patients. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 1802-1807.	2.0	9
229	Long-Term Follow-Up of 90Y-Ibritumomab Tiuxetan, Fludarabine, and Total Body Irradiationâ€Based Nonmyeloablative Allogeneic Transplant Conditioning for Persistent High-Risk B Cell Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 2211-2215.	2.0	9
230	Favorable Outcome of Patients with Relapsed Hodgkin Lymphoma (HL) after Nonmyeloablative Hematopoietic Cell Transplantation (NM-HCT) Using Related Haploidentical Donors.. <i>Blood</i> , 2006, 108, 3135-3135.	0.6	9
231	Vaccination as a treatment for breast or ovarian cancer. <i>Expert Review of Vaccines</i> , 2004, 3, 269-277.	2.0	8
232	Allogeneic hematopoietic cell transplantation for renal cell carcinoma: ten years after. <i>Expert Opinion on Biological Therapy</i> , 2011, 11, 763-773.	1.4	8
233	Safety of treatment with DLA-identical or unrelated mesenchymal stromal cells in DLA-identical canine bone marrow transplantation. <i>Chimerism</i> , 2013, 4, 95-101.	0.7	8
234	Characterization of an Anti-Cd44 Single-Chain F_v Antibody That Stimulates Natural Killer Cell Activity and Induces TNFÎ± Release. <i>Immunological Investigations</i> , 1995, 24, 907-926.	1.0	7

#	ARTICLE	IF	CITATIONS
235	Antibody engagement of intercellular adhesion molecule 3 triggers apoptosis of normal and leukaemic myeloid marrow cells. <i>British Journal of Haematology</i> , 2000, 108, 157-166.	1.2	7
236	Prolonged Allogeneic Marrow Engraftment following Nonmyeloablative Conditioning Using 100 cGy Total Body Irradiation and Pentostatin before and Pharmacological Immunosuppression after Transplantation. <i>Transplantation</i> , 2005, 80, 1518-1521.	0.5	7
237	Intracellular disposition of fludarabine triphosphate in human natural killer cells. <i>Cancer Chemotherapy and Pharmacology</i> , 2009, 63, 959-964.	1.1	7
238	Plerixafor-mobilized stem cells alone are capable of inducing early engraftment across the MHC-haploidentical canine barrier. <i>Blood</i> , 2010, 115, 916-917.	0.6	7
239	Allogeneic hematopoietic cell transplantation for indolent non-Hodgkin lymphoma. <i>Current Opinion in Hematology</i> , 2013, 20, 509-514.	1.2	7
240	Costs of Second Allogeneic Hematopoietic Cell Transplantation. <i>Transplantation</i> , 2013, 96, 108-115.	0.5	7
241	Recipient Pretransplant Inosine Monophosphate Dehydrogenase Activity in Nonmyeloablative Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1544-1552.	2.0	7
242	Pretransplant Consolidation Is Not Beneficial for Adults with ALL Undergoing Myeloablative Allogeneic Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 945-955.	2.0	7
243	Therapy of Myeloid Leukemia using Novel Bispecific Fusion Proteins Targeting CD45 and 90Y-DOTA. <i>Molecular Cancer Therapeutics</i> , 2020, 19, 2575-2584.	1.9	7
244	Yttrium-90 Anti-CD45 Immunotherapy Followed by Autologous Hematopoietic Cell Transplantation for Relapsed or Refractory Lymphoma. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 57.e1-57.e8.	0.6	7
245	Outcomes among Patients with Recurrent High-Risk Hematologic Malignancy after Nonmyeloablative Versus Myeloablative Allogeneic Hematopoietic Cell Transplantation.. <i>Blood</i> , 2006, 108, 262-262.	0.6	7
246	Allogeneic hematopoietic cell transplant for patients with end stage renal disease requiring dialysis â€” a single institution experience. <i>Leukemia and Lymphoma</i> , 2017, 58, 740-742.	0.6	6
247	Reversal of Low Donor Chimerism after Hematopoietic Cell Transplantation Using Pentostatin and Donor Lymphocyte Infusion: A Prospective Phase II Multicenter Trial. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 308-313.	2.0	6
248	90Y-labeled anti-CD45 antibody allogeneic hematopoietic cell transplantation for high-risk multiple myeloma. <i>Bone Marrow Transplantation</i> , 2021, 56, 202-209.	1.3	6
249	Impact of depth of clinical response on outcomes of acute myeloid leukemia patients in first complete remission who undergo allogeneic hematopoietic cell transplantation. <i>Bone Marrow Transplantation</i> , 2021, 56, 2108-2117.	1.3	6
250	Safety and Efficacy of Yttrium-90-Labeled Anti-CD45 Antibody (90Y-DOTA-BC8) Followed By a Standard Reduced-Intensity Hematopoietic Stem Cell Transplant (HCT) Regimen for Patients with Refractory/Relapsed Leukemia or High-Risk Myelodysplastic Syndrome (MDS). <i>Blood</i> , 2018, 132, 1018-1018.	0.6	6
251	Superiority of Pediatric Chemotherapy over Allogeneic Hematopoietic Cell Transplantation for Philadelphia Chromosome Negative Adult ALL in First Complete Remission: A Combined Analysis of Dana-Farber ALL Consortium and CIBMTR Cohorts. <i>Blood</i> , 2014, 124, 319-319.	0.6	6
252	Development of [211At]astatine-based anti-CD123 radioimmunotherapy for acute leukemias and other CD123+ malignancies. <i>Leukemia</i> , 2022, 36, 1485-1491.	3.3	6

#	ARTICLE	IF	CITATIONS
253	FAILURE OF ANTI-Ia MONOCLONAL ANTIBODY TO ABROGATE TRANSFUSION-INDUCED SENSITIZATION AND PREVENT MARROW GRAFT REJECTION IN DLA-IDENTICAL CANINE LITTERMATES. <i>Transplantation</i> , 1988, 45, 505.	0.5	5
254	Phase I/II multisite trial of optimally dosed clofarabine and low-dose TBI for hematopoietic cell transplantation in acute myeloid leukemia. <i>American Journal of Hematology</i> , 2020, 95, 48-56.	2.0	5
255	Risk classification at diagnosis predicts post-HCT outcomes in intermediate-, adverse-risk, and <i>t(8;21) KMT2A</i> -rearranged AML. <i>Blood Advances</i> , 2022, 6, 828-847.	2.5	5
256	Reduced-intensity Conditioning Followed by Hematopoietic Cell Transplantation for Hematologic Malignancies. <i>Journal of Clinical Oncology</i> , 2010, 28, 1043-1058.		5
257	Superior Survival with Post-Remission Pediatric-Inspired Chemotherapy Compared to Myeloablative Allogeneic Hematopoietic Cell Transplantation in Adolescents and Young Adults with Ph-Negative Acute Lymphoblastic Leukemia in First Complete Remission: Comparison of CALGB 10403 to Patients Reported to the CIBMTR. <i>Blood</i> , 2019, 134, 261-261.	0.6	5
258	Comparison of Allogeneic Hematopoietic Cell Transplantation (HCT) after Nonmyeloablative Conditioning with HLA-Matched Related (MRD), Unrelated (URD), and Related Haploidentical (Haplo) Donors for Relapsed or Refractory Hodgkin Lymphoma (HL). <i>Blood</i> , 2007, 110, 173-173.	0.6	5
259	International Working Group Scores Predict Post-Transplant Outcomes In Patients with Myelofibrosis. <i>Blood</i> , 2010, 116, 3085-3085.	0.6	5
260	A Phase I Trial of 90Y-BC8-DOTA (Anti-CD45) Monoclonal Antibody in Combination with Fludarabine and TBI As Conditioning for Allogeneic Peripheral Blood Stem Cell Transplant to Treat High Risk Multiple Myeloma. <i>Blood</i> , 2017, 130, 910-910.	0.6	5
261	Sequential Autologous Followed by Nonmyeloablative Allogeneic Hematopoietic Cell Transplantation (HCT) From HLA-Matched Related or Unrelated Donors Improves Outcomes of Patients (pts) with Bulky Lymphoma or Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2010, 116, 2365-2365.	0.6	5
262	Impact of Rituximab and Host/Donor Fc Receptor Polymorphisms after Allogeneic Hematopoietic Cell Transplantation for CD20+ B Cell Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 1811-1818.	2.0	4
263	Biokinetics of Radiolabeled Monoclonal Antibody BC8: Differences in Biodistribution and Dosimetry Among Hematologic Malignancies. <i>Journal of Nuclear Medicine</i> , 2020, 61, 1300-1306.	2.8	4
264	Addition of Astatine-211-Labeled Anti-CD45 Antibody to TBI as Conditioning for DLA-Identical Marrow Transplantation: A Novel Strategy to Overcome Graft Rejection in a Canine Presensitization Model: <i>Radioimmunotherapy to Overcome Transfusion-Induced Sensitization</i> . <i>Transplantation and Cellular Therapy</i> , 2021, 27, 476.e1-476.e7.	0.6	4
265	Conversion of Low Donor Chimerism Following Nonmyeloablative Conditioning for Hematopoietic Cell Transplantation (HCT) Using Pentostatin and Donor Lymphocyte Infusion (DLI). <i>Blood</i> , 2004, 104, 186-186.	0.6	4
266	Nonmyeloablative Allogeneic Hematopoietic Cell Transplantation (HCT) for Refractory Waldenström's Macroglobulinemia (WM): Evidence for a Graft-Versus-WM Effect. <i>Blood</i> , 2006, 108, 3034-3034.	0.6	4
267	Nonmyeloablative Allogeneic Hematopoietic Cell Transplantation in Patients with De Novo and Secondary Acute Myeloid Leukemia. <i>Blood</i> , 2008, 112, 149-149.	0.6	4
268	Sustained Graft-Versus-Lymphoma Effect among Patients (pts) with Mantle Cell Lymphoma (MCL) Given Nonmyeloablative Allogeneic Hematopoietic Cell Transplantation (HCT). <i>Blood</i> , 2008, 112, 2147-2147.	0.6	4
269	A Randomized 3-Arm Phase II Study to Determine the Most Promising Postgrafting Immunosuppression for Prevention of Acute Graft-Versus-Host Disease (GVHD) After Unrelated Donor Hematopoietic Cell Transplantation (HCT) Using Nonmyeloablative Conditioning for Patients with Hematologic Malignancies: A Multi-Center Trial. <i>Blood</i> , 2009, 114, 348-348.	0.6	4
270	Multi-Institutional Validation of the Predictive Power of the Hematopoietic Cell Transplantation Comorbidity Index (HCT-CI) for HCT Outcomes. <i>Blood</i> , 2011, 118, 145-145.	0.6	4

#	ARTICLE	IF	CITATIONS
271	FLT3 Mutation Increases Relapse Risk after Allogeneic Hematopoietic Cell Transplant for Acute Myeloid Leukemia in First or Second Complete Remission: A Center for International Blood and Marrow Transplant Research (CIBMTR) Analysis. <i>Blood</i> , 2014, 124, 322-322.	0.6	4
272	Nonmyeloablative Conditioning and Hematopoietic Cell Transplantation (HCT) from HLA-Matched Related or Unrelated Donors for Chemotherapy-Refractory Chronic Lymphocytic Leukemia (CLL).. <i>Blood</i> , 2004, 104, 2323-2323.	0.6	4
273	An anti-CD44 antibody does not enhance engraftment of DLA-identical marrow after low-dose total body irradiation. <i>Transplant Immunology</i> , 1996, 4, 271-274.	0.6	3
274	Optimizing reduced-intensity conditioning regimens for myeloproliferative neoplasms. <i>Expert Review of Hematology</i> , 2010, 3, 23-33.	1.0	3
275	Conditioning with β -emitter based radioimmunotherapy in canine allogeneic hematopoietic cell transplantation. <i>Chimerism</i> , 2012, 3, 40-42.	0.7	3
276	Effect of allogeneic hematopoietic cell transplantation in first complete remission on post-relapse complete remission rate and survival in acute myeloid leukemia. <i>Haematologica</i> , 2015, 100, e254-e256.	1.7	3
277	Blood and marrow transplantation during the emerging COVID-19 pandemic: the Seattle approach. <i>Bone Marrow Transplantation</i> , 2021, 56, 305-313.	1.3	3
278	Effect of post-treatment MRD status on subsequent outcomes according to chemotherapy intensity in acute myeloid leukemia (AML). <i>Leukemia and Lymphoma</i> , 2021, 62, 1532-1535.	0.6	3
279	Hematopoietic Bone Marrow Transplantation (BMT) for Patients with High-Risk Acute Myeloid Leukemia (AML), Acute Lymphoblastic Leukemia (ALL), or Myelodysplastic Syndrome (MDS) Using HLA-Haploidentical Related Donors: A Trial Using Radiolabeled Anti-CD45 Antibody Combined with Immunosuppression Before and After BMT. <i>Blood</i> , 2012, 120, 4164-4164.	0.6	3
280	Role of Comorbidities in Prognostic Evaluation of Outcomes Following Allogeneic Hematopoietic Cell Transplantation (HCT) from HLA-Mismatched (MM) and Umbilical Cord Blood (UCB) Donor Grafts. <i>Blood</i> , 2014, 124, 2583-2583.	0.6	3
281	Prophylactic Natural Killer Cell Immunotherapy Following HLA-Haploidentical Hematopoietic Cell Transplantation Prevents Relapse and Improves Survival in Patients with High-Risk Hematological Malignancies. <i>Blood</i> , 2016, 128, 1161-1161.	0.6	3
282	Sirolimus Combined with Mycophenolate Mofetil (MMF) and Cyclosporine (CSP) Significantly Improves Prevention of Acute Graft-Versus-Host-Disease (GVHD) after Unrelated Hematopoietic Cell Transplantation (HCT): Results from a Phase III Randomized Multi-Center Trial. <i>Blood</i> , 2016, 128, 506-506.	0.6	3
283	Comparison of Total Body Irradiation-Based with Intravenous Busulfan-Based Chemotherapy-Only Conditioning Regimens for Myeloablative Hematopoietic Cell Transplantation (HCT) in Adults with Acute Lymphoblastic Leukemia. <i>Blood</i> , 2016, 128, 679-679.	0.6	3
284	Megadose 90Y-ibritumomab tiuxetan prior to allogeneic transplantation is effective for aggressive large B-cell lymphoma. <i>Blood Advances</i> , 2022, 6, 37-45.	2.5	3
285	A Modified Hematopoietic Cell Transplantation (HCT)-Specific-Comorbidity Index.. <i>Blood</i> , 2004, 104, 1146-1146.	0.6	3
286	Umbilical Cord Blood Transplantation in Patients with Hematological Malignancies Using a Non-ATG Containing Reduced Intensity Preparative Regimen. <i>Blood</i> , 2011, 118, 1943-1943.	0.6	3
287	Outcomes after hematopoietic cell transplantation among non-English- compared to English-speaking recipients. <i>Bone Marrow Transplantation</i> , 2022, 57, 440-444.	1.3	3
288	Nonmyeloablative hematopoietic stem cell allografting. <i>Current Opinion in Organ Transplantation</i> , 2000, 5, 366-371.	0.8	2

#	ARTICLE	IF	CITATIONS
289	Nonmyeloablative Allogeneic Hematopoietic Stem Cell Transplant in Patients with End Stage Renal Disease Requiring Dialysis – a Single Institution Experience. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, S251.	2.0	2
290	Allogeneic Hematopoietic Cell Transplantation (HCT) in the Eighth Decade of Life: How Much Does Age Matter?. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, S98-S99.	2.0	2
291	Non-myeloablative allogeneic hematopoietic cell transplantation for relapsed or refractory Waldenström macroglobulinemia: evidence for a graft- versus-lymphoma effect. <i>Haematologica</i> , 2018, 103, e252-e255.	1.7	2
292	Survival Differences Among Patients (pts) with Acute Myeloid Leukemia (AML) Treated with Allogeneic Hematopoietic Cell Transplantation (HCT) Versus Non-HCT Therapies: A Large Real-Time Multi-Center Prospective Longitudinal Observational Study. <i>Blood</i> , 2018, 132, 207-207.	0.6	2
293	The Alpha Emitter Astatine-211 Targeted to CD38 Can Eradicate Multiple Myeloma in Minimal Residual Disease Models. <i>Blood</i> , 2018, 132, 1941-1941.	0.6	2
294	Nonmyeloablative Unrelated Donor Hematopoietic Cell Transplantation (HCT) for Patients (pts) with Poor Risk, Relapsed or Refractory Multiple Myeloma.. <i>Blood</i> , 2004, 104, 2756-2756.	0.6	2
295	Treatment for Acute Myelogenous Leukemia by Low Dose Irradiation Based Conditioning and Hematopoietic Cell Transplantation from Related and Unrelated Donors.. <i>Blood</i> , 2004, 104, 3074-3074.	0.6	2
296	Relationship between Conditioning Intensity and Comorbidity in Patients (Pts) with Acute Myeloid Leukemia (AML) or Myelodysplasia (MDS) Receiving Allogeneic Hematopoietic Cell Transplantation (HCT).. <i>Blood</i> , 2005, 106, 705-705.	0.6	2
297	What Is the Role for Donor NK Cells after Nonmyeloablative Conditioning?. <i>Blood</i> , 2007, 110, 476-476.	0.6	2
298	Allogeneic Hematopoietic Cell Transplantation (HCT) after Nonmyeloablative Conditioning for Patients (pts) Aged ≥60 Years.. <i>Blood</i> , 2008, 112, 2162-2162.	0.6	2
299	Impacts of Cytogenetic Abnormalities and Prior Alemtuzumab on Outcomes of Patients (pts) with High-Risk Chronic Lymphocytic Leukemia (CLL) Given Nonmyeloablative Allogeneic Hematopoietic Cell Transplantation (HCT). <i>Blood</i> , 2010, 116, 2364-2364.	0.6	2
300	Effect of Peripheral Blood Stem Cell (PBSC) Graft Composition on Graft Versus Host Disease (GVHD) and Mortality After Allogeneic Transplantation. <i>Blood</i> , 2010, 116, 676-676.	0.6	2
301	Interaction of Age and Comorbidities and Their Impacts on Hematopoietic Cell Transplantation (HCT) Outcomes. <i>Blood</i> , 2011, 118, 665-665.	0.6	2
302	Comparison of Post-Allogeneic Hematopoietic Cell Transplantation (HCT) Outcomes after Matched Related Donor Versus Matched Unrelated Donor HCT in Adults with Acute Lymphoblastic Leukemia. <i>Blood</i> , 2015, 126, 2017-2017.	0.6	2
303	Analysis of Pre-Transplant Therapy with Brentuximab Vedotin for Relapsed/Refractory Hodgkin Lymphoma on Outcomes of Reduced Intensity Conditioned Allogeneic Hematopoietic Cell Transplantation. <i>Blood</i> , 2015, 126, 4406-4406.	0.6	2
304	Higher Doses of Transplanted T and B Cells Are Associated with Greater Incidence of Extensive Chronic GVHD after PBSC Transplantation from HLA-Identical Sibling Donors.. <i>Blood</i> , 2007, 110, 1077-1077.	0.6	2
305	Long-Term Outcome of Autologous Followed by Nonmyeloablative Allografting from HLA-Identical Sibling for Multiple Myeloma (MM).. <i>Blood</i> , 2007, 110, 3029-3029.	0.6	2
306	Treatment of Recurrent or Persistent AML/MDS After Allogeneic Hematopoietic Cell Transplantation with Azacitidine.. <i>Blood</i> , 2010, 116, 1288-1288.	0.6	2

#	ARTICLE	IF	CITATIONS
307	Utility of the Treatment-Related Mortality (TRM) score to predict outcomes of adults with acute myeloid leukemia undergoing allogeneic hematopoietic cell transplantation. <i>Leukemia</i> , 2022, 36, 1563-1574.	3.3	2
308	CD8+ ACTIVATED T LYMPHOCYTES PRODUCE AN IN VITRO SKIN GRAFT-VERSUS-HOST REACTION IN AN ORGANOTYPIC SKIN CULTURE MODEL. <i>Transplantation</i> , 1995, 59, 69-78.	0.5	1
309	Pre-transplant bone marrow monocytic myeloid-derived suppressor cell frequency is not associated with outcome after allogeneic hematopoietic cell transplantation for acute myeloid leukemia in remission. <i>Bone Marrow Transplantation</i> , 2019, 54, 1511-1514.	1.3	1
310	Impact of Depth of Pretransplant Clinical Response on Outcomes of Acute Myeloid Leukemia Patients in First Complete Remission (AML-CR1) Who Undergo Allogeneic Hematopoietic Cell Transplantation (AlloHCT). <i>Blood</i> , 2019, 134, 4585-4585.	0.6	1
311	Non-Ablative or Reduced Intensity Conditioning Regimens with Volunteer Unrelated Donor Progenitor Cell Transplantation.. <i>Blood</i> , 2004, 104, 2751-2751.	0.6	1
312	Higher Doses of Transplanted CD34+, CD3+ and CD8+ Cells Are Associated with Better Donor T-Cell Chimerism and Less Graft Rejection, but Not with GVHD after Nonmyeloablative Conditioning for Unrelated Hematopoietic Cell Transplantation.. <i>Blood</i> , 2004, 104, 2753-2753.	0.6	1
313	Platelet and Red Blood Cell (RBC) Transfusion Requirements of Nonmyeloablative (NM) HLA-Matched Related and Unrelated Donor Hematopoietic Cell Transplantation (HCT): Influence of Genetic Disparity and ABO-incompatibility.. <i>Blood</i> , 2006, 108, 2985-2985.	0.6	1
314	Allogeneic Hematopoietic Cell Transplants in Patients with Myelofibrosis Age 60 and Older. <i>Blood</i> , 2008, 112, 2798-2798.	0.6	1
315	A Relapse Risk Score to Predict Acute Myeloid Leukemia Relapse After Nonmyeloablative Allogeneic Hematopoietic Cell Transplantation Based on Pre-Transplant Variables.. <i>Blood</i> , 2010, 116, 3450-3450.	0.6	1
316	Second Allogeneic Hematopoietic Cell Transplantation in Patients with Hematologic Malignancies for Relapse After First Allografts. <i>Blood</i> , 2012, 120, 4207-4207.	0.6	1
317	Non-Myeloablative Allografting from HLA-Identical Sibling Donors for Treatment of CML.. <i>Blood</i> , 2004, 104, 2316-2316.	0.6	1
318	Relapse Risk after Nonmyeloablative Hematopoietic Cell Transplantation for Malignant Diseases.. <i>Blood</i> , 2005, 106, 703-703.	0.6	1
319	Nonmyeloablative Unrelated Donor (URD) Hematopoietic Cell Transplantation (HCT) for the Treatment of Patients (pts) with Poor-Risk, Relapsed or Refractory Multiple Myeloma.. <i>Blood</i> , 2005, 106, 2893-2893.	0.6	1
320	Outcomes of c Hematopoietic Stem Cell Transplantation (HCT) after Non-Myeloablative Conditioning in Relapsed, Refractory, or Transformed Indolent Non-Hodgkin Lymphoma (NHL).. <i>Blood</i> , 2006, 108, 3124-3124.	0.6	1
321	The Joint Role of Comorbidity and Performance Status (PS) in Predicting Morbidity after Allogeneic Nonmyeloablative Hematopoietic Cell Transplantation (HCT).. <i>Blood</i> , 2006, 108, 596-596.	0.6	1
322	Long-Term Follow Up of Patients (pts) with High-Risk Chronic Lymphocytic Leukemia (CLL) Given Nonmyeloablative Allogeneic Hematopoietic Cell Transplantation (HCT).. <i>Blood</i> , 2007, 110, 1662-1662.	0.6	1
323	Outcomes of Early Relapse Following Non-Myeloablative Allogeneic Transplant for Lymphoma.. <i>Blood</i> , 2009, 114, 1204-1204.	0.6	1
324	Falling Serum Albumin Predicts Severity of Acute Graft-Vs.-Host Disease and Non-Relapse Mortality After Non-Myeloablative Allogeneic Hematopoietic Cell Transplantation.. <i>Blood</i> , 2009, 114, 1146-1146.	0.6	1

#	ARTICLE	IF	CITATIONS
325	Impact of Comorbidities on Early and Late Mortalities After Allogeneic Hematopoietic Cell Transplantation (HCT). <i>Blood</i> , 2011, 118, 326-326.	0.6	1
326	Pre-Transplant Ferritin, Albumin and Platelet Count Add Prognostic Information to Comorbidities for Allogeneic Hematopoietic Cell Transplantation (HCT) Outcomes: A Multi-Center Discovery-Validation Study. <i>Blood</i> , 2014, 124, 421-421.	0.6	1
327	A Prospective Multicenter Study of Nonmyeloablative Conditioning with TBI or Fludarabine/TBI for HLA-Matched Related Hematopoietic Cell Transplantation for Treatment of Hematologic Malignancies with Post Grafting Immunosuppression with Tacrolimus and Mycophenolate Mofetil: 10-Year Experience. <i>Blood</i> , 2015, 126, 1949-1949.	0.6	1
328	A Novel Bispecific CD38 Antibody Eradicates Multiple Myeloma in a Mouse Model Following Yttrium-90-DOTA Capture. <i>Blood</i> , 2015, 126, 118-118.	0.6	1
329	Addition of Astatine-211-Labeled Anti-CD45 Antibody to Total Body Irradiation (TBI) As Conditioning for DLA-Identical Marrow Transplantation: A Novel Strategy to Overcome Graft Rejection in a Canine Presensitization Model. <i>Blood</i> , 2016, 128, 2152-2152.	0.6	1
330	Comparison of Chronic Graft-Versus-Host Disease Severity and Functional Status after Cord Blood, Haploidentical Related and 1-Allele Mismatched Unrelated Donor Hematopoietic Cell Transplantation. <i>Blood</i> , 2017, 130, 73-73.	0.6	1
331	Total Body Irradiation (TBI) Dose Escalation Decreases Risk of Progression and Graft Rejection after Hematopoietic Cell Transplantation with Nonmyeloablative Conditioning for Myelodysplastic Syndrome (MDS) or Myeloproliferative Neoplasms (MPN). <i>Blood</i> , 2017, 130, 908-908.	0.6	1
332	Allogeneic Hematopoietic Stem Cell Transplantation for Therapy-Related Myelodysplastic Syndromes and Acute Myeloid Leukemia. <i>Blood</i> , 2019, 134, 2036-2036.	0.6	1
333	Anti-tumor activity of an ICAM-3 antibody (ICM3) Against human leukemic xenograft tumors in nude mice. <i>Experimental Hematology</i> , 2000, 28, 59-60.	0.2	0
334	Radioimmunotherapy-Augmented Nonmyeloablative Allogeneic Transplantation Improves Outcomes for Refractory Indolent B-Cell Non-Hodgkin Lymphoma: Results of an Adjusted Cohort Analysis. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, S72-S73.	2.0	0
335	Long-Term Outcomes of Patients with Advanced Mantle Cell Lymphoma Treated with Allogeneic Hematopoietic Cell Transplantation after Nonmyeloablative Conditioning. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, S88-S89.	2.0	0
336	Allogeneic Hematopoietic Cell Transplantation (HCT) Yields Lower Relapse Rates but No Overall Survival Benefit for Adults with Acute Lymphoblastic Leukemia (ALL) in First Minimal Residual Disease (MRD)-Negative Remission. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, S80-S81.	2.0	0
337	Consistent Collection and Processing of Non-Mobilized Mononuclear Cell, Apheresis Products from HLA Haploidentical Bone Marrow Donors for Sequential CD3+ T-Cell Depletion and CD56+ NK Cell Enrichment. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, S382-S383.	2.0	0
338	Late Effects and Patient Reported Quality of Life by Donor Source at 3 Years in Patients Surviving at Least 1 Year Following Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, S29.	2.0	0
339	HLA-Matched Sibling Versus Haploidentical Hematopoietic Cell Transplantation (HCT) in Patients with Acute Myeloid Leukemia (AML) in First Complete Remission (CR1). <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, S59-S60.	2.0	0
340	Limitations to Receiving Allogeneic Hematopoietic Cell Transplantation for Treatment of Acute Myeloid Leukemia: A Large Multi-Center Prospective Longitudinal Observational Study. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, S115-S116.	2.0	0
341	Impact of Peri-Transplant Rituximab and Host/Donor Fc Receptor Polymorphisms for Patients with Relapsed or Refractory CD20+ B-Cell Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, S226-S227.	2.0	0
342	AML-145: Multicenter 11-Year Experience of Outcomes After Intensive Versus Less-Intensive Therapy for Patients with Acute Myeloid Leukemia: Focus on Older and Medically Infirm Patients. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, S185.	0.2	0

#	ARTICLE	IF	CITATIONS
343	MLL-Rearranged AML Is Associated with Poor Outcomes As Compared to Patients with Intermediate- and Adverse-Risk Disease: A CIBMTR Study of 3779 Adult Patients. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, S10-S11.	2.0	0
344	Long-term Outcomes with Nonmyeloablative HLA-Identical Related Hematopoietic Cell Transplantation Using Tacrolimus and Mycophenolate Mofetil for Graft-versus-Host Disease Prophylaxis. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 163.e1-163.e7.	0.6	0
345	Myeloablative Versus Nonmyeloablative Hemopoietic Cell Transplantation (HCT) for Patients with Myelodysplasia (MDS) or AML with Multilineage Dysplasia Following MDS (tAML).. <i>Blood</i> , 2004, 104, 2320-2320.	0.6	0
346	Prognostic Relevance of "Early-Onset" Graft-Versus-Host Disease Following Nonmyeloablative Hematopoietic Cell Transplantation.. <i>Blood</i> , 2004, 104, 423-423.	0.6	0
347	Comparison of Lung Function after Nonmyeloablative Versus Myeloablative Allogeneic Hematopoietic Stem Cell Transplantation.. <i>Blood</i> , 2004, 104, 5105-5105.	0.6	0
348	DLA-Haploidentical Stem Cell Allografts after Anti-CD44 Therapy and Nonmyeloablative Conditioning: The Impact of Donor Lymphocyte Infusion (DLI), Pentostatin and Graft Composition on Donor Chimerism and Rejection.. <i>Blood</i> , 2005, 106, 2194-2194.	0.6	0
349	Impacts of Comorbidities on Outcomes of Patients (pts) Diagnosed with B-Cell Malignancies and Treated with Allogeneic Hematopoietic Cell Transplantation (HCT) Using Nonmyeloablative (NM) vs Myeloablative (M) Conditioning.. <i>Blood</i> , 2006, 108, 550-550.	0.6	0
350	Serious Acute or Chronic Graft-Versus-Host Disease after Hematopoietic Cell Transplantation: A Comparison of Myeloablative and Non-Myeloablative Conditioning Regimens.. <i>Blood</i> , 2006, 108, 755-755.	0.6	0
351	High-Dose Methotrexate (MTX) as Part of a Novel Immunosuppressive Regimen in Canine MHC-Haploidentical Hematopoietic Cell Transplantation (HCT).. <i>Blood</i> , 2006, 108, 3180-3180.	0.6	0
352	Postgrafting Immunosuppression with Prolonged Mycophenolate Mofetil (MMF) and Truncated Cyclosporine (CSP) Failed To Reduce the Incidence of Graft-Versus-Host Disease (GVHD) after Unrelated Donor Hematopoietic Cell Transplantation (HCT) with Nonmyeloablative Conditioning.. <i>Blood</i> , 2006, 108, 3119-3119.	0.6	0
353	Reversal of Low Chimerism Following Nonmyeloablative (NM) Hematopoietic Cell Transplantation (HCT) Using Pentostatin and Donor Lymphocyte Infusions (DLI).. <i>Blood</i> , 2007, 110, 480-480.	0.6	0
354	Outcomes in the Recent Seattle Cord Blood Experience: Low TRM and Relapse; High Mild Acute GVHD and CMV Reactivation.. <i>Blood</i> , 2007, 110, 2019-2019.	0.6	0
355	Outcomes of Allogeneic Hematopoietic Cell Transplantation (HCT) after Non-Myeloablative Conditioning in Relapsed Diffuse Large B-Cell Lymphoma (DLBCL).. <i>Blood</i> , 2007, 110, 3037-3037.	0.6	0
356	Duration of Immunosuppressive Therapy for Chronic Graft-vs.-Host Disease (cGVHD) Following Non-Myeloablative Allogeneic Hematopoietic Cell Transplantation (HCT).. <i>Blood</i> , 2007, 110, 1071-1071.	0.6	0
357	A Large Cohort Analysis of CMV Viral Load and Ganciclovir-Related Neutropenia in Nonmyeloablative (NM-HCT) and Myeloablative (M-HCT) Allogeneic Hematopoietic Cell Transplant Recipients.. <i>Blood</i> , 2007, 110, 2975-2975.	0.6	0
358	Low-Dose Total Body Irradiation (TBI) and Fludarabine Conditioning for Hematopoietic Cell Transplantation (HCT) in Patients with HLA-Class I Mismatched Donors.. <i>Blood</i> , 2007, 110, 3067-3067.	0.6	0
359	Tandem Auto/AlloHCT for Newly Diagnosed Multiple Myeloma (MM) Patients.. <i>Blood</i> , 2008, 112, 1130-1130.	0.6	0
360	Transfusion Requirements in Allogeneic Hematopoietic Cell Transplantation (HCT) Recipients Given Either Myeloablative or Nonmyeloablative Conditioning, and Effect of ABO Incompatibility on HCT Outcomes.. <i>Blood</i> , 2008, 112, 3268-3268.	0.6	0

#	ARTICLE	IF	CITATIONS
361	Evaluation of Toxicity and Tissue Radiation Doses Obtained in Mice with An Anti-CD45 Monoclonal Antibody (mAb) Labeled with the Alpha-Emitting Radionuclides, Astatine-211 or Bismuth-213.. Blood, 2008, 112, 3270-3270.	0.6	0
362	Adult Cord Blood Transplantation (CBT) Vs. Unrelated Donor Transplantation: A Cost Comparison. Blood, 2008, 112, 2383-2383.	0.6	0
363	Salvage Allogeneic Hematopoietic Cell Transplantation with Fludarabine and Total Body Irradiation (3) Tj ETQq1 1 0,784314 rgBT /Over	0.6	0
364	Reduced Intensity Conditioning with Allogeneic Hematopoietic Cell Transplantation for the Treatment of High-Risk Acute Lymphoblastic Leukemia.. Blood, 2009, 114, 1210-1210.	0.6	0
365	Nonmyeloablative Allogeneic HCT From Unrelated Donors for Multiple Myeloma (MM).. Blood, 2009, 114, 3391-3391.	0.6	0
366	Frequency of Allogeneic Stem Cell Transplant(SCT) in Patients Presenting with Newly-Diagnosed AML or AML at Time of First Salvage Therapy.. Blood, 2009, 114, 4332-4332.	0.6	0
367	Thymic Recovery After Allogeneic Hematopoietic Cell Transplantation with Nonmyeloablative Conditioning Might Be Limited to Patients Younger Than 60 Years of Age.. Blood, 2009, 114, 1149-1149.	0.6	0
368	Donor Engraftment Following β -Emitter Astatine-211 (211At) Labeled Anti-CD45 Monoclonal Antibody (mAb) Nonmyeloablative Conditioning for Dog Leukocyte Antigen (DLA)-Identical Marrow Transplantation. Blood, 2010, 116, 76-76.	0.6	0
369	Outcomes Following Relapse of Non-Hodgkin Lymphoma (NHL) or Chronic Lymphocytic Leukemia (CLL) After Nonmyeloablative Conditioning and Allogeneic Hematopoietic Cell Transplantation (HCT) From HLA-Matched Related or Unrelated Donors. Blood, 2010, 116, 1292-1292.	0.6	0
370	Concordance of CNS Leukemia Detection Between Morphology and Flow Cytometry Prior to Stem Cell Transplantation In Patients with MDS, AML, ALL and CMML. Blood, 2010, 116, 4842-4842.	0.6	0
371	Peripheral Blood Stem Cell Mobilization with Single Agent Plerixafor Induces FoxP3 Expression in Donor T Cells and Enables Durable Long Term Hematopoietic Engraftment Across Mismatched Major Histocompatibility Complex Barriers. Blood, 2011, 118, 1891-1891.	0.6	0
372	Incidence, Risk Factors and Outcomes of Sclerotic Chronic Graft-Versus-Host Disease (GVHD) Phenotype After Allogeneic Hematopoietic Cell Transplantation. Blood, 2011, 118, 322-322.	0.6	0
373	Quantitative Significance of Minimal Residual Disease Before Myeloablative Allogeneic Hematopoietic Cell Transplantation for Acute Myeloid Leukemia in First and Second Complete Remission. Blood, 2012, 120, 655-655.	0.6	0
374	A Phase II Trial Combining Radiolabeled Anti-CD45 Antibody with Fludarabine and Low-Dose Total Body Irradiation (TBI) Followed by Related or Unrelated Hematopoietic Cell Transplantation for Patients Under Age 50 with Advanced Acute Myeloid Leukemia (AML) or High-Risk Myelodysplastic Syndrome (MDS). Blood, 2012, 120, 1924-1924.	0.6	0
375	Donor Lymphocyte Infusion for Relapsed Hematological Malignancies After Allogeneic Hematopoietic Cell Transplantation: Prognostic Relevance of the Initial CD3+ T Cell Dose. Blood, 2012, 120, 354-354.	0.6	0
376	Anti-CD45 Monoclonal Antibody (MAb) Dose Optimization For Astatine-211 (211At)-Radioimmunotherapy (RIT) Of Relapsed Non-Hodgkin Lymphoma (NHL) In a Canine Model. Blood, 2013, 122, 5139-5139.	0.6	0
377	The Effect Of Donor and Recipient Statin Treatment On Infections After Allogeneic Hematopoietic Cell Transplantation. Blood, 2013, 122, 4548-4548.	0.6	0
378	Modulated Cyclophosphamide-Based In Vivo T-Cell Depletion Promotes Engraftment With Minimal Gvhd and Low Toxicity In Fanconi Anemia Patients. Blood, 2013, 122, 4561-4561.	0.6	0

#	ARTICLE	IF	CITATIONS
379	Failure-Free Survival After Initial Systemic Treatment Of Chronic GVHD. Blood, 2013, 122, 2053-2053.	0.6	0
380	Comparison Of Minimal Residual Disease As Outcome Predictor For AML Patients In First Complete Remission Undergoing Myeloablative Or Nonmyeloablative Allogeneic Hematopoietic Cell Transplantation. Blood, 2013, 122, 1317-1317.	0.6	0
381	Effect of Allogeneic Hematopoietic Cell Transplant in First Complete Remission on Post-Relapse CR Rate and Survival in Acute Myeloid Leukemia. Blood, 2014, 124, 5257-5257.	0.6	0
382	211At-Anti-CD45 Radioimmunotherapy Can Replace TBI Prior to Haploidentical Bone Marrow Transplantation and Yield Long-Term Hematopoietic Engraftment. Blood, 2014, 124, 2417-2417.	0.6	0
383	Time to Minimal Residual Disease (MRD) Negativity Is Independently Predictive of Outcome in Adults with Acute Lymphoblastic Leukemia (ALL) Receiving Hyper-CVAD. Blood, 2015, 126, 2498-2498.	0.6	0
384	Outcomes of Allogeneic Transplantation in Patients Aged ≥ 60 Years with Acute Myeloid Leukemia in Second Complete Remission: A CIBMTR Cohort Analysis. Blood, 2015, 126, 2009-2009.	0.6	0
385	Post-Hematopoietic Stem Cell Transplantation Minimal Residual Disease and Early Relapses in MDS and AML Evolving from MDS. Blood, 2015, 126, 2019-2019.	0.6	0
386	Consolidation Chemotherapy Is Not Beneficial for Adult Acute Lymphoblastic Leukemia Patients with Available Donor Undergoing Myeloablative Allogeneic Hematopoietic Cell Transplantation in First Complete Remission: A CIBMTR Study. Blood, 2016, 128, 684-684.	0.6	0
387	Reversal of Low Donor Chimerism Following Hematopoietic Cell Transplantation Using Pentostatin and Donor Lymphocyte Infusion. Blood, 2016, 128, 2215-2215.	0.6	0
388	Limitations to Receiving Allogeneic Hematopoietic Cell Transplantation for Treatment of Acute Myeloid Leukemia: A Large Multi-Center Prospective Longitudinal Observational Study. Blood, 2018, 132, 1388-1388.	0.6	0
389	Predictors of 90-Day Mortality after Admission to Intensive Care Unit (ICU) in Patients with Acute Myeloid Leukemia (AML): Application of a Novel, Recently Validated AML-Specific Risk Model. Blood, 2018, 132, 3986-3986.	0.6	0
390	Reduced Intensity Conditioning (RIC) Regimens Hematopoietic Cell Transplantation (HCT) for Acute Myeloid Leukemia (AML): A Comparison of Fludarabine/Busulfan (FB) and Fludarabine/Melphalan (FM) Based Regimens from the CIBMTR. Blood, 2018, 132, 3456-3456.	0.6	0
391	Pre-Transplant Monocytic Myeloid-Derived Suppressor Cell Frequency Has No Prognostic Role for Outcome after Allogeneic Hematopoietic Cell Transplantation for Acute Myeloid Leukemia in Remission. Blood, 2018, 132, 5255-5255.	0.6	0
392	Myeloablative Conditioning Is Preferred for Allogeneic Transplantation of Acute Myeloid Leukemia and Myelodysplastic Syndromes with Low/Intermediate but Not High Disease Risk Index. Blood, 2019, 134, 4603-4603.	0.6	0
393	Comparative Analysis of Total Body Irradiation (TBI)-Based and Non-TBI-Based Myeloablative Conditioning for Acute Myeloid Leukemia in Remission with and without Measurable Residual Disease. Blood, 2019, 134, 321-321.	0.6	0
394	Sirolimus Combined with Cyclosporine (CSP) and Mycophenolate Mofetil (MMF) As Graft-Vs-Host Disease (GVHD) Prophylaxis after Nonmyeloablative (NMA) Hematopoietic Cell Transplantation (HCT) Using HLA Class I or Class II Antigen Mismatched Donors: Results from a Phase II Multi-Center Trial. Blood, 2019, 134, 369-369.	0.6	0