Anthony I Okoh

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7070873/anthony-i-okoh-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 358 40 7,745 h-index g-index citations papers 380 9,913 4.1 7.07 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
358	Atypical and dual biotypes variant of virulent SA-NAG-Vibrio cholerae: an evidence of emerging/evolving patho-significant strain in municipal domestic water sources. <i>Annals of Microbiology</i> , 2022 , 72,	3.2	1
357	Prioritization of health emergency research and disaster preparedness 2022, 465-486		
356	Estimating the Risk of Acute Gastrointestinal Disease Attributed to E. coli O157:H7 in Irrigation Water and Agricultural Soil: A Quantitative Microbial Risk Assessment. <i>Sustainability</i> , 2022 , 14, 1878	3.6	
355	Processed ready-to-eat (RTE) foods sold in Yenagoa Nigeria were colonized by diarrheagenic Escherichia coli which constitute a probable hazard to human health <i>PLoS ONE</i> , 2022 , 17, e0266059	3.7	0
354	Lethality of resistant/virulent environmental Vibrio cholerae in wastewater release: An evidence of emerging virulent/antibiotic-resistant-bacteria contaminants of public health concern. <i>Environmental Challenges</i> , 2022 , 100504	2.6	
353	Influence of physicochemical parameters on PPCP occurrences in the wetlands <i>Environmental Monitoring and Assessment</i> , 2022 , 194, 339	3.1	O
352	Non-serogroup O1/O139 agglutinable Vibrio cholerae: a phylogenetically and genealogically neglected yet emerging potential pathogen of clinical relevance <i>Archives of Microbiology</i> , 2022 , 204, 323	3	1
351	Epidemiologic potentials and correlational analysis of Vibrio species and virulence toxins from water sources in greater Bushenyi districts, Uganda. <i>Scientific Reports</i> , 2021 , 11, 22429	4.9	6
350	Role of Endophytes and Rhizosphere Microbes in Promoting the Invasion of Exotic Plants in Arid and Semi-Arid Areas: A Review. <i>Sustainability</i> , 2021 , 13, 13081	3.6	5
349	Incidence and genetic diversity of multi-drug resistant Listeria monocytogenes isolates recovered from fruits and vegetables in the Eastern Cape Province, South Africa <i>International Journal of Food Microbiology</i> , 2021 , 363, 109513	5.8	1
348	Occurrence of Multidrug-Resistant Listeria monocytogenes in Environmental Waters: A Menace of Environmental and Public Health Concern. <i>Frontiers in Environmental Science</i> , 2021 , 9,	4.8	3
347	Global Systematic Mapping of Road Dust Research from 1906 to 2020: Research Gaps and Future Direction. <i>Sustainability</i> , 2021 , 13, 11516	3.6	0
346	Spatial monitoring and health risk assessment of polybrominated diphenyl ethers in environmental matrices from an industrialized impacted canal in South Africa. <i>Environmental Geochemistry and Health</i> , 2021 , 1	4.7	O
345	Silver nanoparticles (AgNPs) facilitated by plant parts of Crataegus ambigua Becker AK extracts and their antibacterial, antioxidant and antimalarial activities. <i>Green Chemistry Letters and Reviews</i> , 2021 , 14, 51-61	4.7	7
344	Factors Associated With Peripartum Virologic Suppression in Eastern Cape Province, South Africa: A Retrospective Cross-Sectional Analysis. <i>Clinical Infectious Diseases</i> , 2021 , 73, 1750-1758	11.6	
343	Distribution and Public Health Significance of Vibrio Pathogens Recovered from Selected Treated Effluents in the Eastern Cape Province, South Africa. <i>Water (Switzerland)</i> , 2021 , 13, 932	3	1
342	Torrefaction Characteristics of Blended Ratio of Sewage Sludge and Sugarcane Bagasse for Energy Production. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 2654	2.6	O

(2021-2021)

341	Potentials of low-cost methods for the removal of antibiotic-resistant bacteria and their genes in low budget communities: A review. <i>Journal of Water Process Engineering</i> , 2021 , 40, 101919	6.7	6
340	Occurrence and antibiogram signatures of some Vibrio species recovered from selected rivers in South West Nigeria. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 42458-42476	5.1	Ο
339	Improving the Solid Fuel Properties of Non-Lignocellulose and Lignocellulose Materials through Torrefaction. <i>Materials</i> , 2021 , 14,	3.5	1
338	Polybrominated diphenyl ethers in the environmental systems: a review. <i>Journal of Environmental Health Science & Engineering</i> , 2021 , 19, 1229-1247	2.9	7
337	Microbial Pathogenesis and Pathophysiology of Alzheimer Disease: A Systematic Assessment of Microorganisms Qmplications in the Neurodegenerative Disease. <i>Frontiers in Neuroscience</i> , 2021 , 15, 648	3 48 4	2
336	Characterization of a thermostable and solvent-tolerant laccase produced by Streptomyces sp. LAO. <i>Biotechnology Letters</i> , 2021 , 43, 1429-1442	3	2
335	Global research direction on Pt and Pt based electro-catalysts for fuel cells application between 1990 and 2019: A bibliometric analysis. <i>International Journal of Energy Research</i> , 2021 , 45, 15783-15796	4.5	3
334	Molecular Detection and Distribution of Six Medically Important spp. in Selected Freshwater and Brackish Water Resources in Eastern Cape Province, South Africa. <i>Frontiers in Microbiology</i> , 2021 , 12, 617703	5.7	2
333	Potentials of metallic nanoparticles for the removal of antibiotic resistant bacteria and antibiotic resistance genes from wastewater: A critical review. <i>Journal of Water Process Engineering</i> , 2021 , 41, 102	6471	6
332	Distribution and molecular characterization of ESBL, pAmpC flactamases, and non-flactam encoding genes in Enterobacteriaceae isolated from hospital wastewater in Eastern Cape Province, South Africa. <i>PLoS ONE</i> , 2021 , 16, e0254753	3.7	2
331	A Systematic Analysis of Research on : Public Health Implications from a Food-Environment Interphase Perspective. <i>Foods</i> , 2021 , 10,	4.9	1
330	Enterobacter cloacae harbouring blaNDM-1, blaKPC, and blaOXA-48-like carbapenem-resistant genes isolated from different environmental sources in South Africa. <i>International Journal of Environmental Studies</i> , 2021 , 78, 151-164	1.8	2
329	Plant-Based Synthesis of Silver Nanoparticles Using Aqueous Leaf Extract of Salvia officinalis: Characterization and its Antiplasmodial Activity. <i>Journal of Cluster Science</i> , 2021 , 32, 101-109	3	31
328	Cholinesterase inhibitory activity, antioxidant properties, and phytochemical composition of Chlorococcum sp. extracts. <i>Journal of Food Biochemistry</i> , 2021 , 45, e13395	3.3	5
327	Elucidation of coding gene and characterization of alkaline metallo-keratinase produced by acidophilic Bacillus sp. Okoh-K1 grown on chicken feather. <i>Environmental Technology and Innovation</i> , 2021 , 21, 101285	7	6
326	Global bibliometric meta-analytic assessment of research trends on microbial chlorine resistance in drinking water/water treatment systems. <i>Journal of Environmental Management</i> , 2021 , 278, 111641	7.9	4
325	Genetic Characterization of HIV-1 Subtype A1/C/D/B/K Unique Recombinant Form from Eastern Cape, South Africa. <i>AIDS Research and Human Retroviruses</i> , 2021 , 37, 162-168	1.6	0
324	Prevalence of E. coli O157:H7 strains in irrigation water and agricultural soil in two district municipalities in South Africa. <i>International Journal of Environmental Studies</i> , 2021 , 78, 474-483	1.8	3

323	Molecular detection of antibiotic resistance and virulence gene determinants of Enterococcus species isolated from coastal water in the Eastern Cape Province, South Africa. <i>International Journal of Environmental Studies</i> , 2021 , 78, 208-227	1.8	1
322	Multidrug-Resistant Species Shows Abundance in Environmental Waters of a Key District Municipality in South Africa. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	5
321	Virulence and Antibiotic Resistance Characteristics of Isolates From Rustic Environmental Freshwaters. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021 , 11, 732001	5.9	5
320	An Overview of the Pathogenesis, Transmission, Diagnosis, and Management of Endemic Human Coronaviruses: A Reflection on the Past and Present Episodes and Possible Future Outbreaks. <i>Pathogens</i> , 2021 , 10,	4.5	7
319	keratinase liberated essential and nonessential amino acids from chicken feather degradation. <i>Environmental Technology (United Kingdom)</i> , 2021 , 1-11	2.6	1
318	Antibiogram signatures of Vibrio species recovered from surface waters in South Western districts of Uganda: Implications for environmental pollution and infection control. <i>Science of the Total Environment</i> , 2021 , 807, 150706	10.2	9
317	Technological advancement for eliminating antibiotic resistance genes from wastewater: A review of their mechanisms and progress. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 106183	6.8	6
316	Spatial and seasonal variations of endocrine disrupting compounds in water and sediment samples of Markman Canal and Swartkops River Estuary, South Africa and their ecological risk assessment. <i>Marine Pollution Bulletin</i> , 2021 , 173, 113012	6.7	1
315	Occurrence and distribution of pharmaceuticals in surface water and sediment of Buffalo and Sundays River estuaries, South Africa and their ecological risk assessment. <i>Emerging Contaminants</i> , 2021 , 7, 187-195	5.8	3
314	Microbial Keratinase: Next Generation Green Catalyst and Prospective Applications. <i>Frontiers in Microbiology</i> , 2020 , 11, 580164	5.7	23
313	In Vitro Assessment of Antiplasmodial and Antitrypanosomal Activities of Chloroform, Ethyl Acetate and Ethanol Leaf Extracts of Oedera genistifolia. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 6987	2.6	2
312	An African perspective on the prevalence, fate and effects of carbapenem resistance genes in hospital effluents and wastewater treatment plant (WWTP) final effluents: A critical review. <i>Heliyon</i> , 2020 , 6, e03899	3.6	7
311	Proteolytic bacteria isolated from agro-waste dumpsites produced keratinolytic enzymes. <i>Biotechnology Reports (Amsterdam, Netherlands)</i> , 2020 , 27, e00483	5.3	12
310	Seasonal Shift in Physicochemical Factors Revealed the Ecological Variables that Modulate the Density of Species in Freshwater Resources. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
309	Occurrence of organochlorine pesticide residues in biological and environmental matrices in Africa: A two-decade review. <i>Heliyon</i> , 2020 , 6, e03518	3.6	41
308	Antibiogram and beta-lactamase genes among cefotaxime resistant E. coli from wastewater treatment plant. <i>Antimicrobial Resistance and Infection Control</i> , 2020 , 9, 46	6.2	10
307	Campylobacteriosis Agents in Meat Carcasses Collected from Two District Municipalities in the Eastern Cape Province, South Africa. <i>Foods</i> , 2020 , 9,	4.9	9
306	Critical threat associated with carbapenem-resistant gram-negative bacteria: prioritizing water matrices in addressing total antibiotic resistance. <i>Annals of Microbiology</i> , 2020 , 70,	3.2	5

305	Virulence, Antimicrobial Resistance and Environmental Persistence: A Review. <i>Pathogens</i> , 2020 , 9,	4.5	29
304	Wastewater treatment plants and release: The vase of Odin for emerging bacterial contaminants, resistance and determinant of environmental wellness. <i>Emerging Contaminants</i> , 2020 , 6, 212-224	5.8	7
303	Chemical constituents, antioxidant and cytotoxicity properties of used in the folklore management of neurological disorders in the Eastern Cape, South Africa. <i>3 Biotech</i> , 2020 , 10, 141	2.8	8
302	Overview of listeriosis in the Southern African HemisphereReview. <i>Journal of Food Safety</i> , 2020 , 40, e12732	2	12
301	Characterization of antibiogram fingerprints in Listeria monocytogenes recovered from irrigation water and agricultural soil samples. <i>PLoS ONE</i> , 2020 , 15, e0228956	3.7	18
300	Detection of antibiotic resistance and virulence genes of Vibrio strains isolated from ready-to-eat shrimps in Delta and Edo States, Nigeria. <i>Journal of Applied Microbiology</i> , 2020 , 129, 17-36	4.7	15
299	Rotavirus and Cryptosporidium pathogens as etiological proxies of gastroenteritis in some pastoral communities of the Amathole District Municipality, Eastern Cape, South Africa. <i>BMC Research Notes</i> , 2020 , 13, 187	2.3	1
298	sp. FPF-1 Produced Keratinase with High Potential for Chicken Feather Degradation. <i>Molecules</i> , 2020 , 25,	4.8	22
297	Agroresidues enhanced peroxidase activity expression by Bacillus sp. MABINYA-1 under submerged fermentation. <i>Bioresources and Bioprocessing</i> , 2020 , 7,	5.2	3
296	Organochlorine Pesticides in Selected Sewage Sludge in South Africa: Assessment and Method Validation. <i>Polish Journal of Environmental Studies</i> , 2020 , 29, 1021-1028	2.3	2
295	Occurrence, identification, and antibiogram signatures of selected Enterobacteriaceae from Tsomo and Tyhume rivers in the Eastern Cape Province, Republic of South Africa. <i>PLoS ONE</i> , 2020 , 15, e023808	34 ^{3.7}	4
294	Antimicrobial Resistance Profiles of Diarrheagenic (DEC) and Species Recovered from Diarrheal Patients in Selected Rural Communities of the Amathole District Municipality, Eastern Cape Province, South Africa. <i>Infection and Drug Resistance</i> , 2020 , 13, 4615-4626	4.2	1
293	Synthesis of CeO2 as promising adsorbent for the management of free-DNA harboring antibiotic resistance genes from tap-water. <i>Chemical Engineering Journal</i> , 2020 , 401, 125562	14.7	10
292	Polybrominated diphenyl ethers (PBDEs) in surface water and fish tissues from Sundays and Swartkops Estuaries, Eastern Cape Province, South Africa: Levels, spatial distribution, seasonal variation and health implications. <i>Regional Studies in Marine Science</i> , 2020 , 36, 101319	1.5	6
291	Spatial, seasonal and ecological risk assessment of organohalogenated contaminants in sediments of Swartkops and Sundays Estuaries, Eastern Cape province, South Africa. <i>Journal of Soils and Sediments</i> , 2020 , 20, 1046-1059	3.4	12
2 90	Antimicrobial resistance in freshwater Plesiomonas shigelloides isolates: Implications for environmental pollution and risk assessment. <i>Environmental Pollution</i> , 2020 , 257, 113493	9.3	7
289	Analyses of HIV-1 integrase gene sequences among treatment-naive patients in the Eastern Cape, South Africa. <i>Journal of Medical Virology</i> , 2020 , 92, 1165-1172	19.7	3
288	A critical review on the occurrence of resistomes in the environment and their removal from wastewater using apposite treatment technologies: Limitations, successes and future improvement. <i>Environmental Pollution</i> , 2020 , 263, 113791	9.3	25

287	Phylogenetic profiling for zoonotic Ehrlichia spp. from ixodid ticks in the Eastern Cape, South Africa. <i>Transboundary and Emerging Diseases</i> , 2020 , 67, 1247-1256	4.2	2
286	Exoproduction and characterization of a detergent-stable alkaline keratinase from Arthrobacter sp. KFS-1. <i>Biochimie</i> , 2020 , 177, 53-62	4.6	10
285	Pervasiveness of diarrheagenic E. coli pathotypes and Salmonella species among gastroenteritis patients in some selected pastoral hinterlands of the Amathole district municipality, Eastern Cape, South Africa. <i>Human Microbiome Journal</i> , 2020 , 17, 100074	5.6	2
284	Effects of fossil shell flour supplementation on heat tolerance of dohne merino rams. <i>Veterinary and Animal Science</i> , 2020 , 10, 100133	2.3	1
283	Nanotechnology as a viable alternative for the removal of antimicrobial resistance determinants from discharged municipal effluents and associated watersheds: A review. <i>Journal of Environmental Management</i> , 2020 , 275, 111234	7.9	9
282	Method Validation and Investigation of the Levels of Pharmaceuticals and Personal Care Products in Sludge of Wastewater Treatment Plants and Soils of Irrigated Golf Course. <i>Molecules</i> , 2020 , 25,	4.8	4
281	Determination and ecological risk assessment of two endocrine disruptors from River Buffalo, South Africa. <i>Environmental Monitoring and Assessment</i> , 2020 , 192, 750	3.1	7
2 80	Evaluation of bioactive compounds, free radical scavenging and anticancer activities of bulb extracts of from Eastern Cape Province, South Africa. <i>Saudi Journal of Biological Sciences</i> , 2020 , 27, 35, 200, 200, 200, 200, 200, 200, 200, 20	59 ⁴ 3569	9 7
279	Detection of Carbapenem-Resistance Genes in Species Recovered from Selected Environmental Niches in the Eastern Cape Province, South Africa. <i>Antibiotics</i> , 2020 , 9,	4.9	9
278	The incidence of antibiotic resistance within and beyond the agricultural ecosystem: A concern for public health. <i>MicrobiologyOpen</i> , 2020 , 9, e1035	3.4	31
277	Occurrence, Virulence and Antimicrobial Resistance-Associated Markers in Species Isolated from Retail Fresh Milk and Water Samples in Two District Municipalities in the Eastern Cape Province, South Africa. <i>Antibiotics</i> , 2020 , 9,	4.9	6
276	Systematic Assessment of Subspecies Infections from 1911-2019: A Growth Analysis of Association with Human Autoimmune Diseases. <i>Microorganisms</i> , 2020 , 8,	4.9	8
275	Molecular determination of genetic diversity among and isolated from milk, water, and meat samples using enterobacterial repetitive intergenic consensus PCR (ERIC-PCR). <i>Infection Ecology and Epidemiology</i> , 2020 , 10, 1830701	4.3	О
274	A review on occurrence and analytical procedures for the evaluation of polychlorinated naphthalenes in human and environmental matrices. <i>Environmental Pollutants and Bioavailability</i> , 2020 , 32, 154-174	2.8	O
273	Biochemical and Molecular Characterization of a Thermostable Alkaline Metallo-Keratinase from sp. Nnolim-K1. <i>Microorganisms</i> , 2020 , 8,	4.9	13
272	Molecular Characterization, Intra-Species Diversity and Abundance of Freshwater Isolates. <i>Microorganisms</i> , 2020 , 8,	4.9	1
271	Sulfated polysaccharides of some seaweeds exhibit neuroprotection via mitigation of oxidative stress, cholinergic dysfunction and inhibition of Zn - induced neuronal damage in HT-22 cells. <i>BMC Complementary Medicine and Therapies</i> , 2020 , 20, 251	2.9	12
270	Global research trends on bioflocculant potentials in wastewater remediation from 1990 to 2019 using a bibliometric approach. <i>Letters in Applied Microbiology</i> , 2020 , 71, 567-579	2.9	9

269	Antibiogram Signatures of Some Enterobacteria Recovered from Irrigation Water and Agricultural Soil in two District Municipalities of South Africa. <i>Microorganisms</i> , 2020 , 8,	4.9	4	
268	Antibiotic Susceptibility Testing (AST) Reports: A Basis for Environmental/Epidemiological Surveillance and Infection Control Amongst Environmental. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	8	
267	Environmental Water Pollution, Endocrine Interference and Ecotoxicity of 4-tert-Octylphenol: A Review. <i>Reviews of Environmental Contamination and Toxicology</i> , 2020 , 248, 81-109	3.5	11	
266	Distribution and Chemical Analysis of Pharmaceuticals and Personal Care Products (PPCPs) in the Environmental Systems: A Review. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	28	
265	Exoproduction and Molecular Characterization of Peroxidase from Ensifer adhaerens. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 3121	2.6	6	
264	The activity of commercial antimicrobials, and essential oils and ethanolic extracts of Olea europaea on Streptococcus agalactiae isolated from pregnant women. <i>BMC Complementary and Alternative Medicine</i> , 2019 , 19, 34	4.7	10	
263	Occurrence and risk evaluation of organochlorine contaminants in surface water along the course of Swartkops and Sundays River Estuaries, Eastern Cape Province, South Africa. <i>Environmental Geochemistry and Health</i> , 2019 , 41, 2777-2801	4.7	20	
262	Modelling the effects of physicochemical variables and anthropogenic activities as ecological drivers of Plesiomonas shigelloides distribution and freshwaters quality. <i>Science of the Total Environment</i> , 2019 , 682, 765-778	10.2	4	
261	Aptitude of Oxidative Enzymes for Treatment of Wastewater Pollutants: A Laccase Perspective. <i>Molecules</i> , 2019 , 24,	4.8	59	
2 60	HIV-1 drug resistance surveillance among parturient women on anti-retroviral therapy in the Eastern Cape, South Africa: Implications for elimination of mother-to-child transmission. <i>Journal of Clinical Virology</i> , 2019 , 117, 89-95	14.5	2	
259	Inhibitory effects of Azadirachta indica secondary metabolites formulated cosmetics on some infectious pathogens and oxidative stress radicals. <i>BMC Complementary and Alternative Medicine</i> , 2019 , 19, 123	4.7	2	
258	Global evolution of organochlorine pesticides research in biological and environmental matrices from 1992 to 2018: A bibliometric approach. <i>Emerging Contaminants</i> , 2019 , 5, 157-167	5.8	33	
257	Production of polyextremotolerant laccase by HWN16 and LLJ16. <i>Biotechnology Reports</i> (Amsterdam, Netherlands), 2019 , 22, e00337	5.3	10	
256	Microbial anaerobic digestion: process dynamics and implications from the renewable energy, environmental and agronomy perspectives. <i>International Journal of Environmental Science and Technology</i> , 2019 , 16, 3913-3934	3.3	10	
255	Levels of Polycyclic Aromatic Hydrocarbons in the Water and Sediment of Buffalo River Estuary, South Africa and Their Health Risk Assessment. <i>Archives of Environmental Contamination and Toxicology</i> , 2019 , 76, 657-669	3.2	66	
254	Increasing diversity of swine parvoviruses and their epidemiology in African pigs. <i>Infection, Genetics and Evolution</i> , 2019 , 73, 175-183	4.5	7	
253	Detection of Pools of Bacteria with Public Health Importance in Wastewater Effluent from a Municipality in South Africa Using Next Generation Sequencing and Metagenomics Analysis. <i>Lecture Notes in Computer Science</i> , 2019 , 136-146	0.9	0	
252	Aqueous-ethanol extracts of some South African seaweeds inhibit beta-amyloid aggregation, cholinesterases, and beta-secretase activities in vitro. <i>Journal of Food Biochemistry</i> , 2019 , 43, e12870	3.3	16	

251	Synthesis, characterization, antimalarial, antitrypanocidal and antimicrobial properties of gold nanoparticle. <i>Green Chemistry Letters and Reviews</i> , 2019 , 12, 61-68	4.7	18
250	Fossil Shell Flour in Livestock Production: A Review. <i>Animals</i> , 2019 , 9,	3.1	8
249	Chemical characterization, antioxidant properties, cholinesterase inhibitory and anti-amyloidogenic activities of sulfated polysaccharides from some seaweeds. <i>Bioactive Carbohydrates and Dietary Fibre</i> , 2019 , 18, 100182	3.4	26
248	Chlorella sorokiniana and Chlorella minutissima exhibit antioxidant potentials, inhibit cholinesterases and modulate disaggregation of Eamyloid fibrils. <i>Electronic Journal of Biotechnology</i> , 2019 , 40, 1-9	3.1	16
247	Chemical characterization of sulfated polysaccharides from Gracilaria gracilis and Ulva lactuca and their radical scavenging, metal chelating, and cholinesterase inhibitory activities. <i>International Journal of Food Properties</i> , 2019 , 22, 100-110	3	22
246	Clonality and genetic profiles of drug-resistant Mycobacterium tuberculosis in the Eastern Cape Province, South Africa. <i>MicrobiologyOpen</i> , 2019 , 8, e00449	3.4	3
245	Occurrence of phenolic derivatives in Buffalo River of Eastern Cape South Africa: Exposure risk evaluation. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 171, 887-893	7	24
244	Prevalence and capsular type distribution of Streptococcus agalactiae isolated from pregnant women in Namibia and South Africa. <i>BMC Infectious Diseases</i> , 2019 , 19, 179	4	8
243	Safety Evaluation and Colonisation Abilities of Four Lactic Acid Bacteria as Future Probiotics. <i>Probiotics and Antimicrobial Proteins</i> , 2019 , 11, 397-402	5.5	28
242	Seasonal variation of volatile oil composition and antioxidant property of aerial parts of Gaertn. grown in the Eastern Cape, South Africa. <i>Natural Product Research</i> , 2019 , 33, 2276-2280	2.3	6
241	Multiple nitrogen functionalized magnetic nanoparticles as an efficient adsorbent: synthesis, kinetics, isotherm and thermodynamic studies for the removal of rhodamine B from aqueous solution. <i>Scientific Reports</i> , 2019 , 9, 9672	4.9	18
240	Recreational water quality status of the Kidd@ Beach as determined by its physicochemical and bacteriological quality parameters. <i>Heliyon</i> , 2019 , 5, e01893	3.6	6
239	Phenolic composition, antioxidant activity, anticholinesterase potential and modulatory effects of aqueous extracts of some seaweeds on Emyloid aggregation and disaggregation. <i>Pharmaceutical Biology</i> , 2019 , 57, 460-469	3.8	19
238	Neuroprotective effects of some seaweeds against Zn - induced neuronal damage in HT-22 cells via modulation of redox imbalance, inhibition of apoptosis and acetylcholinesterase activity. <i>Metabolic Brain Disease</i> , 2019 , 34, 1615-1627	3.9	11
237	Distribution of organochlorine pesticides in fresh fish carcasses from selected estuaries in Eastern Cape Province, South Africa, and the associated health risk assessment. <i>Marine Pollution Bulletin</i> , 2019 , 149, 110605	6.7	19
236	Macroalgae as a Valuable Source of Naturally Occurring Bioactive Compounds for the Treatment of Alzheimer@ Disease. <i>Marine Drugs</i> , 2019 , 17,	6	34
235	Effect of Varying Inclusion Levels of Fossil Shell Flour on Growth Performance, Water Intake, Digestibility and N Retention in Dohne-Merino Wethers. <i>Animals</i> , 2019 , 9,	3.1	1
234	Characterizing Bacteria and Methanogens in a Balloon-Type Digester Fed with Dairy Cattle Manure for Anaerobic Mono-Digestion. <i>Polish Journal of Environmental Studies</i> , 2019 , 28, 1287-1293	2.3	3

233	Physicochemical Properties and Total Coliform Distribution of Selected Rivers in Osun State, Southwestern Nigeria. <i>Polish Journal of Environmental Studies</i> , 2019 , 28, 4417-4428	2.3	4
232	Evaluating Nahoon Beach and Canal Waters in Eastern Cape, South Africa: A Public Health Concern. <i>Polish Journal of Environmental Studies</i> , 2019 , 28, 1115-1125	2.3	2
231	Peroxidases Produced by New Ligninolytic Bacillus strains Isolated from Marsh and Grassland Decolourized Anthraquinone and Azo Dyes. <i>Polish Journal of Environmental Studies</i> , 2019 , 28, 3163-3172	2.3	8
230	Diagnosing Diabetes Mellitus With Glycated Haemoglobin in Newly Diagnosed HIV-positive Patients in Buffalo City Municipality, South Africa: A Cross-sectional Study. <i>Open Public Health Journal</i> , 2019 , 12, 263-268	0.6	2
229	Molecular Genetics and the Incidence of Transmitted Drug Resistance Among Pre-Treatment HIV-1 Infected Patients in the Eastern Cape, South Africa. <i>Current HIV Research</i> , 2019 , 17, 335-342	1.3	
228	Recovery of laccase-producing gammaproteobacteria from wastewater. <i>Biotechnology Reports</i> (Amsterdam, Netherlands), 2019 , 21, e00320	5.3	18
227	Incidence and antimicrobial susceptibility fingerprints of Plesiomonas shigelliodes isolates in water samples collected from some freshwater resources in Southwest Nigeria. <i>Science of the Total Environment</i> , 2019 , 665, 632-640	10.2	14
226	Preharvest Transmission Routes of Fresh Produce Associated Bacterial Pathogens with Outbreak Potentials: A Review. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	51
225	Studies on peroxidase production and detection of -like catalase-peroxidase gene in a species isolated from Hogsback forest reserve, South Africa. <i>Heliyon</i> , 2019 , 5, e03012	3.6	2
224	Human campylobacteriosis: A public health concern of global importance. <i>Heliyon</i> , 2019 , 5, e02814	3.6	53
223	Socio-demographic and clinical determinants of late presentation among patients newly diagnosed with HIV in the Eastern Cape, South Africa. <i>Medicine (United States)</i> , 2019 , 98, e14664	1.8	8
222	Phytofabrication of Silver/Silver Chloride Nanoparticles Using Aqueous Leaf Extract of : Characterization and Antibacterial Potential. <i>Molecules</i> , 2019 , 24,	4.8	34
221	Distribution pattern and health risk assessment of polycyclic aromatic hydrocarbons in the water and sediment of Algoa Bay, South Africa. <i>Environmental Geochemistry and Health</i> , 2019 , 41, 1303-1320	4.7	40
220	Maize stover as a feedstock for enhanced laccase production by two gammaproteobacteria: A solution to agroindustrial waste stockpiling. <i>Industrial Crops and Products</i> , 2019 , 129, 611-623	5.9	19
219	Metal-resistance encoding gene-fingerprints in some bacteria isolated from wastewaters of selected printeries in Ibadan, South-western Nigeria. <i>Journal of Taibah University for Science</i> , 2019 , 13, 266-273	3	9
218	Prevalence of porcine parvoviruses in some South African swine herds with background of porcine circovirus type 2 infection. <i>Acta Tropica</i> , 2019 , 190, 37-44	3.2	12
217	Utilization of agroindustrial wastes for the production of laccase by Achromobacter xylosoxidans HWN16 and Bordetella bronchiseptica HSO16. <i>Journal of Environmental Management</i> , 2019 , 231, 222-23	7·9	22
216	Biochemical and molecular characterization of a novel dye-decolourizing peroxidase from Raoultella ornithinolytica OKOH-1. <i>International Journal of Biological Macromolecules</i> , 2019 , 121, 454-46	7 .9	16

215	Agrowastes utilization by Raoultella ornithinolytica for optimal extracellular peroxidase activity. <i>Biotechnology and Applied Biochemistry</i> , 2019 , 66, 60-67	2.8	6
214	Silver nanoparticles mediated by Callistemon citrinus extracts and their antimalaria, antitrypanosoma and antibacterial efficacy. <i>Journal of Molecular Liquids</i> , 2019 , 273, 615-625	6	24
213	Genetic characterization and diversity of porcine circovirus type 2 in non-vaccinated South African swine herds. <i>Transboundary and Emerging Diseases</i> , 2019 , 66, 412-421	4.2	4
212	Phthalates removal efficiency in different wastewater treatment technology in the Eastern Cape, South Africa. <i>Environmental Monitoring and Assessment</i> , 2018 , 190, 299	3.1	15
211	Sustainable water use and the nexus of behavioural intentions: the case of four South African communities. <i>Water and Environment Journal</i> , 2018 , 32, 285-291	1.7	6
210	Fate and impact of phthalates in activated sludge treated municipal wastewater on the water bodies in the Eastern Cape, South Africa. <i>Chemosphere</i> , 2018 , 203, 336-344	8.4	40
209	Determination of levels of some metal contaminants in the freshwater environments of Osun State, Southwest Nigeria: A risk assessment approach to predict health threat. <i>Chemosphere</i> , 2018 , 211, 834-843	8.4	27
208	Antibiotic Use in Agriculture and Its Consequential Resistance in Environmental Sources: Potential Public Health Implications. <i>Molecules</i> , 2018 , 23,	4.8	345
207	Molecular Characterization and Antimicrobial Resistance Pattern of Recovered from Wastewater Treatment Plants in Eastern Cape South Africa. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	23
206	Species in Wastewater Final Effluents and Receiving Watershed in South Africa: Implications for Public Health. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	7
205	Uptake of Zn2+ and As3+ from Wastewater by Adsorption onto Imine Functionalized Magnetic Nanoparticles. <i>Water (Switzerland)</i> , 2018 , 10, 36	3	9
204	The natural environment as a reservoir of pathogenic and non-pathogenic Acinetobacter species. <i>Reviews on Environmental Health</i> , 2018 , 33, 265-272	3.8	19
203	Physicochemical Properties of Wastewater in Three Typical South African Sewage Works. <i>Polish Journal of Environmental Studies</i> , 2018 , 27, 491-499	2.3	12
202	Distribution of polychlorinated biphenyl along the course of the Buffalo River, Eastern Cape Province, South Africa, and possible health risks. <i>Water S A</i> , 2018 , 44,	1.3	5
201	Characterisation and Antibiotic Resistance of Selected Bacterial Pathogens Recovered from Dairy Cattle Manure during Anaerobic Mono-Digestion in a Balloon-Type Digester. <i>Applied Sciences (Switzerland)</i> , 2018 , 8, 2088	2.6	4
200	Concentrations and Human Health Risk of Heavy Metals in Rivers in Southwest Nigeria. <i>Journal of Health and Pollution</i> , 2018 , 8, 180907	2.6	21
199	Molecular identification of some wild Nigerian mushrooms using internal transcribed spacer: polymerase chain reaction. <i>AMB Express</i> , 2018 , 8, 148	4.1	6
198	A bibliometric analysis of investigations of polybrominated diphenyl ethers (PBDEs) in biological and environmental matrices from 1992 - 2018. <i>Heliyon</i> , 2018 , 4, e00964	3.6	13

197	A global bibliometric analysis of Plesiomonas-related research (1990 - 2017). PLoS ONE, 2018 , 13, e020	7655	60
196	Comparative Study of Chemical Profiles of Leaf, Root and Seed Essential Oils of Clausena anisata (Willd.) Hook. <i>Asian Journal of Chemistry</i> , 2018 , 30, 487-490	0.4	2
195	Limpet () Recovered From Some Estuaries in the Eastern Cape Province, South Africa Act as Reservoirs of Pathogenic Species. <i>Frontiers in Public Health</i> , 2018 , 6, 237	6	2
194	Pathogenic Strains Recovered from Selected Aquatic Resources in the Eastern Cape, South Africa, and Its Significance to Public Health. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	7
193	Ligninolytic enzymes: Versatile biocatalysts for the elimination of endocrine-disrupting chemicals in wastewater. <i>MicrobiologyOpen</i> , 2018 , 7, e00722	3.4	25
192	Analytical Methods for Polycyclic Aromatic Hydrocarbons and their Global Trend of Distribution in Water and Sediment: A Review 2018 ,		20
191	Diversity of Complex from Cattle Lymph Nodes in Eastern Cape Province. <i>BioMed Research International</i> , 2018 , 2018, 3683801	3	1
190	In vitro assessment of the synergism between extracts of Cocos nucifera husk and some standard antibiotics. <i>Asian Pacific Journal of Tropical Biomedicine</i> , 2017 , 7, 306-313	1.4	7
189	Human enteric bacteria and viruses in five wastewater treatment plants in the Eastern Cape, South Africa. <i>Journal of Infection and Public Health</i> , 2017 , 10, 541-547	7.4	45
188	Adsorption of Cu 2+ from aqueous solution by a novel material; azomethine functionalized magnetic nanoparticles. <i>Separation and Purification Technology</i> , 2017 , 183, 204-215	8.3	29
187	Bioflocculation potentials of a uronic acid-containing glycoprotein produced by Bacillus sp. AEMREG4 isolated from Tyhume River, South Africa. <i>3 Biotech</i> , 2017 , 7, 78	2.8	7
186	Ethanol extract and chromatographic fractions of Tamarindus indica stem bark inhibits Newcastle disease virus replication. <i>Pharmaceutical Biology</i> , 2017 , 55, 1806-1808	3.8	4
185	Prevalence of tuberculous lymphadenitis in slaughtered cattle in Eastern Cape, South Africa. <i>International Journal of Infectious Diseases</i> , 2017 , 61, 27-37	10.5	8
184	Molecular characterization of Brucella species in cattle, sheep and goats obtained from selected municipalities in the Eastern Cape, South Africa. <i>Asian Pacific Journal of Tropical Disease</i> , 2017 , 7, 293-2	98	5
183	Assessment of chlorine tolerance profile of Citrobacter species recovered from wastewater treatment plants in Eastern Cape, South Africa. <i>Environmental Monitoring and Assessment</i> , 2017 , 189, 201	3.1	10
182	Evidence of emerging challenge of chlorine tolerance of Enterococcus species recovered from wastewater treatment plants. <i>International Biodeterioration and Biodegradation</i> , 2017 , 120, 216-223	4.8	11
181	Potential Health Implications of the Consumption of Thermally-Oxidized Cooking Oils & Review. <i>Polish Journal of Food and Nutrition Sciences</i> , 2017 , 67, 95-105	3.1	28
180	Peroxidase production and ligninolytic potentials of fresh water bacteria and. <i>Biotechnology Reports (Amsterdam, Netherlands)</i> , 2017 , 16, 12-17	5.3	33

179	Incidence and Molecular Characterization of Hepatitis E Virus from Swine in Eastern Cape, South Africa. <i>Advances in Virology</i> , 2017 , 2017, 1073253	1.9	6
178	Global Status of Type 2 and Its Associated Diseases in Sub-Saharan Africa. <i>Advances in Virology</i> , 2017 , 2017, 6807964	1.9	23
177	Surface modified magnetic nanoparticles as efficient adsorbents for heavy metal removal from wastewater: Progress and prospects. <i>Materials Express</i> , 2017 , 7, 439-456	1.3	30
176	Molecular detection of Porcine circovirus type 2 in swine herds of Eastern Cape Province South Africa. <i>BMC Microbiology</i> , 2017 , 17, 212	4.5	6
175	Low serum ferritin and G6PD deficiency as potential predictors of anaemia in pregnant women visiting Prime Care Hospital Enugu Nigeria. <i>BMC Research Notes</i> , 2017 , 10, 721	2.3	3
174	Chemical constituents, antibacterial and antioxidant properties of the essential oil flower of Tagetes minuta grown in Cala community Eastern Cape, South Africa. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 351	4.7	10
173	Optimization of Process Conditions for the Production of Holocellulase by a Bacillus Species Isolated from Nahoon Beach Sediments. <i>American Journal of Biochemistry and Biotechnology</i> , 2017 , 13, 70-80	0.4	3
172	Effects of probiotics on growth performance, blood parameters, and antibody stimulation in piglets. <i>South African Journal of Animal Sciences</i> , 2017 , 47, 765	1	14
171	Genetic profiling for Anaplasma and Ehrlichia species in ticks collected in the Eastern Cape Province of South Africa. <i>BMC Microbiology</i> , 2017 , 17, 45	4.5	22
170	Antibacterial activity of crude extracts of some South African medicinal plants against multidrug resistant etiological agents of diarrhoea. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 321	4.7	20
169	Terpene constituents of the aerial parts, phenolic content, antibacterial potential, free radical scavenging and antioxidant activity of Callistemon citrinus (Curtis) Skeels (Myrtaceae) from Eastern Cape Province of South Africa. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 292	4.7	18
168	Lignin peroxidase functionalities and prospective applications. <i>MicrobiologyOpen</i> , 2017 , 6, e00394	3.4	135
167	Therapeutic Potentials of Microalgae in the Treatment of Alzheimer QDisease. Molecules, 2017, 22,	4.8	61
166	Synergistic Effects of n-Hexane Fraction of Parkia biglobosa (Jacq.) Bark Extract and Selected Antibiotics on Bacterial Isolates. <i>Sustainability</i> , 2017 , 9, 228	3.6	1
165	Comparative Physicochemical and Microbiological Qualities of Source and Stored Household Waters in Some Selected Communities in Southwestern Nigeria. <i>Sustainability</i> , 2017 , 9, 454	3.6	11
164	Ecological and Public Health Implications of the Discharge of Multidrug-Resistant Bacteria and Physicochemical Contaminants from Treated Wastewater Effluents in the Eastern Cape, South Africa. <i>Water (Switzerland)</i> , 2017 , 9, 562	3	11
163	Substituted 4-Acyl-5-methyl-2-phenyl-pyrazol-3-one-phenylhydrazones with Antioxidant Properties: X-Ray Crystal and Spectroscopic Studies. <i>Journal of Chemistry</i> , 2017 , 2017, 1-10	2.3	2
162	Chlorine Tolerance and Inactivation of Escherichia coli recovered from Wastewater Treatment Plants in the Eastern Cape, South Africa. <i>Applied Sciences (Switzerland)</i> , 2017 , 7, 810	2.6	20

(2016-2017)

161	A Marine Bacterium, Bacillus sp. Isolated from the Sediment Samples of Algoa Bay in South Africa Produces a Polysaccharide-Bioflocculant. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	8
160	Vibrio Pathogens: A Public Health Concern in Rural Water Resources in Sub-Saharan Africa. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	46
159	Petroleum Hydrocarbon Profiles of Water and Sediment of Algoa Bay, Eastern Cape, South Africa. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	28
158	Occurrences of Organochlorine Pesticides along the Course of the Buffalo River in the Eastern Cape of South Africa and Its Health Implications. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	35
157	as an Emerging Ubiquitous Pathogen: Looking Beyond Contemporary Antibiotic Therapy. <i>Frontiers in Microbiology</i> , 2017 , 8, 2276	5.7	137
156	Analytical Methods for the Determination of the Distribution of Total Petroleum Hydrocarbons in the Water and Sediment of Aquatic Systems: A Review. <i>Journal of Chemistry</i> , 2017 , 2017, 1-13	2.3	37
155	Performance of NiFe2O4-SiO2-TiO2 Magnetic Photocatalyst for the Effective Photocatalytic Reduction of Cr(VI) in Aqueous Solutions. <i>Journal of Nanomaterials</i> , 2017 , 2017, 1-11	3.2	27
154	Petroleum Hydrocarbon Fingerprints of Water and Sediment Samples of Buffalo River Estuary in the Eastern Cape Province, South Africa. <i>Journal of Analytical Methods in Chemistry</i> , 2017 , 2017, 262936	52	19
153	Occurrence of Norovirus in pig faecal samples in the Eastern Cape, South Africa. <i>Asian Pacific Journal of Tropical Disease</i> , 2017 , 7, 151-155		6
152	Multidrug resistance in Enterococcus species of faecal origin from commercial dairy lactating cattle: Public health concern. <i>Asian Pacific Journal of Tropical Disease</i> , 2017 , 7, 665-670		4
151	Antibiotic resistance profiles of Escherichia coli O26, O145, and O157:H7 isolated from swine in the Eastern Cape Province, South Africa. <i>Asian Pacific Journal of Tropical Disease</i> , 2017 , 7, 553-559		8
150	Algae as an Important Resource of Natural Products of Medical and Biotechnological Importance: A Mini-Review 2017 , 1, 188-190		5
149	Bioactive Constituents, Radical Scavenging, and Antibacterial Properties of the Leaves and Stem Essential Oils from (L.) Kunth. <i>Pharmacognosy Magazine</i> , 2017 , 13, S392-S400	0.8	11
148	Endoglucanase and Xylanase Production by Chryseobacterium Species Isolated from Decaying Biomass. <i>Polish Journal of Environmental Studies</i> , 2017 , 26, 2651-2660	2.3	3
147	Multidrug-Resistant Salmonella Isolates from Swine in the Eastern Cape Province, South Africa. Journal of Food Protection, 2016 , 79, 1234-9	2.5	30
146	Triclosan in water, implications for human and environmental health. <i>SpringerPlus</i> , 2016 , 5, 1639		70
145	Bactericidal and antioxidant properties of essential oils from the fruits Dennettia tripetala G. Baker. <i>BMC Complementary and Alternative Medicine</i> , 2016 , 16, 486	4.7	13
144	Quantitative PCR Detection and Characterisation of Human Adenovirus, Rotavirus and Hepatitis A Virus in Discharged Effluents of Two Wastewater Treatment Facilities in the Eastern Cape, South Africa. <i>Food and Environmental Virology</i> , 2016 , 8, 262-274	4	42

143	Evaluation of flocculating performance of a thermostable bioflocculant produced by marine Bacillus sp. <i>Environmental Technology (United Kingdom)</i> , 2016 , 37, 1829-42	2.6	20
142	Antibiogram characterization and putative virulence genes in Aeromonas species isolated from pig fecal samples. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 12199-205	5.1	4
141	Occurrence of non-O157 Shiga toxin-producing Escherichia coli in two commercial swine farms in the Eastern Cape Province, South Africa. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2016 , 44, 48-53	2.6	16
140	Studies on Bioflocculant Production by Bacillus sp. AEMREG7. <i>Polish Journal of Environmental Studies</i> , 2016 , 25, 241-250	2.3	8
139	Macrolide, glycopeptide resistance and virulence genes in Enterococcus species isolates from dairy cattle. <i>Journal of Medical Microbiology</i> , 2016 , 65, 641-648	3.2	25
138	Assessment of Bacillus pumilus Isolated from Fresh Water Milieu for Bioflocculant Production. <i>Applied Sciences (Switzerland)</i> , 2016 , 6, 211	2.6	22
137	Antibacterial and Antioxidant Properties of the Leaves and Stem Essential Oils of L. <i>BioMed Research International</i> , 2016 , 2016, 9392716	3	12
136	Evaluation of Saponin Extract from Vitex doniana and Pentaclethra macrophylla for Antibacterial Activity. <i>Applied Sciences (Switzerland)</i> , 2016 , 6, 180	2.6	2
135	Classical Optimization of Cellulase and Xylanase Production by a Marine Streptomyces Species. <i>Applied Sciences (Switzerland)</i> , 2016 , 6, 286	2.6	29
134	Optimization of Cellulase and Xylanase Production by Micrococcus Species under Submerged Fermentation. <i>Sustainability</i> , 2016 , 8, 1168	3.6	17
133	An Overview of the Control of Bacterial Pathogens in Cattle Manure. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	99
132	Prevalence and antibiogram profiles of Escherichia coli O157:H7 isolates recovered from three selected dairy farms in the Eastern Cape Province, South Africa. <i>Asian Pacific Journal of Tropical Disease</i> , 2016 , 6, 990-995		5
131	Identification and antimicrobial resistance prevalence of pathogenic Escherichia coli strains from treated wastewater effluents in Eastern Cape, South Africa. <i>MicrobiologyOpen</i> , 2016 , 5, 143-51	3.4	71
130	Implications for public health demands alternatives to inorganic and synthetic flocculants: bioflocculants as important candidates. <i>MicrobiologyOpen</i> , 2016 , 5, 177-211	3.4	66
129	Detection of antibiotic resistance, virulence gene determinants and biofilm formation in Aeromonas species isolated from cattle. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 17596-	6 0 5	21
128	Characterization and Flocculating Properties of a Biopolymer Produced by Halomonas sp. Okoh. <i>Water Environment Research</i> , 2015 , 87, 298-303	2.8	3
127	Antimicrobial resistance determinants of Escherichia coli isolates recovered from some rivers in Osun State, South-Western Nigeria: Implications for public health. <i>Science of the Total Environment</i> , 2015 , 523, 82-94	10.2	53
126	Prevalence and characterisation of non-cholerae Vibrio spp. in final effluents of wastewater treatment facilities in two districts of the Eastern Cape Province of South Africa: implications for public health. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 2008-17	5.1	25

125	Multiple antibiotic resistance indexing of Escherichia coli to identify high-risk sources of faecal contamination of water. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 10969-80	5.1	45
124	Virulence and antimicrobial resistance factors of Enterococcusspp. isolated from fecal samples from piggery farms in Eastern Cape, South Africa. <i>BMC Microbiology</i> , 2015 , 15, 136	4.5	39
123	Characterization of a bioflocculant produced from the consortium of three marine bacteria of the genera Cobetia and Bacillus and its application for wastewater treatment. <i>Journal of Water Sanitation and Hygiene for Development</i> , 2015 , 5, 81-88	1.5	3
122	Occurrence of virulence gene signatures associated with diarrhoeagenic and non-diarrhoeagenic pathovars of Escherichia coli isolates from some selected rivers in South-Western Nigeria. <i>BMC Microbiology</i> , 2015 , 15, 204	4.5	25
121	Multiple antibiotic resistances among Shiga toxin producing Escherichia coli O157 in feces of dairy cattle farms in Eastern Cape of South Africa. <i>BMC Microbiology</i> , 2015 , 15, 213	4.5	61
120	Water Conservation and Culture of Indifference among College Students: The Nexus of Descriptive Norms. <i>Journal of Human Ecology: International, Interdisciplinary Journal of Man-environment Relationship</i> , 2015 , 52, 15-25	1.5	6
119	Evaluation of Antibacterial and Antifungal Properties of Alchornea laxiflora (Benth.) Pax. & Hoffman. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015 , 2015, 684839	2.3	11
118	Antibiotic susceptibilities of enterococcus species isolated from hospital and domestic wastewater effluents in alice, eastern cape province of South Africa. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 4231-46	4.6	55
117	Bacillus toyonensis strain AEMREG6, a bacterium isolated from South African marine environment sediment samples produces a glycoprotein bioflocculant. <i>Molecules</i> , 2015 , 20, 5239-59	4.8	24
116	Characterization of a Bioflocculant (MBF-UFH) Produced by Bacillus sp. AEMREG7. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 12986-3003	6.3	41
115	Assessment of the Physicochemical Qualities and Prevalence of Escherichia coli and Vibrios in the Final Effluents of Two Wastewater Treatment Plants in South Africa: Ecological and Public Health Implications. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 13399-412	4.6	13
114	Probable mechanisms of biocidal action of Cocos nucifera Husk extract and fractions on bacteria isolates. <i>BMC Complementary and Alternative Medicine</i> , 2015 , 15, 116	4.7	21
113	Incidence of human adenoviruses and Hepatitis A virus in the final effluent of selected wastewater treatment plants in Eastern Cape Province, South Africa. <i>Virology Journal</i> , 2015 , 12, 98	6.1	26
112	Prevalence and Characterisation of Non-Cholerae Vibrio spp. in Final Effluents of Wastewater Treatment Facilities in Two Districts of the Eastern Cape Province of South Africa: Implications for Public Health 2015 , 27-50		1
111	Antibiogram of Stenotrophomonas maltophilia Isolated From Nkonkobe Municipality, Eastern Cape Province, South Africa. <i>Jundishapur Journal of Microbiology</i> , 2015 , 8, e13975	1.2	7
110	Inadequately Treated Wastewater as a Source of Human Enteric Viruses in the Environment 2015 , 3-26		
109	Bioflocculant production by Bacillus sp. Gilbert isolated from a marine environment in South Africa. <i>Applied Biochemistry and Microbiology</i> , 2014 , 50, 49-54	1.1	21
108	Species diversity and antibiotic resistance properties of Staphylococcus of farm animal origin in Nkonkobe Municipality, South Africa. <i>Folia Microbiologica</i> , 2014 , 59, 133-40	2.8	29

107	Evaluation of the anti-Listeria potentials of some plant-derived triterpenes. <i>Annals of Clinical Microbiology and Antimicrobials</i> , 2014 , 13, 37	6.2	8
106	Assessment of the risks for human health of adenoviruses, hepatitis A virus, rotaviruses and enteroviruses in the Buffalo River and three source water dams in the Eastern Cape. <i>Food and Environmental Virology</i> , 2014 , 6, 87-98	4	35
105	Characterisation of the physicochemical qualities of a typical rural-based river: ecological and public health implications. <i>International Journal of Environmental Science and Technology</i> , 2014 , 11, 1771-1780	3.3	11
104	Gas chromatography-mass spectrometry characterisation of the anti-Listeria components of Garcinia kola seeds. <i>Applied Biochemistry and Microbiology</i> , 2014 , 50, 297-305	1.1	O
103	Bioflocculant production by a consortium of Streptomyces and Cellulomonas species and media optimization via surface response model. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 116, 257-64	6	49
102	Prevalence and antibiogram profiling of Escherichia coli pathotypes isolated from the Kat River and the Fort Beaufort abstraction water. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 8213-27	4.6	27
101	Stem bark extract and fraction of Persea americana (Mill.) exhibits bactericidal activities against strains of bacillus cereus associated with food poisoning. <i>Molecules</i> , 2014 , 20, 416-29	4.8	14
100	Identification of the AntiListerial Constituents in Partially Purified Column Chromatography Fractions of Garcinia kola Seeds and Their Interactions with Standard Antibiotics. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014 , 2014, 850347	2.3	5
99	Inactivation of selected bacterial pathogens in dairy cattle manure by mesophilic anaerobic digestion (balloon type digester). <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 7184-94	4.6	26
98	Occurrence of Vibrio pathotypes in the final effluents of five wastewater treatment plants in Amathole and Chris Hani District Municipalities in South Africa. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 7755-66	4.6	10
97	Mixed culture fermentation and media optimization by response surface model: Streptomyces and Brachybacterium species in bioflocculant production. <i>Molecules</i> , 2014 , 19, 11131-44	4.8	7
96	Occurrence of virulence genes associated with diarrheagenic Escherichia coli isolated from raw cow@ milk from two commercial dairy farms in the Eastern Cape Province, South Africa. International Journal of Environmental Research and Public Health, 2014, 11, 11950-63	4.6	19
95	Molecular detection and characterization of resistant genes in Mycobacterium tuberculosis complex from DNA isolated from tuberculosis patients in the Eastern Cape province South Africa. <i>BMC Infectious Diseases</i> , 2014 , 14, 479	4	17
94	Evaluation of the flocculation potential and characterization of bioflocculant produced by Micrococcus sp. Leo. <i>Applied Biochemistry and Microbiology</i> , 2014 , 50, 601-608	1.1	21
93	Characteristics of a bioflocculant produced by a consortium of Cobetia and Bacillus species and its application in the treatment of wastewaters. <i>Water S A</i> , 2014 , 40, 140	1.3	29
92	Prevalence of adenovirus respiratory tract and hiv co-infections in patients attending the University of Ilorin, teaching hospital, Ilorin, Nigeria. <i>BMC Research Notes</i> , 2014 , 7, 870	2.3	5
91	Vancomycin and oxacillin co-resistance of commensal staphylococci. <i>Jundishapur Journal of Microbiology</i> , 2014 , 7, e9310	1.2	1
90	Bioflocculant production by Bacillus sp. Gilbert isolated from a marine environment in South Africa. <i>Prikladnaia Biokhimiia I Mikrobiologiia</i> , 2014 , 50, 59-64	1	7

89	Seasonal and spatio-temporal distribution of faecal-indicator bacteria in Tyume River in the Eastern Cape Province, South Africa. <i>Environmental Monitoring and Assessment</i> , 2013 , 185, 6579-90	3.1	25
88	Characterization and flocculation efficiency of a bioflocculant produced by a marine Halobacillus. <i>Environmental Technology (United Kingdom)</i> , 2013 , 34, 2671-9	2.6	22
87	Studies on the bacteriological qualities of the Buffalo River and three source water dams along its course in the Eastern Cape Province of South Africa. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 4125-36	5.1	39
86	Studies on bioflocculant production by a mixed culture of Methylobacterium sp. Obi and Actinobacterium sp. Mayor. <i>BMC Biotechnology</i> , 2013 , 13, 62	3.5	24
85	Characterization and flocculation properties of biopolymeric flocculant (glycosaminoglycan) produced by Cellulomonas sp. Okoh. <i>Journal of Applied Microbiology</i> , 2013 , 114, 1325-37	4.7	35
84	Detection and distribution of putative virulence associated genes in Aeromonas species from freshwater and wastewater treatment plant. <i>Journal of Basic Microbiology</i> , 2013 , 53, 895-901	2.7	15
83	Variations in the physicochemical characteristics of the Buffalo River in the Eastern Cape Province of South Africa. <i>Environmental Monitoring and Assessment</i> , 2013 , 185, 8733-47	3.1	20
82	Preliminary phytochemical screening and antibacterial properties of crude stem bark extracts and fractions of Parkia biglobosa (Jacq.). <i>Molecules</i> , 2013 , 18, 8485-99	4.8	27
81	Characterization of an Exopolymeric Flocculant Produced by a sp. <i>Materials</i> , 2013 , 6, 1237-1254	3.5	23
80	Antibiogram, adhesive characteristics, and incidence of class 1 integron in Aeromonas species isolated from two South African rivers. <i>BioMed Research International</i> , 2013 , 2013, 127570	3	20
79	Real-time PCR quantitative assessment of hepatitis A virus, rotaviruses and enteroviruses in the Tyume River located in the Eastern Cape Province, South Africa. <i>Water S A</i> , 2013 , 39,	1.3	7
78	Characterization of a bioflocculant produced by a consortium of Halomonas sp. Okoh and Micrococcus sp. Leo. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 5097-1	10 ⁶	48
77	Microbial anaerobic digestion (bio-digesters) as an approach to the decontamination of animal wastes in pollution control and the generation of renewable energy. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 4390-417	4.6	105
76	Quantitative RT-PCR detection of hepatitis A virus, rotaviruses and enteroviruses in the Buffalo River and source water dams in the Eastern Cape Province of South Africa. <i>International Journal of Environmental Research and Public Health</i> , 2012 , 9, 4017-32	4.6	39
75	Seroprevalence of hepatitis B surface antigenemia and its effects on hematological parameters in pregnant women in Osogbo, Nigeria. <i>Virology Journal</i> , 2012 , 9, 317	6.1	31
74	Quantitative detection and characterization of human adenoviruses in the Buffalo River in the Eastern Cape Province of South Africa. <i>Food and Environmental Virology</i> , 2012 , 4, 198-208	4	10
73	Studies on bioflocculant production by Arthrobacter sp. Raats, a freshwater bacteria isolated from Tyume River, South Africa. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 1054-65	6.3	39
72	A freshwater streptomyces, isolated from Tyume River, produces a predominantly extracellular glycoprotein bioflocculant. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 8679-95	6.3	33

71	Production and characterization of bioflocculant produced by Halobacillus sp. Mvuyo isolated from bottom sediment of Algoa Bay. <i>Environmental Technology (United Kingdom)</i> , 2012 , 33, 967-73	2.6	22
70	In vitro antilisterial properties of crude methanol extracts of Garcinia kola (Heckel) seeds. <i>Scientific World Journal, The</i> , 2012 , 2012, 694828	2.2	4
69	Prevalence of multiple antibiotics resistant (MAR) Pseudomonas species in the final effluents of three municipal wastewater treatment facilities in South Africa. <i>International Journal of Environmental Research and Public Health</i> , 2012 , 9, 2092-107	4.6	28
68	Commensal Pseudomonas species isolated from wastewater and freshwater milieus in the Eastern Cape Province, South Africa, as reservoir of antibiotic resistant determinants. <i>International Journal of Environmental Research and Public Health</i> , 2012 , 9, 2537-49	4.6	21
67	Synthesis, characterization and antibacterial studies of metal complexes of sulfadiazine with N-alkyl-N-phenyldithiocarbamate. <i>Bulletin of the Chemical Society of Ethiopia</i> , 2012 , 27,	1.2	4
66	Emerging Aeromonas species infections and their significance in public health. <i>Scientific World Journal, The</i> , 2012 , 2012, 625023	2.2	176
65	Assessment of the incidence of enteric adenovirus species and serotypes in surface waters in the eastern cape province of South Africa: Tyume River as a case study. <i>Scientific World Journal, The</i> , 2012 , 2012, 949216	2.2	20
64	Antibiotic susceptibility profile of Aeromonas species isolated from wastewater treatment plant. <i>Scientific World Journal, The</i> , 2012 , 2012, 764563	2.2	33
63	Ubiquitous Acinetobacter species as beneficial commensals but gradually being emboldened with antibiotic resistance genes. <i>Journal of Basic Microbiology</i> , 2012 , 52, 620-7	2.7	9
62	Water quality assessment: surface water sources used for drinking and irrigation in Zaria, Nigeria are a public health hazard. <i>Environmental Monitoring and Assessment</i> , 2012 , 184, 3389-400	3.1	32
61	Bacterial exopolysaccharides: functionality and prospects. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 14002-15	6.3	375
60	Thermostable bacterial bioflocculant produced by Cobetia spp. isolated from Algoa Bay (South Africa). <i>International Journal of Environmental Research and Public Health</i> , 2012 , 9, 2108-20	4.6	34
59	Bioflocculant production by Virgibacillus sp. Rob isolated from the bottom sediment of Algoa Bay in the Eastern Cape, South Africa. <i>Molecules</i> , 2011 , 16, 2431-42	4.8	55
58	Halomonas sp. OKOHa marine bacterium isolated from the bottom sediment of Algoa Bayproduces a polysaccharide bioflocculant: partial characterization and biochemical analysis of its properties. <i>Molecules</i> , 2011 , 16, 4358-70	4.8	21
57	Assessment of bioflocculant production by Bacillus sp. Gilbert, a marine bacterium isolated from the bottom sediment of Algoa Bay. <i>Marine Drugs</i> , 2011 , 9, 1232-42	6	51
56	Effects of fractionation and combinatorial evaluation of Tamarindus indica fractions for antibacterial activity. <i>Molecules</i> , 2011 , 16, 4818-27	4.8	6
55	In-vitro antagonistic characteristics of crude aqueous and methanolic extracts of Garcinia kola (Heckel) seeds against some Vibrio bacteria. <i>Molecules</i> , 2011 , 16, 2754-65	4.8	10
54	Assessment of water quality in Asa River (Nigeria) and its indigenous Clarias gariepinus fish. <i>International Journal of Environmental Research and Public Health</i> , 2011 , 8, 4332-52	4.6	27

53	Acute toxicity and hepatotoxicokinetic studies of Tamarindus indica extract. <i>Molecules</i> , 2011 , 16, 7415	-27 .8	4
52	In-vitro antibacterial properties of crude aqueous and n-hexane extracts of the husk of Cocos nucifera. <i>Molecules</i> , 2011 , 16, 2135-45	4.8	16
51	In vivo evaluation of the antiviral activity of Cajanus cajan on measles virus. <i>Archives of Virology</i> , 2011 , 156, 1551-7	2.6	26
50	Seasonal abundance and distribution of Vibrio species in the treated effluent of wastewater treatment facilities in suburban and urban communities of Eastern Cape Province, South Africa. <i>Journal of Microbiology</i> , 2011 , 49, 224-32	3	17
49	Polyphenolic contents and antioxidant potential of stem bark extracts from Jatropha curcas (Linn). <i>International Journal of Molecular Sciences</i> , 2011 , 12, 2958-71	6.3	48
48	Detection of potential risk of wastewater effluents for transmission of antibiotic resistance from Vibrio species as a reservoir in a peri-urban community in South Africa. <i>International Journal of Environmental Health Research</i> , 2011 , 21, 402-14	3.6	26
47	Interactions of antibiotics and methanolic crude extracts of Afzelia Africana (Smith.) against drug resistance bacterial isolates. <i>International Journal of Molecular Sciences</i> , 2011 , 12, 4477-503	6.3	24
46	Assessment of Tamarindus indica extracts for antibacterial activity. <i>International Journal of Molecular Sciences</i> , 2011 , 12, 6385-96	6.3	24
45	In vitro anti-listerial activities of crude n-hexane and aqueous extracts of Garcinia kola (heckel) seeds. <i>International Journal of Molecular Sciences</i> , 2011 , 12, 6952-65	6.3	3
44	Multidrug resistance and plasmid patterns of Escherichia coli O157 and other E. coli Isolated from diarrhoeal stools and surface waters from some selected sources in Zaria, Nigeria. <i>International Journal of Environmental Research and Public Health</i> , 2010 , 7, 3831-41	4.6	37
43	Municipal wastewater effluents as a source of listerial pathogens in the aquatic milieu of the Eastern Cape Province of South Africa: a concern of public health importance. <i>International Journal of Environmental Research and Public Health</i> , 2010 , 7, 2376-94	4.6	32
42	Vibrio fluvialis: an unusual enteric pathogen of increasing public health concern. <i>International Journal of Environmental Research and Public Health</i> , 2010 , 7, 3628-43	4.6	49
41	Antibiotic producing potentials of three freshwater actinomycetes isolated from the Eastern Cape Province of South Africa. <i>International Journal of Molecular Sciences</i> , 2010 , 11, 2612-23	6.3	17
40	Inadequately treated wastewater as a source of human enteric viruses in the environment. <i>International Journal of Environmental Research and Public Health</i> , 2010 , 7, 2620-37	4.6	164
39	Interactions of antibiotics and extracts of Helichrysum pedunculatum against bacteria implicated in wound infections. <i>Folia Microbiologica</i> , 2010 , 55, 176-80	2.8	7
38	Prevalence and distribution of Listeria pathogens in the final effluents of a rural wastewater treatment facility in the Eastern Cape Province of South Africa. <i>World Journal of Microbiology and Biotechnology</i> , 2010 , 26, 297-307	4.4	21
37	Physicochemical quality of an urban municipal wastewater effluent and its impact on the receiving environment. <i>Environmental Monitoring and Assessment</i> , 2010 , 170, 383-94	3.1	35
36	Antibiotic susceptibility profiles of some Vibrio strains isolated from wastewater final effluents in a rural community of the Eastern Cape Province of South Africa. <i>BMC Microbiology</i> , 2010 , 10, 143	4.5	79

35	Preliminary phytochemical screening and in vitro antioxidant activities of the aqueous extract of Helichrysum longifolium DC. <i>BMC Complementary and Alternative Medicine</i> , 2010 , 10, 21	4.7	203
34	Benzo[a]pyrene removal by axenic- and co-cultures of some bacterial and fungal strains. <i>International Biodeterioration and Biodegradation</i> , 2010 , 64, 538-544	4.8	48
33	A comparison of nutritionally-related blood metabolites among Nguni, Bonsmara and Angus steers raised on sweetveld. <i>Veterinary Journal</i> , 2009 , 179, 273-81	2.5	29
32	Impact of Discharged Wastewater Final Effluent on the Physicochemical Qualities of a Receiving Watershed in a Suburban Community of the Eastern Cape Province. <i>Clean - Soil, Air, Water</i> , 2009 , 37, 938-944	1.6	18
31	Occurrence of potentially pathogenic vibrios in final effluents of a wastewater treatment facility in a rural community of the Eastern Cape Province of South Africa. <i>Research in Microbiology</i> , 2009 , 160, 531-7	4	37
30	Impact of discharge wastewater effluents on the physico-chemical qualities of a receiving watershed in a typical rural community. <i>International Journal of Environmental Science and Technology</i> , 2009 , 6, 175-182	3.3	119
29	Phytochemical screening and polyphenolic antioxidant activity of aqueous crude leaf extract of Helichrysum pedunculatum. <i>International Journal of Molecular Sciences</i> , 2009 , 10, 4990-5001	6.3	39
28	Synergistic interaction of Helichrysum pedunculatum leaf extracts with antibiotics against wound infection associated bacteria. <i>Biological Research</i> , 2009 , 42,	7.6	21
27	Studies on the biocidal and cell membrane disruption potentials of stem bark extracts of Afzelia africana (Smith). <i>Biological Research</i> , 2009 , 42,	7.6	6
26	Synergistic interaction of Helichrysum pedunculatum leaf extracts with antibiotics against wound infection associated bacteria. <i>Biological Research</i> , 2009 , 42, 327-38	7.6	10
25	Studies on the biocidal and cell membrane disruption potentials of stem bark extracts of Afzelia africana (Smith). <i>Biological Research</i> , 2009 , 42, 339-49	7.6	7
24	Emerging Vibrio species: an unending threat to public health in developing countries. <i>Research in Microbiology</i> , 2008 , 159, 495-506	4	87
23	Slurry-phase biodegradation of weathered oily sludge waste. Chemosphere, 2008, 70, 737-44	8.4	62
22	Enterotoxigenic Escherichia coli (ETEC): a recurring decimal in infantsQand travelersQdiarrhea. <i>Reviews on Environmental Health</i> , 2008 , 23, 135-48	3.8	19
21	Biocidal activity of partially purified fractions from methanolic extract of Garcinia kola (Heckel) seeds on bacterial isolates. <i>Biological Research</i> , 2008 , 41,	7.6	10
20	Assessment techniques of antimicrobial properties of natural compounds of plant origin: current methods and future trends. <i>African Journal of Biotechnology</i> , 2008 , 7, 1797-1806	0.6	235
19	Escravos light crude oil degrading potentials of axenic and mixed bacterial cultures. <i>Journal of General and Applied Microbiology</i> , 2008 , 54, 277-84	1.5	4
18	Biodegradation of 2,4-dichlorophenol by a Bacillus consortium. <i>World Journal of Microbiology and Biotechnology</i> , 2008 , 24, 55-60	4.4	27

LIST OF PUBLICATIONS

17	Antibacterial Activities of Crude Stem Bark Extracts of Distemonanthus benthamianus Baill. <i>Journal of Biological Sciences</i> , 2008 , 8, 356-361	0.4	13
16	Biocidal activity of partially purified fractions from methanolic extract of Garcinia kola (Heckel) seeds on bacterial isolates. <i>Biological Research</i> , 2008 , 41, 277-87	7.6	6
15	Effects of residue quality and climate on plant residue decomposition and nutrient release along the transect from humid forest to Sahel of West Africa. <i>Biogeochemistry</i> , 2007 , 86, 217-229	3.8	31
14	Biodegradation of heavy crude oil Maya using spent compost and sugar cane bagasse wastes. <i>Chemosphere</i> , 2007 , 68, 848-55	8.4	30
13	In vitro Antibacterial Potentials of the Stem Bark of Red Water Tree (Erythrophleum suaveolens). <i>Journal of Biological Sciences</i> , 2007 , 7, 1233-1238	0.4	10
12	In vitro Antibacterial Regimes of Crude Aqueous and Acetone Extracts of Garcinia kola Seeds. Journal of Biological Sciences, 2007, 8, 149-154	0.4	5
11	Culturable Microbial Population Dynamics During Decomposition of Theobroma cacao Leaf Litters in a Tropical Soil Setting. <i>Journal of Biological Sciences</i> , 2006 , 6, 768-774	0.4	9
10	The Culturable Microbial and Chemical Qualities of Some Waters Used for Drinking and Domestic Purposes in a Typical Rural Setting of Southwestern Nigeria. <i>Journal of Applied Sciences</i> , 2005 , 5, 1041-	1048	3
9	The aerobic dechlorination activities of two bacterial species isolated from a refuse dumpsite in Nigeria. <i>International Microbiology</i> , 2002 , 5, 21-4	3	5
8	Aerobic dehalogenation potentials of four bacterial species isolated from soil and sewage sludge. <i>Chemosphere</i> , 2001 , 45, 45-50	8.4	26
7	Aerobic Heterotrophic Bacterial and Fungal Communities in the Topsoil of Omo Biosphere Reserve in Southwestern Nigeria1. <i>Biotropica</i> , 2000 , 32, 208-212	2.3	1
6	Comparison of Topsoil Microbial Populations in Vegetation Systems of Southwestern Nigeria during Dry and Wet Seasons <i>Microbes and Environments</i> , 1999 , 14, 227-231	2.6	
5	Microbial densities and physicochemical quality of some crude oil flow stations Qaver pit effluents in the Niger Delta areas of Nigeria. <i>Science of the Total Environment</i> , 1996 , 187, 73-8	10.2	11
4	Prevalence of Vancomycin Resistant Enterococcus in Wastewater Treatment Plants and Their Recipients for Reuse Using PCR and MALDI-ToF MS. <i>Frontiers in Environmental Science</i> ,9,	4.8	1
3	Occurrence, identification and antibiogram signatures of selected Enterobacteriaceae from Tsomo and Tyhume rivers in the Eastern Cape Province, Republic of South Africa		1
2	Isolation and antibiotic profile ofVibriospp. in final effluents of two wastewater treatment plants in the Eastern Cape of South Africa		1
1	Antibiogram imprints of E. coli O157:H7 recovered from irrigation water and agricultural soil samples collected from two district municipalities in South Africa. <i>International Journal of Environmental Studies</i> ,1-14	1.8	O