
Zhen Yang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7071646/publications.pdf Version: 2024-02-01



ZHEN YANC

#	Article	IF	CITATIONS
1	Trehalose Ameliorates Diabetic Cardiomyopathy: Role of the PK2/PKR Pathway. Oxidative Medicine and Cellular Longevity, 2021, 2021, 1-20.	4.0	5
2	Prokineticin 2 (PK2) Rescues Cardiomyocytes from High Glucose/High Palmitic Acid-Induced Damage by Regulating the AKT/GSK3β Pathway In Vitro. Oxidative Medicine and Cellular Longevity, 2020, 2020, 1-17.	4.0	10
3	Metformin Ameliorates Diabetic Cardiomyopathy by Activating the PK2/PKR Pathway. Frontiers in Physiology, 2020, 11, 425.	2.8	32
4	Copper-Catalyzed Dihydroquinolinone Synthesis from Isocyanides and O-Benzoyl Hydroxylamines. Journal of Organic Chemistry, 2019, 84, 3725-3734.	3.2	12
5	Metformin Ameliorates Testicular Damage in Male Mice with Streptozotocin-Induced Type 1 Diabetes through the PK2/PKR Pathway. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-14.	4.0	35
6	Atomâ€Economic Silverâ€Catalyzed Difunctionalization of the Isocyano Group with Cyclic Oximes: Towards Pyrimidinediones. Angewandte Chemie - International Edition, 2018, 57, 5720-5724.	13.8	29
7	Atomâ€Economic Silverâ€Catalyzed Difunctionalization of the Isocyano Group with Cyclic Oximes: Towards Pyrimidinediones. Angewandte Chemie, 2018, 130, 5822-5826.	2.0	5
8	Construction of Benzene Rings by Copper-Catalyzed Cycloaddition Reactions of Oximes and Maleimides: An Access to Fused Phthalimides. Organic Letters, 2018, 20, 1216-1219.	4.6	43
9	Disulfideâ€bondâ€containing agamatineâ€cystaminebisacrylamide polymer demonstrates better transfection efficiency and lower cytotoxicity than polyethylenimine in NIH/3T3 cells. Journal of Cellular Biochemistry, 2018, 119, 1767-1779.	2.6	7
10	Curcumin Attenuates Testicular Injury in Rats with Streptozotocin-Induced Diabetes. BioMed Research International, 2018, 2018, 1-10.	1.9	38
11	Dissolution enhancement of tadalafil by liquisolid technique. Pharmaceutical Development and Technology, 2017, 22, 77-89.	2.4	23
12	Recent advances on extracellular vesicles in therapeutic delivery: Challenges, solutions, and opportunities. European Journal of Pharmaceutics and Biopharmaceutics, 2017, 119, 381-395.	4.3	45
13	Exploring the role of peptides in polymer-based gene delivery. Acta Biomaterialia, 2017, 60, 23-37.	8.3	21
14	Uptake Pathways of Guandinylated Disulfide Containing Polymers as Nonviral Gene Carrier Delivering DNA to Cells. Journal of Cellular Biochemistry, 2017, 118, 903-913.	2.6	3
15	Structure–Function Correlations of Poly(Amido Amine)s for Gene Delivery. Macromolecular Bioscience, 2017, 17, 1600297.	4.1	13
16	Novel guanidinylated bioresponsive poly(amidoamine)s designed for short hairpin RNA delivery. International Journal of Nanomedicine, 2016, Volume 11, 6651-6666.	6.7	23
17	Guanidinylated bioresponsive poly(amido amine)s designed for intranuclear gene delivery. International Journal of Nanomedicine, 2016, Volume 11, 4011-4024.	6.7	14
18	Factors influencing the nuclear targeting ability of nuclear localization signals. Journal of Drug Targeting, 2016, 24, 927-933.	4.4	35

ZHEN YANG

#	Article	lF	CITATIONS
19	A method for the preparation of sustained release-coated Metoprolol Succinate pellet-containing tablets. Pharmaceutical Development and Technology, 2016, 21, 943-950.	2.4	11
20	Enhancement of skin permeation of bufalin by limonene via reservoir type transdermal patch: Formulation design and biopharmaceutical evaluation. International Journal of Pharmaceutics, 2013, 447, 231-240.	5.2	51
21	Bioavailability and Pharmacokinetics of Genistein: Mechanistic Studies on its ADME. Anti-Cancer Agents in Medicinal Chemistry, 2012, 12, 1264-1280.	1.7	167
22	Breast Cancer Resistance Protein (ABCG2) Determines Distribution of Genistein Phase II Metabolites: Reevaluation of the Roles of ABCG2 in the Disposition of Genistein. Drug Metabolism and Disposition, 2012, 40, 1883-1893.	3.3	57
23	Inhibition of P-Glycoprotein Leads to Improved Oral Bioavailability of Compound K, an Anticancer Metabolite of Red Ginseng Extract Produced by Gut Microflora. Drug Metabolism and Disposition, 2012, 40, 1538-1544.	3.3	66
24	Enhancement of Oral Bioavailability of 20(<i>S</i>)-Ginsenoside Rh2 through Improved Understanding of Its Absorption and Efflux Mechanisms. Drug Metabolism and Disposition, 2011, 39, 1866-1872.	3.3	75
25	Biopharmaceutical and pharmacokinetic characterization of matrine as determined by a sensitive and robust UPLC–MS/MS method. Journal of Pharmaceutical and Biomedical Analysis, 2010, 51, 1120-1127.	2.8	44
26	Simultaneous determination of genistein and its four phase II metabolites in blood by a sensitive and robust UPLC–MS/MS method: Application to an oral bioavailability study of genistein in mice. Journal of Pharmaceutical and Biomedical Analysis, 2010, 53, 81-89.	2.8	70