

# Elmo Mannarino

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7071709/elmo-mannarino-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141  
papers

6,005  
citations

43  
h-index

72  
g-index

142  
ext. papers

6,679  
ext. citations

4.5  
avg, IF

4.96  
L-index

#	Paper	IF	Citations
141	The endocrine function of adipose tissue: an update. <i>Clinical Endocrinology</i> , <b>2006</b> , 64, 355-65	3.4	342
140	Prognostic value of the metabolic syndrome in essential hypertension. <i>Journal of the American College of Cardiology</i> , <b>2004</b> , 43, 1817-22	15.1	255
139	Prognostic significance of left ventricular diastolic dysfunction in essential hypertension. <i>Journal of the American College of Cardiology</i> , <b>2002</b> , 39, 2005-11	15.1	218
138	CD4+CD28- T lymphocytes contribute to early atherosclerotic damage in rheumatoid arthritis patients. <i>Circulation</i> , <b>2004</b> , 109, 2744-8	16.7	199
137	Relationship between short-term blood pressure variability and large-artery stiffness in human hypertension: findings from 2 large databases. <i>Hypertension</i> , <b>2012</b> , 60, 369-77	8.5	194
136	Endothelial dysfunction in young patients with rheumatoid arthritis and low disease activity. <i>Annals of the Rheumatic Diseases</i> , <b>2004</b> , 63, 31-5	2.4	191
135	Measurements of carotid intima-media thickness and of interadventitia common carotid diameter improve prediction of cardiovascular events: results of the IMPROVE (Carotid Intima Media Thickness [IMT] and IMT-Progression as Predictors of Vascular Events in a High Risk European Population) study. <i>Journal of the American College of Cardiology</i> , <b>2012</b> , 60, 1489-99	15.1	162
134	Ambulatory arterial stiffness index is not a specific marker of reduced arterial compliance. <i>Hypertension</i> , <b>2007</b> , 49, 986-91	8.5	125
133	Impaired flow-mediated vasoactivity during post-prandial phase in young healthy men. <i>Atherosclerosis</i> , <b>2000</b> , 153, 397-402	3.1	125
132	Metabolic syndrome is associated with aortic stiffness in untreated essential hypertension. <i>Hypertension</i> , <b>2005</b> , 45, 1078-82	8.5	124
131	Apolipoprotein(a) genetic sequence variants associated with systemic atherosclerosis and coronary atherosclerotic burden but not with venous thromboembolism. <i>Journal of the American College of Cardiology</i> , <b>2012</b> , 60, 722-9	15.1	118
130	Increased ratio of CD31+/CD42- microparticles to endothelial progenitors as a novel marker of atherosclerosis in hypercholesterolemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2006</b> , 26, 2530-5	9.4	113
129	Increased C-reactive protein concentrations in never-treated hypertension: the role of systolic and pulse pressures. <i>Journal of Hypertension</i> , <b>2003</b> , 21, 1841-6	1.9	106
128	Mapping of 79 loci for 83 plasma protein biomarkers in cardiovascular disease. <i>PLoS Genetics</i> , <b>2017</b> , 13, e1006706	6	102
127	Cross-sectional analysis of baseline data to identify the major determinants of carotid intima-media thickness in a European population: the IMPROVE study. <i>European Heart Journal</i> , <b>2010</b> , 31, 614-22	9.5	99
126	Precocious intima-media thickening in patients with primary Sjögren's syndrome. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 3890-7		97
125	Different impact of the metabolic syndrome on left ventricular structure and function in hypertensive men and women. <i>Hypertension</i> , <b>2006</b> , 47, 881-6	8.5	94

124	Flow-mediated vasoactivity and circulating adhesion molecules in hypertriglyceridemia: association with small, dense LDL cholesterol particles. <i>American Heart Journal</i> , <b>2000</b> , 140, 521-6	4.9	93
123	Impact of treatment with protease inhibitors on aortic stiffness in adult patients with human immunodeficiency virus infection. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2005</b> , 25, 2381-5	9.4	83
122	High weight or body mass index increase the risk of vertebral fractures in postmenopausal osteoporotic women. <i>Journal of Bone and Mineral Metabolism</i> , <b>2010</b> , 28, 88-93	2.9	80
121	Aortic stiffness in untreated adult patients with human immunodeficiency virus infection. <i>Hypertension</i> , <b>2008</b> , 52, 308-13	8.5	80
120	Relation between renal function within the normal range and central and peripheral arterial stiffness in hypertension. <i>Hypertension</i> , <b>2006</b> , 48, 616-21	8.5	80
119	Endothelial injury and repair: a novel theory for atherosclerosis. <i>Angiology</i> , <b>2008</b> , 59, 69S-72S	2.1	79
118	Progression of carotid intima-media thickness as predictor of vascular events: results from the IMPROVE study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2013</b> , 33, 2273-9	9.4	78
117	The effects of a nutraceutical combination on plasma lipids and glucose: A systematic review and meta-analysis of randomized controlled trials. <i>Pharmacological Research</i> , <b>2016</b> , 110, 76-88	10.2	78
116	Age-specific relationship of aortic pulse wave velocity with left ventricular geometry and function in hypertension. <i>Hypertension</i> , <b>2007</b> , 49, 317-21	8.5	77
115	Short-term atorvastatin treatment improves endothelial function in hypercholesterolemic women. <i>Journal of Cardiovascular Pharmacology</i> , <b>2000</b> , 36, 617-21	3.1	76
114	Reduced number of circulating endothelial progenitors and HOXA9 expression in CD34+ cells of hypertensive patients. <i>Journal of Hypertension</i> , <b>2007</b> , 25, 2093-9	1.9	72
113	Simvastatin increases bone mineral density in hypercholesterolemic postmenopausal women. <i>Metabolism: Clinical and Experimental</i> , <b>2004</b> , 53, 744-8	12.7	68
112	Early atherosclerosis in rheumatoid arthritis: effects of smoking on thickness of the carotid artery intima media. <i>Annals of the New York Academy of Sciences</i> , <b>2005</b> , 1051, 281-90	6.5	68
111	Microparticles derived from endothelial progenitor cells in patients at different cardiovascular risk. <i>Atherosclerosis</i> , <b>2008</b> , 197, 757-67	3.1	64
110	GWAS and colocalization analyses implicate carotid intima-media thickness and carotid plaque loci in cardiovascular outcomes. <i>Nature Communications</i> , <b>2018</b> , 9, 5141	17.4	64
109	Cardiovascular risk assessment beyond Systemic Coronary Risk Estimation: a role for organ damage markers. <i>Journal of Hypertension</i> , <b>2012</b> , 30, 1056-64	1.9	63
108	Large-artery stiffness: a reversible marker of cardiovascular risk in primary hyperparathyroidism. <i>Atherosclerosis</i> , <b>2011</b> , 218, 96-101	3.1	60
107	Direct association between high-density lipoprotein cholesterol and endothelial function in hyperlipemia. <i>American Journal of Cardiology</i> , <b>2002</b> , 90, 648-50	3	51

106	Low-grade systemic inflammation impairs arterial stiffness in newly diagnosed hypercholesterolaemia. <i>European Journal of Clinical Investigation</i> , <b>2004</b> , 34, 335-41	4.6	50
105	Paraoxonase-1 activity modulates endothelial function in patients with peripheral arterial disease. <i>Atherosclerosis</i> , <b>2005</b> , 183, 349-54	3.1	49
104	Influence of short-term rosuvastatin therapy on endothelial progenitor cells and endothelial function. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , <b>2009</b> , 14, 14-21	2.6	48
103	Effects of rosuvastatin on 3-nitrotyrosine and aortic stiffness in hypercholesterolemia. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2007</b> , 17, 436-41	4.5	48
102	Artichoke juice improves endothelial function in hyperlipemia. <i>Life Sciences</i> , <b>2004</b> , 76, 775-82	6.8	48
101	Prognostic impact of prolonged ventricular repolarization in hypertension. <i>Archives of Internal Medicine</i> , <b>2006</b> , 166, 909-13		47
100	Attenuation of inflammation with short-term dietary intervention is associated with a reduction of arterial stiffness in subjects with hypercholesterolaemia. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2004</b> , 11, 497-502		46
99	Functional impairment of the arterial wall in primary Sjögren's syndrome: combined action of immunologic and inflammatory factors. <i>Arthritis Care and Research</i> , <b>2010</b> , 62, 712-8	4.7	43
98	Mechanisms of high-density lipoprotein cholesterol effects on the endothelial function in hyperlipemia. <i>Metabolism: Clinical and Experimental</i> , <b>2003</b> , 52, 1191-5	12.7	42
97	Plasma lecithin:cholesterol acyltransferase and carotid intima-media thickness in European individuals at high cardiovascular risk. <i>Journal of Lipid Research</i> , <b>2011</b> , 52, 1569-74	6.3	41
96	Non-pharmacological control of plasma cholesterol levels. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2008</b> , 18, S1-16	4.5	40
95	Carotid plaque-thickness and common carotid IMT show additive value in cardiovascular risk prediction and reclassification. <i>Atherosclerosis</i> , <b>2017</b> , 263, 412-419	3.1	39
94	Effects of fenofibrate on endothelial function and cell adhesion molecules during post-prandial lipemia in hypertriglyceridemia. <i>Journal of Clinical Pharmacy and Therapeutics</i> , <b>2003</b> , 28, 419-24	2.2	38
93	Association of parathyroid hormone and 25-OH-vitamin D levels with arterial stiffness in postmenopausal women with vitamin D insufficiency. <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2012</b> , 19, 924-31	4	37
92	Whole-blood filterability in sudden deafness. <i>Laryngoscope</i> , <b>1991</b> , 101, 65-7	3.6	37
91	Renal dysfunction predicts long-term mortality in patients with lower extremity arterial disease. <i>Journal of Internal Medicine</i> , <b>2007</b> , 262, 668-77	10.8	36
90	Identification of the BCAR1-CFDP1-TMEM170A locus as a determinant of carotid intima-media thickness and coronary artery disease risk. <i>Circulation: Cardiovascular Genetics</i> , <b>2012</b> , 5, 656-65		35
89	Thickened carotid artery intima-media in rheumatoid arthritis is associated with elevated anticardiolipin antibodies. <i>Lupus</i> , <b>2007</b> , 16, 259-64	2.6	35

88	Systemic inflammation and imbalance between endothelial injury and repair in patients with psoriasis are associated with preclinical atherosclerosis. <i>European Journal of Preventive Cardiology</i> , <b>2015</b> , 22, 1027-35	3.9	34
87	Capillary rarefaction and abnormal cardiovascular reactivity in hypertension. <i>Journal of Hypertension</i> , <b>2003</b> , 21, 2297-303	1.9	34
86	High-density lipoprotein cholesterol and left ventricular hypertrophy in essential hypertension. <i>Journal of Hypertension</i> , <b>2001</b> , 19, 2265-70	1.9	34
85	Combined effects of office and 24-h blood pressure on aortic stiffness in human hypertension. <i>Journal of Hypertension</i> , <b>2011</b> , 29, 869-75	1.9	33
84	Familial HDL deficiency due to ABCA1 gene mutations with or without other genetic lipoprotein disorders. <i>Atherosclerosis</i> , <b>2004</b> , 172, 309-20	3.1	33
83	Prognostic impact of low-shear whole blood viscosity in hypertensive men. <i>European Journal of Clinical Investigation</i> , <b>2005</b> , 35, 93-8	4.6	33
82	Esophageal manometric abnormalities in Parkinson's disease. <i>Dysphagia</i> , <b>1998</b> , 13, 28-31	3.7	31
81	Plasma IL-5 concentration and subclinical carotid atherosclerosis. <i>Atherosclerosis</i> , <b>2015</b> , 239, 125-30	3.1	29
80	Serum 25-hydroxyvitamin D concentration in subclinical carotid atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2013</b> , 33, 2633-8	9.4	29
79	Aortic stiffness is increased in polymyalgia rheumatica and improves after steroid treatment. <i>Annals of the Rheumatic Diseases</i> , <b>2012</b> , 71, 1151-6	2.4	27
78	Prostaglandin E1 improves endothelial function in critical limb ischemia. <i>Journal of Cardiovascular Pharmacology</i> , <b>2003</b> , 41, 249-53	3.1	27
77	Postprandial lipemia and associated metabolic disturbances in healthy and hyperlipemic postmenopausal women. <i>Metabolism: Clinical and Experimental</i> , <b>2001</b> , 50, 330-4	12.7	27
76	Sex-Specific Effects of Adiponectin on Carotid Intima-Media Thickness and Incident Cardiovascular Disease. <i>Journal of the American Heart Association</i> , <b>2015</b> , 4, e001853	6	25
75	Prognostic significance of isolated, non-specific left ventricular repolarization abnormalities in hypertension. <i>Journal of Hypertension</i> , <b>2004</b> , 22, 407-14	1.9	25
74	Effects of a nutraceutical combination on lipids, inflammation and endothelial integrity in patients with subclinical inflammation: a randomized clinical trial. <i>Scientific Reports</i> , <b>2016</b> , 6, 23587	4.9	25
73	A serum 25-hydroxyvitamin D concentration-associated genetic variant in DHCR7 interacts with type 2 diabetes status to influence subclinical atherosclerosis (measured by carotid intima-media thickness). <i>Diabetologia</i> , <b>2014</b> , 57, 1159-72	10.3	24
72	Osteoanabolic therapy: a non-surgical option of treatment for K�hmel's disease?. <i>Rheumatology International</i> , <b>2012</b> , 32, 1371-4	3.6	24
71	Acute inflammatory state during influenza infection and endothelial function. <i>Atherosclerosis</i> , <b>2005</b> , 178, 345-50	3.1	24

70	Attenuation of inflammation with short-term dietary intervention is associated with a reduction of arterial stiffness in subjects with hypercholesterolaemia. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2004</b> , 11, 497-502		24
69	Plasma C-reactive protein in subjects with hypo/hyperalphalipoproteinemias. <i>Metabolism: Clinical and Experimental</i> , <b>2003</b> , 52, 432-6	12.7	24
68	Oral L-arginine administration attenuates postprandial endothelial dysfunction in young healthy males. <i>Journal of Clinical Pharmacy and Therapeutics</i> , <b>2001</b> , 26, 343-9	2.2	24
67	Increased postprandial lipemia in patients with normolipemic peripheral arterial disease. <i>American Heart Journal</i> , <b>2002</b> , 143, 733-8	4.9	23
66	Plasma autoantibodies against apolipoprotein B-100 peptide 210 in subclinical atherosclerosis. <i>Atherosclerosis</i> , <b>2014</b> , 232, 242-8	3.1	22
65	Prognostic value of low and high ankle-brachial index in hospitalized medical patients. <i>European Journal of Internal Medicine</i> , <b>2012</b> , 23, 240-4	3.9	22
64	Prognostic value of elevated white blood cell count in hypertension. <i>American Journal of Hypertension</i> , <b>2007</b> , 20, 364-9	2.3	22
63	Predictors of overall and cardiovascular mortality in peripheral arterial disease. <i>American Journal of Cardiology</i> , <b>2001</b> , 88, 1057-60	3	22
62	Visceral fat positively correlates with cholesterol synthesis in dyslipidaemic patients. <i>European Journal of Clinical Investigation</i> , <b>2012</b> , 42, 164-70	4.6	21
61	Effect of body weight changes on 24-hour blood pressure and left ventricular mass in hypertension: a 4-year follow-up. <i>American Journal of Hypertension</i> , <b>2003</b> , 16, 634-9	2.3	21
60	Prevalence of antiphospholipid and oxidized low-density lipoprotein antibodies in rheumatoid arthritis. <i>Annals of the New York Academy of Sciences</i> , <b>2005</b> , 1051, 299-303	6.5	21
59	Maraviroc Intensification Modulates Atherosclerotic Progression in HIV-Suppressed Patients at High Cardiovascular Risk. A Randomized, Crossover Pilot Study. <i>Open Forum Infectious Diseases</i> , <b>2019</b> , 6, ofz112	1	20
58	Low levels of IgM antibodies against phosphorylcholine are associated with fast carotid intima media thickness progression and cardiovascular risk in men. <i>Atherosclerosis</i> , <b>2014</b> , 236, 394-9	3.1	19
57	Assessing cardiovascular risk: should we discard diastolic blood pressure?. <i>Circulation</i> , <b>2009</b> , 119, 210-2	16.7	19
56	Usefulness of brain natriuretic peptide levels to discriminate patients with stable angina pectoris without and with electrocardiographic myocardial ischemia and patients with healed myocardial infarction. <i>American Journal of Cardiology</i> , <b>2004</b> , 94, 780-3	3	19
55	Non-cholesterol sterols in different forms of primary hyperlipemias. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2012</b> , 22, 231-6	4.5	18
54	Cholesterol metabolism differs after statin therapy according to the type of hyperlipemia. <i>Life Sciences</i> , <b>2012</b> , 90, 846-50	6.8	18
53	Preclinical vascular damage in white postmenopausal women: the relevance of osteoprotegerin. <i>Metabolism: Clinical and Experimental</i> , <b>2008</b> , 57, 321-5	12.7	18

52	Metabolic syndrome and preclinical atherosclerosis: focus on femoral arteries. <i>Metabolism: Clinical and Experimental</i> , <b>2007</b> , 56, 541-6	12.7	18
51	Transcutaneous oxygen tension behavior in the different stages of peripheral vascular disease and its correlation with ankle/arm pressure ratio and calf blood flow. <i>Angiology</i> , <b>1987</b> , 38, 463-8	2.1	17
50	Molecular biology of atherosclerosis. <i>Clinical Cases in Mineral and Bone Metabolism</i> , <b>2008</b> , 5, 57-62		17
49	Diffuse musculoskeletal pain and proximal myopathy: do not forget hypovitaminosis D. <i>Journal of Clinical Rheumatology</i> , <b>2010</b> , 16, 34-7	1.1	16
48	Nutraceutical combination (red yeast rice, berberine and policosanols) improves aortic stiffness in low-moderate risk hypercholesterolemic patients. <i>PharmaNutrition</i> , <b>2013</b> , 1, 73-77	2.9	15
47	Transient osteoporosis of the hip: successful treatment with teriparatide. <i>Rheumatology International</i> , <b>2012</b> , 32, 1367-70	3.6	15
46	Human endothelial impairment in sepsis. <i>Atherosclerosis</i> , <b>2008</b> , 197, 747-52	3.1	15
45	Cardiovascular risk factors and recommended lipid goals attainment among patients referred in a tertiary care lipid clinic. <i>European Journal of Internal Medicine</i> , <b>2011</b> , 22, 412-7	3.9	14
44	Endothelial dysfunction in vivo is related to monocyte resistin mRNA expression. <i>Journal of Clinical Pharmacy and Therapeutics</i> , <b>2007</b> , 32, 373-9	2.2	13
43	Racial difference in endothelial function: role of the infective burden. <i>Atherosclerosis</i> , <b>2007</b> , 191, 227-34	3.1	13
42	The use of osteopathic manipulative treatment as adjuvant therapy in patients with peripheral arterial disease. <i>Manual Therapy</i> , <b>2009</b> , 14, 439-43		12
41	Carotid intima-media thickness and bone turnover: the role of C-terminal telopeptide of type I collagen. <i>Internal and Emergency Medicine</i> , <b>2010</b> , 5, 127-34	3.7	12
40	Fat distribution and endothelial function in normal-overweight menopausal women. <i>Journal of Clinical Pharmacy and Therapeutics</i> , <b>2007</b> , 32, 477-82	2.2	12
39	Urinary albumin-to-creatinine ratio is associated with endothelial dysfunction in HIV-infected patients receiving antiretroviral therapy. <i>Scientific Reports</i> , <b>2016</b> , 6, 28741	4.9	12
38	Baseline and post-surgery endothelial progenitor cell levels in patients with early-stage non-small-cell lung carcinoma: impact on cancer recurrence and survival. <i>European Journal of Cardio-thoracic Surgery</i> , <b>2013</b> , 44, e245-52	3	11
37	A silent mutation of Niemann-Pick C1-like 1 and apolipoprotein E4 modulate cholesterol absorption in primary hyperlipidemias. <i>Journal of Clinical Lipidology</i> , <b>2013</b> , 7, 147-52	4.9	10
36	Cervical spondylodiscitis with spinal epidural abscess caused by <i>Aggregatibacter aphrophilus</i> . <i>Journal of Medical Microbiology</i> , <b>2008</b> , 57, 652-655	3.2	10
35	Left ventricular hypertrophy reversal and prevention of diabetes: two birds with one stone?. <i>Hypertension</i> , <b>2007</b> , 50, 851-3	8.5	10

34	Prevalence of metabolic syndrome in the clinical practice of general medicine in Italy. <i>Cardiovascular Diagnosis and Therapy</i> , <b>2015</b> , 5, 271-9	2.6	10
33	Early vascular damage in primary hypoalphalipoproteinemia. <i>Metabolism: Clinical and Experimental</i> , <b>2003</b> , 52, 328-32	12.7	9
32	Postprandial endothelial impairment and reduced glutathione levels in postmenopausal women. <i>Annals of Nutrition and Metabolism</i> , <b>2002</b> , 46, 32-7	4.5	9
31	Increased Levels of Circulating Fatty Acids Are Associated with Protective Effects against Future Cardiovascular Events in Nondiabetics. <i>Journal of Proteome Research</i> , <b>2018</b> , 17, 870-878	5.6	9
30	Leucocytes and free radicals in stable angina pectoris. <i>International Heart Journal</i> , <b>1992</b> , 33, 145-57		8
29	Loss of bone mineral density and secondary hyperparathyroidism are complications of autologous stem cell transplantation. <i>Leukemia and Lymphoma</i> , <b>2007</b> , 48, 923-30	1.9	7
28	Plasma viscosity in isolated systolic hypertension: the role of pulse pressure. <i>American Journal of Hypertension</i> , <b>2005</b> , 18, 1005-8	2.3	7
27	A priori-defined Mediterranean-like dietary pattern predicts cardiovascular events better in north Europe than in Mediterranean countries. <i>International Journal of Cardiology</i> , <b>2019</b> , 282, 88-92	3.2	7
26	On-treatment C-reactive protein and HDL cholesterol levels in patients at intermediate cardiovascular risk: impact on carotid intima-media thickness. <i>Life Sciences</i> , <b>2013</b> , 93, 338-43	6.8	6
25	Gender differences in postprandial endothelial function. <i>American Journal of Cardiology</i> , <b>2001</b> , 87, 1323-5		6
24	Soluble CD93 Is Involved in Metabolic Dysregulation but Does Not Influence Carotid Intima-Media Thickness. <i>Diabetes</i> , <b>2016</b> , 65, 2888-99	0.9	6
23	Relationships between global physical activity and bone mineral density in a group of male and female students. <i>Journal of Sports Medicine and Physical Fitness</i> , <b>2017</b> , 57, 238-243	1.4	5
22	Association of lifelong occupation and educational level with subclinical atherosclerosis in different European regions. Results from the IMPROVE study. <i>Atherosclerosis</i> , <b>2018</b> , 269, 129-137	3.1	5
21	Association between thyroid hormone levels, the number of circulating osteoprogenitor cells, and bone mineral density in euthyroid postmenopausal women. <i>Metabolism: Clinical and Experimental</i> , <b>2012</b> , 61, 569-76	12.7	5
20	A gene-centric study of common carotid artery remodelling. <i>Atherosclerosis</i> , <b>2013</b> , 226, 440-6	3.1	5
19	Optimizing assessment of carotid and femoral intima-media thickness in essential hypertension. <i>American Journal of Hypertension</i> , <b>2001</b> , 14, 1025-31	2.3	5
18	A 32-year-old woman with breast swelling and crepitant rales. <i>Cmaj</i> , <b>2004</b> , 171, 1172	3.5	4
17	Quantitative near-infrared spectroscopy on patients with peripheral vascular disease <b>1998</b> , 3194, 112		4



16	Reduced survival in patients with early-stage non-small-cell lung cancer is associated with high pleural endothelial progenitor cell levels. <i>European Journal of Cardio-thoracic Surgery</i> , <b>2016</b> , 50, 1053-1059	3.9	3
15	Postprandial impairment of brachial flow-mediated vasodilation after an oral fat load constituted by rice oil. <i>Nutrition Research</i> , <b>2002</b> , 22, 1003-1007	4	2
14	Identification of a novel proinsulin-associated SNP and demonstration that proinsulin is unlikely to be a causal factor in subclinical vascular remodelling using Mendelian randomisation. <i>Atherosclerosis</i> , <b>2017</b> , 266, 196-204	3.1	2
13	Osteoporosis in men: other secondary causes. <i>Joint Bone Spine</i> , <b>2009</b> , 76, 579-80; author reply 580	2.9	1
12	Response to Dipping Deeper Into the Ambulatory Arterial Stiffness Index. <i>Hypertension</i> , <b>2007</b> , 50,	8.5	1
11	Left ventricular pseudoaneurysm complicating an asymptomatic myocardial infarction. <i>Echocardiography</i> , <b>2004</b> , 21, 663-4	1.5	1
10	Relevance of homocysteine on brachial flow-mediated vasodilatation and carotid and femoral intima-media thickness in patients with hypercholesterolemia. <i>American Journal of Cardiology</i> , <b>2004</b> , 93, 1413-6, A9	3	1
9	Prognostic value of treatment-induced changes in twenty-four-hour mean and pulse pressures in adult hypertensive patients. <i>American Journal of Cardiology</i> , <b>2002</b> , 90, 896-9	3	1
8	Effects of iloprost on blood rheology and tissue perfusion in patients with intermittent claudication: Results of a double-blind placebo-controlled study. <i>International Journal of Angiology</i> , <b>2002</b> , 11, 169-174	1.1	1
7	Modifications in transcutaneous oxygen pressure in ischemic limbs after successful PTA. <i>International Journal of Angiology</i> , <b>1994</b> , 3, 113-115	1.1	1
6	Data on the association between a simplified Mediterranean diet score and the incidence of combined, cardio and cerebro vascular events. <i>Data in Brief</i> , <b>2019</b> , 23, 103789	1.2	
5	Ostéoporose masculine : autres causes de formes secondaires. <i>Revue Du Rhumatisme (Edition Française)</i> , <b>2009</b> , 76, 934-935	0.1	
4	Assessment of brachial artery flow-mediated vasodilatation: comment on the article by Van Doornum et al. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 2700; author reply 2700		
3	The Endocrine Function of Adipose Tissue. <i>Current Medicinal Chemistry Immunology, Endocrine &amp; Metabolic Agents</i> , <b>2005</b> , 5, 293-296		
2	Critical Limb Ischemia <b>2000</b> , 508-531		
1	Impact of pulse pressure on degree of cardiac hypertrophy in patients with chronic uraemia. <i>Journal of Hypertension</i> , <b>2001</b> , 19, 827	1.9	