

Hasse Melbye

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7072449/hasse-melbye-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69

papers

1,618

citations

22

h-index

38

g-index

70

ext. papers

1,947

ext. citations

4.9

avg, IF

4.52

L-index

#	Paper	IF	Citations
69	Associations with Post-Consultation Health-Status in Primary Care Managed Acute Exacerbation of COPD.. <i>International Journal of COPD</i> , 2022 , 17, 383-394	3	
68	Inspiratory crackles-early and late-revisited: identifying COPD by crackle characteristics. <i>BMJ Open Respiratory Research</i> , 2021 , 8,	5.6	1
67	Associations with antibiotic prescribing for acute exacerbation of COPD in primary care: secondary analysis of a randomised controlled trial. <i>British Journal of General Practice</i> , 2021 , 71, e266-e272	1.6	3
66	Chronic Obstructive Pulmonary Disease (COPD) in Population Studies in Russia and Norway: Comparison of Prevalence, Awareness and Management. <i>International Journal of COPD</i> , 2021 , 16, 1353-1368	3.3	1
65	Clinical Features and C-Reactive Protein as Predictors of Bacterial Exacerbations of COPD. <i>International Journal of COPD</i> , 2020 , 15, 3147-3158	3	3
64	C-reactive protein-guided antibiotic prescribing for COPD exacerbations: a qualitative evaluation. <i>British Journal of General Practice</i> , 2020 , 70, e505-e513	1.6	2
63	The effect of atmospheric pressure on oxygen saturation and dyspnea: the Tromsø study. <i>International Journal of Biometeorology</i> , 2020 , 64, 1103-1110	3.7	4
62	Is the Disease Burden from COPD in Norway Falling off? A Study of Time Trends in Three Different Data Sources. <i>International Journal of COPD</i> , 2020 , 15, 323-334	3	3
61	Impact of respiratory symptoms and oxygen saturation on the risk of incident venous thromboembolism-the Tromsø study. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2020 , 4, 255-262	5.1	9
60	C-reactive protein point-of-care testing for safely reducing antibiotics for acute exacerbations of chronic obstructive pulmonary disease: the PACE RCT. <i>Health Technology Assessment</i> , 2020 , 24, 1-108	4.4	16
59	Chronic Obstructive Pulmonary Disease and Risk of Mortality in Patients with Venous Thromboembolism-The Tromsø Study. <i>Thrombosis and Haemostasis</i> , 2020 , 120, 477-483	7	2
58	Prediction of chronic heart failure and chronic obstructive pulmonary disease in a general population: the Tromsø study. <i>ESC Heart Failure</i> , 2020 , 7, 4139	3.7	4
57	Convolutional Neural Network for Breathing Phase Detection in Lung Sounds. <i>Sensors</i> , 2019 , 19,	3.8	10
56	C-Reactive Protein Testing to Guide Antibiotic Prescribing for COPD Exacerbations. <i>New England Journal of Medicine</i> , 2019 , 381, 111-120	59.2	101
55	Impaired left ventricular filling is associated with decreased pulse oximetry values. <i>Scandinavian Cardiovascular Journal</i> , 2018 , 52, 211-217	2	
54	Adventitious and Normal Lung Sounds in the General Population: Comparison of Standardized and Spontaneous Breathing. <i>Respiratory Care</i> , 2018 , 63, 1379-1387	2.1	1
53	Self-treatment of acute exacerbations of chronic obstructive pulmonary disease requires more than symptom recognition - a qualitative study of COPD patients' perspectives on self-treatment. <i>BMC Family Practice</i> , 2017 , 18, 8	2.6	13

52	General practitioner use of a C-reactive protein point-of-care test to help target antibiotic prescribing in patients with acute exacerbations of chronic obstructive pulmonary disease (the PACE study): study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 442	2.8	12
51	Why do physicians lack engagement with smoking cessation treatment in their COPD patients? A multinational qualitative study. <i>Npj Primary Care Respiratory Medicine</i> , 2017 , 27, 41	3.2	31
50	The added value of C-reactive protein measurement in diagnosing pneumonia in primary care: a meta-analysis of individual patient data. <i>Cmaj</i> , 2017 , 189, E56-E63	3.5	33
49	International perception of lung sounds: a comparison of classification across some European borders. <i>BMJ Open Respiratory Research</i> , 2017 , 4, e000250	5.6	15
48	Patient experiences and the association with organizational factors in general practice: results from the Norwegian part of the international, multi-centre, cross-sectional QUALICOPC study. <i>BMC Health Services Research</i> , 2016 , 16, 428	2.9	10
47	GP utilisation by education level among adults with COPD or asthma: a cross-sectional register-based study. <i>Npj Primary Care Respiratory Medicine</i> , 2016 , 26, 16027	3.2	6
46	Wheezes, crackles and rhonchi: simplifying description of lung sounds increases the agreement on their classification: a study of 12 physicians' classification of lung sounds from video recordings. <i>BMJ Open Respiratory Research</i> , 2016 , 3, e000136	5.6	39
45	COPD and risk of venous thromboembolism and mortality in a general population. <i>European Respiratory Journal</i> , 2016 , 47, 473-81	13.6	52
44	Towards the standardisation of lung sound nomenclature. <i>European Respiratory Journal</i> , 2016 , 47, 724-32	3.6	59
43	Family Practitioners' Advice about Taking Time Off Work for Lower Respiratory Tract Infections: A Prospective Study in Twelve European Primary Care Networks. <i>PLoS ONE</i> , 2016 , 11, e0164779	3.7	2
42	A new diagnosis of asthma or COPD is linked to smoking cessation - the Tromsø study. <i>International Journal of COPD</i> , 2016 , 11, 1453-8	3	12
41	Drop in lung function during asthma and COPD exacerbations - can it be assessed without spirometry?. <i>International Journal of COPD</i> , 2016 , 11, 3145-3152	3	3
40	How do general practitioners implement decision-making regarding COPD patients with exacerbations? An international focus group study. <i>International Journal of COPD</i> , 2016 , 11, 3109-3119	3	12
39	External Validation of Prediction Models for Pneumonia in Primary Care Patients with Lower Respiratory Tract Infection: An Individual Patient Data Meta-Analysis. <i>PLoS ONE</i> , 2016 , 11, e0149895	3.7	13
38	Global Lung Function Initiative 2012 reference equations for spirometry in the Norwegian population. <i>European Respiratory Journal</i> , 2016 , 48, 1602-1611	13.6	32
37	Low oxygen saturation and mortality in an adult cohort: the Tromsø study. <i>BMC Pulmonary Medicine</i> , 2015 , 15, 9	3.5	20
36	When should acute exacerbations of COPD be treated with systemic corticosteroids and antibiotics in primary care: a systematic review of current COPD guidelines. <i>Npj Primary Care Respiratory Medicine</i> , 2015 , 25, 15002	3.2	19
35	Should pulse oximetry be included in GPs' assessment of patients with obstructive lung disease?. <i>Scandinavian Journal of Primary Health Care</i> , 2015 , 33, 305-10	2.7	13

34	Predictors of treatment with antibiotics and systemic corticosteroids for acute exacerbations of asthma and chronic obstructive pulmonary disease in primary care. <i>BMC Family Practice</i> , 2015 , 16, 40	2.6	11
33	Usefulness of C-reactive protein testing in acute cough/respiratory tract infection: an open cluster-randomized clinical trial with C-reactive protein testing in the intervention group. <i>BMC Family Practice</i> , 2014 , 15, 80	2.6	58
32	Primary and secondary care clinicians' views on self-treatment of COPD exacerbations: a multinational qualitative study. <i>Patient Education and Counseling</i> , 2014 , 96, 256-63	3.1	12
31	Low FEV1, smoking history, and obesity are factors associated with oxygen saturation decrease in an adult population cohort. <i>International Journal of COPD</i> , 2014 , 9, 1225-33	3	21
30	Medication use in European primary care patients with lower respiratory tract infection: an observational study. <i>British Journal of General Practice</i> , 2014 , 64, e81-91	1.6	11
29	Predictors of ICS/LABA prescribing in COPD patients: a study from general practice. <i>BMC Family Practice</i> , 2014 , 15, 42	2.6	24
28	Association between serum 25-hydroxyvitamin D concentration and symptoms of respiratory tract infection in a Norwegian population: the Tromsø Study. <i>Public Health Nutrition</i> , 2014 , 17, 780-6	3.3	10
27	Effects of internet-based training on antibiotic prescribing rates for acute respiratory-tract infections: a multinational, cluster, randomised, factorial, controlled trial. <i>Lancet, The</i> , 2013 , 382, 1175-82 ⁴⁰	4.0	262
26	Predictors of exacerbations of asthma and COPD during one year in primary care. <i>Family Practice</i> , 2013 , 30, 621-8	1.9	18
25	Cross-sectional associations between prevalent vertebral fracture and pulmonary function in the sixth Tromsø Study. <i>BMC Geriatrics</i> , 2013 , 13, 116	4.1	4
24	Cost-effectiveness of point-of-care C-reactive protein testing to inform antibiotic prescribing decisions. <i>British Journal of General Practice</i> , 2013 , 63, e465-71	1.6	53
23	Should chest examination be reinstated in the early diagnosis of chronic obstructive pulmonary disease?. <i>International Journal of COPD</i> , 2013 , 8, 369-77	3	11
22	Are patient views about antibiotics related to clinician perceptions, management and outcome? A multi-country study in outpatients with acute cough. <i>PLoS ONE</i> , 2013 , 8, e76691	3.7	80
21	Predictors of oxygen saturation $\geq 95\%$ in a cross-sectional population based survey. <i>Respiratory Medicine</i> , 2012 , 106, 1551-8	4.6	25
20	Symptoms of respiratory tract infection and associated care-seeking in subjects with and without obstructive lung disease; the Tromsø Study: Tromsø. <i>BMC Pulmonary Medicine</i> , 2012 , 12, 51	3.5	4
19	The association between self-reported symptoms of recent airway infection and CRP values in a general population. <i>Inflammation</i> , 2012 , 35, 1015-22	5.1	3
18	Hospitalisations due to exacerbation of asthma and COPD. <i>Tidsskrift for Den Norske Lægeforening</i> , 2012 , 132, 1607-9	3.5	
17	Asthma, chronic obstructive pulmonary disease, or both? Diagnostic labeling and spirometry in primary care patients aged 40 years or more. <i>International Journal of COPD</i> , 2011 , 6, 597-603	3	29

16	Oral corticosteroids for asthma or COPD were dispensed to 2.6% of Norwegians aged 7 years or over in 2004-5. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2011 , 20, 332-3		1
15	Influence of CRP testing and clinical findings on antibiotic prescribing in adults presenting with acute cough in primary care. <i>Scandinavian Journal of Primary Health Care</i> , 2010 , 28, 229-36	2.7	53
14	Lung function testing in the elderly--can we still use FEV1/FVC. <i>Respiratory Medicine</i> , 2007 , 101, 1097-105	5.6	67
13	Bronchial airflow limitation, smoking, body mass index, and statin use are strongly associated with the C-reactive protein level in the elderly. The Tromsø Study 2001. <i>Respiratory Medicine</i> , 2007 , 101, 2541-9	4.6	24
12	The FEV1/FEV6 ratio is a good substitute for the FEV1/FVC ratio in the elderly. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2006 , 15, 294-8		40
11	Point of care testing for C-reactive protein - a new path for Australian GPs?. <i>Australian Family Physician</i> , 2006 , 35, 513-7		9
10	The course of C-reactive protein response in untreated upper respiratory tract infection. <i>British Journal of General Practice</i> , 2004 , 54, 653-8	1.6	45
9	Sulphur Dioxide Exposure and Lung Function in a Norwegian and Russian Population Living Close to a Nickel Smelter. <i>International Journal of Circumpolar Health</i> , 2001 , 60, 342-359	1.7	5
8	Bronchial airflow limitation and chest findings in adults with respiratory infection. <i>Scandinavian Journal of Primary Health Care</i> , 1995 , 13, 261-7	2.7	4
7	Does near-to-patient testing contribute to the diagnosis of streptococcal pharyngitis in adults?. <i>Scandinavian Journal of Primary Health Care</i> , 1994 , 12, 70-6	2.7	19
6	The spectrum of patients strongly influences the usefulness of diagnostic tests for pneumonia. <i>Scandinavian Journal of Primary Health Care</i> , 1993 , 11, 241-6	2.7	12
5	Laboratory tests for pneumonia in general practice: the diagnostic values depend on the duration of illness. <i>Scandinavian Journal of Primary Health Care</i> , 1992 , 10, 234-40	2.7	39
4	Pneumonia--a clinical or radiographic diagnosis? Etiology and clinical features of lower respiratory tract infection in adults in general practice. <i>Scandinavian Journal of Infectious Diseases</i> , 1992 , 24, 647-55		50
3	Chlamydia pneumoniae respiratory tract infection: the interpretation of high titres in the complement fixation test. <i>Scandinavian Journal of Infectious Diseases</i> , 1991 , 23, 305-7		7
2	The diagnosis of adult pneumonia in general practice. The diagnostic value of history, physical examination and some blood tests. <i>Scandinavian Journal of Primary Health Care</i> , 1988 , 6, 111-7	2.7	45
1	Impact of spectrograms on the classification of wheezes and crackles in an educational setting. An interrater study		1