

Aimee L Mcrae-Clark

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7072942/publications.pdf>

Version: 2024-02-01

88
papers

3,857
citations

109311

35
h-index

133244

59
g-index

89
all docs

89
docs citations

89
times ranked

4002
citing authors

#	ARTICLE	IF	CITATIONS
1	Review of sertraline and its clinical applications in psychiatric disorders. <i>Expert Opinion on Pharmacotherapy</i> , 2001, 2, 883-892.	1.8	267
2	A Double-Blind Randomized Controlled Trial of N-Acetylcysteine in Cannabis-Dependent Adolescents. <i>American Journal of Psychiatry</i> , 2012, 169, 805-812.	7.2	245
3	Stress reactivity: biological and subjective responses to the cold pressor and Trier Social stressors. <i>Human Psychopharmacology</i> , 2006, 21, 377-385.	1.5	170
4	Safety and Tolerability of N-Acetylcysteine in Cocaine-Dependent Individuals. <i>American Journal on Addictions</i> , 2006, 15, 105-110.	1.4	149
5	Treatment of Cannabis Use Disorder: Current Science and Future Outlook. <i>Pharmacotherapy</i> , 2016, 36, 511-535.	2.6	136
6	Reactivity to laboratory stress provocation predicts relapse to cocaine. <i>Drug and Alcohol Dependence</i> , 2010, 106, 21-27.	3.2	129
7	Treatment of marijuana dependence: a review of the literature. <i>Journal of Substance Abuse Treatment</i> , 2003, 24, 369-376.	2.8	115
8	Effect of oxytocin on craving and stress response in marijuana-dependent individuals: a pilot study. <i>Psychopharmacology</i> , 2013, 228, 623-631.	3.1	114
9	Determining menstrual phase in human biobehavioral research: A review with recommendations.. <i>Experimental and Clinical Psychopharmacology</i> , 2016, 24, 1-11.	1.8	111
10	A randomized placebo-controlled trial of N-acetylcysteine for cannabis use disorder in adults. <i>Drug and Alcohol Dependence</i> , 2017, 177, 249-257.	3.2	109
11	A double blind, placebo-controlled study of the effects of post-retrieval propranolol on reconsolidation of memory for craving and cue reactivity in cocaine dependent humans. <i>Psychopharmacology</i> , 2013, 226, 721-737.	3.1	85
12	Cold Pressor Task Reactivity: Predictors of Alcohol Use Among Alcohol-Dependent Individuals With and Without Comorbid Posttraumatic Stress Disorder. <i>Alcoholism: Clinical and Experimental Research</i> , 2006, 30, 938-946.	2.4	84
13	The relationship between years of cocaine use and brain activation to cocaine and response inhibition cues. <i>Addiction</i> , 2014, 109, 2062-2070.	3.3	76
14	A placebo-controlled trial of buspirone for the treatment of marijuana dependence. <i>Drug and Alcohol Dependence</i> , 2009, 105, 132-138.	3.2	73
15	PTSD and the HPA axis: Differences in response to the cold pressor task among individuals with child vs. adult trauma. <i>Psychoneuroendocrinology</i> , 2006, 31, 501-509.	2.7	71
16	A Placebo-Controlled Trial of Atomoxetine in Marijuana-Dependent Individuals with Attention Deficit Hyperactivity Disorder. <i>American Journal on Addictions</i> , 2010, 19, 481-489.	1.4	70
17	Association of elevated cytokines with childhood adversity in a sample of healthy adults. <i>Journal of Psychiatric Research</i> , 2013, 47, 604-610.	3.1	70
18	Stress- and cue-elicited craving and reactivity in marijuana-dependent individuals. <i>Psychopharmacology</i> , 2011, 218, 49-58.	3.1	67

#	ARTICLE	IF	CITATIONS
19	Gender differences among treatment-seeking adults with cannabis use disorder: Clinical profiles of women and men enrolled in the achieving cannabis cessation-evaluating N-acetylcysteine treatment (ACCENT) study. <i>American Journal on Addictions</i> , 2017, 26, 136-144.	1.4	64
20	Effects of gender and cigarette smoking on reactivity to psychological and pharmacological stress provocation. <i>Psychoneuroendocrinology</i> , 2008, 33, 560-568.	2.7	62
21	Comparison of nefazodone and sertraline for the treatment of posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2004, 19, 190-196.	4.1	56
22	Brain activation to cocaine cues and motivation/treatment status. <i>Addiction Biology</i> , 2014, 19, 240-249.	2.6	54
23	Is Cocaine Desire Reduced by N-Acetylcysteine?. <i>American Journal of Psychiatry</i> , 2007, 164, 1115.	7.2	53
24	D-Cycloserine and Cocaine Cue Reactivity: Preliminary Findings. <i>American Journal of Drug and Alcohol Abuse</i> , 2009, 35, 434-438.	2.1	52
25	Effects of adverse childhood experiences on the association between intranasal oxytocin and social stress reactivity among individuals with cocaine dependence. <i>Psychiatry Research</i> , 2015, 229, 94-100.	3.3	52
26	Community-dwelling cocaine-dependent men and women respond differently to social stressors versus cocaine cues. <i>Psychoneuroendocrinology</i> , 2010, 35, 798-806.	2.7	49
27	The state of clinical outcome assessments for cannabis use disorder clinical trials: A review and research agenda. <i>Drug and Alcohol Dependence</i> , 2020, 212, 107993.	3.2	49
28	Buspirone treatment of cannabis dependence: A randomized, placebo-controlled trial. <i>Drug and Alcohol Dependence</i> , 2015, 156, 29-37.	3.2	48
29	A randomized, placebo-controlled laboratory study of the effects of d-cycloserine on craving in cocaine-dependent individuals. <i>Psychopharmacology</i> , 2013, 226, 739-746.	3.1	47
30	Differences in Early Onset Alcohol Use and Heavy Drinking among Persons with Childhood and Adulthood Trauma. <i>American Journal on Addictions</i> , 2007, 16, 439-442.	1.4	46
31	Determinants of Cue-Elicited Craving and Physiologic Reactivity in Methamphetamine-Dependent Subjects in the Laboratory. <i>American Journal of Drug and Alcohol Abuse</i> , 2010, 36, 106-113.	2.1	46
32	Prospective associations between brain activation to cocaine and no-go cues and cocaine relapse. <i>Drug and Alcohol Dependence</i> , 2013, 131, 44-49.	3.2	46
33	Response to Corticotropin-Releasing Hormone Infusion in Cocaine-Dependent Individuals. <i>Archives of General Psychiatry</i> , 2009, 66, 422.	12.3	43
34	Achieving Cannabis Cessation – Evaluating N-acetylcysteine Treatment (ACCENT): Design and implementation of a multi-site, randomized controlled study in the National Institute on Drug Abuse Clinical Trials Network. <i>Contemporary Clinical Trials</i> , 2014, 39, 211-223.	1.8	42
35	Buspirone for Treatment of Marijuana Dependence: A Pilot Study. <i>American Journal on Addictions</i> , 2006, 15, 404-404.	1.4	37
36	Motives for using: A comparison of prescription opioid, marijuana and cocaine dependent individuals. <i>Addictive Behaviors</i> , 2012, 37, 373-378.	3.0	35

#	ARTICLE	IF	CITATIONS
37	Relationship between Child Abuse and Adult Smoking. <i>International Journal of Psychiatry in Medicine</i> , 2009, 39, 417-426.	1.8	34
38	Gender differences in cannabis use disorder treatment: Change readiness and taking steps predict worse cannabis outcomes for women. <i>Addictive Behaviors</i> , 2016, 60, 197-202.	3.0	33
39	Incremental validity of estimated cannabis grams as a predictor of problems and cannabinoid biomarkers: Evidence from a clinical trial. <i>Drug and Alcohol Dependence</i> , 2018, 182, 1-7.	3.2	30
40	Effect of oxytocin pretreatment on cannabis outcomes in a brief motivational intervention. <i>Psychiatry Research</i> , 2017, 249, 318-320.	3.3	29
41	Impact of DCS-facilitated cue exposure therapy on brain activation to cocaine cues in cocaine dependence. <i>Drug and Alcohol Dependence</i> , 2013, 132, 195-201.	3.2	27
42	A Randomized, Placebo- controlled trial of Buspirone for the Treatment of Anxiety in Opioid-dependent Individuals. <i>American Journal on Addictions</i> , 2004, 13, 53-63.	1.4	26
43	Does Alexithymia Explain Variation in Cue-elicited Craving Reported by Methamphetamine-Dependent Individuals?. <i>American Journal on Addictions</i> , 2012, 21, 130-135.	1.4	26
44	Contingency Management in Community Programs Treating Adolescent Substance Abuse: A Feasibility Study. <i>Journal of Child and Adolescent Psychiatric Nursing</i> , 2012, 25, 33-41.	1.4	26
45	Vilazodone for cannabis dependence: A randomized, controlled pilot trial. <i>American Journal on Addictions</i> , 2016, 25, 69-75.	1.4	26
46	Daily stressor sensitivity, abuse effects, and cocaine use in cocaine dependence. <i>Addictive Behaviors</i> , 2007, 32, 3015-3025.	3.0	25
47	Repetitive transcranial magnetic stimulation (rTMS) administration to heavy cannabis users. <i>American Journal of Drug and Alcohol Abuse</i> , 2018, 44, 47-55.	2.1	25
48	Extinction of drug cue reactivity in methamphetamine-dependent individuals. <i>Behaviour Research and Therapy</i> , 2010, 48, 860-865.	3.1	23
49	Resisting the Urge to Smoke and Craving during a Smoking Quit Attempt on Varenicline: Results from a Pilot fMRI Study. <i>American Journal of Drug and Alcohol Abuse</i> , 2013, 39, 92-98.	2.1	23
50	Concordance of Direct and Indirect Measures of Medication Adherence in A Treatment Trial for Cannabis Dependence. <i>Journal of Substance Abuse Treatment</i> , 2015, 57, 70-74.	2.8	23
51	The Impact of Clinical and Demographic Variables on Cognitive Performance in Methamphetamine-Dependent Individuals in Rural South Carolina. <i>American Journal on Addictions</i> , 2011, 20, 447-455.	1.4	22
52	Impaired Cognitive Performance in Subjects with Methamphetamine Dependence during Exposure to Neutral versus Methamphetamine-Related Cues. <i>American Journal of Drug and Alcohol Abuse</i> , 2012, 38, 251-259.	2.1	22
53	Approach bias modification for cannabis use disorder: A proof-of-principle study. <i>Journal of Substance Abuse Treatment</i> , 2018, 87, 16-22.	2.8	22
54	Early Life Trauma and Sensitivity to Current Life Stressors in Individuals With and Without Cocaine Dependence. <i>American Journal of Drug and Alcohol Abuse</i> , 2008, 34, 389-396.	2.1	21

#	ARTICLE	IF	CITATIONS
55	Influence of cocaine dependence and early life stress on pituitary-adrenal axis responses to CRH and the Trier social stressor. <i>Psychoneuroendocrinology</i> , 2010, 35, 1492-1500.	2.7	19
56	D-cycloserine combined with cue exposure therapy fails to attenuate subjective and physiological craving in cocaine dependence. <i>American Journal on Addictions</i> , 2015, 24, 217-224.	1.4	18
57	Consideration of sex and gender differences in addiction medication response. <i>Biology of Sex Differences</i> , 2022, 13, .	4.1	18
58	Psychoticism and neuroticism predict cocaine dependence and future cocaine use via different mechanisms. <i>Drug and Alcohol Dependence</i> , 2011, 116, 80-85.	3.2	17
59	Associations between behavioral disinhibition and cocaine use history in individuals with cocaine dependence. <i>Addictive Behaviors</i> , 2012, 37, 1185-1188.	3.0	17
60	Therapeutic Benefit of Smoked Cannabis in Randomized Placebo-Controlled Studies. <i>Pharmacotherapy</i> , 2018, 38, 80-85.	2.6	17
61	Impact of cannabis legalization on treatment and research priorities for cannabis use disorder. <i>International Review of Psychiatry</i> , 2018, 30, 216-225.	2.8	17
62	Adherence Across FDA-Approved Medications for Alcohol Use Disorder in a Veterans Administration Population. <i>Journal of Studies on Alcohol and Drugs</i> , 2019, 80, 572-577.	1.0	16
63	Characteristics of cocaine- and marijuana-dependent subjects presenting for medication treatment trials. <i>Addictive Behaviors</i> , 2007, 32, 1433-1440.	3.0	15
64	Exogenous progesterone for cannabis withdrawal in women: Feasibility trial of a novel multimodal methodology. <i>Pharmacology Biochemistry and Behavior</i> , 2019, 179, 22-26.	2.9	15
65	ALCOHOL AND SUBSTANCE ABUSE. <i>Medical Clinics of North America</i> , 2001, 85, 779-801.	2.5	14
66	Impact of gender on corticotropin-releasing factor and noradrenergic sensitivity in cocaine use disorder. <i>Journal of Neuroscience Research</i> , 2017, 95, 320-327.	2.9	14
67	Depressive symptoms and cannabis use in a placebo-controlled trial of N-Acetylcysteine for adult cannabis use disorder. <i>Psychopharmacology</i> , 2020, 237, 479-490.	3.1	14
68	Biological correlates of self-reported new and continued abstinence in cannabis cessation treatment clinical trials. <i>Drug and Alcohol Dependence</i> , 2018, 187, 270-277.	3.2	13
69	A case series exploring the effect of twenty sessions of repetitive transcranial magnetic stimulation (rTMS) on cannabis use and craving. <i>Brain Stimulation</i> , 2020, 13, 265-266.	1.6	13
70	Varenicline as a treatment for cannabis use disorder: A placebo-controlled pilot trial. <i>Drug and Alcohol Dependence</i> , 2021, 229, 109111.	3.2	13
71	Comparing adult cannabis treatment-seekers enrolled in a clinical trial with national samples of cannabis users in the United States. <i>Drug and Alcohol Dependence</i> , 2017, 176, 14-20.	3.2	11
72	Impact of endogenous progesterone on reactivity to yohimbine and cocaine cues in cocaine-dependent women. <i>Pharmacology Biochemistry and Behavior</i> , 2018, 165, 63-69.	2.9	11

#	ARTICLE	IF	CITATIONS
73	A review of sleep disturbance in adults prescribed medications for opioid use disorder: potential treatment targets for a highly prevalent, chronic problem. <i>Sleep Medicine</i> , 2021, 84, 142-153.	1.6	10
74	Methods to reduce the incidence of false negative trial results in substance use treatment research. <i>Current Opinion in Psychology</i> , 2019, 30, 35-41.	4.9	9
75	Evaluating cannabis use risk reduction as an alternative clinical outcome for cannabis use disorder.. <i>Psychology of Addictive Behaviors</i> , 2022, 36, 505-514.	2.1	9
76	Consideration of sex as a biological variable in the translation of pharmacotherapy for stress-associated drug seeking. <i>Neurobiology of Stress</i> , 2021, 15, 100364.	4.0	8
77	Reversible Elevation of Triglycerides in Dual-Diagnosis Patients Taking Aripiprazole. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 464-467.	1.4	7
78	An Open-Label Trial of Aripiprazole Treatment in Dual Diagnosis Individuals: Safety and Efficacy. <i>Journal of Dual Diagnosis</i> , 2009, 5, 83-96.	1.2	7
79	Safety and Tolerability of Acamprosate in Alcohol-dependent Individuals With Bipolar Disorder. <i>Addictive Disorders and Their Treatment</i> , 2009, 8, 33-38.	0.5	7
80	Latency to cannabis dependence mediates the relationship between age at cannabis use initiation and cannabis use outcomes during treatment in men but not women. <i>Drug and Alcohol Dependence</i> , 2021, 218, 108383.	3.2	7
81	Cannabis Withdrawal in Adults With Attention-Deficit/Hyperactivity Disorder. primary care companion for CNS disorders, <i>The</i> , 2018, 20, .	0.6	7
82	A preliminary investigation of the role of intraindividual sleep variability in substance use treatment outcomes. <i>Addictive Behaviors</i> , 2022, 131, 107315.	3.0	6
83	Methylphenidate Transdermal System in Adults With Past Stimulant Misuse. <i>Journal of Attention Disorders</i> , 2011, 15, 539-544.	2.6	5
84	Cannabis Use Disorder as a Developmental Disorder. , 2019, , 189-199.		5
85	Assessment of Club Drug Use in a Treatment-Seeking Sample of Individuals with Marijuana Dependence. <i>American Journal on Addictions</i> , 2007, 16, 484-487.	1.4	4
86	Evidence for the Endocannabinoid System as a Therapeutic Target in the Treatment of Cannabis Use Disorder. <i>Current Addiction Reports</i> , 2020, 7, 545-552.	3.4	3
87	Neurotransmitter and Neuropeptide Targets for Cannabis Use Disorder Treatment. , 2019, , 207-211.		1
88	Sex and drug differences in stress, craving and cortisol response to the trier social stress task. <i>Psychopharmacology</i> , 2022, , .	3.1	1