

# Aimee L Mcrae-Clark

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7072942/aimee-l-mcrae-clark-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84  
papers

2,950  
citations

33  
h-index

52  
g-index

88  
ext. papers

3,415  
ext. citations

4.3  
avg, IF

5.06  
L-index

#	Paper	IF	Citations
84	A preliminary investigation of the role of intraindividual sleep variability in substance use treatment outcomes.. <i>Addictive Behaviors</i> , <b>2022</b> , 131, 107315	4.2	3
83	Latency to cannabis dependence mediates the relationship between age at cannabis use initiation and cannabis use outcomes during treatment in men but not women. <i>Drug and Alcohol Dependence</i> , <b>2021</b> , 218, 108383	4.9	2
82	A review of sleep disturbance in adults prescribed medications for opioid use disorder: potential treatment targets for a highly prevalent, chronic problem. <i>Sleep Medicine</i> , <b>2021</b> , 84, 142-153	4.6	1
81	Varenicline as a treatment for cannabis use disorder: A placebo-controlled pilot trial. <i>Drug and Alcohol Dependence</i> , <b>2021</b> , 229, 109111	4.9	0
80	Consideration of sex as a biological variable in the translation of pharmacotherapy for stress-associated drug seeking. <i>Neurobiology of Stress</i> , <b>2021</b> , 15, 100364	7.6	3
79	Evidence for the Endocannabinoid System as a Therapeutic Target in the Treatment of Cannabis Use Disorder. <i>Current Addiction Reports</i> , <b>2020</b> , 7, 545-552	3.9	1
78	The state of clinical outcome assessments for cannabis use disorder clinical trials: A review and research agenda. <i>Drug and Alcohol Dependence</i> , <b>2020</b> , 212, 107993	4.9	25
77	Depressive symptoms and cannabis use in a placebo-controlled trial of N-Acetylcysteine for adult cannabis use disorder. <i>Psychopharmacology</i> , <b>2020</b> , 237, 479-490	4.7	9
76	A case series exploring the effect of twenty sessions of repetitive transcranial magnetic stimulation (rTMS) on cannabis use and craving. <i>Brain Stimulation</i> , <b>2020</b> , 13, 265-266	5.1	5
75	Methods to reduce the incidence of false negative trial results in substance use treatment research. <i>Current Opinion in Psychology</i> , <b>2019</b> , 30, 35-41	6.2	7
74	Exogenous progesterone for cannabis withdrawal in women: Feasibility trial of a novel multimodal methodology. <i>Pharmacology Biochemistry and Behavior</i> , <b>2019</b> , 179, 22-26	3.9	12
73	Neurotransmitter and Neuropeptide Targets for Cannabis Use Disorder Treatment <b>2019</b> , 207-211		1
72	Adherence Across FDA-Approved Medications for Alcohol Use Disorder in a Veterans Administration Population. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2019</b> , 80, 572-577	1.9	9
71	Cannabis Use Disorder as a Developmental Disorder <b>2019</b> , 189-199		2
70	Approach bias modification for cannabis use disorder: A proof-of-principle study. <i>Journal of Substance Abuse Treatment</i> , <b>2018</b> , 87, 16-22	4.2	17
69	Incremental validity of estimated cannabis grams as a predictor of problems and cannabinoid biomarkers: Evidence from a clinical trial. <i>Drug and Alcohol Dependence</i> , <b>2018</b> , 182, 1-7	4.9	13
68	Biological correlates of self-reported new and continued abstinence in cannabis cessation treatment clinical trials. <i>Drug and Alcohol Dependence</i> , <b>2018</b> , 187, 270-277	4.9	8

67	Repetitive transcranial magnetic stimulation (rTMS) administration to heavy cannabis users. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2018</b> , 44, 47-55	3.7	15
66	Impact of cannabis legalization on treatment and research priorities for cannabis use disorder. <i>International Review of Psychiatry</i> , <b>2018</b> , 30, 216-225	3.6	10
65	Cannabis Withdrawal in Adults With Attention-Deficit/Hyperactivity Disorder. <i>primary care companion for CNS disorders, The</i> , <b>2018</b> , 20,	1.2	3
64	Therapeutic Benefit of Smoked Cannabis in Randomized Placebo-Controlled Studies. <i>Pharmacotherapy</i> , <b>2018</b> , 38, 80-85	5.8	13
63	Impact of endogenous progesterone on reactivity to yohimbine and cocaine cues in cocaine-dependent women. <i>Pharmacology Biochemistry and Behavior</i> , <b>2018</b> , 165, 63-69	3.9	6
62	Gender differences among treatment-seeking adults with cannabis use disorder: Clinical profiles of women and men enrolled in the achieving cannabis cessation-evaluating N-acetylcysteine treatment (ACCENT) study. <i>American Journal on Addictions</i> , <b>2017</b> , 26, 136-144	3.7	39
61	Effect of oxytocin pretreatment on cannabis outcomes in a brief motivational intervention. <i>Psychiatry Research</i> , <b>2017</b> , 249, 318-320	9.9	25
60	Comparing adult cannabis treatment-seekers enrolled in a clinical trial with national samples of cannabis users in the United States. <i>Drug and Alcohol Dependence</i> , <b>2017</b> , 176, 14-20	4.9	11
59	A randomized placebo-controlled trial of N-acetylcysteine for cannabis use disorder in adults. <i>Drug and Alcohol Dependence</i> , <b>2017</b> , 177, 249-257	4.9	79
58	Impact of gender on corticotropin-releasing factor and noradrenergic sensitivity in cocaine use disorder. <i>Journal of Neuroscience Research</i> , <b>2017</b> , 95, 320-327	4.4	8
57	Vilazodone for cannabis dependence: A randomized, controlled pilot trial. <i>American Journal on Addictions</i> , <b>2016</b> , 25, 69-75	3.7	19
56	Determining menstrual phase in human biobehavioral research: A review with recommendations. <i>Experimental and Clinical Psychopharmacology</i> , <b>2016</b> , 24, 1-11	3.2	65
55	Treatment of Cannabis Use Disorder: Current Science and Future Outlook. <i>Pharmacotherapy</i> , <b>2016</b> , 36, 511-35	5.8	85
54	Gender differences in cannabis use disorder treatment: Change readiness and taking steps predict worse cannabis outcomes for women. <i>Addictive Behaviors</i> , <b>2016</b> , 60, 197-202	4.2	28
53	Buspirone treatment of cannabis dependence: A randomized, placebo-controlled trial. <i>Drug and Alcohol Dependence</i> , <b>2015</b> , 156, 29-37	4.9	39
52	Effects of adverse childhood experiences on the association between intranasal oxytocin and social stress reactivity among individuals with cocaine dependence. <i>Psychiatry Research</i> , <b>2015</b> , 229, 94-100	9.9	44
51	D-cycloserine combined with cue exposure therapy fails to attenuate subjective and physiological craving in cocaine dependence. <i>American Journal on Addictions</i> , <b>2015</b> , 24, 217-224	3.7	13
50	Concordance of Direct and Indirect Measures of Medication Adherence in A Treatment Trial for Cannabis Dependence. <i>Journal of Substance Abuse Treatment</i> , <b>2015</b> , 57, 70-4	4.2	16

49	The relationship between years of cocaine use and brain activation to cocaine and response inhibition cues. <i>Addiction</i> , <b>2014</b> , 109, 2062-70	4.6	67
48	Achieving cannabis cessation -- evaluating N-acetylcysteine treatment (ACCENT): design and implementation of a multi-site, randomized controlled study in the National Institute on Drug Abuse Clinical Trials Network. <i>Contemporary Clinical Trials</i> , <b>2014</b> , 39, 211-23	2.3	35
47	Brain activation to cocaine cues and motivation/treatment status. <i>Addiction Biology</i> , <b>2014</b> , 19, 240-9	4.6	48
46	Effect of oxytocin on craving and stress response in marijuana-dependent individuals: a pilot study. <i>Psychopharmacology</i> , <b>2013</b> , 228, 623-31	4.7	100
45	A double blind, placebo-controlled study of the effects of post-retrieval propranolol on reconsolidation of memory for craving and cue reactivity in cocaine dependent humans. <i>Psychopharmacology</i> , <b>2013</b> , 226, 721-37	4.7	71
44	A randomized, placebo-controlled laboratory study of the effects of D-cycloserine on craving in cocaine-dependent individuals. <i>Psychopharmacology</i> , <b>2013</b> , 226, 739-46	4.7	44
43	Prospective associations between brain activation to cocaine and no-go cues and cocaine relapse. <i>Drug and Alcohol Dependence</i> , <b>2013</b> , 131, 44-9	4.9	39
42	Impact of DCS-facilitated cue exposure therapy on brain activation to cocaine cues in cocaine dependence. <i>Drug and Alcohol Dependence</i> , <b>2013</b> , 132, 195-201	4.9	22
41	Association of elevated cytokines with childhood adversity in a sample of healthy adults. <i>Journal of Psychiatric Research</i> , <b>2013</b> , 47, 604-10	5.2	57
40	Resisting the urge to smoke and craving during a smoking quit attempt on varenicline: results from a pilot fMRI study. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2013</b> , 39, 92-8	3.7	14
39	Contingency management in community programs treating adolescent substance abuse: a feasibility study. <i>Journal of Child and Adolescent Psychiatric Nursing</i> , <b>2012</b> , 25, 33-41	0.9	18
38	Motives for using: a comparison of prescription opioid, marijuana and cocaine dependent individuals. <i>Addictive Behaviors</i> , <b>2012</b> , 37, 373-8	4.2	30
37	Associations between behavioral disinhibition and cocaine use history in individuals with cocaine dependence. <i>Addictive Behaviors</i> , <b>2012</b> , 37, 1185-8	4.2	16
36	Impaired cognitive performance in subjects with methamphetamine dependence during exposure to neutral versus methamphetamine-related cues. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2012</b> , 38, 251-9	3.7	13
35	A double-blind randomized controlled trial of N-acetylcysteine in cannabis-dependent adolescents. <i>American Journal of Psychiatry</i> , <b>2012</b> , 169, 805-12	11.9	194
34	Does alexithymia explain variation in cue-elicited craving reported by methamphetamine-dependent individuals?. <i>American Journal on Addictions</i> , <b>2012</b> , 21, 130-5	3.7	23
33	Psychoticism and neuroticism predict cocaine dependence and future cocaine use via different mechanisms. <i>Drug and Alcohol Dependence</i> , <b>2011</b> , 116, 80-5	4.9	15
32	The impact of clinical and demographic variables on cognitive performance in methamphetamine-dependent individuals in rural South Carolina. <i>American Journal on Addictions</i> , <b>2011</b> , 20, 447-55	3.7	18

31	Stress- and cue-elicited craving and reactivity in marijuana-dependent individuals. <i>Psychopharmacology</i> , <b>2011</b> , 218, 49-58	4.7	58
30	Methylphenidate transdermal system in adults with past stimulant misuse: an open-label trial. <i>Journal of Attention Disorders</i> , <b>2011</b> , 15, 539-44	3.7	5
29	A placebo-controlled trial of atomoxetine in marijuana-dependent individuals with attention deficit hyperactivity disorder. <i>American Journal on Addictions</i> , <b>2010</b> , 19, 481-9	3.7	57
28	Extinction of drug cue reactivity in methamphetamine-dependent individuals. <i>Behaviour Research and Therapy</i> , <b>2010</b> , 48, 860-5	5.2	23
27	Reactivity to laboratory stress provocation predicts relapse to cocaine. <i>Drug and Alcohol Dependence</i> , <b>2010</b> , 106, 21-7	4.9	110
26	Determinants of cue-elicited craving and physiologic reactivity in methamphetamine-dependent subjects in the laboratory. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2010</b> , 36, 106-13	3.7	36
25	Community-dwelling cocaine-dependent men and women respond differently to social stressors versus cocaine cues. <i>Psychoneuroendocrinology</i> , <b>2010</b> , 35, 798-806	5	40
24	Influence of cocaine dependence and early life stress on pituitary-adrenal axis responses to CRH and the Trier social stressor. <i>Psychoneuroendocrinology</i> , <b>2010</b> , 35, 1492-500	5	17
23	D-cycloserine and cocaine cue reactivity: preliminary findings. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2009</b> , 35, 434-8	3.7	51
22	A placebo-controlled trial of buspirone for the treatment of marijuana dependence. <i>Drug and Alcohol Dependence</i> , <b>2009</b> , 105, 132-8	4.9	67
21	An Open-Label Trial of Aripiprazole Treatment in Dual Diagnosis Individuals: Safety and Efficacy. <i>Journal of Dual Diagnosis</i> , <b>2009</b> , 5, 83-96	2.4	4
20	Safety and Tolerability of Acamprosate in Alcohol-dependent Individuals With Bipolar Disorder. <i>Addictive Disorders and Their Treatment</i> , <b>2009</b> , 8, 33-38	0.5	7
19	Response to corticotropin-releasing hormone infusion in cocaine-dependent individuals. <i>Archives of General Psychiatry</i> , <b>2009</b> , 66, 422-30		39
18	Relationship between child abuse and adult smoking. <i>International Journal of Psychiatry in Medicine</i> , <b>2009</b> , 39, 417-26	1	27
17	Effects of gender and cigarette smoking on reactivity to psychological and pharmacological stress provocation. <i>Psychoneuroendocrinology</i> , <b>2008</b> , 33, 560-8	5	56
16	Early life trauma and sensitivity to current life stressors in individuals with and without cocaine dependence. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2008</b> , 34, 389-96	3.7	17
15	Reversible elevation of triglycerides in dual-diagnosis patients taking aripiprazole: a case series. <i>Journal of Clinical Psychopharmacology</i> , <b>2008</b> , 28, 464-7	1.7	5
14	Assessment of club drug use in a treatment-seeking sample of individuals with marijuana dependence. <i>American Journal on Addictions</i> , <b>2007</b> , 16, 484-7	3.7	4

13	Differences in early onset alcohol use and heavy drinking among persons with childhood and adulthood trauma. <i>American Journal on Addictions</i> , <b>2007</b> , 16, 439-42	3.7	37
12	Characteristics of cocaine- and marijuana-dependent subjects presenting for medication treatment trials. <i>Addictive Behaviors</i> , <b>2007</b> , 32, 1433-40	4.2	15
11	Daily stressor sensitivity, abuse effects, and cocaine use in cocaine dependence. <i>Addictive Behaviors</i> , <b>2007</b> , 32, 3015-25	4.2	20
10	PTSD and the HPA axis: differences in response to the cold pressor task among individuals with child vs. adult trauma. <i>Psychoneuroendocrinology</i> , <b>2006</b> , 31, 501-9	5	66
9	Stress reactivity: biological and subjective responses to the cold pressor and Trier Social stressors. <i>Human Psychopharmacology</i> , <b>2006</b> , 21, 377-85	2.3	150
8	Safety and tolerability of N-acetylcysteine in cocaine-dependent individuals. <i>American Journal on Addictions</i> , <b>2006</b> , 15, 105-10	3.7	124
7	Cold pressor task reactivity: predictors of alcohol use among alcohol-dependent individuals with and without comorbid posttraumatic stress disorder. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2006</b> , 30, 938-46	3.7	74
6	Buspirone for treatment of marijuana dependence: a pilot study. <i>American Journal on Addictions</i> , <b>2006</b> , 15, 404	3.7	33
5	A randomized, placebo-controlled trial of buspirone for the treatment of anxiety in opioid-dependent individuals. <i>American Journal on Addictions</i> , <b>2004</b> , 13, 53-63	3.7	23
4	Comparison of nefazodone and sertraline for the treatment of posttraumatic stress disorder. <i>Depression and Anxiety</i> , <b>2004</b> , 19, 190-6	8.4	47
3	Treatment of marijuana dependence: a review of the literature. <i>Journal of Substance Abuse Treatment</i> , <b>2003</b> , 24, 369-76	4.2	101
2	Alcohol and substance abuse. <i>Medical Clinics of North America</i> , <b>2001</b> , 85, 779-801	7	13
1	Review of sertraline and its clinical applications in psychiatric disorders. <i>Expert Opinion on Pharmacotherapy</i> , <b>2001</b> , 2, 883-92	4	159