

Claudia A Couto

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7073971/claudia-a-couto-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50 papers	753 citations	16 h-index	26 g-index
60 ext. papers	912 ext. citations	3.3 avg, IF	3.81 L-index

#	Paper	IF	Citations
50	B-RAF PROTEIN IMMUNOEXPRESSION IN HEPATOCELLULAR CARCINOMA DUE TO HEPATITIS C VIRUS RELATED CIRRHOSIS.. <i>Arquivos De Gastroenterologia</i> , 2021 , 58, 419-423	1.3	
49	Fibrates for the Treatment of Primary Biliary Cholangitis Unresponsive to Ursodeoxycholic Acid: An Exploratory Study.. <i>Frontiers in Pharmacology</i> , 2021 , 12, 818089	5.6	2
48	Clinical Features and Outcomes of Primary Sclerosing Cholangitis in the Highly Admixed Brazilian Population. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2021 , 2021, 7746401	2.8	0
47	Noninvasive predictors of esophageal varices in patients with hepatosplenic schistosomiasis mansonii.. <i>Acta Tropica</i> , 2021 , 226, 106283	3.2	0
46	Liver stiffness is able to differentiate hepatosplenic Schistosomiasis mansonii from liver cirrhosis and spleen stiffness may be a predictor of variceal bleeding in hepatosplenic schistosomiasis. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2021 ,	2	1
45	Anti-mitochondrial Antibody-Negative Primary Biliary Cholangitis Is Part of the Same Spectrum of Classical Primary Biliary Cholangitis. <i>Digestive Diseases and Sciences</i> , 2021 , 1	4	2
44	Accuracy of non-invasive methods/models for predicting esophageal varices in patients with compensated advanced chronic liver disease secondary to nonalcoholic fatty liver disease. <i>Annals of Hepatology</i> , 2021 , 20, 100229	3.1	2
43	Portal vein thrombosis in patients with hepatosplenic schistosomiasis who underwent oesophagogastric devascularization combined with splenectomy. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2021 , 115, 1004-1009	2	0
42	Pregnancy Outcomes in Wilson's Disease Women: Single-Center Case Series. <i>Fetal and Pediatric Pathology</i> , 2021 , 1-8	1.7	0
41	Crosstalk Between Plasma Cytokines, Inflammation, and Liver Damage as a New Strategy to Monitoring NAFLD Progression. <i>Frontiers in Immunology</i> , 2021 , 12, 708959	8.4	14
40	Vitamin D levels are not associated with non-alcoholic fatty liver disease severity in a Brazilian population. <i>International Journal for Vitamin and Nutrition Research</i> , 2021 , 91, 411-418	1.7	
39	Clinical features and treatment outcomes of primary biliary cholangitis in a highly admixed population. <i>Annals of Hepatology</i> , 2021 , 27, 100546	3.1	2
38	Imaging and immunometabolic phenotyping uncover changes in the hepatic immune response in the early phases of NAFLD. <i>JHEP Reports</i> , 2020 , 2, 100117	10.3	3
37	Nonalcoholic fatty liver disease in women with polycystic ovary syndrome: associated factors and noninvasive fibrosis staging in a single Brazilian center. <i>Archives of Endocrinology and Metabolism</i> , 2020 , 64, 235-242	2.2	6
36	and polymorphisms in Brazilian patients with nonalcoholic fatty liver disease. <i>World Journal of Hepatology</i> , 2020 , 12, 792-806	3.4	7
35	UPDATE OF THE BRAZILIAN SOCIETY OF HEPATOLOGY RECOMMENDATIONS FOR DIAGNOSIS AND MANAGEMENT OF AUTOIMMUNE DISEASES OF THE LIVER. <i>Arquivos De Gastroenterologia</i> , 2019 , 56, 232-241	1.3	6
34	The Microbiome and Metabolome in Nonalcoholic Fatty Liver Disease 2019 , 265-269		

33	Wilson's disease presentation resembling autoimmune hepatitis. <i>BMJ Case Reports</i> , 2019 , 12,	0.9	4
32	Budd Chiari syndrome associated with AL amyloidosis: a coagulation paradox. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2018 , 25, 70-71	2.7	2
31	Non-alcoholic fatty liver disease in women with polycystic ovary syndrome: systematic review and meta-analysis. <i>Journal of Endocrinological Investigation</i> , 2017 , 40, 1279-1288	5.2	75
30	A Novel Wistar Rat Model of Obesity-Related Nonalcoholic Fatty Liver Disease Induced by Sucrose-Rich Diet. <i>Journal of Diabetes Research</i> , 2016 , 2016, 9127076	3.9	20
29	Beneficial Effect of Synbiotic Supplementation on Hepatic Steatosis and Anthropometric Parameters, But Not on Gut Permeability in a Population with Nonalcoholic Steatohepatitis. <i>Nutrients</i> , 2016 , 8,	6.7	60
28	Current management of non-alcoholic fatty liver disease. <i>Revista Da Associação Médica Brasileira</i> , 2016 , 62, 872-878	1.4	7
27	Liver Transplantation in Brazil. <i>Liver Transplantation</i> , 2016 , 22, 1254-8	4.5	22
26	Dietary approach in the treatment of nonalcoholic fatty liver disease. <i>World Journal of Hepatology</i> , 2015 , 7, 2522-34	3.4	29
25	Probiotics as a complementary therapeutic approach in nonalcoholic fatty liver disease. <i>World Journal of Hepatology</i> , 2015 , 7, 559-65	3.4	29
24	Brazilian society of hepatology recommendations for the diagnosis and management of autoimmune diseases of the liver. <i>Arquivos De Gastroenterologia</i> , 2015 , 52 Suppl 1, 15-46	1.3	8
23	Histologic Grade and Mitotic Index as Predictors of Microvascular Invasion in Hepatocellular Carcinoma. <i>Experimental and Clinical Transplantation</i> , 2015 , 13, 421-5	0.8	4
22	The role of intestinal bacteria overgrowth in obesity-related nonalcoholic fatty liver disease. <i>Nutrients</i> , 2014 , 6, 5583-99	6.7	65
21	Antismooth muscle and antiactin antibodies are indirect markers of histological and biochemical activity of autoimmune hepatitis. <i>Hepatology</i> , 2014 , 59, 592-600	11.2	62
20	Ethnicity predicts metabolic syndrome after liver transplant. <i>Hepatology International</i> , 2013 , 7, 741-8	8.8	6
19	High frequency of genotype D and spontaneous hepatitis B virus genomic mutations among Haitians in a multiethnic North American population. <i>Journal of Clinical Gastroenterology</i> , 2013 , 47, 83-8 ³		3
18	Primary biliary cirrhosis is more severe in overweight patients. <i>Journal of Clinical Gastroenterology</i> , 2013 , 47, e28-32	3	23
17	Epidemiological aspects of hepatocellular carcinoma in a referral center of Minas Gerais, Brazil. <i>Arquivos De Gastroenterologia</i> , 2013 , 50, 97-100	1.3	7
16	Effect of ethnicity on liver transplant for hepatocellular carcinoma. <i>Experimental and Clinical Transplantation</i> , 2013 , 11, 339-45	0.8	6

15	Dietary patterns in Brazilian patients with nonalcoholic fatty liver disease: a cross-sectional study. <i>Clinics</i> , 2013 , 68, 11-7	2.3	34
14	Portal vein thrombosis and budd-Chiari syndrome. <i>Hematology/Oncology Clinics of North America</i> , 2011 , 25, 1049-66, vi-vii	3.1	4
13	Recurrent and de novo autoimmune liver diseases. <i>Clinics in Liver Disease</i> , 2011 , 15, 859-78	4.6	33
12	Analysis of HFE and non-HFE gene mutations in Brazilian patients with hemochromatosis. <i>Clinics</i> , 2009 , 64, 837-41	2.3	11
11	Portal vein thrombosis and budd-Chiari syndrome. <i>Clinics in Liver Disease</i> , 2009 , 13, 127-144	4.6	19
10	Severe and prolonged cholestasis caused by trimethoprim-sulfamethoxazole: a case report. <i>Clinics</i> , 2009 , 64, 71-4	2.3	11
9	An atypical course of visceral leishmaniasis (Kala-azar) in a liver transplant recipient. <i>Transplantation</i> , 2007 , 83, 368-9	1.8	11
8	Life-threatening thrombocytopenia and nephrotic syndrome due to focal segmental glomerulosclerosis associated with pegylated interferon alpha-2b and ribavirin treatment for hepatitis C. <i>Liver International</i> , 2006 , 26, 1294-7	7.9	15
7	Phenotypic expression of familial amyloid polyneuropathy in Brazil. <i>European Journal of Neurology</i> , 2005 , 12, 289-93	6	20
6	Análise ecocardiográfica da função diastólica do ventrículo esquerdo após infarto do miocárdio em ratos. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2005 , 20, 63	1.1	
5	Results of liver transplantation for familial amyloid polyneuropathy type I in Brazil. <i>Liver Transplantation</i> , 2002 , 8, 34-9	4.5	28
4	No evidence of de novo amyloidosis in recipients of domino liver transplantation: 12 to 40 (mean 24) month follow-up. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2002 , 9, 194-6	2.7	21
3	Whipple's disease. Report of five cases with different clinical features. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2001 , 43, 45-50	2.2	5
2	Human polyclonal anti-hepatitis B surface antigen immunoglobulin reduces the frequency of acute rejection after liver transplantation for chronic hepatitis B. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2001 , 43, 335-7	2.2	12
1	Actinomycosis of the colon: a rare form of presentation. <i>Scandinavian Journal of Gastroenterology</i> , 2000 , 35, 108-9	2.4	51