

Peter Krajnc

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7076670/publications.pdf>

Version: 2024-02-01

63
papers

2,648
citations

159358

30
h-index

189595

50
g-index

67
all docs

67
docs citations

67
times ranked

1612
citing authors

#	ARTICLE	IF	CITATIONS
1	High Internal Phase Emulsion Templating – A Path To Hierarchically Porous Functional Polymers. <i>Macromolecular Rapid Communications</i> , 2012, 33, 1731-1746.	2.0	276
2	Preparation and characterisation of poly(high internal phase emulsion) methacrylate monoliths and their application as separation media. <i>Journal of Chromatography A</i> , 2005, 1065, 69-73.	1.8	188
3	Ultra-High Surface Area Functional Porous Polymers by Emulsion Templating and Hypercrosslinking: Efficient Nucleophilic Catalyst Supports. <i>Chemistry - A European Journal</i> , 2010, 16, 2350-2354.	1.7	138
4	Monolithic Scavenger Resins by Amine Functionalizations of Poly(4-vinylbenzyl) Chloride. <i>Journal of Chromatography A</i> , 2005, 1065, 69-73.	2.4	186
5	Acrylic Acid –Reversed–PolyHIPEs. <i>Macromolecular Rapid Communications</i> , 2005, 26, 1289-1293.	2.0	120
6	Highly Porous Open-Cellular Monoliths from 2-Hydroxyethyl Methacrylate Based High Internal Phase Emulsions (HIPEs): Preparation and Void Size Tuning. <i>Macromolecules</i> , 2007, 40, 8056-8060.	2.2	111
7	Inherently reactive polyHIPE material from dicyclopentadiene. <i>Chemical Communications</i> , 2010, 46, 7504.	2.2	84
8	4-Vinylbenzyl chloride based porous spherical polymer supports derived from water-in-oil-in-water emulsions. <i>Reactive and Functional Polymers</i> , 2005, 65, 37-45.	2.0	70
9	Ring opening metathesis polymerisation of emulsion templated dicyclopentadiene giving open porous materials with excellent mechanical properties. <i>Polymer Chemistry</i> , 2012, 3, 325-328.	1.9	70
10	Hierarchically Porous Materials from Layer-by-Layer Photopolymerization of High Internal Phase Emulsions. <i>Macromolecular Rapid Communications</i> , 2013, 34, 938-943.	2.0	68
11	Separation of heavy metals from water by functionalized glycidyl methacrylate poly (high internal) phase emulsion templated porous polymer. <i>Journal of Chromatography A</i> , 2005, 1065, 69-73.	1.8	61
12	Polyester type polyHIPE scaffolds with an interconnected porous structure for cartilage regeneration. <i>Scientific Reports</i> , 2016, 6, 28695.	1.6	60
13	On the mechanical properties of HIPE templated macroporous poly(dicyclopentadiene) prepared with low surfactant amounts. <i>Journal of Materials Chemistry A</i> , 2013, 1, 487-490.	5.2	56
14	Aryl acrylate based high-internal-phase emulsions as precursors for reactive monolithic polymer supports. <i>Journal of Polymer Science Part A</i> , 2005, 43, 296-303.	2.5	54
15	Post polymerisation hypercrosslinking of styrene/divinylbenzene poly(HIPE)s: Creating micropores within macroporous polymer. <i>Polymer</i> , 2014, 55, 410-415.	1.8	54
16	Glycidyl methacrylate and ethylhexyl acrylate based polyHIPE monoliths: Morphological, mechanical and chromatographic properties. <i>Reactive and Functional Polymers</i> , 2014, 78, 32-37.	2.0	54
17	Anthocyanins in purple and blue wheat grains and in resulting bread: quantity, composition, and thermal stability. <i>International Journal of Food Sciences and Nutrition</i> , 2015, 66, 514-519.	1.3	54
18	Pressure drop characteristics of poly(high internal phase emulsion) monoliths. <i>Journal of Chromatography A</i> , 2007, 1144, 48-54.	1.8	48

#	ARTICLE	IF	CITATIONS
19	PolyHIPEs from Methyl methacrylate: Hierarchically structured microcellular polymers with exceptional mechanical properties. <i>Polymer</i> , 2014, 55, 4420-4424.	1.8	48
20	Responsive Poly(acrylic acid) and Poly(<i>N</i> -isopropylacrylamide) Monoliths by High Internal Phase Emulsion (HIPE) Templating. <i>Macromolecular Chemistry and Physics</i> , 2011, 212, 2151-2158.	1.1	47
21	2,4,6-trichlorophenyl acrylate emulsion-templated porous polymers (PolyHIPEs). Morphology and reactivity studies. <i>Journal of Polymer Science Part A</i> , 2007, 45, 4043-4053.	2.5	40
22	Open cellular reactive porous membranes from high internal phase emulsions. <i>Chemical Communications</i> , 2008, , 4481.	2.2	40
23	Porous Polymers from High Internal Phase Emulsions as Scaffolds for Biological Applications. <i>Polymers</i> , 2021, 13, 1786.	2.0	40
24	Choline Chloride Based Natural Deep Eutectic Solvents as Extraction Media for Extracting Phenolic Compounds from Chokeberry (<i>Aronia melanocarpa</i>). <i>Molecules</i> , 2020, 25, 1619.	1.7	39
25	Poly(4-vinylpyridine) polyHIPEs as catalysts for cycloaddition click reaction. <i>Polymer</i> , 2017, 126, 402-407.	1.8	38
26	Porogenic Solvents Influence on Morphology of 4-Vinylbenzyl Chloride Based PolyHIPEs. <i>Macromolecules</i> , 2008, 41, 3543-3546.	2.2	37
27	Aryl acrylate porous functional polymer supports from water-in-oil-in-water multiple emulsions. <i>Polymer International</i> , 2007, 56, 1313-1319.	1.6	36
28	Macroporous monolithic poly(4-vinylbenzyl chloride) columns for organic synthesis facilitation by in situ polymerization of high internal phase emulsions. <i>Journal of Polymer Science Part A</i> , 2009, 47, 6726-6734.	2.5	36
29	Sustainable ultrasound-assisted extraction of valuable phenolics from inflorescences of <i>Helichrysum arenarium</i> L. using natural deep eutectic solvents. <i>Industrial Crops and Products</i> , 2021, 160, 113102.	2.5	34
30	Microcellular Open Porous Monoliths for Cell Growth by Thiol-Ene Polymerization of Low-Toxicity Monomers in High Internal Phase Emulsions. <i>Macromolecular Bioscience</i> , 2015, 15, 253-261.	2.1	33
31	Monolithic Magneto-Optical Nanocomposites of Barium Hexaferrite Platelets in PMMA. <i>Scientific Reports</i> , 2015, 5, 11395.	1.6	33
32	Amine Functionalisations of Glycidyl methacrylate Based PolyHIPE Monoliths. <i>Macromolecular Symposia</i> , 2010, 296, 5-10.	0.4	28
33	Methacrylic acid microcellular highly porous monoliths: Preparation and functionalisation. <i>Reactive and Functional Polymers</i> , 2012, 72, 221-226.	2.0	24
34	Estimation of methacrylate monolith binding capacity from pressure drop data. <i>Journal of Chromatography A</i> , 2013, 1272, 50-55.	1.8	23
35	Photocatalytic Activity of Titania/Polydicyclopentadiene PolyHIPE Composites. <i>Macromolecular Materials and Engineering</i> , 2017, 302, 1700091.	1.7	23
36	Multiple-Level Porous Polymer Monoliths with Interconnected Cellular Topology Prepared by Combining Hard Sphere and Emulsion Templating for Use in Bone Tissue Engineering. <i>Macromolecular Bioscience</i> , 2018, 18, 1700306.	2.1	23

#	ARTICLE	IF	CITATIONS
37	Influence of nanoparticles and antioxidants on mechanical properties of titania/polydicyclopentadiene polyHIPEs: A statistical approach. <i>Journal of Applied Polymer Science</i> , 2019, 136, 46913.	1.3	22
38	Tailoring the mechanical and thermal properties of dicyclopentadiene polyHIPEs with the use of a comonomer. <i>EXPRESS Polymer Letters</i> , 2015, 9, 344-353.	1.1	21
39	Novel hypercrosslinking approach toward high surface area functional 2-hydroxyethyl methacrylate-based polyHIPEs. <i>Reactive and Functional Polymers</i> , 2018, 132, 51-59.	2.0	20
40	Influence of titania on the morphological and mechanical properties of 1,3-butanediol dimethacrylate based polyHIPE composites. <i>Reactive and Functional Polymers</i> , 2018, 130, 8-15.	2.0	20
41	Emulsion templated hydrophilic polymethacrylates. Morphological features, water and dye absorption. <i>Reactive and Functional Polymers</i> , 2020, 149, 104515.	2.0	18
42	Crosslinked Poly(2-Hydroxyethyl Methacrylate) by Emulsion Templating: Influence of Crosslinker on Microcellular Structure. <i>Journal of Polymers and the Environment</i> , 2012, 20, 1095-1102.	2.4	17
43	Thiol-ene Cross-linking of Poly(ethylene glycol) within High Internal Phase Emulsions: Degradable Hydrophilic PolyHIPEs for Controlled Drug Release. <i>Macromolecules</i> , 2021, 54, 10370-10380.	2.2	16
44	Influence of Al(OH) ₃ nanoparticles on the mechanical and fire resistance properties of poly(methyl methacrylate) nanocomposites. <i>Polymer Composites</i> , 2016, 37, 1659-1666.	2.3	14
45	Post Polymerisation Hypercrosslinking with Emulsion Templating for Hierarchical and Multi-Level Porous Polymers. <i>Acta Chimica Slovenica</i> , 2020, 67, 349-360.	0.2	14
46	Tailoring morphological features of cross-linked emulsion-templated poly(glycidyl methacrylate). <i>Designed Monomers and Polymers</i> , 2015, 18, 698-703.	0.7	13
47	Macroporous alumina with cellular interconnected morphology from emulsion templated polymer composite precursors. <i>Journal of the European Ceramic Society</i> , 2016, 36, 1045-1051.	2.8	12
48	Selectfluor TM on a PolyHIPE Material as Regenerative and Reusable Polymer-Supported Electrophilic Fluorinating Agent. <i>Advanced Synthesis and Catalysis</i> , 2017, 359, 584-589.	2.1	12
49	Microcellular open porous polyester membranes from thiol-ene polymerisations of high internal phase emulsions. <i>Designed Monomers and Polymers</i> , 2016, 19, 577-583.	0.7	11
50	In situ hyper-cross-linking of glycidyl methacrylate-based polyHIPEs through the amine-enriched high internal phase emulsions. <i>Colloid and Polymer Science</i> , 2019, 297, 239-247.	1.0	10
51	Surface Modification of Hypercrosslinked Vinylbenzyl Chloride PolyHIPEs by Grafting via RAFT. <i>Macromolecular Chemistry and Physics</i> , 2021, 222, 2000381.	1.1	10
52	Influence of Topology of Highly Porous Methacrylate Polymers on their Mechanical Properties. <i>Macromolecular Materials and Engineering</i> , 2018, 303, 1700337.	1.7	9
53	Hierarchically porous poly(glycidyl methacrylate) through hard sphere and high internal phase emulsion templating. <i>Polymer</i> , 2020, 209, 123064.	1.8	9
54	Hierarchically Porous Microspheres by Thiol-ene Photopolymerization of High Internal Phase Emulsions-in-Water Colloidal Systems. <i>Polymers</i> , 2021, 13, 3366.	2.0	7

#	ARTICLE	IF	CITATIONS
55	Macroporous titania monoliths from emulsion templated composites. <i>Colloid and Polymer Science</i> , 2019, 297, 799-807.	1.0	6
56	Non-invasive determination of ionizable ligand group density on high internal phase emulsion derived polymer. <i>Journal of Chromatography A</i> , 2021, 1652, 462077.	1.8	6
57	Emulsion Templated Porous Poly(thiol-enes): Influence of Photopolymerisation, Emulsion Composition, and Phase Behaviour on the Porous Structure and Morphology. <i>Polymers</i> , 2022, 14, 1338.	2.0	6
58	Two-step synergetic formation of highly porous morphology during copolymerization of hydroxyethyl methacrylate and ethylene glycol dimethylacrylate. <i>Materials Today Communications</i> , 2016, 7, 16-21.	0.9	5
59	Influence of Functional Group Concentration on Hypercrosslinking of Poly(vinylbenzyl chloride) PolyHIPEs: Upgrading Macroporosity with Nanoporosity. <i>Polymers</i> , 2021, 13, 2721.	2.0	5
60	Preparation of molecularly imprinted copoly(acrylic acid-divinylbenzene) for extraction of environmentally relevant sertraline residues. <i>Reactive and Functional Polymers</i> , 2018, 131, 378-383.	2.0	4
61	Reusable Pd-PolyHIPE for Suzuki-Miyaura Coupling. <i>ACS Omega</i> , 2022, 7, 12610-12616.	1.6	4
62	PolyHIPEs from Divinyl Adipate: Preparation and Degradability. <i>Macromolecular Chemistry and Physics</i> , 2013, 214, 2528-2533.	1.1	2
63	Post Polymerisation Hypercrosslinking with Emulsion Templating for Hierarchical and Multi-Level Porous Polymers. <i>Acta Chimica Slovenica</i> , 2020, 67, 349-360.	0.2	1