

Ingrid S Melle

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7077316/publications.pdf>

Version: 2024-02-01

489
papers

50,559
citations

6840

81
h-index

2688

199
g-index

514
all docs

514
docs citations

514
times ranked

44239
citing authors

#	ARTICLE	IF	CITATIONS
1	Systemic Cell Adhesion Molecules in Severe Mental Illness: Potential Role of Intercellular CAM-1 in Linking Peripheral and Neuroinflammation. <i>Biological Psychiatry</i> , 2023, 93, 187-196.	0.7	18
2	In vivo hippocampal subfield volumes in bipolar disorderâ€”A megaâ€”analysis from The Enhancing Neuro Imaging Genetics through <sc>Metaâ€”Analysis</sc> Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2022, 43, 385-398.	1.9	41
3	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022, 91, 102-117.	0.7	61
4	Plasma Levels of the Cytokines B Cell-Activating Factor (BAFF) and A Proliferation-Inducing Ligand (APRIL) in Schizophrenia, Bipolar, and Major Depressive Disorder: A Cross Sectional, Multisite Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 37-46.	2.3	10
5	Longitudinal Structural Brain Changes in Bipolar Disorder: A Multicenter Neuroimaging Study of 1232 Individuals by the ENIGMA Bipolar Disorder Working Group. <i>Biological Psychiatry</i> , 2022, 91, 582-592.	0.7	29
6	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2022, 91, 313-327.	0.7	114
7	Increased circulating IL-18 levels in severe mental disorders indicate systemic inflammasome activation. <i>Brain, Behavior, and Immunity</i> , 2022, 99, 299-306.	2.0	33
8	Associations between amygdala nuclei volumes, psychosis, psychopathy, and violent offending. <i>Psychiatry Research - Neuroimaging</i> , 2022, 319, 111416.	0.9	7
9	Basic self-disturbance trajectories in clinical high risk for psychosis: a one-year follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1007-1019.	1.8	2
10	Affective lability and social functioning in severe mental disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, , 1.	1.8	3
11	Interaction Testing and Polygenic Risk Scoring to Estimate the Association of Common Genetic Variants With Treatment Resistance in Schizophrenia. <i>JAMA Psychiatry</i> , 2022, 79, 260.	6.0	44
12	European Validation of the Self-Evaluation of Negative Symptoms (SNS): A Large Multinational and Multicenter Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 826465.	1.3	13
13	Immune marker levels in severe mental disorders: associations with polygenic risk scores of related mental phenotypes and psoriasis. <i>Translational Psychiatry</i> , 2022, 12, 38.	2.4	13
14	Limited association between infections, autoimmune disease and genetic risk and immune activation in severe mental disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 116, 110511.	2.5	4
15	Locked out during COVID-19 lockdownâ€”an online survey of relatives of people with psychotic and bipolar disorders in Norway. <i>BMC Public Health</i> , 2022, 22, 294.	1.2	8
16	Boosting Schizophrenia Genetics by Utilizing Genetic Overlap With Brain Morphology. <i>Biological Psychiatry</i> , 2022, 92, 291-298.	0.7	20
17	The Time is Ripe for a Consensus Definition of Clinical Recovery in First-episode Psychosis: Suggestions Based on a 10-Year Follow-up Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 839-849.	2.3	9
18	Lifetime Cannabis Use Is Not Associated With Negative Beliefs About Medication in Patients With First Treatment Psychosis. <i>Frontiers in Psychiatry</i> , 2022, 13, 824051.	1.3	0

#	ARTICLE	IF	CITATIONS
19	Cognitive and Global Functioning in Patients With First-Episode Psychosis Stratified by Level of Negative Symptoms. A 10-Year Follow-Up Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 841057.	1.3	8
20	Course of intellectual functioning in schizophrenia and bipolar disorder: a 10-year follow-up study. <i>Psychological Medicine</i> , 2022, , 1-9.	2.7	1
21	The COVID-19 pandemic impact on wellbeing and mental health in people with psychotic and bipolar disorders. <i>Brain and Behavior</i> , 2022, 12, e2559.	1.0	15
22	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. <i>Nature</i> , 2022, 604, 502-508.	13.7	929
23	Premorbid characteristics of patients with DSM-IV psychotic disorders. <i>Comprehensive Psychiatry</i> , 2022, 115, 152310.	1.5	2
24	Interleukin-18 signaling system links to agitation in severe mental disorders. <i>Psychoneuroendocrinology</i> , 2022, 140, 105721.	1.3	6
25	Sex differences in antipsychotic-related triglyceride levels are associated with metabolic hormone differences in patients with severe mental disorders. <i>Schizophrenia Research</i> , 2022, 243, 55-63.	1.1	2
26	An epigenetic association analysis of childhood trauma in psychosis reveals possible overlap with methylation changes associated with PTSD. <i>Translational Psychiatry</i> , 2022, 12, 177.	2.4	7
27	Preventive Medication Patterns in Bipolar Disorder and Their Relationship With Comorbid Substance Use Disorders in a Cross-National Observational Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 813256.	1.3	4
28	Association of Psychiatric Services Referral and Attendance Following Treatment for Deliberate Self-harm With Prospective Mortality in Norwegian Patients. <i>JAMA Psychiatry</i> , 2022, 79, 651.	6.0	7
29	COVID-19 lockdown "who cares? The first lockdown from the perspective of relatives of people with severe mental illness. <i>BMC Public Health</i> , 2022, 22, .	1.2	6
30	Domain-specific cognitive course in schizophrenia: Group- and individual-level changes over 10 years. <i>Schizophrenia Research: Cognition</i> , 2022, 30, 100263.	0.7	7
31	Composite immune marker scores associated with severe mental disorders and illness course. <i>Brain, Behavior, & Immunity - Health</i> , 2022, 24, 100483.	1.3	6
32	Sleep disturbance mediates the link between childhood trauma and clinical outcome in severe mental disorders. <i>Psychological Medicine</i> , 2021, 51, 2337-2346.	2.7	22
33	Deliberate self-harm and associated risk factors in young adults: the importance of education attainment and sick leave. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 153-164.	1.6	4
34	White matter microstructure in schizophrenia patients with a history of violence. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 623-634.	1.8	15
35	Sexual abuse and physical neglect in childhood are associated with affective theory of mind in adults with schizophrenia. <i>Schizophrenia Research: Cognition</i> , 2021, 23, 100189.	0.7	10
36	Multimodal imaging improves brain age prediction and reveals distinct abnormalities in patients with psychiatric and neurological disorders. <i>Human Brain Mapping</i> , 2021, 42, 1714-1726.	1.9	68

#	ARTICLE	IF	CITATIONS
37	White Matter Matters: Unraveling Violence in Psychosis and Psychopathy. <i>Schizophrenia Bulletin Open</i> , 2021, 2, .	0.9	4
38	Childhood trauma and cardiometabolic risk in severe mental disorders: The mediating role of cognitive control. <i>European Psychiatry</i> , 2021, 64, e24.	0.1	5
39	Divergent relationship between brain structure and cognitive functioning in patients with prominent negative symptomatology. <i>Psychiatry Research - Neuroimaging</i> , 2021, 307, 111233.	0.9	4
40	Replicating extensive brain structural heterogeneity in individuals with schizophrenia and bipolar disorder. <i>Human Brain Mapping</i> , 2021, 42, 2546-2555.	1.9	42
41	Physical activity and childhood trauma experiences in patients with schizophrenia or bipolar disorders. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 637-645.	1.3	4
42	A Comparison of Ten Polygenic Score Methods for Psychiatric Disorders Applied Across Multiple Cohorts. <i>Biological Psychiatry</i> , 2021, 90, 611-620.	0.7	103
43	White Matter Matters: Unraveling Violence in Psychosis and Psychopathy. <i>Biological Psychiatry</i> , 2021, 89, S281.	0.7	1
44	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	9.4	629
45	Substance Misuse Trajectories and Risk of Relapse in the Early Course of Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2021, 12, 656912.	1.3	4
46	Evidence for Reduced Long-Term Potentiation-Like Visual Cortical Plasticity in Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2021, 47, 1751-1760.	2.3	8
47	Identifying nootropic drug targets via large-scale cognitive GWAS and transcriptomics. <i>Neuropsychopharmacology</i> , 2021, 46, 1788-1801.	2.8	12
48	Genetic Overlap Between Schizophrenia and Brain Morphology. <i>Biological Psychiatry</i> , 2021, 89, S85-S86.	0.7	0
49	Childhood interpersonal trauma and premorbid social adjustment as predictors of symptom remission in first episode psychosis. <i>Schizophrenia Research</i> , 2021, 232, 87-94.	1.1	4
50	Basic self-disturbance in subjects at clinical high risk for psychosis: Relationship with clinical and functional outcomes at one year follow-up. <i>Psychiatry Research</i> , 2021, 300, 113942.	1.7	3
51	The Influence of Mental Health Literacy, Migration, and Education on the Duration of Untreated Psychosis. <i>Frontiers in Public Health</i> , 2021, 9, 705397.	1.3	3
52	Characterisation of age and polarity at onset in bipolar disorder. <i>British Journal of Psychiatry</i> , 2021, 219, 659-669.	1.7	20
53	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 26.	0.8	6
54	Exploring the relationship between recency and frequency of cannabis use and diminished expression and apathy as two dimensions of negative symptoms in first episode psychosis. A one-year follow-up study. <i>Schizophrenia Research</i> , 2021, 236, 89-96.	1.1	4

#	ARTICLE	IF	CITATIONS
55	The factor structure of social cognition in schizophrenia: Weak evidence for separable domains. <i>Schizophrenia Research: Cognition</i> , 2021, 26, 100208.	0.7	1
56	Sex-Specific Effect of Serum Lipids and Body Mass Index on Psychotic Symptoms, a Cross-Sectional Study of First-Episode Psychosis Patients. <i>Frontiers in Psychiatry</i> , 2021, 12, 723158.	1.3	3
57	Characterization of affective lability across subgroups of psychosis spectrum disorders. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 34.	0.8	6
58	The Relationship Between Polygenic Risk Scores and Cognition in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 336-344.	2.3	60
59	Brain scans from 21,297 individuals reveal the genetic architecture of hippocampal subfield volumes. <i>Molecular Psychiatry</i> , 2020, 25, 3053-3065.	4.1	80
60	Improvement in verbal learning over the first year of antipsychotic treatment is associated with serum HDL levels in a cohort of first episode psychosis patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 49-58.	1.8	8
61	Metabolic dysfunctions in the kynurenine pathway, noradrenergic and purine metabolism in schizophrenia and bipolar disorders. <i>Psychological Medicine</i> , 2020, 50, 595-606.	2.7	23
62	Do sleep disturbances contribute to cognitive impairments in schizophrenia spectrum and bipolar disorders?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 749-759.	1.8	24
63	Childhood maltreatment and polygenic risk in bipolar disorders. <i>Bipolar Disorders</i> , 2020, 22, 174-181.	1.1	29
64	Cognitive behavior therapy in early psychosis with a focus on depression and low self-esteem: A randomized controlled trial. <i>Comprehensive Psychiatry</i> , 2020, 97, 152157.	1.5	18
65	Symptom remission at 12-weeks is a strong predictor for long term outcome. <i>Psychological Medicine</i> , 2020, 50, 2464-2464.	2.7	0
66	S97. IS EARLY DEBUT OF SUBSTANCE USE ASSOCIATED WITH VIOLENT OFFENDING IN SCHIZOPHRENIA?. <i>Schizophrenia Bulletin</i> , 2020, 46, S71-S72.	2.3	0
67	Social Perception Predicts Awareness of Illness in Persons With Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2020, 208, 701-705.	0.5	3
68	Disentangling the relationship between cholesterol, aggression, and impulsivity in severe mental disorders. <i>Brain and Behavior</i> , 2020, 10, e01751.	1.0	5
69	Hippocampal Subfield and Amygdala Nuclei Volumes in Schizophrenia Patients With a History of Violence. <i>Biological Psychiatry</i> , 2020, 87, S181-S182.	0.7	0
70	Symptom Profiles in Psychotic Disorder Not Otherwise Specified. <i>Frontiers in Psychiatry</i> , 2020, 11, 580444.	1.3	7
71	The genetic architecture of human brainstem structures and their involvement in common brain disorders. <i>Nature Communications</i> , 2020, 11, 4016.	5.8	26
72	Cannabis Use Is Associated With Increased Levels of Soluble gp130 in Schizophrenia but Not in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 642.	1.3	5

#	ARTICLE	IF	CITATIONS
73	Atherogenic Lipid Ratios Related to Myeloperoxidase and C-Reactive Protein Levels in Psychotic Disorders. <i>Frontiers in Psychiatry</i> , 2020, 11, 672.	1.3	15
74	Disentangling Violence: Amygdala Nuclei Volumes in Psychotic and Non-Psychotic Violent Offenders. <i>Biological Psychiatry</i> , 2020, 87, S274-S275.	0.7	0
75	Polygenic scores for schizophrenia and general cognitive ability: associations with six cognitive domains, premorbid intelligence, and cognitive composite score in individuals with a psychotic disorder and in healthy controls. <i>Translational Psychiatry</i> , 2020, 10, 416.	2.4	16
76	Cognitive Heterogeneity across Schizophrenia and Bipolar Disorder: A Cluster Analysis of Intellectual Trajectories. <i>Journal of the International Neuropsychological Society</i> , 2020, 26, 860-872.	1.2	31
77	Childhood Trauma in Persons With Schizophrenia and a History of Interpersonal Violence. <i>Frontiers in Psychiatry</i> , 2020, 11, 383.	1.3	16
78	Childhood Trauma Is Nominally Associated With Elevated Cortisol Metabolism in Severe Mental Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 391.	1.3	7
79	Polygenic Risk Score Associated With Treatment-Resistance in a Naturalistic Sample of Patients With Schizophrenia Spectrum Disorders. <i>Biological Psychiatry</i> , 2020, 87, S321-S322.	0.7	0
80	Epigenetic Differences in Patients With Psychosis Using Cannabis and After Discontinuation. <i>Biological Psychiatry</i> , 2020, 87, S283.	0.7	0
81	Cortical Excitability and the 1/f Slope in Schizophrenia and Bipolar Disorders. <i>Biological Psychiatry</i> , 2020, 87, S265.	0.7	2
82	Predicting Brain Function From Brain Structure: Associations Between the Amplitude of the Visual Evoked Potential and the Surface Area of the Primary Visual Cortex in Healthy Controls and Patients With Psychotic Disorders. <i>Biological Psychiatry</i> , 2020, 87, S432.	0.7	0
83	The genetic architecture of the human cerebral cortex. <i>Science</i> , 2020, 367, .	6.0	450
84	Trajectory and early predictors of apathy development in first-episode psychosis and healthy controls: a 10-year follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 709-722.	1.8	9
85	Affective lability across psychosis spectrum disorders. <i>European Psychiatry</i> , 2020, 63, e53.	0.1	17
86	Associations between schizophrenia polygenic risk and apathy in schizophrenia spectrum disorders and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 452-464.	2.2	2
87	Hippocampal subfield and amygdala nuclei volumes in schizophrenia patients with a history of violence. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 771-782.	1.8	25
88	Indicated association between polygenic risk score and treatment-resistance in a naturalistic sample of patients with schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2020, 218, 55-62.	1.1	26
89	Basic self-disturbances are associated with Sense of Coherence in patients with psychotic disorders. <i>PLoS ONE</i> , 2020, 15, e0230956.	1.1	4
90	Misperception of sleep in bipolar disorder: an exploratory study using questionnaire versus actigraphy. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 34.	0.8	10

#	ARTICLE	IF	CITATIONS
91	Remote Care for Caregivers of People With Psychosis: Mixed Methods Pilot Study. JMIR Mental Health, 2020, 7, e19497.	1.7	4
92	Reduced brain-derived neurotrophic factor is associated with childhood trauma experiences and number of depressive episodes in severe mental disorders. Schizophrenia Research, 2019, 205, 45-50.	1.1	22
93	Basic self-disturbances independently predict recovery in psychotic disorders: A seven year follow-up study. Schizophrenia Research, 2019, 212, 72-78.	1.1	12
94	Pleiotropic Meta-Analysis of Cognition, Education, and Schizophrenia Differentiates Roles of Early Neurodevelopmental and Adult Synaptic Pathways. American Journal of Human Genetics, 2019, 105, 334-350.	2.6	86
95	Parsing the impact of early detection on duration of untreated psychosis (DUP): Applying quantile regression to data from the Scandinavian TIPS study. Schizophrenia Research, 2019, 210, 128-134.	1.1	15
96	Early Substance Use Cessation Improves Cognitionâ€™10 Years Outcome in First-Episode Psychosis Patients. Frontiers in Psychiatry, 2019, 10, 495.	1.3	6
97	A large European, multicenter, multinational validation study of the Brief Negative Symptom Scale. European Neuropsychopharmacology, 2019, 29, 947-959.	0.3	60
98	Perceived and experienced stigma in first-episode psychosis: A 1-year follow-up study. Comprehensive Psychiatry, 2019, 95, 152134.	1.5	14
99	T60. SOCIAL MEDIA AND SOCIAL FUNCTIONING IN PSYCHOSIS: A SYSTEMATIC REVIEW. Schizophrenia Bulletin, 2019, 45, S226-S227.	2.3	0
100	T8. ATHEROGENIC LIPID RATIOS RELATED TO MYELOPEROXIDASE AND C-REACTIVE PROTEIN LEVELS IN PSYCHOTIC DISORDERS. Schizophrenia Bulletin, 2019, 45, S206-S206.	2.3	3
101	O9.4. ELEVATED HAIR CORTISOL IS ASSOCIATED WITH CHILDHOOD MALTREATMENT AND COGNITION IN SCHIZOPHRENIA AND IN BIPOLAR DISORDERS. Schizophrenia Bulletin, 2019, 45, S187-S188.	2.3	0
102	Cognitive functioning in patients with first-episode psychosis stratified by level of negative symptoms: A 1-year follow-up study. Psychiatry Research, 2019, 281, 112554.	1.7	10
103	O1.6. TELOMERE LENGTH IS ASSOCIATED WITH CHILDHOOD TRAUMA IN PATIENTS WITH SEVERE MENTAL DISORDERS. Schizophrenia Bulletin, 2019, 45, S160-S161.	2.3	0
104	Predictors for Antipsychotic Dosage Change in the First Year of Treatment in Schizophrenia Spectrum and Bipolar Disorders. Frontiers in Psychiatry, 2019, 10, 649.	1.3	5
105	Common brain disorders are associated with heritable patterns of apparent aging of the brain. Nature Neuroscience, 2019, 22, 1617-1623.	7.1	358
106	Elevated hair cortisol is associated with childhood maltreatment and cognitive impairment in schizophrenia and in bipolar disorders. Schizophrenia Research, 2019, 213, 65-71.	1.1	70
107	Inflammatory markers are altered in severe mental disorders independent of comorbid cardiometabolic disease risk factors. Psychological Medicine, 2019, 49, 1749-1757.	2.7	40
108	GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. American Journal of Psychiatry, 2019, 176, 651-660.	4.0	186

#	ARTICLE	IF	CITATIONS
109	Comorbidity of Physical Disorders Among Patients With Severe Mental Illness With and Without Substance Use Disorders: A Systematic Review and Meta-Analysis. <i>Journal of Dual Diagnosis</i> , 2019, 15, 192-206.	0.7	32
110	Cognition in schizophrenia: a marker of underlying neurodevelopmental problems?. <i>World Psychiatry</i> , 2019, 18, 164-165.	4.8	25
111	A preliminary study of cortical morphology in schizophrenia patients with a history of violence. <i>Psychiatry Research - Neuroimaging</i> , 2019, 288, 29-36.	0.9	15
112	Antipsychotic treatment and basal ganglia volumes: Exploring the role of receptor occupancy, dosage and remission status. <i>Schizophrenia Research</i> , 2019, 208, 114-123.	1.1	18
113	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.	9.4	1,191
114	Telomere length is associated with childhood trauma in patients with severe mental disorders. <i>Translational Psychiatry</i> , 2019, 9, 97.	2.4	41
115	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019, 113, 1-9.	1.5	25
116	Sleep disturbances in schizophrenia spectrum and bipolar disorders – a transdiagnostic perspective. <i>Comprehensive Psychiatry</i> , 2019, 91, 6-12.	1.5	55
117	Designing easy access to care for first-episode psychosis in complex organizations. <i>Microbial Biotechnology</i> , 2019, 13, 1276-1282.	0.9	7
118	T36. TRAJECTORIES OF CURRENT AND PREMORBID IQ IN SCHIZOPHRENIA SPECTRUM DISORDERS: A 10-YEAR FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S217-S217.	2.3	1
119	A randomized controlled trial of training of affect recognition (TAR) in schizophrenia shows lasting effects for theory of mind. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 611-620.	1.8	11
120	Genetic architecture of subcortical brain structures in 38,851 individuals. <i>Nature Genetics</i> , 2019, 51, 1624-1636.	9.4	192
121	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019, 179, 1469-1482.e11.	13.5	935
122	Validity of the Birchwood insight scale in patients with schizophrenia spectrum- and bipolar disorders. <i>Psychiatry Research</i> , 2019, 272, 715-722.	1.7	8
123	The relationship between physical activity, clinical and cognitive characteristics and BDNF mRNA levels in patients with severe mental disorders. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 567-576.	1.3	15
124	Response: Are thyroid abnormalities only related to antipsychotic treatment in patients with severe mental disorders?. <i>Journal of Psychiatric Research</i> , 2019, 117, 150.	1.5	0
125	Adipokine levels are associated with insulin resistance in antipsychotics users independently of BMI. <i>Psychoneuroendocrinology</i> , 2019, 103, 87-95.	1.3	20
126	Association between serum lipid levels, osteoprotegerin and depressive symptomatology in psychotic disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 795-802.	1.8	17

#	ARTICLE	IF	CITATIONS
127	Social Media and Social Functioning in Psychosis: A Systematic Review. <i>Journal of Medical Internet Research</i> , 2019, 21, e13957.	2.1	15
128	Exploring the Wnt signaling pathway in schizophrenia and bipolar disorder. <i>Translational Psychiatry</i> , 2018, 8, 55.	2.4	94
129	T229. ANTIPSYCHOTIC DRUG USE AND THYROID FUNCTION IN PATIENTS WITH SEVERE MENTAL DISORDERS. <i>Schizophrenia Bulletin</i> , 2018, 44, S205-S206.	2.3	6
130	Cortical thickness abnormalities in bipolar disorder patients with a lifetime history of auditory hallucinations. <i>Bipolar Disorders</i> , 2018, 20, 647-657.	1.1	10
131	Attenuated Notch signaling in schizophrenia and bipolar disorder. <i>Scientific Reports</i> , 2018, 8, 5349.	1.6	37
132	Hippocampus volume reduction in psychosis spectrum could be ameliorated by vitamin D. <i>Schizophrenia Research</i> , 2018, 199, 433-435.	1.1	7
133	Psychosis: clinical insight and beliefs in immigrants in their first episode. <i>Microbial Biotechnology</i> , 2018, 12, 185-192.	0.9	6
134	Relation between premorbid adjustment, duration of untreated psychosis and close interpersonal trauma in first episode psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 316-323.	0.9	26
135	Thalamo-cortical functional connectivity in schizophrenia and bipolar disorder. <i>Brain Imaging and Behavior</i> , 2018, 12, 640-652.	1.1	70
136	Is going into stable symptomatic remission associated with a more positive development of life satisfaction? A 10-year follow-up study of first episode psychosis. <i>Schizophrenia Research</i> , 2018, 193, 364-369.	1.1	8
137	Cortical thickness, cortical surface area and subcortical volumes in schizophrenia and bipolar disorder patients with cannabis use. <i>European Neuropsychopharmacology</i> , 2018, 28, 37-47.	0.3	13
138	A 10-year follow-up study of violent victimization in first episode psychosis: Risk and protective factors. <i>Psychiatry Research</i> , 2018, 259, 545-549.	1.7	9
139	Side effect burden of antipsychotic drugs in real life – Impact of gender and polypharmacy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 82, 263-271.	2.5	77
140	Increase in serum HDL level is associated with less negative symptoms after one year of antipsychotic treatment in first-episode psychosis. <i>Schizophrenia Research</i> , 2018, 197, 253-260.	1.1	24
141	Neurocognitive functioning, clinical course and functional outcome in first-treatment bipolar I disorder patients with and without clinical relapse: A 1-year follow-up study. <i>Bipolar Disorders</i> , 2018, 20, 228-237.	1.1	24
142	F22. DYSLIPIDEMIA AND INFLAMMATORY MARKERS IN RELATION TO CLINICAL SYMPTOMATOLOGY IN PSYCHOTIC DISORDERS. <i>Schizophrenia Bulletin</i> , 2018, 44, S227-S227.	2.3	0
143	Association between olanzapine treatment and brain cortical thickness and gray/white matter contrast is moderated by cholesterol in psychotic disorders. <i>Psychiatry Research - Neuroimaging</i> , 2018, 282, 55-63.	0.9	11
144	Free thyroxine and thyroid-stimulating hormone in severe mental disorders: A naturalistic study with focus on antipsychotic medication. <i>Journal of Psychiatric Research</i> , 2018, 106, 74-81.	1.5	31

#	ARTICLE	IF	CITATIONS
145	Psychotherapy in Psychosis: Experiences of Fully Recovered Service Users. <i>Frontiers in Psychology</i> , 2018, 9, 1675.	1.1	7
146	Mapping the Heterogeneous Phenotype of Schizophrenia and Bipolar Disorder Using Normative Models. <i>JAMA Psychiatry</i> , 2018, 75, 1146.	6.0	290
147	T3. METACOGNITIVE BELIEFS IN SEVERE MENTAL DISORDERS. <i>Schizophrenia Bulletin</i> , 2018, 44, S113-S114.	2.3	0
148	F50. Genetic Architecture of Hippocampal Subfield Volumes: Shared and Specific Influences. <i>Biological Psychiatry</i> , 2018, 83, S257.	0.7	0
149	S96. CARDIOVASCULAR DISEASE RISK IN PATIENTS WITH SCHIZOPHRENIA AND BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2018, 44, S362-S362.	2.3	0
150	Enrichment of genetic markers of recent human evolution in educational and cognitive traits. <i>Scientific Reports</i> , 2018, 8, 12585.	1.6	9
151	Study of 300,486 individuals identifies 148 independent genetic loci influencing general cognitive function. <i>Nature Communications</i> , 2018, 9, 2098.	5.8	484
152	T238. Antipsychotic Treatment and the Basal Ganglia: A Structural MRI Study. <i>Biological Psychiatry</i> , 2018, 83, S221.	0.7	0
153	Estimation of Genetic Correlation via Linkage Disequilibrium Score Regression and Genomic Restricted Maximum Likelihood. <i>American Journal of Human Genetics</i> , 2018, 102, 1185-1194.	2.6	119
154	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018, 84, 644-654.	0.7	627
155	Self-rated disability in first treated episode of psychosis: A 1-year follow-up study. <i>Comprehensive Psychiatry</i> , 2018, 85, 48-54.	1.5	3
156	Genome-wide association meta-analysis in 269,867 individuals identifies new genetic and functional links to intelligence. <i>Nature Genetics</i> , 2018, 50, 912-919.	9.4	893
157	Reliability and validity of the self-report version of the apathy evaluation scale in first-episode Psychosis: Concordance with the clinical version at baseline and 12 months follow-up. <i>Psychiatry Research</i> , 2018, 267, 140-147.	1.7	13
158	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, .	6.0	1,085
159	Depression and functioning are important to subjective quality of life after a first episode psychosis. <i>Comprehensive Psychiatry</i> , 2018, 86, 107-114.	1.5	6
160	Stability in basic self-disturbances and diagnosis in a first treated psychosis: A seven year follow-up study. <i>Schizophrenia Research</i> , 2018, 202, 274-280.	1.1	16
161	Vitamin D, Folate and the Intracranial Volume in Schizophrenia and Bipolar Disorder and Healthy Controls. <i>Scientific Reports</i> , 2018, 8, 10817.	1.6	1
162	Vitamin D levels, brain volume, and genetic architecture in patients with psychosis. <i>PLoS ONE</i> , 2018, 13, e0200250.	1.1	11

#	ARTICLE	IF	CITATIONS
163	Consequences of persistent depression and apathy in first-episode psychosis – A one-year follow-up study. <i>Comprehensive Psychiatry</i> , 2018, 86, 60-66.	1.5	9
164	S114. ASSOCIATION BETWEEN APATHY AND DEPRESSION: SECONDARY OR REFLECTING UNDERLYING COMMON FEATURES?. <i>Schizophrenia Bulletin</i> , 2018, 44, S369-S369.	2.3	0
165	Identification of Gene Loci That Overlap Between Schizophrenia and Educational Attainment. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw085.	2.3	56
166	Treatment of negative symptoms: Where do we stand, and where do we go?. <i>Schizophrenia Research</i> , 2017, 186, 55-62.	1.1	131
167	High levels of anomalous self-experience are associated with longer duration of untreated psychosis. <i>Microbial Biotechnology</i> , 2017, 11, 133-138.	0.9	15
168	Novel genetic loci associated with hippocampal volume. <i>Nature Communications</i> , 2017, 8, 13624.	5.8	250
169	A Study of TNF Pathway Activation in Schizophrenia and Bipolar Disorder in Plasma and Brain Tissue. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw183.	2.3	47
170	Course of neurocognitive function in first treatment bipolar I disorder: One-year follow-up study. <i>Psychiatry Research</i> , 2017, 249, 286-292.	1.7	16
171	Antipsychotic treatment: experiences of fully recovered service users. <i>Journal of Mental Health</i> , 2017, 26, 264-270.	1.0	19
172	Causes and predictors of premature death in first-episode schizophrenia spectrum disorders. <i>World Psychiatry</i> , 2017, 16, 217-218.	4.8	21
173	Early clinical recovery in first-episode psychosis: Symptomatic remission and its correlates at 1-year follow-up. <i>Psychiatry Research</i> , 2017, 254, 118-125.	1.7	27
174	Childhood maltreatment severity is associated with elevated C-reactive protein and body mass index in adults with schizophrenia and bipolar diagnoses. <i>Brain, Behavior, and Immunity</i> , 2017, 65, 342-349.	2.0	67
175	The Effect of Substance Use on 10-Year Outcome in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, 843-851.	2.3	55
176	The quality of severe mental disorder diagnoses in a national health registry as compared to research diagnoses based on structured interview. <i>BMC Psychiatry</i> , 2017, 17, 93.	1.1	46
177	Task modulations and clinical manifestations in the brain functional connectome in 1615 fMRI datasets. <i>NeuroImage</i> , 2017, 147, 243-252.	2.1	41
178	Distinct multivariate brain morphological patterns and their added predictive value with cognitive and polygenic risk scores in mental disorders. <i>NeuroImage: Clinical</i> , 2017, 15, 719-731.	1.4	89
179	Large-Scale Cognitive GWAS Meta-Analysis Reveals Tissue-Specific Neural Expression and Potential Nootropic Drug Targets. <i>Cell Reports</i> , 2017, 21, 2597-2613.	2.9	103
180	Alcohol use disorders are associated with increased affective lability in bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 208, 316-324.	2.0	21

#	ARTICLE	IF	CITATIONS
181	Preventing Poor Vocational Functioning in Psychosis Through Early Intervention. <i>Psychiatric Services</i> , 2017, 68, 100-103.	1.1	7
182	Auditory Cortex Characteristics in Schizophrenia: Associations With Auditory Hallucinations. <i>Schizophrenia Bulletin</i> , 2017, 43, 75-83.	2.3	62
183	The central role of self-agency in clinical recovery from first episode psychosis. <i>Psychosis</i> , 2017, 9, 140-148.	0.4	22
184	Serum levels of second-generation antipsychotics are associated with cognitive function in psychotic disorders. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 471-482.	1.3	18
185	An exploration of metacognitive beliefs and thought control strategies in bipolar disorder. <i>Comprehensive Psychiatry</i> , 2017, 73, 84-92.	1.5	14
186	Consistent Functional Connectivity Alterations in Schizophrenia Spectrum Disorder: A Multisite Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 914-924.	2.3	75
187	Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. <i>Nature Genetics</i> , 2017, 49, 27-35.	9.4	838
188	Childhood Trauma and Minimization/Denial in People with and without a Severe Mental Disorder. <i>Frontiers in Psychology</i> , 2017, 8, 1276.	1.1	45
189	Probing the Association between Early Evolutionary Markers and Schizophrenia. <i>PLoS ONE</i> , 2017, 12, e0169227.	1.1	17
190	“With a little help from my friends”-social predictors of clinical recovery in first-episode psychosis. <i>Psychiatry Research</i> , 2017, 255, 209-214.	1.7	33
191	Combinations of genetic variants associated with bipolar disorder. <i>PLoS ONE</i> , 2017, 12, e0189739.	1.1	6
192	Vitamin D Deficiency Associated With Cognitive Functioning in Psychotic Disorders. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e750-e757.	1.1	20
193	Neurocognition and Duration of Psychosis: A 10-year Follow-up of First-Episode Patients. <i>Schizophrenia Bulletin</i> , 2016, 42, sbv083.	2.3	77
194	Cannabis use in first-treatment bipolar I disorder: relations to clinical characteristics. <i>Microbial Biotechnology</i> , 2016, 10, 36-44.	0.9	22
195	Contribution of oxytocin receptor polymorphisms to amygdala activation in schizophrenia spectrum disorders. <i>BJPsych Open</i> , 2016, 2, 353-358.	0.3	11
196	The Association between Anomalous Self-experiences, Self-esteem and Depressive Symptoms in First Episode Schizophrenia. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 557.	1.0	12
197	“Everyone Needs a Friend Sometimes” Social Predictors of Long-Term Remission In First Episode Psychosis. <i>Frontiers in Psychology</i> , 2016, 7, 1491.	1.1	11
198	History of psychosis and previous episodes as potential explanatory factors for neurocognitive impairment in first-treatment bipolar I disorder. <i>Bipolar Disorders</i> , 2016, 18, 136-147.	1.1	19

#	ARTICLE	IF	CITATIONS
199	A sequence variant associating with educational attainment also affects childhood cognition. <i>Scientific Reports</i> , 2016, 6, 36189.	1.6	2
200	The role of childhood trauma in bipolar disorders. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 2.	0.8	219
201	Serum concentrations of mood stabilizers are associated with memory, but not other cognitive domains in psychosis spectrum disorders; explorative analyses in a naturalistic setting. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 24.	0.8	7
202	No progressive brain changes during a 1-year follow-up of patients with first-episode psychosis. <i>Psychological Medicine</i> , 2016, 46, 589-598.	2.7	46
203	Low vitamin D is associated with negative and depressive symptoms in psychotic disorders. <i>Schizophrenia Research</i> , 2016, 178, 44-49.	1.1	29
204	Reduced load-dependent default mode network deactivation across executive tasks in schizophrenia spectrum disorders. <i>NeuroImage: Clinical</i> , 2016, 12, 389-396.	1.4	21
205	Novel genetic loci underlying human intracranial volume identified through genome-wide association. <i>Nature Neuroscience</i> , 2016, 19, 1569-1582.	7.1	213
206	<i>VRK2</i> gene expression in schizophrenia, bipolar disorder and healthy controls. <i>British Journal of Psychiatry</i> , 2016, 209, 114-120.	1.7	17
207	Association between cytokine levels, verbal memory and hippocampus volume in psychotic disorders and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 53-62.	2.2	48
208	Sleep problems in bipolar disorders: more than just insomnia. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 368-377.	2.2	53
209	Duration of untreated illness in first-treatment bipolar I disorder in relation to clinical outcome and cannabis use. <i>Psychiatry Research</i> , 2016, 246, 762-768.	1.7	17
210	Increased MRI-based cortical grey/white-matter contrast in sensory and motor regions in schizophrenia and bipolar disorder. <i>Psychological Medicine</i> , 2016, 46, 1971-1985.	2.7	62
211	A history of childhood trauma is associated with slower improvement rates: Findings from a one-year follow-up study of patients with a first-episode psychosis. <i>BMC Psychiatry</i> , 2016, 16, 126.	1.1	54
212	Depressive symptoms in first-episode psychosis: a 10-year follow-up study. <i>Microbial Biotechnology</i> , 2016, 10, 227-233.	0.9	35
213	Cannabis use is associated with 3 years earlier onset of schizophrenia spectrum disorder in a naturalistic, multi-site sample (N = 1119). <i>Schizophrenia Research</i> , 2016, 170, 217-221.	1.1	47
214	Delayed sleep phase: An important circadian subtype of sleep disturbance in bipolar disorders. <i>Journal of Affective Disorders</i> , 2016, 191, 156-163.	2.0	44
215	Genetic influences on schizophrenia and subcortical brain volumes: large-scale proof of concept. <i>Nature Neuroscience</i> , 2016, 19, 420-431.	7.1	204
216	Inflammatory evidence for the psychosis continuum model. <i>Psychoneuroendocrinology</i> , 2016, 67, 189-197.	1.3	39

#	ARTICLE	IF	CITATIONS
217	Subjective quality of life in first-episode psychosis. A ten year follow-up study. <i>Schizophrenia Research</i> , 2016, 172, 23-28.	1.1	56
218	A Loss-of-Function Variant in a Minor Isoform of ANK3 Protects Against Bipolar Disorder and Schizophrenia. <i>Biological Psychiatry</i> , 2016, 80, 323-330.	0.7	31
219	Early Predictors of Ten-Year Course in First-Episode Psychosis. <i>Psychiatric Services</i> , 2016, 67, 438-443.	1.1	47
220	Genome-wide autozygosity is associated with lower general cognitive ability. <i>Molecular Psychiatry</i> , 2016, 21, 837-843.	4.1	62
221	Genetic Markers of Human Evolution Are Enriched in Schizophrenia. <i>Biological Psychiatry</i> , 2016, 80, 284-292.	0.7	92
222	Cannabis use disorder is associated with greater illness severity in tobacco smoking patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2016, 190, 286-293.	2.0	26
223	Subcortical brain volume abnormalities in 2028 individuals with schizophrenia and 2540 healthy controls via the ENIGMA consortium. <i>Molecular Psychiatry</i> , 2016, 21, 547-553.	4.1	820
224	Global brain connectivity alterations in patients with schizophrenia and bipolar spectrum disorders. <i>Journal of Psychiatry and Neuroscience</i> , 2016, 41, 331-341.	1.4	51
225	Negative symptoms in schizophrenia show association with amygdala volumes and neural activation during affective processing. <i>Acta Neuropsychiatrica</i> , 2015, 27, 213-220.	1.0	31
226	Assessing brain structural associations with working memory related brain patterns in schizophrenia and healthy controls using linked independent component analysis. <i>NeuroImage: Clinical</i> , 2015, 9, 253-263.	1.4	16
227	Lithium treatment and hippocampal subfields and amygdala volumes in bipolar disorder. <i>Bipolar Disorders</i> , 2015, 17, 496-506.	1.1	57
228	Independent evidence for an association between general cognitive ability and a genetic locus for educational attainment. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 363-373.	1.1	25
229	Altered Brain Activation during Emotional Face Processing in Relation to Both Diagnosis and Polygenic Risk of Bipolar Disorder. <i>PLoS ONE</i> , 2015, 10, e0134202.	1.1	54
230	Combinations of Genetic Data Present in Bipolar Patients, but Absent in Control Persons. <i>PLoS ONE</i> , 2015, 10, e0143432.	1.1	4
231	Association between Genetic Variation in the Oxytocin Receptor Gene and Emotional Withdrawal, but not between Oxytocin Pathway Genes and Diagnosis in Psychotic Disorders. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 9.	1.0	43
232	Polygenic risk scores in bipolar disorder subgroups. <i>Journal of Affective Disorders</i> , 2015, 183, 310-314.	2.0	24
233	Brain structure characteristics in intellectually superior schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2015, 232, 123-129.	0.9	9
234	Unhelpful metacognitive beliefs in early psychosis are associated with affective symptoms and childhood social adjustment. <i>Schizophrenia Research</i> , 2015, 169, 280-285.	1.1	6

#	ARTICLE	IF	CITATIONS
235	In Vivo Hippocampal Subfield Volumes in Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2015, 77, 581-588.	0.7	161
236	Theory of mind in schizophrenia: Error types and associations with symptoms. <i>Schizophrenia Research</i> , 2015, 162, 42-46.	1.1	78
237	Joint Analysis of Psychiatric Disorders Increases Accuracy of Risk Prediction for Schizophrenia, Bipolar Disorder, and Major Depressive Disorder. <i>American Journal of Human Genetics</i> , 2015, 96, 283-294.	2.6	225
238	Psychiatric genome-wide association study analyses implicate neuronal, immune and histone pathways. <i>Nature Neuroscience</i> , 2015, 18, 199-209.	7.1	701
239	Common genetic variants influence human subcortical brain structures. <i>Nature</i> , 2015, 520, 224-229.	13.7	772
240	Psychometric properties of the Affective Lability Scale (54 and 18-item version) in patients with bipolar disorder, first-degree relatives, and healthy controls. <i>Journal of Affective Disorders</i> , 2015, 172, 375-380.	2.0	53
241	A social path to functioning in schizophrenia: From social self-efficacy through negative symptoms to social functional capacity. <i>Psychiatry Research</i> , 2015, 228, 803-807.	1.7	34
242	Brain structure abnormalities in first-episode psychosis patients with persistent apathy. <i>Schizophrenia Research</i> , 2015, 164, 59-64.	1.1	41
243	Cognitive Effort and Schizophrenia Modulate Large-Scale Functional Brain Connectivity. <i>Schizophrenia Bulletin</i> , 2015, 41, 1360-1369.	2.3	14
244	The development of insight and its relationship with suicidality over one year follow-up in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2015, 162, 97-102.	1.1	42
245	Childhood trauma mediates the association between ethnic minority status and more severe hallucinations in psychotic disorder. <i>Psychological Medicine</i> , 2015, 45, 133-142.	2.7	19
246	Disintegration of Sensorimotor Brain Networks in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015, 41, 1326-1335.	2.3	146
247	Inflammatory markers are associated with general cognitive abilities in schizophrenia and bipolar disorder patients and healthy controls. <i>Schizophrenia Research</i> , 2015, 165, 188-194.	1.1	85
248	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015, 64, 1-8.	1.5	39
249	Modeling Linkage Disequilibrium Increases Accuracy of Polygenic Risk Scores. <i>American Journal of Human Genetics</i> , 2015, 97, 576-592.	2.6	1,098
250	Serum level of venlafaxine is associated with better memory in psychotic disorders. <i>Schizophrenia Research</i> , 2015, 169, 386-392.	1.1	10
251	Self-reported symptoms and health service use in adolescence in persons who later develop psychotic disorders: A prospective case-control study. <i>Microbial Biotechnology</i> , 2015, 9, 221-227.	0.9	9
252	Migrant background and ethnic minority status as predictors for duration of untreated psychosis. <i>Microbial Biotechnology</i> , 2015, 9, 61-65.	0.9	25

#	ARTICLE	IF	CITATIONS
253	Continued cannabis use at one year follow up is associated with elevated mood and lower global functioning in bipolar I disorder. <i>BMC Psychiatry</i> , 2015, 15, 11.	1.1	22
254	New data and an old puzzle: the negative association between schizophrenia and rheumatoid arthritis. <i>International Journal of Epidemiology</i> , 2015, 44, 1706-1721.	0.9	53
255	To the editors. <i>Psychiatry Research - Neuroimaging</i> , 2015, 233, 497.	0.9	0
256	Vitamin D status in psychotic disorder patients and healthy controls – The influence of ethnic background. <i>Psychiatry Research</i> , 2015, 230, 616-621.	1.7	19
257	Stability of executive functions in first episode psychosis: One year follow up study. <i>Psychiatry Research</i> , 2015, 228, 475-481.	1.7	14
258	Anomalous self-experience and childhood trauma in first-episode schizophrenia. <i>Comprehensive Psychiatry</i> , 2015, 56, 35-41.	1.5	43
259	Polygenic Risk for Schizophrenia Associated With Working Memory-related Prefrontal Brain Activation in Patients With Schizophrenia and Healthy Controls. <i>Schizophrenia Bulletin</i> , 2015, 41, 736-743.	2.3	62
260	10 year course of IQ in first-episode psychosis: Relationship between duration of psychosis and long-term intellectual trajectories. <i>Psychiatry Research</i> , 2015, 225, 515-521.	1.7	19
261	Association between altered brain morphology and elevated peripheral endothelial markers – Implications for psychotic disorders. <i>Schizophrenia Research</i> , 2015, 161, 222-228.	1.1	23
262	Reading Emotions from Body Movement: A Generalized Impairment in Schizophrenia. <i>Frontiers in Psychology</i> , 2015, 6, 2058.	1.1	40
263	Cigarette smoking is associated with thinner cingulate and insular cortices in patients with severe mental illness. <i>Journal of Psychiatry and Neuroscience</i> , 2015, 40, 241-249.	1.4	23
264	A Systematic Review of Cognitive Function in First-Episode Psychosis, Including a Discussion on Childhood Trauma, Stress, and Inflammation. <i>Frontiers in Psychiatry</i> , 2014, 4, 182.	1.3	168
265	Additive effects of childhood abuse and cannabis abuse on clinical expressions of bipolar disorders. <i>Psychological Medicine</i> , 2014, 44, 1653-1662.	2.7	61
266	An Attempt to Identify Single Nucleotide Polymorphisms Contributing to Possible Relationships between Personality Traits and Oxytocin-Related Genes. <i>Neuropsychobiology</i> , 2014, 69, 25-30.	0.9	15
267	Polygenic risk score and the psychosis continuum model. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 311-317.	2.2	76
268	Normal Birth Weight Variation Is Related to Cortical Morphology Across the Psychosis Spectrum. <i>Schizophrenia Bulletin</i> , 2014, 40, 410-419.	2.3	33
269	Pre- and perinatal hypoxia associated with hippocampus/amygdala volume in bipolar disorder. <i>Psychological Medicine</i> , 2014, 44, 975-985.	2.7	31
270	Neurocognitive Decrements are Present in Intellectually Superior Schizophrenia. <i>Frontiers in Psychiatry</i> , 2014, 5, 45.	1.3	21

#	ARTICLE	IF	CITATIONS
271	Variation in duration of untreated psychosis in an 18-year perspective. <i>Microbial Biotechnology</i> , 2014, 8, 323-331.	0.9	6
272	Affective lability in patients with bipolar disorders is associated with high levels of childhood trauma. <i>Psychiatry Research</i> , 2014, 218, 252-255.	1.7	50
273	Altered systemic cortisol metabolism in bipolar disorder and schizophrenia spectrum disorders. <i>Journal of Psychiatric Research</i> , 2014, 52, 57-62.	1.5	36
274	Treatment and violent behavior in persons with first episode psychosis during a 10-year prospective follow-up study. <i>Schizophrenia Research</i> , 2014, 156, 272-276.	1.1	42
275	Environmental factors during adolescence associated with later development of psychotic disorders – A nested case-control study. <i>Psychiatry Research</i> , 2014, 215, 579-585.	1.7	20
276	Molecular genetic evidence for overlap between general cognitive ability and risk for schizophrenia: a report from the Cognitive Genomics consortium (COGENT). <i>Molecular Psychiatry</i> , 2014, 19, 168-174.	4.1	178
277	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. <i>Brain Imaging and Behavior</i> , 2014, 8, 153-182.	1.1	696
278	Partitioning Heritability of Regulatory and Cell-Type-Specific Variants across 11 Common Diseases. <i>American Journal of Human Genetics</i> , 2014, 95, 535-552.	2.6	569
279	Interplay between childhood trauma and BDNF val66met variants on blood BDNF mRNA levels and on hippocampus subfields volumes in schizophrenia spectrum and bipolar disorders. <i>Journal of Psychiatric Research</i> , 2014, 59, 14-21.	1.5	97
280	Biological insights from 108 schizophrenia-associated genetic loci. <i>Nature</i> , 2014, 511, 421-427.	13.7	6,934
281	The impact of immigration and visible minority status on psychosis symptom profile. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1747-1757.	1.6	21
282	Anomalous self-experiences contribute independently to social dysfunction in the early phases of schizophrenia and psychotic bipolar disorder. <i>Comprehensive Psychiatry</i> , 2014, 55, 475-482.	1.5	45
283	One year follow-up of alcohol and illicit substance use in first-episode psychosis: Does gender matter?. <i>Comprehensive Psychiatry</i> , 2014, 55, 274-282.	1.5	34
284	<i>ANKK1</i> gene expression in bipolar disorder and schizophrenia. <i>British Journal of Psychiatry</i> , 2014, 205, 244-245.	1.7	32
285	Reduced brain cortical folding in schizophrenia revealed in two independent samples. <i>Schizophrenia Research</i> , 2014, 152, 333-338.	1.1	65
286	Cognitive Behavior Therapy in First-Episode Psychosis With a Focus on Depression, Anxiety, and Self-Esteem. <i>Cognitive and Behavioral Practice</i> , 2014, 21, 43-54.	0.9	7
287	Indications of a dose-response relationship between cannabis use and age at onset in bipolar disorder. <i>Psychiatry Research</i> , 2014, 215, 101-104.	1.7	43
288	Working memory networks and activation patterns in schizophrenia and bipolar disorder: comparison with healthy controls. <i>British Journal of Psychiatry</i> , 2014, 204, 290-298.	1.7	65

#	ARTICLE	IF	CITATIONS
289	Relationship between sunlight and the age of onset of bipolar disorder: An international multisite study. <i>Journal of Affective Disorders</i> , 2014, 167, 104-111.	2.0	43
290	Association analysis between suicidal behaviour and candidate genes of bipolar disorder and schizophrenia. <i>Journal of Affective Disorders</i> , 2014, 163, 110-114.	2.0	28
291	Therapeutic alliance in early schizophrenia spectrum disorders: a cross-sectional study. <i>Annals of General Psychiatry</i> , 2013, 12, 14.	1.2	21
292	Pathway analysis of genetic markers associated with a functional MRI faces paradigm implicates polymorphisms in calcium responsive pathways. <i>NeuroImage</i> , 2013, 70, 143-149.	2.1	13
293	Occupational functioning, symptoms and neurocognition in patients with psychotic disorders: investigating subgroups based on social security status. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 863-874.	1.6	22
294	Depressive symptoms in first episode psychosis: a one-year follow-up study. <i>BMC Psychiatry</i> , 2013, 13, 106.	1.1	44
295	Patterns of childhood adverse events are associated with clinical characteristics of bipolar disorder. <i>BMC Psychiatry</i> , 2013, 13, 97.	1.1	49
296	Personality traits, interpersonal problems and therapeutic alliance in early schizophrenia spectrum disorders. <i>Comprehensive Psychiatry</i> , 2013, 54, 1169-1176.	1.5	34
297	Social dysfunction in first-episode psychosis and relations to neurocognition, duration of untreated psychosis and clinical symptoms. <i>Psychiatry Research</i> , 2013, 207, 33-39.	1.7	24
298	Clinical characteristics in schizophrenia patients with or without suicide attempts and non-suicidal self-harm - a cross-sectional study. <i>BMC Psychiatry</i> , 2013, 13, 255.	1.1	37
299	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013, 45, 984-994.	9.4	2,067
300	Early detection, early symptom progression and symptomatic remission after ten years in a first episode of psychosis study. <i>Schizophrenia Research</i> , 2013, 143, 337-343.	1.1	41
301	Neurocognitive development in first episode psychosis 5years follow-up: Associations between illness severity and cognitive course. <i>Schizophrenia Research</i> , 2013, 149, 63-69.	1.1	41
302	The neural correlates of cognitive control in bipolar I disorder: An fMRI study of medial frontal cortex activation during a Go/No-go task. <i>Neuroscience Letters</i> , 2013, 549, 51-56.	1.0	15
303	BDNF val66met modulates the association between childhood trauma, cognitive and brain abnormalities in psychoses. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 46, 181-188.	2.5	87
304	Apathy, poor verbal memory and male gender predict lower psychosocial functioning one year after the first treatment of psychosis. <i>Psychiatry Research</i> , 2013, 210, 55-61.	1.7	52
305	ZNF804A and cortical thickness in schizophrenia and bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2013, 212, 154-157.	0.9	17
306	No evidence for association between bipolar disorder risk gene variants and brain structural phenotypes. <i>Journal of Affective Disorders</i> , 2013, 151, 291-297.	2.0	41

#	ARTICLE	IF	CITATIONS
307	Cannabis use and premorbid functioning as predictors of poorer neurocognition in schizophrenia spectrum disorder. <i>Schizophrenia Research</i> , 2013, 143, 84-89.	1.1	19
308	High prevalence of childhood trauma in patients with schizophrenia spectrum and affective disorder. <i>Comprehensive Psychiatry</i> , 2013, 54, 123-127.	1.5	109
309	Social functioning in first contact mania: Clinical and neurocognitive correlates. <i>Comprehensive Psychiatry</i> , 2013, 54, 432-438.	1.5	9
310	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 149-162.	2.2	481
311	History of depression and previous suicide attempt predict increased risk of suicide attempt following diagnosis of first-episode psychosis. <i>Evidence-Based Mental Health</i> , 2013, 16, 67-67.	2.2	2
312	Occupational outcome in bipolar disorder is not predicted by premorbid functioning and intelligence. <i>Bipolar Disorders</i> , 2013, 15, 294-305.	1.1	16
313	Is there an optimal factor structure of the Positive and Negative Syndrome Scale in patients with first-episode psychosis?. <i>Scandinavian Journal of Psychology</i> , 2013, 54, 160-165.	0.8	51
314	Neurocognitive features in subgroups of bipolar disorder. <i>Bipolar Disorders</i> , 2013, 15, 272-283.	1.1	42
315	The Breivik case and what psychiatrists can learn from it. <i>World Psychiatry</i> , 2013, 12, 16-21.	4.8	57
316	Schizophrenia genetic variants are not associated with intelligence. <i>Psychological Medicine</i> , 2013, 43, 2563-2570.	2.7	40
317	Object Relations, Reality Testing, and Social Withdrawal in Schizophrenia and Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 222-225.	0.5	9
318	Social Cognition and Clinical Insight in Schizophrenia and Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 445-451.	0.5	11
319	Ten year neurocognitive trajectories in first-episode psychosis. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 643.	1.0	55
320	CACNA1C Risk Variant and Amygdala Activity in Bipolar Disorder, Schizophrenia and Healthy Controls. <i>PLoS ONE</i> , 2013, 8, e56970.	1.1	76
321	Childhood Trauma Is Associated With Severe Clinical Characteristics of Bipolar Disorders. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 991-998.	1.1	175
322	The TIPS study and bias: Replies to Dr Amos. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 905-907.	1.3	2
323	Long-Term Follow-Up of the TIPS Early Detection in Psychosis Study: Effects on 10-Year Outcome. <i>American Journal of Psychiatry</i> , 2012, 169, 374-380.	4.0	262
324	Associations Between Variants Near a Monoaminergic Pathways Gene (PHOX2B) and Amygdala Reactivity: A Genome-Wide Functional Imaging Study. <i>Twin Research and Human Genetics</i> , 2012, 15, 273-285.	0.3	23

#	ARTICLE	IF	CITATIONS
325	Up-Regulation of <i>NOTCH4</i> Gene Expression in Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2012, 169, 1292-1300.	4.0	44
326	Genetic variants affecting the neural processing of human facial expressions: evidence using a genome-wide functional imaging approach. <i>Translational Psychiatry</i> , 2012, 2, e143-e143.	2.4	13
327	Association of common genetic variants in <i>GPCPD1</i> with scaling of visual cortical surface area in humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 3985-3990.	3.3	50
328	Serotonin Transporter Gene Polymorphism, Childhood Trauma, and Cognition in Patients With Psychotic Disorders. <i>Schizophrenia Bulletin</i> , 2012, 38, 15-22.	2.3	58
329	Patient satisfaction with treatment in first-episode psychosis. <i>Nordic Journal of Psychiatry</i> , 2012, 66, 329-335.	0.7	11
330	Lack of association between the regulator of G-protein signaling 4 (<i>RGS4</i>) rs951436 polymorphism and schizophrenia. <i>Psychiatric Genetics</i> , 2012, 22, 263-264.	0.6	9
331	Selective Aggregation of Self-Disorders in First-Treatment DSM-IV Schizophrenia Spectrum Disorders. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 632-636.	0.5	98
332	Response to Amos Letter. <i>American Journal of Psychiatry</i> , 2012, 169, 992-993.	4.0	0
333	Object relations and reality testing in schizophrenia, bipolar disorders, and healthy controls: differences in profiles and clinical correlates. <i>Comprehensive Psychiatry</i> , 2012, 53, 1200-1207.	1.5	6
334	Factors associated with occupational and academic status in patients with first-episode psychosis with a particular focus on neurocognition. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1763-1773.	1.6	18
335	A comparison of adolescent- and adult-onset first-episode, non-affective psychosis: 2-year follow-up. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 599-605.	1.8	25
336	Genome-wide association study identifies genetic loci associated with body mass index and high density lipoprotein-cholesterol levels during psychopharmacological treatment – a cross-sectional naturalistic study. <i>Psychiatry Research</i> , 2012, 197, 327-336.	1.7	9
337	An association between affective lability and executive functioning in bipolar disorder. <i>Psychiatry Research</i> , 2012, 198, 58-61.	1.7	34
338	Is cognitive impairment following early life stress in severe mental disorders based on specific or general cognitive functioning?. <i>Psychiatry Research</i> , 2012, 198, 495-500.	1.7	86
339	Self-Harm in Patients with Schizophrenia Spectrum Disorders. <i>Archives of Suicide Research</i> , 2012, 16, 111-123.	1.2	24
340	Insight and suicidal behavior in first-episode schizophrenia. <i>Expert Review of Neurotherapeutics</i> , 2012, 12, 353-359.	1.4	35
341	Identification of common variants associated with human hippocampal and intracranial volumes. <i>Nature Genetics</i> , 2012, 44, 552-561.	9.4	594
342	<i>TCF4</i> sequence variants and mRNA levels are associated with neurodevelopmental characteristics in psychotic disorders. <i>Translational Psychiatry</i> , 2012, 2, e112-e112.	2.4	67

#	ARTICLE	IF	CITATIONS
343	Severe social anxiety in early psychosis is associated with poor premorbid functioning, depression, and reduced quality of life. <i>Comprehensive Psychiatry</i> , 2012, 53, 434-440.	1.5	36
344	The association between anomalous self-experience and suicidality in first-episode schizophrenia seems mediated by depression. <i>Comprehensive Psychiatry</i> , 2012, 53, 456-460.	1.5	42
345	Association between a genetic variant in the serotonin transporter gene (SLC6A4) and suicidal behavior in patients with schizophrenia. <i>Behavioral and Brain Functions</i> , 2012, 8, 24.	1.4	15
346	Cortical Volume, Surface Area, and Thickness in Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2012, 71, 552-560.	0.7	290
347	Replication Study and Meta-Analysis in European Samples Supports Association of the 3p21.1 Locus with Bipolar Disorder. <i>Biological Psychiatry</i> , 2012, 72, 645-650.	0.7	15
348	The association between self-disorders and neurocognitive dysfunction in schizophrenia. <i>Schizophrenia Research</i> , 2012, 135, 79-83.	1.1	38
349	Apathy in first episode psychosis patients: A ten year longitudinal follow-up study. <i>Schizophrenia Research</i> , 2012, 136, 19-24.	1.1	67
350	Flat affect and social functioning: A 10year follow-up study of first episode psychosis patients. <i>Schizophrenia Research</i> , 2012, 139, 99-104.	1.1	45
351	Cardiovascular risk factors during second generation antipsychotic treatment are associated with increased C-reactive protein. <i>Schizophrenia Research</i> , 2012, 140, 169-174.	1.1	38
352	Executive function in early- and adult onset schizophrenia. <i>Schizophrenia Research</i> , 2012, 142, 177-182.	1.1	31
353	Connection between Genetic and Clinical Data in Bipolar Disorder. <i>PLoS ONE</i> , 2012, 7, e44623.	1.1	8
354	Association between genetic variation in a region on chromosome 11 and schizophrenia in large samples from Europe. <i>Molecular Psychiatry</i> , 2012, 17, 906-917.	4.1	105
355	Effect of <i>DISC1</i> SNPs on brain structure in healthy controls and patients with a history of psychosis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 722-730.	1.1	14
356	Genome-wide study identifies PTPRO and WDR72 and FOXQ1-SUMO1P1 interaction associated with neurocognitive function. <i>Journal of Psychiatric Research</i> , 2012, 46, 271-278.	1.5	36
357	Executive function tests in early-onset psychosis: which one to choose?. <i>Scandinavian Journal of Psychology</i> , 2012, 53, 200-205.	0.8	18
358	Neurocognitive functioning in patients recently diagnosed with bipolar disorder. <i>Bipolar Disorders</i> , 2012, 14, 227-238.	1.1	76
359	Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , 2012, 14, 654-663.	1.1	39
360	Brukerundersøkelser i psykiatrien i 1950-årene. <i>Tidsskrift for Den Norske Laegeforening</i> , 2012, 132, 543-545.	0.2	1

#	ARTICLE	IF	CITATIONS
361	Common variants at VRK2 and TCF4 conferring risk of schizophrenia. <i>Human Molecular Genetics</i> , 2011, 20, 4076-4081.	1.4	193
362	Candidate Gene Analysis of the Human Natural Killer-1 Carbohydrate Pathway and Perineuronal Nets in Schizophrenia: B3GAT2 Is Associated with Disease Risk and Cortical Surface Area. <i>Biological Psychiatry</i> , 2011, 69, 90-96.	0.7	42
363	The Complement Control-Related Genes CSMD1 and CSMD2 Associate to Schizophrenia. <i>Biological Psychiatry</i> , 2011, 70, 35-42.	0.7	149
364	At-Risk Variant in TCF7L2 for Type II Diabetes Increases Risk of Schizophrenia. <i>Biological Psychiatry</i> , 2011, 70, 59-63.	0.7	114
365	Common Sequence Variants in the Major Histocompatibility Complex Region Associate with Cerebral Ventricular Size in Schizophrenia. <i>Biological Psychiatry</i> , 2011, 70, 696-698.	0.7	28
366	Sex differences in neuropsychological performance and social functioning in schizophrenia and bipolar disorder.. <i>Neuropsychology</i> , 2011, 25, 499-510.	1.0	86
367	Genome-wide association study identifies five new schizophrenia loci. <i>Nature Genetics</i> , 2011, 43, 969-976.	9.4	1,758
368	Kynurenine 3-monooxygenase (KMO) polymorphisms in schizophrenia: An association study. <i>Schizophrenia Research</i> , 2011, 127, 270-272.	1.1	19
369	Neurocognitive functioning and suicidality in schizophrenia spectrum disorders. <i>Comprehensive Psychiatry</i> , 2011, 52, 156-163.	1.5	49
370	Sex-specific cortisol levels in bipolar disorder and schizophrenia during mental challenge " Relationship to clinical characteristics and medication. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1100-1107.	2.5	27
371	Subcortical brain volumes relate to neurocognition in schizophrenia and bipolar disorder and healthy controls. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1122-1130.	2.5	70
372	Intron 12 in NTRK3 is associated with bipolar disorder. <i>Psychiatry Research</i> , 2011, 185, 358-362.	1.7	21
373	Decreased self-reported arousal in schizophrenia during aversive picture viewing compared to bipolar disorder and healthy controls. <i>Psychiatry Research</i> , 2011, 185, 309-314.	1.7	20
374	Neurocognition and occupational functioning in patients with first-episode psychosis: A 2-year follow-up study. <i>Psychiatry Research</i> , 2011, 188, 334-342.	1.7	41
375	Assessment of Social Anxiety in First Episode Psychosis using the Liebowitz Social Anxiety scale as a Self-report Measure. <i>European Psychiatry</i> , 2011, 26, 115-121.	0.1	25
376	Combinations of SNPs Related to Signal Transduction in Bipolar Disorder. <i>PLoS ONE</i> , 2011, 6, e23812.	1.1	20
377	Cognitive and Clinical Factors Are Associated With Service Engagement in Early-Phase Schizophrenia Spectrum Disorders. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 176-182.	0.5	32
378	Lack of association between two dopamine D2 receptor gene polymorphisms and schizophrenia. <i>Psychiatric Genetics</i> , 2011, 21, 214-215.	0.6	3

#	ARTICLE	IF	CITATIONS
379	Brain Cortical Thickness and Surface Area Correlates of Neurocognitive Performance in Patients with Schizophrenia, Bipolar Disorder, and Healthy Adults. <i>Journal of the International Neuropsychological Society</i> , 2011, 17, 1080-1093.	1.2	80
380	Expanding the range of ZNF804A variants conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2011, 16, 59-66.	4.1	140
381	First-episode psychosis patients recruited into treatment via early detection teams versus ordinary pathways: course and health service use during 5 years. <i>Microbial Biotechnology</i> , 2011, 5, 70-75.	0.9	10
382	Affective symptoms are associated with markers of inflammation and immune activation in bipolar disorders but not in schizophrenia. <i>Journal of Psychiatric Research</i> , 2011, 45, 1608-1616.	1.5	146
383	Despite clinical differences, bipolar disorder patients from acute wards and outpatient clinics have similar educational and disability levels compared to the general population. <i>Journal of Affective Disorders</i> , 2011, 132, 209-215.	2.0	15
384	Excessive cannabis use is associated with earlier age at onset in bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 397-405.	1.8	66
385	Previous hospital admissions and disease severity predict the use of antipsychotic combination treatment in patients with schizophrenia. <i>BMC Psychiatry</i> , 2011, 11, 126.	1.1	14
386	Self-esteem is associated with premorbid adjustment and positive psychotic symptoms in early psychosis. <i>BMC Psychiatry</i> , 2011, 11, 136.	1.1	40
387	Perceived discrimination is associated with severity of positive and depression/anxiety symptoms in immigrants with psychosis: a cross-sectional study. <i>BMC Psychiatry</i> , 2011, 11, 77.	1.1	55
388	Association analysis of <i>ANKK1</i> gene variants in nordic bipolar disorder and schizophrenia case-control samples. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 969-974.	1.1	37
389	Meta-analysis of heterogeneous data sources for genome-scale identification of risk genes in complex phenotypes. <i>Genetic Epidemiology</i> , 2011, 35, 318-332.	0.6	31
390	Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. <i>Nature Genetics</i> , 2011, 43, 977-983.	9.4	1,283
391	Copy number variations in affective disorders and meta-analysis. <i>Psychiatric Genetics</i> , 2011, 21, 319-322.	0.6	3
392	Association of Genetic Variants on 15q12 With Cortical Thickness and Cognition in Schizophrenia. <i>Archives of General Psychiatry</i> , 2011, 68, 781.	13.8	22
393	Examination of Anomalous Self-Experience in First-Episode Psychosis: Interrater Reliability. <i>Psychopathology</i> , 2011, 44, 386-390.	1.1	74
394	Contrasting Monosymptomatic Patients with Hallucinations and Delusions in First-Episode Psychosis Patients: A Five-Year Longitudinal Follow-Up Study. <i>Psychopathology</i> , 2011, 44, 90-97.	1.1	14
395	Early detection of psychosis: positive effects on 5-year outcome. <i>Psychological Medicine</i> , 2011, 41, 1461-1469.	2.7	126
396	Neurocognitive Dysfunction in Bipolar and Schizophrenia Spectrum Disorders Depends on History of Psychosis Rather Than Diagnostic Group. <i>Schizophrenia Bulletin</i> , 2011, 37, 73-83.	2.3	253

#	ARTICLE	IF	CITATIONS
397	Increased Systemic Cortisol Metabolism in Patients With Schizophrenia and Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1515-1521.	1.1	44
398	Association study of <i>PDE4B</i> gene variants in scandinavian schizophrenia and bipolar disorder multicenter case-control samples. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 86-96.	1.1	25
399	Treatment Delay and Excessive Substance Use in Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 628-633.	0.5	21
400	Depression and Depressive Symptoms in First Episode Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 67-71.	0.5	70
401	The Development of Subjective Quality of Life Over the First 2 Years in First-Episode Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 864-869.	0.5	21
402	Gene variants associated with schizophrenia in a Norwegian genome-wide study are replicated in a large European cohort. <i>Journal of Psychiatric Research</i> , 2010, 44, 748-753.	1.5	183
403	Age at onset of bipolar disorder in a Norwegian catchment area sample. <i>Journal of Affective Disorders</i> , 2010, 124, 174-177.	2.0	24
404	A genome-wide association study of bipolar disorder in Norwegian individuals, followed by replication in Icelandic sample. <i>Journal of Affective Disorders</i> , 2010, 126, 312-316.	2.0	100
405	The tryptophan hydroxylase 1 (<i>TPH1</i>) gene, schizophrenia susceptibility, and suicidal behavior: A multi-centre case-control study and meta-analysis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 387-396.	1.1	45
406	Association between methylenetetrahydrofolate reductase (<i>MTHFR</i>) C677T polymorphism and age of onset in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 610-618.	1.1	32
407	Association analysis of <i>PALB2</i> and <i>BRCA2</i> in bipolar disorder and schizophrenia in a scandinavian case-control sample. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1276-1282.	1.1	20
408	Excessive substance use in bipolar disorder is associated with impaired functioning rather than clinical characteristics, a descriptive study. <i>BMC Psychiatry</i> , 2010, 10, 9.	1.1	60
409	A 2-year follow-up of involuntary admission's influence upon adherence and outcome in first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 371-376.	2.2	53
410	Are multi family groups appropriate for patients with first episode psychosis? A 5-year naturalistic follow-up study. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 384-394.	2.2	19
411	Early identification of non-remission in first episode psychosis in a two-year outcome study. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 375-383.	2.2	40
412	Polymorphisms in <i>SREBF1</i> and <i>SREBF2</i> , two antipsychotic-activated transcription factors controlling cellular lipogenesis, are associated with schizophrenia in German and Scandinavian samples. <i>Molecular Psychiatry</i> , 2010, 15, 463-472.	4.1	66
413	Validation of the Norwegian version of the Social Functioning Scale (SFS) for schizophrenia and bipolar disorder. <i>Scandinavian Journal of Psychology</i> , 2010, 51, 525-533.	0.8	43
414	A large replication study and meta-analysis in European samples provides further support for association of <i>AHI1</i> markers with schizophrenia. <i>Human Molecular Genetics</i> , 2010, 19, 1379-1386.	1.4	51

#	ARTICLE	IF	CITATIONS
415	Opposite relationships between cannabis use and neurocognitive functioning in bipolar disorder and schizophrenia. <i>Psychological Medicine</i> , 2010, 40, 1337-1347.	2.7	60
416	Are there common core features of apathy in different neuropsychiatric samples as assessed by the Apathy Evaluation Scale?. <i>Nordic Journal of Psychiatry</i> , 2010, 64, 49-57.	0.7	17
417	Neuropsychological Profile in Early-Onset Schizophrenia-Spectrum Disorders: Measured With the MATRICS Battery. <i>Schizophrenia Bulletin</i> , 2010, 36, 852-859.	2.3	94
418	Course and Predictors of Suicidality Over the First Two Years of Treatment in First-Episode Schizophrenia Spectrum Psychosis. <i>Archives of Suicide Research</i> , 2010, 14, 158-170.	1.2	39
419	Sex-dependent association of common variants of microcephaly genes with brain structure. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 384-388.	3.3	118
420	Psychosocial function in schizophrenia and bipolar disorder: Relationship to neurocognition and clinical symptoms. <i>Journal of the International Neuropsychological Society</i> , 2010, 16, 771-783.	1.2	60
421	Cortical Thickness and Subcortical Volumes in Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2010, 68, 41-50.	0.7	406
422	Apathy in first episode psychosis patients: One year follow up. <i>Schizophrenia Research</i> , 2010, 116, 20-26.	1.1	72
423	DURATION OF UNTREATED PSYCHOSIS, EARLY INTERVENTION AND SYMPTOM DEVELOPMENT IN FIRST-EPISEODE PSYCHOSIS: EXPERIENCES FROM THE TIPS STUDY. <i>Schizophrenia Research</i> , 2010, 117, 151.	1.1	0
424	REDUCED BRAIN CORTICAL FOLDING IN SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2010, 117, 342.	1.1	0
425	Suicidality before and in the early phases of first episode psychosis. <i>Schizophrenia Research</i> , 2010, 119, 11-17.	1.1	91
426	Catechol O-methyltransferase variants and cognitive performance in schizophrenia and bipolar disorder versus controls. <i>Schizophrenia Research</i> , 2010, 122, 31-37.	1.1	47
427	Suicidality in first episode psychosis is associated with insight and negative beliefs about psychosis. <i>Schizophrenia Research</i> , 2010, 123, 257-262.	1.1	62
428	SRD5A2 is associated with increased cortisol metabolism in schizophrenia spectrum disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1500-1506.	2.5	19
429	The use of screening instruments for detecting alcohol and other drug use disorders in first-episode psychosis. <i>Psychiatry Research</i> , 2010, 177, 228-234.	1.7	37
430	The validity of <i>d</i> ' prime as a working memory index: Results from the "Bergen <i>n</i> -back task". <i>Journal of Clinical and Experimental Neuropsychology</i> , 2010, 32, 871-880.	0.8	220
431	Osteoprotegerin levels in patients with severe mental disorders. <i>Journal of Psychiatry and Neuroscience</i> , 2010, 35, 304-310.	1.4	21
432	A Cross-Sectional Study of Vitamin D Deficiency Among Immigrants and Norwegians With Psychosis Compared to the General Population. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1598-1604.	1.1	52

#	ARTICLE	IF	CITATIONS
433	Dysbindin and <i>D&i>-Amino-Acid-Oxidase Gene Polymorphisms Associated with Positive and Negative Symptoms in Schizophrenia. <i>Neuropsychobiology</i> , 2009, 60, 31-36.	0.9	20
434	A common MECP2 haplotype associates with reduced cortical surface area in humans in two independent populations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 15483-15488.	3.3	108
435	Disruption of the neurexin 1 gene is associated with schizophrenia. <i>Human Molecular Genetics</i> , 2009, 18, 988-996.	1.4	424
436	Evidence for a possible association of neurotrophin receptor (NTRK-3) gene polymorphisms with hippocampal function and schizophrenia. <i>Neurobiology of Disease</i> , 2009, 34, 518-524.	2.1	46
437	Apathy is associated with executive functioning in first episode psychosis. <i>BMC Psychiatry</i> , 2009, 9, 1.	1.1	171
438	Common variants conferring risk of schizophrenia. <i>Nature</i> , 2009, 460, 744-747.	13.7	1,572
439	Baseline profiles of adolescent vs. adult–onset first–episode psychosis in an early detection program. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 494-500.	2.2	79
440	No altered dorsal anterior cingulate activation in bipolar II disorder patients during a Go/No–go task: an fMRI study. <i>Bipolar Disorders</i> , 2009, 11, 270-279.	1.1	24
441	Similar immune profile in bipolar disorder and schizophrenia: selective increase in soluble tumor necrosis factor receptor I and von Willebrand factor. <i>Bipolar Disorders</i> , 2009, 11, 726-734.	1.1	129
442	Stability of medication in early psychosis: a comparison between second–generation and low–dose first–generation antipsychotics. <i>Microbial Biotechnology</i> , 2009, 3, 58-65.	0.9	21
443	<i>DTNBP1, NRG1, DAO&i>, <i>DAO&i> and <i>GRM3&i> Polymorphisms and Schizophrenia: An Association Study. <i>Neuropsychobiology</i> , 2009, 59, 142-150.	0.9	33
444	Association of MCTP2 gene variants with schizophrenia in three independent samples of Scandinavian origin (SCOPE). <i>Psychiatry Research</i> , 2009, 168, 256-258.	1.7	24
445	A possible association between schizophrenia and GRIK3 polymorphisms in a multicenter sample of Scandinavian origin (SCOPE). <i>Schizophrenia Research</i> , 2009, 107, 242-248.	1.1	17
446	Passive/Apathetic Social Withdrawal and Active Social Avoidance in Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 274-277.	0.5	34
447	No association between DGKH and bipolar disorder in a Scandinavian case–control sample. <i>Psychiatric Genetics</i> , 2009, 19, 269-272.	0.6	18
448	Tyrosine hydroxylase Val81Met polymorphism: lack of association with schizophrenia. <i>Psychiatric Genetics</i> , 2009, 19, 273-274.	0.6	3
449	Apathy and Functioning in First-Episode Psychosis. <i>Psychiatric Services</i> , 2009, 60, 1495-1503.	1.1	72
450	Illicit drug use in patients with psychotic disorders compared with that in the general population: a cross–sectional study. <i>Acta Psychiatrica Scandinavica</i> , 2008, 117, 133-138.	2.2	50

#	ARTICLE	IF	CITATIONS
451	The estrogen hypothesis of Schizophrenia implicates glucose metabolism: Association study in three independent samples. <i>BMC Medical Genetics</i> , 2008, 9, 39.	2.1	31
452	Personality disorders in first-episode psychosis. <i>Personality and Mental Health</i> , 2008, 2, 230-239.	0.6	18
453	Association analysis of schizophrenia on 18 genes involved in neuronal migration: <i>MDGA1</i> as a new susceptibility gene. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1089-1100.	1.1	101
454	The level of illicit drug use is related to symptoms and premorbid functioning in severe mental illness. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 297-304.	2.2	50
455	Large recurrent microdeletions associated with schizophrenia. <i>Nature</i> , 2008, 455, 232-236.	13.7	1,619
456	Assessing apathy: The use of the Apathy Evaluation Scale in first episode psychosis. <i>European Psychiatry</i> , 2008, 23, 33-39.	0.1	62
457	First-Episode Psychosis: Diagnostic Stability over One and Two Years. <i>Psychopathology</i> , 2008, 41, 322-329.	1.1	79
458	The Relationship Between Staff Members' Working Conditions and Patients' Perceptions of the Treatment Environment. <i>International Journal of Social Psychiatry</i> , 2008, 54, 437-446.	1.6	25
459	Prevention of Negative Symptom Psychopathologies in First-Episode Schizophrenia. <i>Archives of General Psychiatry</i> , 2008, 65, 634.	13.8	163
460	Differences in prevalence and patterns of substance use in schizophrenia and bipolar disorder. <i>Psychological Medicine</i> , 2008, 38, 1241-1249.	2.7	81
461	Evaluaci3n de la apat3a: uso de la Escala de Evaluaci3n de la Apat3a en el primer episodio de psicosis. <i>European Psychiatry (Ed Espa3ola)</i> , 2008, 15, 145-151.	0.0	0
462	Innovations: Psychoeducation: Multifamily Group Treatment in a Program for Patients With First-Episode Psychosis: Experiences From the TIPS Project. <i>Psychiatric Services</i> , 2007, 58, 171-173.	1.1	23
463	The Key to Reducing Duration of Untreated First Psychosis: Information Campaigns. <i>Schizophrenia Bulletin</i> , 2007, 34, 466-472.	2.3	169
464	One-year effect of changing duration of untreated psychosis in a single catchment area. <i>British Journal of Psychiatry</i> , 2007, 191, s128-s132.	1.7	15
465	The course of neurocognitive functioning in first-episode psychosis and its relation to premorbid adjustment, duration of untreated psychosis, and relapse. <i>Schizophrenia Research</i> , 2007, 91, 132-140.	1.1	122
466	Brain Expressed microRNAs Implicated in Schizophrenia Etiology. <i>PLoS ONE</i> , 2007, 2, e873.	1.1	235
467	First-episode psychosis patients recruited into treatment via early detection teams versus ordinary pathways: course, outcome and health service use during first 2 years. <i>Microbial Biotechnology</i> , 2007, 1, 40-48.	0.9	12
468	Clinical epidemiologic first-episode psychosis: 1-year outcome and predictors. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 54-61.	2.2	69

#	ARTICLE	IF	CITATIONS
469	Substance abuse in first-episode non-affective psychosis. <i>Schizophrenia Research</i> , 2006, 88, 55-62.	1.1	84
470	Early Detection of the First Episode of Schizophrenia and Suicidal Behavior. <i>American Journal of Psychiatry</i> , 2006, 163, 800-804.	4.0	186
471	Effect of an early detection programme on duration of untreated psychosis. <i>British Journal of Psychiatry</i> , 2005, 187, s29-s32.	1.7	43
472	Reducing the duration of untreated first-episode psychosis - effects on baseline social functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2005, 112, 469-473.	2.2	55
473	Pathways to care for first-episode psychosis in an early detection healthcare sector. <i>British Journal of Psychiatry</i> , 2005, 187, s24-s28.	1.7	56
474	Early Detection of First-Episode Psychosis: The Effect on 1-Year Outcome. <i>Schizophrenia Bulletin</i> , 2005, 32, 758-764.	2.3	90
475	Measuring quality of life in first-episode psychosis. <i>European Psychiatry</i> , 2005, 20, 474-483.	0.1	43
476	Neurocognitive Dysfunction in First-Episode Psychosis: Correlates With Symptoms, Premorbid Adjustment, and Duration of Untreated Psychosis. <i>American Journal of Psychiatry</i> , 2004, 161, 466-472.	4.0	158
477	Premorbid adjustment in first-episode non-affective psychosis: Distinct patterns of pre-onset course. <i>British Journal of Psychiatry</i> , 2004, 185, 108-115.	1.7	140
478	Reducing the Duration of Untreated First-Episode Psychosis. <i>Archives of General Psychiatry</i> , 2004, 61, 143.	13.8	384
479	Does duration of untreated psychosis bias study samples of first-episode psychosis?. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 286-291.	2.2	42
480	Methodological pitfalls in early detection studies - the NAPE Lecture 2002. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 3-9.	2.2	81
481	Inpatient Psychotherapy Compared With Usual Care for Patients Who Have Schizophrenic Psychoses. <i>Psychiatric Services</i> , 2002, 53, 471-473.	1.1	13
482	Early detection strategies for untreated first-episode psychosis. <i>Schizophrenia Research</i> , 2001, 51, 39-46.	1.1	208
483	Shortened Duration of Untreated First Episode of Psychosis: Changes in Patient Characteristics at Treatment. <i>American Journal of Psychiatry</i> , 2001, 158, 1917-1919.	4.0	151
484	Early detection and intervention in first-episode schizophrenia: a critical review. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 323-334.	2.2	177
485	Social Functioning of Patients With Schizophrenia in High-Income Welfare Societies. <i>Psychiatric Services</i> , 2000, 51, 223-228.	1.1	52
486	The importance of ward atmosphere in inpatient treatment of schizophrenia on short-term units. <i>Psychiatric Services</i> , 1996, 47, 721-726.	1.1	59

#	ARTICLE	IF	CITATIONS
487	Global Assessment Scale and Health-Sickness Rating Scale: Problems in Comparing the Global Functioning Scores Across Investigations. <i>Psychotherapy Research</i> , 1993, 3, 105-114.	1.1	26
488	The Ullevål Acute Ward Follow-Up Study: A Personal 7-Year Follow-Up of Patients with Functional Psychosis Admitted to the Acute Ward of a Catchment Area. <i>Psychopathology</i> , 1991, 24, 316-327.	1.1	10
489	Childhood trauma, antipsychotic medication, and symptom remission in first-episode psychosis. <i>Psychological Medicine</i> , 0, , 1-10.	2.7	2