

Stine Regin Wiegell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7078157/publications.pdf>

Version: 2024-02-01

23
papers

1,993
citations

430442

18
h-index

642321

23
g-index

23
all docs

23
docs citations

23
times ranked

791
citing authors

#	ARTICLE	IF	CITATIONS
1	Continuous activation of PpIX by daylight is as effective as and less painful than conventional photodynamic therapy for actinic keratoses; a randomized, controlled, single-blinded study. <i>British Journal of Dermatology</i> , 2008, 158, 740-746.	1.4	313
2	Photodynamic therapy of acne vulgaris using 5-aminolevulinic acid versus methyl aminolevulinate. <i>Journal of the American Academy of Dermatology</i> , 2006, 54, 647-651.	0.6	189
3	Daylight photodynamic therapy for actinic keratosis: an international consensus. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 673-679.	1.3	189
4	Photodynamic therapy of acne vulgaris using methyl aminolaevulinate: a blinded, randomized, controlled trial. <i>British Journal of Dermatology</i> , 2006, 154, 969-976.	1.4	169
5	Photodynamic therapy of actinic keratoses with 8% and 16% methyl aminolaevulinate and home-based daylight exposure: a double-blinded randomized clinical trial. <i>British Journal of Dermatology</i> , 2009, 160, 1308-1314.	1.4	158
6	A randomized, multicentre study of directed daylight exposure times of 1½ vs. 2½h in daylight-mediated photodynamic therapy with methyl aminolaevulinate in patients with multiple thin actinic keratoses of the face and scalp. <i>British Journal of Dermatology</i> , 2011, 164, 1083-1090.	1.4	157
7	Daylight-mediated photodynamic therapy of moderate to thick actinic keratoses of the face and scalp: a randomized multicentre study. <i>British Journal of Dermatology</i> , 2012, 166, 1327-1332.	1.4	131
8	Pain Associated With Photodynamic Therapy Using 5-Aminolevulinic Acid or 5-Aminolevulinic Acid Methylester on Tape-Stripped Normal Skin. <i>Archives of Dermatology</i> , 2003, 139, 1173.	1.7	128
9	Pain during photodynamic therapy is associated with protoporphyrin IX fluorescence and fluence rate. <i>British Journal of Dermatology</i> , 2008, 158, 727-733.	1.4	120
10	Weather conditions and daylight-mediated photodynamic therapy: protoporphyrin IX-weighted daylight doses measured in six geographical locations. <i>British Journal of Dermatology</i> , 2013, 168, 186-191.	1.4	95
11	Daylight-mediated photodynamic therapy of basal cell carcinomas – an explorative study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 169-175.	1.3	64
12	Cold Water and Pauses in Illumination Reduces Pain During Photodynamic Therapy: A Randomized Clinical Study. <i>Acta Dermato-Venereologica</i> , 2008, 89, 145-149.	0.6	46
13	Continuous ultra-low intensity artificial daylight is not as effective as red LED light in photodynamic therapy of multiple actinic keratoses. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2011, 27, 280-285.	0.7	44
14	Update on Photodynamic Treatment for Actinic Keratosis. <i>Current Problems in Dermatology</i> , 2014, 46, 122-128.	0.8	39
15	Light protection of the skin after photodynamic therapy reduces inflammation: an unblinded randomized controlled study. <i>British Journal of Dermatology</i> , 2014, 171, 175-178.	1.4	33
16	Pulse photodynamic therapy reduces inflammation without compromising efficacy in the treatment of multiple mild actinic keratoses of the face and scalp: a randomized clinical trial. <i>British Journal of Dermatology</i> , 2016, 174, 979-984.	1.4	29
17	Topical corticosteroid reduces inflammation without compromising the efficacy of photodynamic therapy for actinic keratoses: a randomized clinical trial. <i>British Journal of Dermatology</i> , 2014, 171, 1487-1492.	1.4	28
18	Increased protoporphyrin IX accumulation does not improve the effect of photodynamic therapy for actinic keratosis: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2017, 176, 1241-1246.	1.4	19

#	ARTICLE	IF	CITATIONS
19	Short-term chemical pretreatment cannot replace curettage in photodynamic therapy. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2016, 32, 146-152.	0.7	17
20	Short and limited effect of long-pulsed dye laser alone and in combination with photodynamic therapy for inflammatory rosacea. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009, 23, 200-201.	1.3	12
21	Electrochemotherapy with bleomycin for basal cell carcinomas: a systematic review. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 2208-2215.	1.3	11
22	Dyskeratosis follicularis cured by superficial radiotherapy: long-term follow-up of 10 patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e230-e232.	1.3	1
23	Treatment of Familial Benign Chronic Pemphigus With Superficial Radiotherapy. <i>JAMA Dermatology</i> , 2022, , .	2.0	1