

Mickael Naassila

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7079448/publications.pdf>

Version: 2024-02-01

114
papers

3,166
citations

159358

30
h-index

182168

51
g-index

117
all docs

117
docs citations

117
times ranked

3311
citing authors

#	ARTICLE	IF	CITATIONS
1	Transcranial direct current stimulation (tDCS) reduces motivation to drink ethanol and reacquisition of ethanol self-administration in female mice. <i>Scientific Reports</i> , 2022, 12, 198.	1.6	4
2	Validity and usefulness of the short form of the Drinking Motives Questionnaire Revised (DMQ-R SF) among patients with schizophrenia. <i>Addictive Behaviors</i> , 2022, 129, 107251.	1.7	1
3	Rescuing SLAMF3 Expression Restores Sorafenib Response in Hepatocellular Carcinoma Cells through the Induction of Mesenchymal-to-Epithelial Transition. <i>Cancers</i> , 2022, 14, 910.	1.7	5
4	ESBRA President's Announcement: European Society for Biomedical Research on Alcoholism. <i>Alcohol and Alcoholism</i> , 2022, 57, 151-151.	0.9	0
5	Anti-inflammatory drugs prevent memory and hippocampal plasticity deficits following initial binge-like alcohol exposure in adolescent male rats. <i>Psychopharmacology</i> , 2022, 239, 2245-2262.	1.5	7
6	Astrogliosis and compensatory neurogenesis after the first ethanol binge drinking-like exposure in the adolescent rat. <i>Alcoholism: Clinical and Experimental Research</i> , 2022, 46, 207-220.	1.4	5
7	Interstrain differences in voluntary binge-like drinking behavior and in two acute ethanol injections-induced synaptic plasticity deficits in rats. <i>Addiction Biology</i> , 2021, 26, e12992.	1.4	3
8	Sugar intake and craving during alcohol withdrawal in alcohol use disorder inpatients. <i>Addiction Biology</i> , 2021, 26, e12907.	1.4	18
9	Is R(+)-Baclofen the best option for the future of Baclofen in alcohol dependence pharmacotherapy? Insights from the preclinical side. <i>Addiction Biology</i> , 2021, 26, e12892.	1.4	8
10	Neural Responses to the Implicit Processing of Emotional Facial Expressions in Binge Drinking. <i>Alcohol and Alcoholism</i> , 2021, 56, 166-174.	0.9	5
11	Role of heat shock transcription factor 2 in the NMDA-dependent neuroplasticity induced by chronic ethanol intake in mouse hippocampus. <i>Addiction Biology</i> , 2021, 26, e12939.	1.4	2
12	Patch-Clamp Recording of Low Frequency Stimulation-induced Long-Term Synaptic Depression in Rat Hippocampus Slices During Early and Late Neurodevelopment. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 351-364.	1.4	0
13	Training emotion regulation processes in alcohol-abstinent individuals: A pilot study. <i>Addictive Behaviors</i> , 2021, 114, 106652.	1.7	11
14	Sex difference in the vulnerability to hippocampus plasticity impairment after binge-like ethanol exposure in adolescent rat: Is estrogen the key?. <i>Addiction Biology</i> , 2021, 26, e13002.	1.4	7
15	The Early Impact of the COVID-19 Lockdown on Stress and Addictive Behaviors in an Alcohol-Consuming Student Population in France. <i>Frontiers in Psychiatry</i> , 2021, 12, 628631.	1.3	25
16	Sugar, a powerful substitute for ethanol in ethanol postdependent rats: Relevance for clinical consideration?. <i>Addiction Biology</i> , 2021, 26, e13023.	1.4	4
17	Psilocybin targets a common molecular mechanism for cognitive impairment and increased craving in alcoholism. <i>Science Advances</i> , 2021, 7, eabh2399.	4.7	39
18	Memory and plasticity impairment after binge drinking in adolescent rat hippocampus: <sc>GluN2A</sc>/<sc>GluN2B NMDA</sc> receptor subunits imbalance through <sc>HDAC2</sc>. <i>Addiction Biology</i> , 2020, 25, e12760.	1.4	20

#	ARTICLE	IF	CITATIONS
19	Disentangling the Relationship Between Self-Esteem and Problematic Alcohol Use Among College Students: Evidence From a Cluster Analytic Approach. <i>Alcohol and Alcoholism</i> , 2020, 55, 196-203.	0.9	2
20	Vulnerability to ethanol sensitization predicts higher intake and motivation to self-administer ethanol: Proof of the incentive salience sensitization theory?. <i>Addiction Biology</i> , 2020, 25, e12833.	1.4	6
21	Is self-compassion linked to treatment adherence in schizophrenia?. <i>Schizophrenia Research</i> , 2020, 222, 493-495.	1.1	3
22	What We Talk About When We Talk About Binge Drinking: Towards an Integrated Conceptualization and Evaluation. <i>Alcohol and Alcoholism</i> , 2020, 55, 468-479.	0.9	30
23	Differential brain responses for perception of pain during empathic response in binge drinkers compared to non-binge drinkers. <i>NeuroImage: Clinical</i> , 2020, 27, 102322.	1.4	9
24	Component process analysis of verbal memory in a sample of students with a binge drinking pattern. <i>Addictive Behaviors Reports</i> , 2020, 12, 100323.	1.0	5
25	COVID-19 pandemic lockdown and problematic eating behaviors in a student population. <i>Journal of Behavioral Addictions</i> , 2020, 9, 826-835.	1.9	117
26	Face validity of a pre-clinical model of operant binge drinking: just a question of speed. <i>Addiction Biology</i> , 2019, 24, 664-675.	1.4	22
27	Disrupted Fear and Sadness Recognition in Binge Drinking: A Combined Group and Individual Analysis. <i>Alcoholism: Clinical and Experimental Research</i> , 2019, 43, 1978-1985.	1.4	13
28	Methadone and buprenorphine treatments in patients with schizophrenia. <i>Schizophrenia Research</i> , 2019, 209, 286-288.	1.1	3
29	Therapeutic Prospects of Cannabidiol for Alcohol Use Disorder and Alcohol-Related Damages on the Liver and the Brain. <i>Frontiers in Pharmacology</i> , 2019, 10, 627.	1.6	35
30	Animal Models of Binge Drinking: Behavior and Clinical Relevance. , 2019, , 57-66.		1
31	Impulsivity and Binge Drinking: A Neurocognitive Perspective. , 2019, , 335-343.		4
32	Substance-Use Disorders in Later Life. <i>New England Journal of Medicine</i> , 2019, 380, 1189-1190.	13.9	3
33	Evaluation of N-acetylcysteine on ethanol self-administration in ethanol-dependent rats. <i>Neuropharmacology</i> , 2019, 150, 112-120.	2.0	28
34	The Behavioral Economics of Alcohol Demand in French and American University Students. <i>Alcoholism: Clinical and Experimental Research</i> , 2019, 43, 531-544.	1.4	11
35	How could histone deacetylase activators be useful leads in the search for new therapeutics?. <i>Future Medicinal Chemistry</i> , 2019, 11, 1241-1243.	1.1	0
36	GluN2B Subunit of the NMDA Receptor: The Keystone of the Effects of Alcohol During Neurodevelopment. <i>Neurochemical Research</i> , 2019, 44, 78-88.	1.6	13

#	ARTICLE	IF	CITATIONS
37	Animal models of binge drinking, current challenges to improve face validity. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 106, 112-121.	2.9	35
38	Pharmacological activation of mGlu4 and mGlu7 receptors, by LSP2-9166, reduces ethanol consumption and relapse in rat. <i>Neuropharmacology</i> , 2018, 133, 163-170.	2.0	14
39	Interest of new alkylsulfonylhydrazide-type compound in the treatment of alcohol use disorders. <i>Psychopharmacology</i> , 2018, 235, 1835-1844.	1.5	0
40	Influence of comorbid alcohol use disorders on the clinical patterns of major depressive disorder: A general population-based study. <i>Drug and Alcohol Dependence</i> , 2018, 187, 40-47.	1.6	84
41	Effect of <i>N</i> -acetylcysteine on motivation, seeking and relapse to ethanol self-administration. <i>Addiction Biology</i> , 2018, 23, 643-652.	1.4	52
42	Class I HDAC Inhibitors: Potential New Epigenetic Therapeutics for Alcohol Use Disorder (AUD). <i>Journal of Medicinal Chemistry</i> , 2018, 61, 1745-1766.	2.9	21
43	Signaling lymphocytic activation molecules Slam and cancers: friends or foes?. <i>Oncotarget</i> , 2018, 9, 16248-16262.	0.8	14
44	Evaluation of alcohol use disorders pharmacotherapies in a new preclinical model of binge drinking. <i>Neuropharmacology</i> , 2018, 140, 14-24.	2.0	11
45	Ethanol (EtOH)-Related Behaviors in Δ 6-Synuclein Mutant Mice and Association of <i>SNCA</i> SNPs with Anxiety in EtOH-Dependent Patients. <i>Alcoholism: Clinical and Experimental Research</i> , 2018, 42, 2172-2185.	1.4	3
46	Unexpected effect of cyclodepsipeptides bearing a sulfonylhydrazide moiety towards histone deacetylase activity. <i>Bioorganic Chemistry</i> , 2018, 81, 222-233.	2.0	3
47	Chapitre 11. Les conduites d'alcoolisation chez l'adolescent et chez les jeunes adultes. , 2018, , 303-324.		0
48	Altered white matter integrity in whole brain and segments of corpus callosum, in young social drinkers with binge drinking pattern. <i>Addiction Biology</i> , 2017, 22, 490-501.	1.4	39
49	Resistance to ethanol sensitization is associated with a loss of synaptic plasticity in the hippocampus. <i>Synapse</i> , 2017, 71, e21899.	0.6	12
50	Binge Drinking: Current Diagnostic and Therapeutic Issues. <i>CNS Drugs</i> , 2017, 31, 181-186.	2.7	43
51	Comparison between the WHO and NIAAA criteria for binge drinking on drinking features and alcohol-related aftermaths: Results from a cross-sectional study among eight emergency wards in France. <i>Drug and Alcohol Dependence</i> , 2017, 175, 92-98.	1.6	19
52	Cloninger's Temperament and Character Dimensions of Personality and Binge Drinking Among College Students. <i>Alcoholism: Clinical and Experimental Research</i> , 2017, 41, 1970-1979.	1.4	26
53	Increase of KCC2 in hippocampal synaptic plasticity disturbances after perinatal ethanol exposure. <i>Addiction Biology</i> , 2017, 22, 1870-1882.	1.4	11
54	Binge Eating, But Not Other Disordered Eating Symptoms, Is a Significant Contributor of Binge Drinking Severity: Findings from a Cross-Sectional Study among French Students. <i>Frontiers in Psychology</i> , 2017, 8, 1878.	1.1	14

#	ARTICLE	IF	CITATIONS
55	The Role of General Practitioners in the 2015 French Guidelines on Alcohol Misuse. Alcohol and Alcoholism, 2017, 52, 747-748.	0.9	2
56	Two Binges of Ethanol a Day Keep the Memory Away in Adolescent Rats: Key Role for GLUN2B Subunit. International Journal of Neuropsychopharmacology, 2016, 19, pyv087.	1.0	35
57	Hepatocyte SLAMF3 reduced specifically the multidrug resistance protein MRP-1 and increases HCC cells sensitization to anti-cancer drugs. Oncotarget, 2016, 7, 32493-32503.	0.8	13
58	Use of Alcohol during Pregnancy in France: Another French Paradox?. Journal of Pregnancy and Child Health, 2016, 03, .	0.2	2
59	Quand l'ado boit, son cerveau trinque. , 2016, N° 77, 70-74.		0
60	The Class I-Specific HDAC Inhibitor MS-275 Decreases Motivation to Consume Alcohol and Relapse in Heavy Drinking Rats. International Journal of Neuropsychopharmacology, 2015, 18, pyv029.	1.0	34
61	Comparison of the deleterious effects of binge drinking-like alcohol exposure in adolescent and adult mice. Journal of Neurochemistry, 2015, 132, 629-641.	2.1	40
62	Aberrant NMDA-dependent LTD after perinatal ethanol exposure in young adult rat hippocampus. Hippocampus, 2015, 25, 912-923.	0.9	23
63	Positive and negative metacognitions about alcohol use among university students: Psychometric properties of the PAMS and NAMS French versions. Drug and Alcohol Dependence, 2015, 153, 78-85.	1.6	15
64	Effets de l'alcoolisation pendant la grossesse. Cahiers De Nutrition Et De Dietetique, 2015, 50, 103-108.	0.2	2
65	Light alcohol intake during adolescence induces alcohol addiction in a neurodevelopmental model of schizophrenia. Addiction Biology, 2015, 20, 490-499.	1.4	31
66	Basal Anxiety Negatively Correlates with Vulnerability to Ethanol-Induced Behavioral Sensitization in DBA/2J Mice: Modulation by Diazepam. Alcoholism: Clinical and Experimental Research, 2015, 39, 45-54.	1.4	11
67	Memantine reduces alcohol drinking but not relapse in alcohol-dependent rats. Addiction Biology, 2015, 20, 890-901.	1.4	25
68	The histone deacetylase inhibitor sodium butyrate decreases excessive ethanol intake in dependent animals. Addiction Biology, 2015, 20, 676-689.	1.4	63
69	Sensitization to the Stimulant Motor Effects of Ethanol Is Not Dependent On Tolerance to Ataxic or Sedative Properties of Ethanol in Female Mice. Journal of Alcoholism and Drug Dependence, 2015, 03, .	0.2	4
70	Deciphering the relationship between vulnerability to ethanol-induced behavioral sensitization and ethanol consumption in outbred mice. Addiction Biology, 2014, 19, 210-224.	1.4	16
71	Brain-derived neurotrophic factor mediates the suppression of alcohol self-administration by memantine. Addiction Biology, 2014, 19, 758-769.	1.4	27
72	Endogenous nitric oxide but not exogenous no-donor S-nitroprussiate facilitates NMDA excitation in spontaneous rhythmic neonatal rat brainstem slice. Brain Research, 2014, 1543, 9-16.	1.1	3

#	ARTICLE	IF	CITATIONS
73	Chapitre 3. Neurobiologie de l'addiction. , 2014, , 25-54.		1
74	The adenosine A2A receptor agonist CGS 21680 decreases ethanol self-administration in both non-dependent and dependent animals. <i>Addiction Biology</i> , 2013, 18, 812-825.	1.4	21
75	Chronic ethanol exposure during development: Disturbances of breathing and adaptation. <i>Respiratory Physiology and Neurobiology</i> , 2013, 189, 250-260.	0.7	21
76	Alcohol intoxications during adolescence increase motivation for alcohol in adult rats and induce neuroadaptations in the nucleus accumbens. <i>Neuropharmacology</i> , 2013, 67, 521-531.	2.0	152
77	Chronic and Intermittent Exposure to Alcohol Vapors: A New Model of Alcohol-Induced Osteopenia in the Rat. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, E216-20.	1.4	6
78	Blockade of Ethanol-Induced Behavioral Sensitization by Sodium Butyrate: Descriptive Analysis of Gene Regulations in the Striatum. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, 1143-1153.	1.4	47
79	F.19 - MOTIVATION FOR ALCOHOL IN A PRECLINICAL MODEL OF ALCOHOL ADDICTION. <i>Behavioural Pharmacology</i> , 2013, 24, e54-e55.	0.8	0
80	Alcohol and Rats. , 2013, , 21-29.		2
81	Expression of Ethanol-Induced Behavioral Sensitization Is Associated with Alteration of Chromatin Remodeling in Mice. <i>PLoS ONE</i> , 2012, 7, e47527.	1.1	61
82	Potential role of cortical 5-HT2A receptors in the anxiolytic action of cyamemazine in benzodiazepine withdrawal. <i>Psychiatry Research</i> , 2012, 198, 307-312.	1.7	13
83	Beetrack: A software for 2D open field locomotion analysis in honey bees. <i>Journal of Neuroscience Methods</i> , 2012, 207, 211-217.	1.3	3
84	Neuroprotective Effects of PACAP Against Ethanol-Induced Toxicity in the Developing Rat Cerebellum. <i>Neurotoxicity Research</i> , 2011, 19, 423-434.	1.3	31
85	Fluoxetine, Desipramine, and the Dual Antidepressant Milnacipran Reduce Alcohol Self-Administration and/or Relapse in Dependent Rats. <i>Neuropsychopharmacology</i> , 2011, 36, 1518-1530.	2.8	53
86	Lack of association between tumour necrosis factor receptor types 1 and 2 gene polymorphism and severe acute alcoholic hepatitis. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 794-800.	0.8	4
87	The Genetics of Alcoholic Liver Disease: Better Patient Group Definition Is Required. <i>American Journal of Gastroenterology</i> , 2009, 104, 1848-1849.	0.2	1
88	Perinatal Alcohol Exposure in Rat Induces Long-Term Depression of Respiration after Episodic Hypoxia. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2009, 179, 608-614.	2.5	35
89	CLINICAL STUDY: Predicting the effect of naltrexone and acamprosate in alcohol-dependent patients using genetic indicators. <i>Addiction Biology</i> , 2009, 14, 328-337.	1.4	81
90	Ethanol-Sensitive Brain Regions in Rat and Mouse: A Cartographic Review, Using Immediate Early Gene Expression. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 945-969.	1.4	108

#	ARTICLE	IF	CITATIONS
91	Effects of prenatal and postnatal maternal ethanol on offspring response to alcohol and psychostimulants in long evans rats. <i>Neuroscience</i> , 2009, 161, 427-440.	1.1	47
92	Involvement of A _{2A} receptors in anxiolytic, locomotor and motivational properties of ethanol in mice. <i>Genes, Brain and Behavior</i> , 2008, 7, 887-898.	1.1	39
93	Blunted response to low oxygen of rat respiratory network after perinatal ethanol exposure: involvement of inhibitory control. <i>Journal of Physiology</i> , 2008, 586, 1413-1427.	1.3	27
94	A Haplotype of the <i>DRD1</i> Gene Is Associated With Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2008, 32, 567-572.	1.4	74
95	The γ 308 TNF \pm Gene Polymorphism in Severe Acute Alcoholic Hepatitis: Identification of a New Susceptibility Marker. <i>Alcoholism: Clinical and Experimental Research</i> , 2008, 32, 822-828.	1.4	14
96	Long-term alterations in vulnerability to addiction to drugs of abuse and in brain gene expression after early life ethanol exposure. <i>Neuropharmacology</i> , 2008, 55, 1199-1211.	2.0	52
97	The lack of CB1 receptors prevents neuroadaptations of both NMDA and GABA _A receptors after chronic ethanol exposure. <i>Journal of Neurochemistry</i> , 2007, 102, 741-752.	2.1	21
98	Early chronic ethanol exposure in rats disturbs respiratory network activity and increases sensitivity to ethanol. <i>Journal of Physiology</i> , 2006, 576, 297-307.	1.3	35
99	Patient-treatment matching with anti-craving medications in alcohol-dependent patients: A review on phenotypic, endophenotypic and genetic indicators. <i>Journal of Substance Use</i> , 2005, 10, 75-96.	0.3	11
100	CB1 Receptor Knockout Mice Display Reduced Ethanol-Induced Conditioned Place Preference and Increased Striatal Dopamine D2 Receptors. <i>Neuropsychopharmacology</i> , 2005, 30, 339-349.	2.8	172
101	Decreased alcohol self-administration and increased alcohol sensitivity and withdrawal in CB1 receptor knockout mice. <i>Neuropharmacology</i> , 2004, 46, 243-253.	2.0	150
102	Biphasic effect of acamprosate on NMDA but not on GABA _A receptors in spontaneous rhythmic activity from the isolated neonatal rat respiratory network. <i>Neuropharmacology</i> , 2004, 47, 35-45.	2.0	40
103	Chronic ethanol exposure differentially regulates NOS1 mRNA levels depending on rat brain area. <i>Neuroscience Letters</i> , 2003, 338, 221-224.	1.0	12
104	Chronic ethanol consumption induces tolerance to the spatial memory impairing effects of acute ethanol administration in rats. <i>Behavioural Brain Research</i> , 2002, 136, 239-246.	1.2	23
105	Low Ethanol Sensitivity and Increased Ethanol Consumption in Mice Lacking Adenosine A _{2A} Receptors. <i>Journal of Neuroscience</i> , 2002, 22, 10487-10493.	1.7	115
106	Effect of prenatal and postnatal ethanol exposure on the developmental profile of mRNAs encoding NMDA receptor subunits in rat hippocampus. <i>Journal of Neurochemistry</i> , 2002, 80, 850-860.	2.1	53
107	Chronic ethanol exposure increases gene transcription of subunits of an N-methyl-d-aspartate receptor-like complex in cortical neurons in culture. <i>Neuroscience Letters</i> , 2001, 315, 5-8.	1.0	14
108	Intracerebroventricular injection of antisense oligos to nNOS decreases rat ethanol intake. <i>Pharmacology Biochemistry and Behavior</i> , 2000, 67, 629-636.	1.3	23

#	ARTICLE	IF	CITATIONS
109	High Extracellular Calcium Concentrations Directly Stimulate Osteoclast Apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 2000, 268, 899-903.	1.0	131
110	Mechanism of Action of Acamprosate. Part I. Characterization of Spermidine-Sensitive Acamprosate Binding Site in Rat Brain. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 802-809.	1.4	152
111	Cyamemazine decreases ethanol intake in rats and convulsions during ethanol withdrawal syndrome in mice. <i>Psychopharmacology</i> , 1998, 140, 421-428.	1.5	24
112	Experimental findings in the study of the reduction of alcohol intake. <i>European Neuropsychopharmacology</i> , 1997, 7, S337-S340.	0.3	9
113	REGULATION OF RAT NEURONAL NITRIC OXIDE SYNTHASE ACTIVITY BY CHRONIC ALCOHOLIZATION. <i>Alcohol and Alcoholism</i> , 1997, 32, 13-17.	0.9	28
114	Ethanol potentiates lipopolysaccharide- or interleukin-1 β -induced nitric oxide generation in RBE4 cells. <i>European Journal of Pharmacology</i> , 1996, 313, 273-277.	1.7	29