

Stphane N Hatem

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7080363/stephane-n-hatem-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

4,505
citations

41
h-index

66
g-index

96
ext. papers

5,557
ext. citations

7.5
avg, IF

4.98
L-index

#	Paper	IF	Citations
81	Characterizing cardiac phenotype in Friedreich's ataxia: The CARFA study.. <i>Archives of Cardiovascular Diseases</i> , 2021 , 115, 17-17	2.7	0
80	Dynamic risk assessment to improve quality of care in patients with atrial fibrillation: the 7th AFNET/EHRA Consensus Conference. <i>Europace</i> , 2021 , 23, 329-344	3.9	14
79	Epicardial origin of cardiac arrhythmias: clinical evidences and pathophysiology. <i>Cardiovascular Research</i> , 2021 ,	9.9	3
78	Dysregulated Phenylalanine Catabolism Plays a Key Role in the Trajectory of Cardiac Aging. <i>Circulation</i> , 2021 , 144, 559-574	16.7	3
77	Altered cardiac reserve is a determinant of exercise intolerance in sickle cell anaemia patients. <i>European Journal of Clinical Investigation</i> , 2021 , e13664	4.6	0
76	Piezo1 and BK channels in human atrial fibroblasts: Interplay and remodelling in atrial fibrillation. <i>Journal of Molecular and Cellular Cardiology</i> , 2021 , 158, 49-62	5.8	6
75	Remodeling of Ion Channel Trafficking and Cardiac Arrhythmias. <i>Cells</i> , 2021 , 10,	7.9	3
74	Impacts of a high fat diet on the metabolic profile and the phenotype of atrial myocardium in mice.. <i>Cardiovascular Research</i> , 2021 ,	9.9	1
73	Reactivation of the Epicardium at the Origin of Myocardial Fibro-Fatty Infiltration During the Atrial Cardiomyopathy. <i>Circulation Research</i> , 2020 , 126, 1330-1342	15.7	17
72	Erythrocyte-derived microvesicles induce arterial spasms in JAK2V617F myeloproliferative neoplasm. <i>Journal of Clinical Investigation</i> , 2020 , 130, 2630-2643	15.9	15
71	Microtubule polymerization state and clathrin-dependent internalization regulate dynamics of cardiac potassium channel: Microtubule and clathrin control of K1.5 channel. <i>Journal of Molecular and Cellular Cardiology</i> , 2020 , 144, 127-139	5.8	6
70	Distinct calcium/calmodulin-dependent serine protein kinase domains control cardiac sodium channel membrane expression and focal adhesion anchoring. <i>Heart Rhythm</i> , 2020 , 17, 786-794	6.7	1
69	No effect of triheptanoin on exercise performance in McArdle disease. <i>Annals of Clinical and Translational Neurology</i> , 2019 , 6, 1949-1960	5.3	8
68	Integrating new approaches to atrial fibrillation management: the 6th AFNET/EHRA Consensus Conference. <i>Europace</i> , 2018 , 20, 395-407	3.9	66
67	Cardiac MR Strain: A Noninvasive Biomarker of Fibrofatty Remodeling of the Left Atrial Myocardium. <i>Radiology</i> , 2018 , 286, 83-92	20.5	19
66	Atrial fibrillation is associated with the fibrotic remodelling of adipose tissue in the subepicardium of human and sheep atria. <i>European Heart Journal</i> , 2017 , 38, 53-61	9.5	126
65	EHRA/HRS/APHS/SOLAECE expert consensus on atrial cardiomyopathies: Definition, characterization, and clinical implication. <i>Heart Rhythm</i> , 2017 , 14, e3-e40	6.7	138

64	Atrial natriuretic peptide regulates adipose tissue accumulation in adult atria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E771-E780	11.5	48
63	Effect of intracoronary administration of AAV1/SERCA2a on ventricular remodelling in patients with advanced systolic heart failure: results from the AGENT-HF randomized phase 2 trial. <i>European Journal of Heart Failure</i> , 2017 , 19, 1534-1541	12.3	50
62	Direct Thrombin Inhibitors Prevent Left Atrial Remodeling Associated With Heart Failure in Rats. <i>JACC Basic To Translational Science</i> , 2016 , 1, 328-339	8.7	22
61	Lateral Membrane-Specific MAGUK CASK Down-Regulates NaV1.5 Channel in Cardiac Myocytes. <i>Circulation Research</i> , 2016 , 119, 544-56	15.7	26
60	Expert consensus document: Defining the major health modifiers causing atrial fibrillation: a roadmap to underpin personalized prevention and treatment. <i>Nature Reviews Cardiology</i> , 2016 , 13, 230-248	14.8	97
59	Cardiac adipose tissue and atrial fibrillation: the perils of adiposity. <i>Cardiovascular Research</i> , 2016 , 109, 502-9	9.9	70
58	Left atrial aging: a cardiac magnetic resonance feature-tracking study. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016 , 310, H542-9	5.2	32
57	Novel mechanisms in the pathogenesis of atrial fibrillation: practical applications. <i>European Heart Journal</i> , 2016 , 37, 1573-81	9.5	71
56	A roadmap to improve the quality of atrial fibrillation management: proceedings from the fifth Atrial Fibrillation Network/European Heart Rhythm Association consensus conference. <i>Europace</i> , 2016 , 18, 37-50	3.9	90
55	EHRA/HRS/APHRS/SOLAECE expert consensus on atrial cardiomyopathies: definition, characterization, and clinical implication. <i>Europace</i> , 2016 , 18, 1455-1490	3.9	268
54	EHRA/HRS/APHRS/SOLAECE expert consensus on Atrial cardiomyopathies: Definition, characterisation, and clinical implication. <i>Journal of Arrhythmia</i> , 2016 , 32, 247-78	1.5	59
53	Assessment of left atrial function by MRI myocardial feature tracking. <i>Journal of Magnetic Resonance Imaging</i> , 2015 , 42, 379-89	5.6	41
52	Human epicardial adipose tissue has a specific transcriptomic signature depending on its anatomical peri-atrial, peri-ventricular, or peri-coronary location. <i>Cardiovascular Research</i> , 2015 , 108, 62-73	9.9	112
51	The European Network for Translational Research in Atrial Fibrillation (EUTRAF): objectives and initial results. <i>Europace</i> , 2015 , 17, 1457-66	3.9	4
50	Abnormal sodium current properties contribute to cardiac electrical and contractile dysfunction in a mouse model of myotonic dystrophy type 1. <i>Neuromuscular Disorders</i> , 2015 , 25, 308-20	2.9	20
49	Human epicardial adipose tissue induces fibrosis of the atrial myocardium through the secretion of adipo-fibrokinases. <i>European Heart Journal</i> , 2015 , 36, 795-805a	9.5	299
48	Cardiac-specific ablation of synapse-associated protein SAP97 in mice decreases potassium currents but not sodium current. <i>Heart Rhythm</i> , 2015 , 12, 181-92	6.7	30
47	Maximal exercise limitation in functionally overreached triathletes: role of cardiac adrenergic stimulation. <i>Journal of Applied Physiology</i> , 2014 , 117, 214-22	3.7	35

46	F 16915 prevents heart failure-induced atrial fibrillation: a promising new drug as upstream therapy. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2014 , 387, 667-77	3.4	7
45	A truncating SCN5A mutation combined with genetic variability causes sick sinus syndrome and early atrial fibrillation. <i>Heart Rhythm</i> , 2014 , 11, 1015-1023	6.7	30
44	Macromolecular Complexes and Cardiac Potassium Channels 2014 , 197-204		
43	Epicardial adipose tissue and atrial fibrillation. <i>Cardiovascular Research</i> , 2014 , 102, 205-13	9.9	131
42	Brugada syndrome and abnormal splicing of SCN5A in myotonic dystrophy type 1. <i>Archives of Cardiovascular Diseases</i> , 2013 , 106, 635-43	2.7	43
41	Overexpression of cAMP-response element modulator causes abnormal growth and development of the atrial myocardium resulting in a substrate for sustained atrial fibrillation in mice. <i>International Journal of Cardiology</i> , 2013 , 166, 366-74	3.2	38
40	Voluntary physical activity protects from susceptibility to skeletal muscle contraction-induced injury but worsens heart function in mdx mice. <i>American Journal of Pathology</i> , 2013 , 182, 1509-18	5.8	34
39	Shear stress triggers insertion of voltage-gated potassium channels from intracellular compartments in atrial myocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, E3955-64	11.5	56
38	A new method of ultrasonic nonviral gene delivery to the adult myocardium. <i>Journal of Molecular and Cellular Cardiology</i> , 2012 , 53, 801-8	5.8	12
37	Regulation of cAMP homeostasis by the efflux protein MRP4 in cardiac myocytes. <i>FASEB Journal</i> , 2012 , 26, 1009-17	0.9	54
36	Dynamic of ion channel expression at the plasma membrane of cardiomyocytes. <i>Physiological Reviews</i> , 2012 , 92, 1317-58	47.9	76
35	Mesenchymal stem cell delivery into rat infarcted myocardium using a porous polysaccharide-based scaffold: a quantitative comparison with endocardial injection. <i>Tissue Engineering - Part A</i> , 2012 , 18, 35-44	2.9	47
34	Dominant-negative effect of SCN5A N-terminal mutations through the interaction of Na(v)1.5 β subunits. <i>Cardiovascular Research</i> , 2012 , 96, 53-63	9.9	67
33	Long-term outcomes of pandemic 2009 influenza A(H1N1)-associated severe ARDS. <i>Chest</i> , 2012 , 142, 583-592	5.3	140
32	SERCA2a controls the mode of agonist-induced intracellular Ca ²⁺ signal, transcription factor NFAT and proliferation in human vascular smooth muscle cells. <i>Journal of Molecular and Cellular Cardiology</i> , 2011 , 50, 621-33	5.8	50
31	SAP97 and dystrophin macromolecular complexes determine two pools of cardiac sodium channels Nav1.5 in cardiomyocytes. <i>Circulation Research</i> , 2011 , 108, 294-304	15.7	178
30	MOG1: a new susceptibility gene for Brugada syndrome. <i>Circulation: Cardiovascular Genetics</i> , 2011 , 4, 261-8		124
29	Normal targeting of a tagged Kv1.5 channel acutely transfected into fresh adult cardiac myocytes by a biolistic method. <i>American Journal of Physiology - Cell Physiology</i> , 2010 , 298, C1343-52	5.4	7

28	Specificities of atrial electrophysiology: Clues to a better understanding of cardiac function and the mechanisms of arrhythmias. <i>Journal of Molecular and Cellular Cardiology</i> , 2010 , 48, 90-5	5.8	29
27	Cholesterol modulates the recruitment of Kv1.5 channels from Rab11-associated recycling endosome in native atrial myocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 14681-6	11.5	62
26	Kv4 potassium channels form a tripartite complex with the anchoring protein SAP97 and CaMKII in cardiac myocytes. <i>Circulation Research</i> , 2009 , 104, 758-69	15.7	73
25	Peroxisome proliferator-activated receptor beta stimulation induces rapid cardiac growth and angiogenesis via direct activation of calcineurin. <i>Cardiovascular Research</i> , 2009 , 83, 61-71	9.9	54
24	Downregulation of the calcium current in human right atrial myocytes from patients in sinus rhythm but with a high risk of atrial fibrillation. <i>European Heart Journal</i> , 2008 , 29, 1190-7	9.5	49
23	Protease-activated receptor-1 mediates thrombin-induced persistent sodium current in human cardiomyocytes. <i>Molecular Pharmacology</i> , 2008 , 73, 1622-31	4.3	19
22	The anchoring protein SAP97 retains Kv1.5 channels in the plasma membrane of cardiac myocytes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 294, H1851-61	5.2	40
21	Multidrug resistance-associated protein 4 regulates cAMP-dependent signaling pathways and controls human and rat SMC proliferation. <i>Journal of Clinical Investigation</i> , 2008 , 118, 2747-57	15.9	91
20	Membrane cholesterol modulates Kv1.5 potassium channel distribution and function in rat cardiomyocytes. <i>Journal of Physiology</i> , 2007 , 582, 1205-17	3.9	70
19	Mutation of delta-sarcoglycan is associated with Ca(2+) -dependent vascular remodeling in the Syrian hamster. <i>American Journal of Pathology</i> , 2007 , 171, 162-71	5.8	19
18	Chronic hemodynamic overload of the atria is an important factor for gap junction remodeling in human and rat hearts. <i>Cardiovascular Research</i> , 2006 , 72, 69-79	9.9	73
17	Spironolactone reduces fibrosis of dilated atria during heart failure in rats with myocardial infarction. <i>European Heart Journal</i> , 2005 , 26, 2193-9	9.5	151
16	Does the loss of transverse tubules contribute to dyssynchronous Ca ²⁺ release during heart failure?. <i>Cardiovascular Research</i> , 2004 , 62, 1-3	9.9	3
15	Moderate and chronic hemodynamic overload of sheep atria induces reversible cellular electrophysiologic abnormalities and atrial vulnerability. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 1918-26	15.1	57
14	Different isoforms of synapse-associated protein, SAP97, are expressed in the heart and have distinct effects on the voltage-gated K ⁺ channel Kv1.5. <i>Journal of Biological Chemistry</i> , 2003 , 278, 47046-52	5.4	41
13	Fibrosis of the left atria during progression of heart failure is associated with increased matrix metalloproteinases in the rat. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 336-44	15.1	157
12	Expression, regulation and role of the MAGUK protein SAP-97 in human atrial myocardium. <i>Cardiovascular Research</i> , 2002 , 56, 433-42	9.9	44
11	Dedifferentiation of atrial myocytes during atrial fibrillation: role of fibroblast proliferation in vitro. <i>Cardiovascular Research</i> , 2002 , 55, 38-52	9.9	77

10	Adult cardiac myocytes survive and remain excitable during long-term culture on synthetic supports. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2001 , 121, 510-9	1.5	14
9	Cumulative inactivation of the outward potassium current: a likely mechanism underlying electrical memory in human atrial myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2001 , 33, 755-67	5.8	14
8	How to optimize in vivo gene transfer to cardiac myocytes: mechanical or pharmacological procedures?. <i>Human Gene Therapy</i> , 2001 , 12, 1601-10	4.8	62
7	Highly efficient adenovirus-mediated gene transfer to cardiac myocytes after single-pass coronary delivery. <i>Human Gene Therapy</i> , 2000 , 11, 1015-22	4.8	48
6	Doxorubicin induces slow ceramide accumulation and late apoptosis in cultured adult rat ventricular myocytes. <i>Cardiovascular Research</i> , 1999 , 43, 398-407	9.9	69
5	Myocardial cell death in fibrillating and dilated human right atria. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 1577-86	15.1	235
4	Primary culture of human atrial myocytes is associated with the appearance of structural and functional characteristics of immature myocardium. <i>Journal of Molecular and Cellular Cardiology</i> , 1997 , 29, 1307-20	5.8	20
3	The antiarrhythmic agent bertosamil induces inactivation of the sustained outward K ⁺ current in human atrial myocytes. <i>British Journal of Pharmacology</i> , 1997 , 122, 291-301	8.6	10
2	Pro-arrhythmic effect of nicorandil in isolated rabbit atria and its suppression by tolbutamide and quinidine. <i>European Journal of Pharmacology</i> , 1992 , 229, 91-6	5.3	13
1	Cholesterol Regulation of Cardiac Ion Channels91-107		