

Michael P. Reichel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7081705/michael-p-reichel-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121
papers

2,792
citations

29
h-index

48
g-index

126
ext. papers

3,119
ext. citations

2.2
avg, IF

5.19
L-index

#	Paper	IF	Citations
121	Factors affecting enduring participation in a pig farming program in Southern Papua, Indonesia.. <i>Tropical Animal Health and Production</i> , 2022 , 54, 46	1.7	
120	Non-Bovine Species and the Risk to Effective Control of Bovine Viral Diarrhoea (BVD) in Cattle. <i>Pathogens</i> , 2021 , 10,	4.5	2
119	Recent trends in the use of social media in parasitology and the application of alternative metrics.. <i>Current Research in Parasitology and Vector-borne Diseases</i> , 2021 , 1, 100013		1
118	Pathological lesions of lambs infected in utero with bovine viral diarrhoea virus type 1c (BVDV-1c). <i>Veterinary Record</i> , 2021 , 188, e6	0.9	1
117	Are infectious reproductive pathogens of large ruminants a threat to improving food security? An investigation from Cambodia. <i>Tropical Animal Health and Production</i> , 2021 , 53, 480	1.7	0
116	Research into -What Have We Learnt in the Last Thirty Years?. <i>Pathogens</i> , 2020 , 9,	4.5	8
115	Combined control evaluation for <i>Neospora caninum</i> infection in dairy: Economic point of view coupled with population dynamics. <i>Veterinary Parasitology</i> , 2020 , 277, 108967	2.8	6
114	Infection with Bovine Viral Diarrhea Virus in Cattle in Southern Papua, Indonesia. <i>Acta Tropica</i> , 2020 , 212, 105712	3.2	0
113	30 years of parasitology research analysed by text mining. <i>Parasitology</i> , 2020 , 147, 1643-1657	2.7	3
112	A genetically unique Chinese cattle population shows evidence of common ancestry with wild species when analysed with a reduced ascertainment bias SNP panel. <i>PLoS ONE</i> , 2020 , 15, e0231162	3.7	2
111	Risk factors for <i>Neospora caninum</i> , bovine viral diarrhoea virus, and <i>Leptospira interrogans</i> serovar Hardjo infection in smallholder cattle and buffalo in Lao PDR. <i>PLoS ONE</i> , 2019 , 14, e0220335	3.7	13
110	Natural transmission of bovine viral diarrhoea virus-1c from a persistently infected neonate lamb to naïve sheep and cattle. <i>Veterinary Record</i> , 2018 , 182, 352	0.9	5
109	Investigation of infectious reproductive pathogens of large ruminants: Are neosporosis, brucellosis, leptospirosis and BVDV of relevance in Lao PDR?. <i>Acta Tropica</i> , 2018 , 177, 118-126	3.2	8
108	Seroprevalence of antibodies to Pestivirus infections in South Australian sheep flocks. <i>Australian Veterinary Journal</i> , 2018 , 96, 312-314	1.2	2
107	Perspectives on Current Challenges and Opportunities for Bovine Viral Diarrhoea Virus Eradication in Australia and New Zealand. <i>Pathogens</i> , 2018 , 7,	4.5	11
106	Prevalence of Overall and Teatwise Mastitis and Effect of Herd Size in Dairy Buffaloes. <i>Pakistan Journal of Zoology</i> , 2018 , 50,	1.7	2
105	Cat fleas (<i>Ctenocephalides felis</i>) carrying <i>Rickettsia felis</i> and <i>Bartonella</i> species in Hong Kong. <i>Parasitology International</i> , 2018 , 67, 209-212	2.1	9

104	Review of Diagnostic Procedures and Approaches to Infectious Causes of Reproductive Failures of Cattle in Australia and New Zealand. <i>Frontiers in Veterinary Science</i> , 2018 , 5, 222	3.1	17
103	Clinical responses and reproductive outcomes in pregnant ewes experimentally infected with bovine viral diarrhoea virus (type-1c) between days 59 and 69 of gestation. <i>Small Ruminant Research</i> , 2017 , 149, 121-127	1.7	7
102	Investigation of AGID and two commercial ELISAs for the detection of Bovine viral diarrhoea virus-specific antibodies in sheep serum. <i>Journal of Veterinary Diagnostic Investigation</i> , 2017 , 29, 181-185 ^{1.5}	1.5	9
101	Associations between Farmer Demographics, Management Practices and Attitudes towards Bovine Viral Diarrhoea and its Control. <i>American Journal of Animal and Veterinary Sciences</i> , 2017 , 12, 210-215	0.5	1
100	Investigations of selected pathogens among village pigs in Central Papua, Indonesia. <i>Tropical Animal Health and Production</i> , 2016 , 48, 29-36	1.7	5
99	Antibodies to bovine viral diarrhoea virus (BVDV) in water buffalo (<i>Bubalus bubalis</i>) and cattle from the Northern Territory of Australia. <i>Australian Veterinary Journal</i> , 2016 , 94, 423-426	1.2	6
98	Cross-sectional observational survey of serum biochemistry values in a population of 69 adult female alpacas (<i>Vicugna pacos</i>) in South Australia. <i>Australian Veterinary Journal</i> , 2016 , 94, 125-6	1.2	3
97	The diagnostic performance of an antibody enzyme-linked immunosorbent assay using serum and colostrum to determine the disease status of a Jersey dairy herd infected with <i>Mycobacterium avium</i> subspecies <i>paratuberculosis</i> . <i>Journal of Veterinary Diagnostic Investigation</i> , 2016 , 28, 50-3	1.5	2
96	Pretreatment of serum samples to reduce interference of colostrum-derived specific antibodies with detection of Bovine viral diarrhoea virus antigen by ELISA in young calves. <i>Journal of Veterinary Diagnostic Investigation</i> , 2016 , 28, 345-9	1.5	2
95	Pig Diseases in Papua Province, Indonesia: Aetiology, Eco-epidemiology and Control Options. <i>Springer Science Reviews</i> , 2016 , 4, 25-48		1
94	Moving past serology: Diagnostic options without serum. <i>Veterinary Journal</i> , 2016 , 215, 76-81	2.5	3
93	Traditional pig farming practices and productivity in the Jayawijaya region, Papua Province, Indonesia. <i>Tropical Animal Health and Production</i> , 2015 , 47, 495-502	1.7	3
92	Prevalence and distribution of <i>Neospora caninum</i> in water buffalo (<i>Bubalus bubalis</i>) and cattle in the Northern Territory of Australia. <i>Parasitology International</i> , 2015 , 64, 392-6	2.1	19
91	A review of <i>Neospora caninum</i> in water buffalo (<i>Bubalus bubalis</i>). <i>Veterinary Parasitology</i> , 2015 , 212, 75-9	2.8	23
90	Investigation of the comparative sensitivity of serum, colostrum and whey for the detection of specific antibodies in sheep vaccinated against Johne's disease. <i>Small Ruminant Research</i> , 2015 , 123, 193-195	1.7	4
89	Epidemiology: the Important Concepts 2015 , 184-188		
88	Important National and International Diseases of Cattle 2015 , 271-279		
87	Serological survey for antibodies against bovine viral diarrhoea virus and <i>Neospora caninum</i> in a population of South Australian alpacas (<i>Vicugna pacos</i>). <i>Australian Veterinary Journal</i> , 2015 , 93, 476-8	1.2	7

86	Survey of farmer knowledge and attitudes to endemic disease management in South Australia, with a focus on bovine viral diarrhoea (bovine pestivirus). <i>Australian Veterinary Journal</i> , 2015 , 93, 157-63 ^{1.2}	9
85	Optimizing the Measurement of Colostrum Antibody Concentrations for Identifying BVDV Persistently Infected Calves. <i>Veterinary Sciences</i> , 2015 , 2, 26-31	2.4
84	Production Animal Diseases: The Diagnostic Utility of Colostrum. <i>Springer Science Reviews</i> , 2015 , 3, 141-151	
83	Erysipelothrix rhusiopathiae and Mycoplasma hyopneumoniae: the sensitivities of enzyme-linked immunosorbent assays for detecting vaccinated sows of unknown disease status using serum and colostrum, and the correlation of the results for sow serum, colostrum, and piglet serum. <i>Journal of Veterinary Diagnostic Investigation</i> , 2015 , 27, 211-6	1.5 5
82	A live vaccine against Neospora caninum abortions in cattle. <i>Vaccine</i> , 2015 , 33, 1299-301	4.1 23
81	Reproductive performance in experimentally BVDV infected ewes and seroconversion rates in sheep co-mingled with BVDV PI calves. <i>Small Ruminant Research</i> , 2015 , 123, 314-319	1.7 12
80	Performance Characteristics of ELISA to Detect Bovine Viral Diarrhea Virus (BVDV) Antibodies Using Colostrum. <i>Open Journal of Veterinary Medicine</i> , 2015 , 05, 35-41	0.3 2
79	Neospora caninum serostatus is affected by age and species variables in cohabiting water buffaloes and beef cattle. <i>Veterinary Parasitology</i> , 2014 , 203, 259-63	2.8 23
78	Bovine viral diarrhoea virus ('pestivirus') in Australia: to control or not to control?. <i>Australian Veterinary Journal</i> , 2014 , 92, 277-82	1.2 20
77	Comparison of serum, ear notches, and nasal and saliva swabs for Bovine viral diarrhoea virus antigen detection in colostrum-fed persistently infected (PI) calves and non-PI calves. <i>Journal of Veterinary Diagnostic Investigation</i> , 2014 , 26, 783-7	1.5 13
76	Co-infection of water buffaloes in Punjab, Pakistan, with Neospora caninum and Brucella abortus. <i>Turkish Journal of Veterinary and Animal Sciences</i> , 2014 , 38, 572-576	0.6 2
75	Role for colostrum and whey in testing for bovine TB and Johne's disease?. <i>Veterinary Record</i> , 2014 , 175, 597	0.9 3
74	Milk as a diagnostic sample for a commercially available ELISA to identify bovine viral diarrhoea (BVD) antibodies in dairy herds. <i>Australian Veterinary Journal</i> , 2014 , 92, 269-73	1.2 17
73	Pooling serum to identify cohorts of nonmilking cattle likely to be infected with Bovine viral diarrhoea virus by testing for specific antibodies. <i>Journal of Veterinary Diagnostic Investigation</i> , 2014 , 26, 346-353	1.5 5
72	Control options for Neospora caninum--is there anything new or are we going backwards?. <i>Parasitology</i> , 2014 , 141, 1455-70	2.7 35
71	Bovine viral diarrhoea: pathogenesis and diagnosis. <i>Veterinary Journal</i> , 2014 , 199, 201-9	2.5 176
70	What is the global economic impact of Neospora caninum in cattle - the billion dollar question. <i>International Journal for Parasitology</i> , 2013 , 43, 133-42	4.3 293
69	Neospora caninum causes severe economic losses in cattle in the humid pampa region of Argentina. <i>Tropical Animal Health and Production</i> , 2013 , 45, 1237-41	1.7 14

68	Understanding the Impact and Control of Bovine Viral Diarrhoea in Cattle Populations. <i>Springer Science Reviews</i> , 2013 , 1, 85-93		6
67	Validation and evaluation of a commercially available ELISA for the detection of antibodies specific to bovine viral diarrhoea virus (bovine pestivirus). <i>Australian Veterinary Journal</i> , 2013 , 91, 52-6	1.2	21
66	On the efficacy and safety of vaccination with live tachyzoites of <i>Neospora caninum</i> for prevention of neospora-associated fetal loss in cattle. <i>Vaccine Journal</i> , 2013 , 20, 99-105		39
65	Treating <i>Cryptosporidium parvum</i> infection in calves. <i>Journal of Parasitology</i> , 2013 , 99, 715-7	0.9	10
64	Sero-prevalence of <i>Neospora caninum</i> and <i>Besnoitia besnoiti</i> in South Australian beef and dairy cattle. <i>Veterinary Parasitology</i> , 2012 , 186, 480-5	2.8	31
63	Prevalence of <i>Neospora caninum</i> antibodies in sheep and goats in Pakistan. <i>Journal of Parasitology</i> , 2012 , 98, 213-5	0.9	20
62	Wildbrücke Völkermarkt Vorgespanntes Bogentragwerk aus UHFB-Segmentfertigteilen. <i>Beton- Und Stahlbetonbau</i> , 2011 , 106, 760-769	1	6
61	Wildbrücke Völkermarkt Vorgespanntes Bogentragwerk aus UHFB-Segmentfertigteilen. <i>Beton- Und Stahlbetonbau</i> , 2011 , 106, 827-835	1	4
60	On the Biological and Genetic Diversity in <i>Neospora caninum</i> . <i>Diversity</i> , 2010 , 2, 411-438	2.5	19
59	A second generation multiplex PCR for typing strains of <i>Neospora caninum</i> using six DNA targets. <i>Molecular and Cellular Probes</i> , 2010 , 24, 20-6	3.3	19
58	Use of molecular and milk production information for the cost-effective diagnosis of bovine viral diarrhoea infection in New Zealand dairy cattle. <i>Veterinary Microbiology</i> , 2010 , 142, 87-9	3.3	12
57	The first report of ovine cerebral neosporosis and evaluation of <i>Neospora caninum</i> prevalence in sheep in New South Wales. <i>Veterinary Parasitology</i> , 2010 , 170, 137-42	2.8	40
56	<i>Neospora caninum</i> --how close are we to development of an efficacious vaccine that prevents abortion in cattle?. <i>International Journal for Parasitology</i> , 2009 , 39, 1173-87	4.3	77
55	Stoffliche und konstruktionsbezogene Besonderheiten beim Einsatz von UHFB im Brückenbau am Beispiel von drei Pilotprojekten. <i>Beton- Und Stahlbetonbau</i> , 2009 , 104, 589-598	1	2
54	Großversuch WILD-Brücke Versuchsgestützte Bemessung einer UHPC-Bogenbrücke. <i>Beton- Und Stahlbetonbau</i> , 2009 , 104, 134-144	1	5
53	Isolation of <i>Toxoplasma gondii</i> from the brain of a dog in Australia and its biological and molecular characterization. <i>Veterinary Parasitology</i> , 2009 , 164, 335-9	2.8	19
52	Genetic diversity amongst isolates of <i>Neospora caninum</i> , and the development of a multiplex assay for the detection of distinct strains. <i>Molecular and Cellular Probes</i> , 2009 , 23, 132-9	3.3	34
51	Treatment of postdiscectomy low back pain by percutaneous posterior lumbar interbody fusion versus open posterior lumbar fusion with pedicle screws. <i>Spine Journal</i> , 2008 , 8, 741-6	4	8

50	The development and evaluation of a nested PCR assay for detection of <i>Neospora caninum</i> and <i>Hammondia heydorni</i> in feral mouse tissues. <i>Molecular and Cellular Probes</i> , 2008 , 22, 228-33	3.3	27
49	Evaluation of recombinant proteins of <i>Neospora caninum</i> as vaccine candidates (in a mouse model). <i>Vaccine</i> , 2008 , 26, 5989-96	4.1	36
48	Does control of bovine viral diarrhoea infection make economic sense?. <i>New Zealand Veterinary Journal</i> , 2008 , 56, 60-6	1.7	22
47	Evaluation of an enzyme-linked immunosorbent assay for the serological diagnosis of <i>Neospora caninum</i> infection in sheep and determination of the apparent prevalence of infection in New Zealand. <i>Veterinary Parasitology</i> , 2008 , 151, 323-6	2.8	22
46	Re-evaluating the economics of neosporosis control. <i>Veterinary Parasitology</i> , 2008 , 156, 361-2	2.8	17
45	Immunization of cattle with live tachyzoites of <i>Neospora caninum</i> confers protection against fetal death. <i>Infection and Immunity</i> , 2007 , 75, 1343-8	3.7	100
44	Neosporosis and hammondiosis in dogs. <i>Journal of Small Animal Practice</i> , 2007 , 48, 308-12	1.6	58
43	Evaluation of two commercial enzyme-linked immunosorbent assays for detection of bovine viral diarrhoea virus in serum and skin biopsies of cattle. <i>New Zealand Veterinary Journal</i> , 2007 , 55, 45-8	1.7	13
42	Performance characteristics and optimisation of cut-off values of two enzyme-linked immunosorbent assays for the detection of antibodies to <i>Neospora caninum</i> in the serum of cattle. <i>Veterinary Parasitology</i> , 2006 , 140, 61-8	2.8	4
41	Prevalence of <i>Neospora caninum</i> infection in Australian (NSW) dairy cattle estimated by a newly validated ELISA for milk. <i>Veterinary Parasitology</i> , 2006 , 142, 173-8	2.8	23
40	If control of <i>Neospora caninum</i> infection is technically feasible does it make economic sense?. <i>Veterinary Parasitology</i> , 2006 , 142, 23-34	2.8	62
39	<i>Neospora</i> abortions in dairy cattle: diagnosis, mode of transmission and control. <i>Veterinary Parasitology</i> , 2005 , 128, 231-41	2.8	93
38	Performance characteristics of an enzyme-linked immunosorbent assay performed in milk for the detection of liver fluke (<i>Fasciola hepatica</i>) infection in cattle. <i>Veterinary Parasitology</i> , 2005 , 129, 61-6	2.8	21
37	Reduction in transplacental transmission of <i>Neospora caninum</i> in outbred mice by vaccination. <i>International Journal for Parasitology</i> , 2005 , 35, 821-8	4.3	42
36	Protection of pigs from swine dysentery by vaccination with recombinant BmpB, a 29.7 kDa outer-membrane lipoprotein of <i>Brachyspira hyodysenteriae</i> . <i>Veterinary Microbiology</i> , 2004 , 102, 97-109	3.3	37
35	Expression of interleukin 4, interleukin 4 splice variants and interferon gamma mRNA in calves experimentally infected with <i>Fasciola hepatica</i> . <i>Veterinary Immunology and Immunopathology</i> , 2004 , 97, 53-63	2	38
34	Genomics and its impact on parasitology and the potential for development of new parasite control methods. <i>DNA and Cell Biology</i> , 2003 , 22, 395-403	3.6	15
33	A longitudinal study of <i>Neospora caninum</i> infection on a dairy farm in New Zealand. <i>Preventive Veterinary Medicine</i> , 2002 , 54, 11-24	3.1	36

32	An analysis of the performance characteristics of serological tests for the diagnosis of <i>Neospora caninum</i> infection in cattle. <i>Veterinary Parasitology</i> , 2002 , 107, 197-207	2.8	22
31	Performance characteristics of an enzyme-linked immunosorbent assay for the detection of liver fluke (<i>Fasciola hepatica</i>) infection in sheep and cattle. <i>Veterinary Parasitology</i> , 2002 , 107, 65-72	2.8	38
30	Evaluation of three enzyme-linked immunosorbent assays (ELISAs) for the detection of serum antibodies in sheep infected with <i>Echinococcus granulosus</i> . <i>Veterinary Parasitology</i> , 2002 , 110, 57-76	2.8	47
29	The efficacy of formulations of triclabendazole and ivermectin in combination against liver fluke (<i>Fasciola hepatica</i>) and gastro-intestinal nematodes in cattle and sheep and sucking lice species in cattle. <i>Australian Veterinary Journal</i> , 2002 , 80, 698-701	1.2	13
28	Control options for <i>Neospora caninum</i> infections in cattle--current state of knowledge. <i>New Zealand Veterinary Journal</i> , 2002 , 50, 86-92	1.7	31
27	Comparison of three serological tests and an interferon-gamma assay for the diagnosis of paratuberculosis in experimentally infected sheep. <i>Australian Veterinary Journal</i> , 2000 , 78, 779-83	1.2	27
26	<i>Neospora caninum</i> infections in Australia and New Zealand. <i>Australian Veterinary Journal</i> , 2000 , 78, 258-61	1.2	41
25	Progress in the serodiagnosis of <i>Neospora caninum</i> infections of cattle. <i>Parasitology Today</i> , 2000 , 16, 110-4		53
24	Prevalence of <i>Neospora</i> antibodies in beef cattle in New Zealand. <i>New Zealand Veterinary Journal</i> , 2000 , 48, 149-50	1.7	17
23	Performance of an enzyme-linked immunosorbent assay for the diagnosis of <i>Brucella ovis</i> infection in rams. <i>New Zealand Veterinary Journal</i> , 1999 , 47, 71-4	1.7	3
22	Detection of antibodies against the core protein p24 of the bovine leukaemia virus in cattle for confirmatory serological testing. <i>Journal of Virological Methods</i> , 1999 , 77, 109-14	2.6	9
21	Bovine neosporosis: comparison of serological methods using outbreak sera from a dairy herd in New Zealand. <i>International Journal for Parasitology</i> , 1999 , 29, 1659-67	4.3	45
20	Comparison of serological tests and faecal culture for the detection of <i>Mycobacterium avium</i> subsp. paratuberculosis infection in cattle and analysis of the antigens involved. <i>Veterinary Microbiology</i> , 1999 , 66, 135-50	3.3	43
19	Evaluation of electrophoretic immunoblotting for <i>Brucella ovis</i> infection in deer using ram and deer serum. <i>New Zealand Veterinary Journal</i> , 1998 , 46, 32-4	1.7	2
18	Evaluation of alternative methods for the detection of bovine leukaemia virus in cattle. <i>New Zealand Veterinary Journal</i> , 1998 , 46, 140-6	1.7	16
17	Neosporosis in a pup. <i>New Zealand Veterinary Journal</i> , 1998 , 46, 106-10	1.7	16
16	Prevalence of <i>Neospora</i> antibodies in New Zealand dairy cattle and dogs. <i>New Zealand Veterinary Journal</i> , 1998 , 46, 38	1.7	28
15	Serology of a <i>Neospora</i> abortion outbreak on a dairy farm in New Zealand: a case study. <i>New Zealand Veterinary Journal</i> , 1998 , 46, 28-31	1.7	26

14	Prevalence of Antibodies to <i>Neospora caninum</i> in Different Canid Populations. <i>Journal of Parasitology</i> , 1997 , 83, 1056	0.9	87
13	An improved immunoblotting technique for the serodiagnosis of <i>Brucella ovis</i> infections. <i>New Zealand Veterinary Journal</i> , 1997 , 45, 75-7	1.7	3
12	Serological crossreactivity between <i>Brucella abortus</i> and <i>Yersinia enterocolitica</i> 0:9. III. Specificity of the in vitro antigen-specific gamma interferon test for bovine brucellosis diagnosis in experimentally <i>Yersinia enterocolitica</i> 0:9-infected cattle. <i>Veterinary Microbiology</i> , 1997 , 57, 361-71	3.3	25
11	Detection of <i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> in ovine tissues and blood by the polymerase chain reaction. <i>Veterinary Microbiology</i> , 1997 , 57, 233-44	3.3	37
10	The diagnosis of <i>Neospora</i> abortions in cattle. <i>New Zealand Veterinary Journal</i> , 1996 , 44, 151-4	1.7	41
9	Attempted definition by immunoblotting of the causes of reactivity in suspected false-positive sera in the <i>Brucella ovis</i> complement fixation test. <i>New Zealand Veterinary Journal</i> , 1996 , 44, 170-4	1.7	4
8	Evaluation of electrophoretic immunoblotting for the detection of antibodies against the bovine leukosis virus in cattle. <i>Journal of Virological Methods</i> , 1996 , 61, 7-22	2.6	10
7	Cystic echinococcosis in the Falkland Islands. <i>Preventive Veterinary Medicine</i> , 1996 , 27, 115-123	3.1	10
6	Immunological assessment of exposure to <i>Echinococcus granulosus</i> in a rural dog population in Uruguay. <i>Acta Tropica</i> , 1994 , 58, 179-85	3.2	14
5	Eradication of <i>Brucella ovis</i> from the Falkland Islands 1977-1993. <i>Veterinary Record</i> , 1994 , 134, 595-7	0.9	6
4	Assessment of the hygienic adequacy of a commercial hot boning process for beef by a temperature function integration technique. <i>International Journal of Food Microbiology</i> , 1991 , 14, 27-41	5.8	32
3	Growth of the cold-tolerant pathogens <i>Yersinia enterocolitica</i> , <i>Aeromonas hydrophila</i> and <i>Listeria monocytogenes</i> on high-pH beef packaged under vacuum or carbon dioxide. <i>Food Microbiology</i> , 1989 , 6, 223-230	6	168
2	UHPFRC Prototype for a Flexible Modular Temporary High-Speed Railway Bridge263-278		1
1	Road Bridge [Wild]Application of the UHPFRC Precast Segmental Construction Method for an Arch Structure209-220		1