## Janne S Tolstrup

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7083415/publications.pdf

Version: 2024-02-01

201 papers

21,949 citations

48 h-index

44066

9588 142 g-index

205 all docs 205 docs citations

205 times ranked 37129 citing authors

#	Article	IF	CITATIONS
1	Alcohol use among adolescents during the first pandemic lockdown in Denmark, May 2020. Scandinavian Journal of Public Health, 2023, 51, 718-726.	2.3	4
2	The Danish National Youth Study 2019: study design and participant characteristics. Scandinavian Journal of Public Health, 2022, 50, 323-332.	2.3	7
3	Are emotional symptoms and depression among young people with parental alcohol problems modified by socioeconomic position?. European Child and Adolescent Psychiatry, 2022, 31, 747-755.	4.7	5
4	Cardiac rehabilitation for patients with heart failure: association with readmission and mortality risk. European Heart Journal Quality of Care & Clinical Outcomes, 2022, 8, 830-839.	4.0	14
5	Bariatric Surgery and Risk of Unemployment and Sickness Absence. Obesity Surgery, 2022, 32, 720.	2.1	1
6	The Infant Health Study - Promoting mental health and healthy weight through sensitive parenting to infants with cognitive, emotional, and regulatory vulnerabilities: protocol for a stepped-wedge cluster-randomized trial and a process evaluation within municipality settings. BMC Public Health, 2022, 22, 194.	2.9	2
7	Effects of individual and parental educational levels on multimorbidity classes: a register-based longitudinal study in a Danish population. BMJ Open, 2022, 12, e053274.	1.9	6
8	Longâ€Term Cardiovascular Health After Pregnancy in Danish Women With Congenital Heart Disease. A Registerâ€Based Cohort Study Between 1993 and 2016. Journal of the American Heart Association, 2022, 11, e023588.	3.7	1
9	Associations between health-risk behaviours and non-condom use among 28,620 Danish students: a cross-sectional study. European Journal of Contraception and Reproductive Health Care, 2022, 27, 45-52.	1.5	1
10	Smoking and labour market participation: a 5-year prospective cohort study of transitions between work, unemployment and sickness absence. Scandinavian Journal of Public Health, 2022, , 140349482210812.	2.3	0
11	Does the Spraino low-friction shoe patch prevent lateral ankle sprain injury in indoor sports? A pilot randomised controlled trial with 510 participants with previous ankle injuries. British Journal of Sports Medicine, 2021, 55, 92-98.	6.7	22
12	Association between alcohol, socioeconomic position and labour market participation: A prospective cohort study of transitions between work and unemployment. Scandinavian Journal of Public Health, 2021, 49, 197-205.	2.3	7
13	Infographic. Does the Spraino low-friction shoe patch prevent lateral ankle sprain injury in indoor sports? A 510-participant pilot RCT. British Journal of Sports Medicine, 2021, 55, 510-511.	6.7	1
14	Time trends in incidence and prevalence of chronic pancreatitis: A 25â€year populationâ€based nationwide study. United European Gastroenterology Journal, 2021, 9, 82-90.	3.8	24
15	Socioeconomic inequality in telephone triage on triage response, hospitalization and 30-day mortality. European Journal of Public Health, 2021, 31, 703-705.	0.3	2
16	Selfâ€rated physical fitness and measured cardiorespiratory fitness, muscular strength, and body composition. Scandinavian Journal of Medicine and Science in Sports, 2021, 31, 1086-1095.	2.9	13
17	Identifying and Characterizing Children of Parents with a Serious Illness Using Survey and Register Data. Clinical Epidemiology, 2021, Volume 13, 253-263.	3.0	3
18	Changes in relationship status following bariatric surgery. International Journal of Obesity, 2021, 45, 1599-1606.	3.4	9

#	Article	IF	CITATIONS
19	Plasma Concentrations of Magnesium and Risk of Dementia: A General Population Study of 102 648 Individuals. Clinical Chemistry, 2021, 67, 899-911.	3.2	8
20	Possible associations between callers' degree-of-worry and their socioeconomic status when contacting out-of-hours services: a prospective cohort study. BMC Emergency Medicine, 2021, 21, 53.	1.9	2
21	Associations between degree-of-worry, self-rated health and acute hospitalisation after contacting a medical helpline: a Danish prospective cohort study. BMJ Open, 2021, 11, e042287.	1.9	1
22	Reference intervals for trace elements in the general Danish population and their dependence on serum proteins. Scandinavian Journal of Clinical and Laboratory Investigation, 2021, 81, 523-531.	1.2	3
23	Mental health groups in high school students and later school dropout: a latent class and register-based follow-up analysis of the Danish National Youth Study. BMC Psychology, 2021, 9, 122.	2.1	3
24	Distinct health-related risk profiles among middle-aged and older adults with risky alcohol use from the Danish general population. Drug and Alcohol Dependence, 2021, 226, 108872.	3.2	3
25	Alcohol drinking patterns and occurrence of genital warts among Danish adolescents. Drug and Alcohol Dependence, 2021, 228, 109027.	3.2	0
26	Bariatric surgery and risk of alcohol use disorder: a register-based cohort study. International Journal of Epidemiology, 2021, 49, 1826-1835.	1.9	10
27	Symptoms of distress among young Danes during the national lockdown in May 2020. European Child and Adolescent Psychiatry, 2021, , 1.	4.7	7
28	Risk of somatic disease and mortality in individuals of parents with alcohol use disorder: a registerâ€based cohort study. Addiction, 2021, , .	3.3	2
29	018â€Spraino® reduces the risk of lateral ankle sprain injury among indoor sport athletes: a pilot randomized controlled trial with 510 participants. , 2021, , .		1
30	Length of hospital stay after delivery among Danish women with congenital heart disease: a register-based cohort study. BMC Pregnancy and Childbirth, 2021, 21, 812.	2.4	0
31	The Danish National Youth Study 2014: Study design, population characteristics and non-response analysis. Scandinavian Journal of Public Health, 2020, 48, 224-232.	2.3	30
32	Hospital admissions and mortality in the 15 years after a first-time hospital contact with an alcohol problem: a prospective cohort study using the entire Danish population. International Journal of Epidemiology, 2020, 49, 94-102.	1.9	13
33	Family structure and alcohol use disorder: a registerâ€based cohort study among offspring with and without parental alcohol use disorder. Addiction, 2020, 115, 1440-1449.	3.3	13
34	Increased Gastrointestinal Surgical Hospital Burden After Laparoscopic Gastric Bypass for Obesity. Annals of Surgery, 2020, 271, 891-897.	4.2	1
35	Does It Work for Everyone? The Effect of the Take a Stand! Sitting-Intervention in Subgroups Defined by Socio-Demographic, Health-Related, Work-Related, and Psychosocial Factors. Journal of Occupational and Environmental Medicine, 2020, 62, 30-36.	1.7	2
36	Smoking, blood cells and myeloproliferative neoplasms: metaâ€analysis and Mendelian randomization of 2·3 million people. British Journal of Haematology, 2020, 189, 323-334.	2.5	27

#	Article	IF	CITATIONS
37	Mortality among persons experiencing musculoskeletal pain: a prospective study among Danish men and women. BMC Musculoskeletal Disorders, 2020, 21, 666.	1.9	11
38	Patterns of multimorbidity and demographic profile of latent classes in a Danish population—A register-based study. PLoS ONE, 2020, 15, e0237375.	2.5	14
39	Alcohol in Greenland 1950-2018: consumption, drinking patterns, and consequences. International Journal of Circumpolar Health, 2020, 79, 1814550.	1.2	10
40	Does Class Proportion of Students with Non-Western Origin in High Schools Affect Drinking Habits Among Ethnic Danish Students?. Alcohol and Alcoholism, 2020, 56, 443-450.	1.6	2
41	Study protocol for a cluster randomised controlled trial testing the effectiveness of the †High schools High on life†intervention on reducing excessive drinking in Danish high schools. BMJ Open, 2020, 10, e038857.	1.9	2
42	†High schools High on life': Development of an Intervention to Reduce Excessive Drinking in Danish High Schools. Frontiers in Public Health, 2020, 8, 435.	2.7	6
43	"Oh-oh, the others are standing up I better do the same― Mixed-method evaluation of the implementation process of †Take a Stand!' - a cluster randomized controlled trial of a multicomponent intervention to reduce sitting time among office workers. BMC Public Health, 2020, 20, 1209.	2.9	3
44	Self-rated worry is associated with hospital admission in out-of-hours telephone triage – a prospective cohort study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2020, 28, 53.	2.6	13
45	Standing Meetings Are Feasible and Effective in Reducing Sitting Time among Office Workers—Walking Meetings Are Not: Mixed-Methods Results on the Feasibility and Effectiveness of Active Meetings Based on Data from the "Take a Stand!―Study. International Journal of Environmental Research and Public Health. 2020. 17. 1713.	2.6	5
46	Advanced maternal age and risk of adverse perinatal outcome among women with congenital heart disease: A nationwide registerâ€based cohort study. Paediatric and Perinatal Epidemiology, 2020, 34, 637-644.	1.7	4
47	School factors and student drinking in high schools: a cross-sectional study of school policies and party regulation. BMC Public Health, 2020, 20, 236.	2.9	6
48	Type-2 diabetes and risk of dementia: observational and Mendelian randomisation studies in $1\mathrm{million}$ individuals. Epidemiology and Psychiatric Sciences, 2020, 29, e118.	3.9	33
49	Human Papillomavirus Vaccination and Physical and Mental Health Complaints Among Female Students in Secondary Education Institutions in Denmark. Journal of General Internal Medicine, 2020, 35, 2647-2654.	2.6	6
50	Alcohol and risk of non-traumatic bleeding events requiring hospital care in the general population: A prospective cohort study. Alcohol, 2020, 87, 73-78.	1.7	3
51	Title is missing!. , 2020, 15, e0237375.		0
52	Title is missing!. , 2020, 15, e0237375.		0
53	Title is missing!. , 2020, 15, e0237375.		0
54	Title is missing!. , 2020, 15, e0237375.		0

#	Article	IF	CITATIONS
55	Title is missing!. , 2020, 15, e0237375.		0
56	Title is missing!. , 2020, 15, e0237375.		0
57	Using general practitioners to recruit individuals with low socioeconomic position to preventive health checks is feasible: a cross sectional study. Scandinavian Journal of Primary Health Care, 2019, 37, 294-301.	1.5	4
58	Can targeted cover letters improve participation in health surveys? Results from a randomized controlled trial. BMC Medical Research Methodology, 2019, 19, 151.	3.1	12
59	BMI and Labor Market Participation: A Cohort Study of Transitions Between Work, Unemployment, and Sickness Absence. Obesity, 2019, 27, 1703-1710.	3.0	19
60	Why do general practitioners not refer patients to behaviour-change programmes after preventive health checks? A mixed-method study. BMC Family Practice, 2019, 20, 135.	2.9	5
61	Neonatal Risk in Children of Women With Congenital Heart Disease: AÂCohort Study With Focus on Socioeconomic Status. Journal of the American Heart Association, 2019, 8, e013491.	3.7	9
62	Alcohol and delirium tremens: effects of average number of drinks per day and beverage type. Acta Psychiatrica Scandinavica, 2019, 139, 518-525.	4.5	7
63	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. Nature, 2019, 569, 260-264.	27.8	469
64	Impact of caller's degree-of-worry on triage response in out-of-hours telephone consultations: a randomized controlled trial. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2019, 27, 44.	2.6	8
65	Parental alcohol use disorder with and without other mental disorders and offspring alcohol use disorder. Acta Psychiatrica Scandinavica, 2019, 139, 508-517.	4.5	13
66	Associations of school tobacco policies and legislation with youth smoking: a cross-sectional study of Danish vocational high schools. BMJ Open, 2019, 9, e028357.	1.9	7
67	The effectiveness of general practice-based health checks on health behaviour and incidence on non-communicable diseases in individuals with low socioeconomic position: a randomised controlled trial in Denmark. BMJ Open, 2019, 9, e029180.	1.9	8
68	Socioeconomic position and alcohol-related harm in Danish adolescents. Journal of Epidemiology and Community Health, 2019, 73, 839-845.	3.7	10
69	School- and class-level variation in self-harm, suicide ideation and suicide attempts in Danish high schools. Scandinavian Journal of Public Health, 2019, 47, 146-156.	2.3	7
70	Association of alcohol consumption with allergic disease and asthma: a multi entre Mendelian randomization analysis. Addiction, 2019, 114, 216-225.	3.3	14
71	Socioeconomic status and risk of osteoporotic fractures and the use of DXA scans: data from the Danish population-based ROSE study. Osteoporosis International, 2019, 30, 343-353.	3.1	7
72	Association between sunburn and demographic factors and health behaviour among Danish students. Preventive Medicine, 2019, 118, 92-97.	3.4	1

#	Article	IF	Citations
73	Alcohol consumption and labour market participation: a prospective cohort study of transitions between work, unemployment, sickness absence, and social benefits. European Journal of Epidemiology, 2019, 34, 397-407.	5.7	31
74	Opportunities to Prevent Alcoholic Liver Cirrhosis in High-Risk Populations: A Systematic Review With Meta-Analysis. American Journal of Gastroenterology, 2019, 114, 221-232.	0.4	21
75	Validation and calibration of self-reported height and weight in the Danish Health Examination Survey. European Journal of Public Health, 2019, 29, 291-296.	0.3	30
76	Number of hospital contacts with alcohol problems predicts later risk of alcoholic liver cirrhosis. Scandinavian Journal of Public Health, 2019, 47, 417-419.	2.3	4
77	Total sitting time, leisure time physical activity and risk of hospitalization due to low back pain: The Danish Health Examination Survey cohort 2007–2008. Scandinavian Journal of Public Health, 2019, 47, 45-52.	2.3	18
78	A measure of alcohol consumption in late adolescence associated with liver disease after 39†years of follow-up is insufficient to guide alcohol safe limits. Journal of Hepatology, 2018, 69, 251-252.	3.7	2
79	Increasing risk of psychiatric morbidity after childhood onset type 1 diabetes: a population-based cohort study. Diabetologia, 2018, 61, 831-838.	6.3	64
80	School and class-level variations and patterns of physical activity: a multilevel analysis of Danish high school students. BMC Public Health, 2018, 18, 255.	2.9	9
81	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. International Journal of Epidemiology, 2018, 47, 872-883i.	1.9	65
82	Self-injury and suicide behavior among young people with perceived parental alcohol problems in Denmark: a school-based survey. European Child and Adolescent Psychiatry, 2018, 27, 201-208.	4.7	13
83	PASS: School-based prevention addressing cannabis culture-related beliefs. Drugs: Education, Prevention and Policy, 2018, 25, 164-172.	1.3	1
84	Alcohol Intake and Risk of Ischemic and Haemorrhagic Stroke: Results from a Mendelian Randomisation Study. Journal of Stroke, 2018, 20, 218-227.	3.2	21
85	Physical activity and the development of visible age-related signs in the general population. Healthy Aging Research, 2018, 7, e13.	0.3	0
86	Vital exhaustion and risk of alcohol use disorders: A prospective cohort study. Journal of Psychosomatic Research, 2018, 114, 25-30.	2.6	6
87	Effectiveness of the settings-based intervention Shaping the Social on preventing dropout from vocational education: a Danish non-randomized controlled trial. BMC Psychology, 2018, 6, 45.	2.1	7
88	Poor Metabolic Control in Children and Adolescents With Type 1 Diabetes and Psychiatric Comorbidity. Diabetes Care, 2018, 41, 2289-2296.	8.6	46
89	Smoking is associated with increased risk of myeloproliferative neoplasms: A general populationâ€based cohort study. Cancer Medicine, 2018, 7, 5796-5802.	2.8	31
90	Estimated impact of replacing sitting with standing at work on indicators of body composition: Cross-sectional and longitudinal findings using isotemporal substitution analysis on data from the Take a Stand! study. PLoS ONE, 2018, 13, e0198000.	2.5	10

#	Article	IF	Citations
91	Validation of the NPAQ-short – a brief questionnaire to monitor physical activity and compliance with the WHO recommendations. BMC Public Health, 2018, 18, 601.	2.9	39
92	Low fitness is associated with abdominal adiposity and low-grade inflammation independent of BMI. PLoS ONE, 2018, 13, e0190645.	2.5	57
93	Trends in smoking and smokeless tobacco use among Danish Adolescents, 1997-2014. Tobacco Prevention and Cessation, 2018, 4, 10.	0.4	5
94	Laboratory-based and office-based risk scores and charts to predict 10-year risk of cardiovascular disease in 182 countries: a pooled analysis of prospective cohorts and health surveys. Lancet Diabetes and Endocrinology,the, 2017, 5, 196-213.	11.4	90
95	Alcohol dependence and risk of somatic diseases and mortality: a cohort study in 19 002 men and women attending alcohol treatment. Addiction, 2017, 112, 1358-1366.	3.3	39
96	Perceived parental alcohol problems and drinking patterns in youth: A cross-sectional study of 69,030 secondary education students in Denmark. Preventive Medicine, 2017, 105, 389-396.	3.4	14
97	Sunbed use among 64,000 Danish students and the associations with demographic factors, health-related behaviours, and appearance-related factors. Preventive Medicine, 2017, 100, 17-24.	3.4	9
98	Stress-related expectations about smoking cessation and future quit attempts and abstinence - a prospective study in daily smokers who wish to quit. Preventive Medicine Reports, 2017, 6, 187-190.	1.8	4
99	The association between Act-Belong-Commit indicators and problem drinking among older Irish adults: Findings from a prospective analysis of the Irish Longitudinal Study on Ageing (TILDA). Drug and Alcohol Dependence, 2017, 180, 323-331.	3.2	12
100	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128·9 million children, adolescents, and adults. Lancet, The, 2017, 390, 2627-2642.	13.7	5,010
101	Alcohol drinking patterns and risk of diabetes: a cohort study of 70,551 men and women from the general Danish population. Diabetologia, 2017, 60, 1941-1950.	6.3	71
102	Alcohol consumption and risk of unemployment, sickness absence and disability pension in Denmark: a prospective cohort study. Addiction, 2017, 112, 1754-1764.	3.3	16
103	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19·1 million participants. Lancet, The, 2017, 389, 37-55.	13.7	1,667
104	Risk for alcoholic liver cirrhosis after an initial hospital contact with alcohol problems: A nationwide prospective cohort study. Hepatology, 2017, 65, 929-937.	7.3	31
105	Does High Tobacco Consumption Cause Psychological Distress? A Mendelian Randomization Study. Nicotine and Tobacco Research, 2017, 19, 32-38.	2.6	16
106	How Does Definition of Minimum Break Length Affect Objective Measures of Sitting Outcomes Among Office Workers?. Journal of Physical Activity and Health, 2017, 14, 8-12.	2.0	2
107	Alcohol consumption and its interaction with adiposity-associated genetic variants in relation to subsequent changes in waist circumference and body weight. Nutrition Journal, 2017, 16, 51.	3.4	6
108	Hospital contacts with alcohol problems prior to liver cirrhosis or pancreatitis diagnosis. World Journal of Hepatology, 2017, 9, 1332-1339.	2.0	6

#	Article	IF	CITATIONS
109	Physical Activity and Abdominal Fat Distribution in Greenland. Medicine and Science in Sports and Exercise, 2017, 49, 2064-2070.	0.4	19
110	Effects on musculoskeletal pain from "Take a Stand!―– a cluster-randomized controlled trial reducing sitting time among office workers. Scandinavian Journal of Work, Environment and Health, 2017, 43, 350-357.	3.4	36
111	Alcohol consumption, smoking and development of visible age-related signs: a prospective cohort study. Journal of Epidemiology and Community Health, 2017, 71, 1177-1184.	3.7	8
112	Five year change in alcohol intake and risk of breast cancer and coronary heart disease among postmenopausal women: prospective cohort study. BMJ, The, 2016, 353, i2314.	6.0	34
113	Perceived parental alcohol problems, internalizing problems and impaired parent - child relationships among 71 988 young people in Denmark. Addiction, 2016, 111, 1966-1974.	3.3	36
114	The effectiveness of telephone counselling and internet―and text―messageâ€based support for smoking cessation: results from a randomized controlled trial. Addiction, 2016, 111, 1257-1266.	3.3	22
115	Neutralization and glorification: Cannabis culture-related beliefs predict cannabis use initiation. Drugs: Education, Prevention and Policy, 2016, 23, 48-53.	1.3	8
116	Alcohol consumption and risk of atrial fibrillation: Observational and genetic estimates of association. European Journal of Preventive Cardiology, 2016, 23, 1514-1523.	1.8	23
117	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with $4\hat{A}\cdot 4$ million participants. Lancet, The, 2016, 387, 1513-1530.	13.7	2,842
118	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19·2 million participants. Lancet, The, 2016, 387, 1377-1396.	13.7	3,941
119	Take a Stand!–a multi-component intervention aimed at reducing sitting time among office workers–a cluster randomized trial. International Journal of Epidemiology, 2016, 46, dyw009.	1.9	78
120	Effects of a settings-based intervention to promote student wellbeing and reduce smoking in vocational schools: A non-randomized controlled study. Social Science and Medicine, 2016, 161, 195-203.	3.8	19
121	Intra-individual variability in day-to-day and month-to-month measurements of physical activity and sedentary behaviour at work and in leisure-time among Danish adults. BMC Public Health, 2016, 16, 1222.	2.9	34
122	Cardiorespiratory fitness in 16Â025 adults aged 18–91Âyears and associations with physical activity and sitting time. Scandinavian Journal of Medicine and Science in Sports, 2016, 26, 1435-1443.	2.9	50
123	The Systematic Development of an Internet-Based Smoking Cessation Intervention for Adults. Health Promotion Practice, 2016, 17, 490-500.	1.6	4
124	Total sitting time and the risk of incident diabetes in Danish adults (the DANHES cohort) over 5â€years: a prospective study. British Journal of Sports Medicine, 2016, 50, 1382-1387.	6.7	31
125	Predictors of heavy drinking after liver transplantation for alcoholic liver disease in Denmark (1990–2013): a nationwide study with competing risks analyses. Scandinavian Journal of Gastroenterology, 2016, 51, 225-235.	1.5	12
126	Why and when citizens call for emergency help: an observational study of 211,193 medical emergency calls. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2015, 23, 88.	2.6	66

#	Article	IF	Citations
127	Physical Activity and Risk of Alcohol Use Disorders: Results from a Prospective Cohort Study. Alcohol and Alcoholism, 2015, 50, 206-212.	1.6	15
128	What characterises smokers who quit without using help? A study of users and non-users of cessation support among successful ex-smokers. Tobacco Control, 2015, 24, 556-561.	3.2	7
129	Alcohol drinking pattern and risk of alcoholic liver cirrhosis: A prospective cohort study. Journal of Hepatology, 2015, 62, 1061-1067.	3.7	193
130	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331â€^288 participants. Lancet Diabetes and Endocrinology,the, 2015, 3, 624-637.	11.4	139
131	Social network as predictor for onset of alcohol use disorder: A prospective cohort study. Comprehensive Psychiatry, 2015, 61, 57-63.	3.1	4
132	Predictors of continuous tobacco smoking in a clinical cohort study of Danish laryngeal cancer patients smoking before treated with radiotherapy. Acta Oncol $\tilde{A}^3$ gica, 2015, 54, 685-692.	1.8	6
133	"A welfare recipient may be drinking, but as long as he does as told – he may drink himself to death†a qualitative analysis of project implementation barriers among Danish job consultants. BMC Public Health, 2015, 15, 264.	2.9	1
134	A novel risk score to predict cardiovascular disease risk in national populations (Globorisk): a pooled analysis of prospective cohorts and health examination surveys. Lancet Diabetes and Endocrinology,the, 2015, 3, 339-355.	11.4	185
135	Shaping the Social: design of a settings-based intervention study to improve well-being and reduce smoking and dropout in Danish vocational schools. BMC Public Health, 2015, 15, 568.	2.9	9
136	Increased alcohol consumption as a cause of alcoholism, without similar evidence for depression: a Mendelian randomization study. International Journal of Epidemiology, 2015, 44, 526-539.	1.9	18
137	A Maximal Cycle Test with Good Validity and High Repeatability in Adults of All Ages. International Journal of Sports Medicine, 2014, 35, 1184-1189.	1.7	7
138	The Association Between Blood Alcohol Content and Cheerfulness, Focus Distraction, and Sluggishness Among Young Adults Attending High School Parties. Alcoholism: Clinical and Experimental Research, 2014, 38, 826-833.	2.4	7
139	Preoperative Smoking Status and Postoperative Complications. Annals of Surgery, 2014, 259, 52-71.	4.2	281
140	Does the Severity of Hangovers Decline with Age? Survey of the Incidence of Hangover in Different Age Groups. Alcoholism: Clinical and Experimental Research, 2014, 38, 466-470.	2.4	27
141	Reach and uptake of Internet- and phone-based smoking cessation interventions: Results from a randomized controlled trial. Preventive Medicine, 2014, 62, 38-43.	3.4	13
142	Alcohol-attributable and alcohol-preventable mortality in Denmark: an analysis of which intake levels contribute most to alcohol's harmful and beneficial effects. European Journal of Epidemiology, 2014, 29, 15-26.	5.7	14
143	Total sitting time and risk of myocardial infarction, coronary heart disease and all-cause mortality in a prospective cohort of Danish adults. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 13.	4.6	102
144	Genetic variation in alcohol metabolizing enzymes among Inuit and its relation to drinking patterns. Drug and Alcohol Dependence, 2014, 144, 239-244.	3.2	11

#	Article	IF	Citations
145	Joint association of physical activity in leisure and total sitting time with metabolic syndrome amongst 15,235 Danish adults: A cross-sectional study. Preventive Medicine, 2014, 69, 5-7.	3.4	38
146	Comparing tailored and untailored text messages for smoking cessation: a randomized controlled trial among adolescent and young adult smokers. Health Education Research, 2014, 29, 195-205.	1.9	37
147	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. BMJ, The, 2014, 349, g4164-g4164.	6.0	528
148	Fracture Risk Prediction Using Phalangeal Bone Mineral Density or FRAX®?â€"A Danish Cohort Study on Men and Women. Journal of Clinical Densitometry, 2014, 17, 7-15.	1.2	13
149	Why do people exercise? A cross-sectional study of motives to exercise among Danish adults. Public Health, 2014, 128, 482-484.	2.9	9
150	Smoking and Risk of Coronary Heart Disease in Younger, Middle-Aged, and Older Adults. American Journal of Public Health, 2014, 104, 96-102.	2.7	51
151	Smoking and risk of liver cirrhosis: a population-based cohort study. Scandinavian Journal of Gastroenterology, 2013, 48, 585-591.	1.5	69
152	Adolescent Alcohol Use Reflects Community-Level Alcohol Consumption Irrespective of Parental Drinking. Journal of Adolescent Health, 2013, 53, 368-373.	2.5	23
153	The association between physical activity, cardiorespiratory fitness and self-rated health. Preventive Medicine, 2013, 57, 900-902.	3.4	54
154	Preoperative Alcohol Consumption and Postoperative Complications. Annals of Surgery, 2013, 258, 930-942.	4.2	119
155	"After all – It doesn't kill you to quit smoking― An explorative analysis of the blog in a smoking cessation intervention. Scandinavian Journal of Public Health, 2013, 41, 655-661.	2.3	21
156	Brief Alcohol Intervention by Newly Trained Workers Versus Leaflets: Comparison of Effect in Older Heavy Drinkers Identified in a Population Health Examination Survey: A Randomized Controlled Trial. Alcohol and Alcoholism, 2012, 47, 25-32.	1.6	13
157	Intake of alcohol and risk of adult-onset asthma. Respiratory Medicine, 2012, 106, 184-188.	2.9	26
158	Occupational heavy lifting and risk of ischemic heart disease and all-cause mortality. BMC Public Health, 2012, 12, 1070.	2.9	50
159	Alcohol dehydrogenase and aldehyde dehydrogenase gene polymorphisms, alcohol intake and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. European Journal of Clinical Nutrition, 2012, 66, 1303-1308.	2.9	34
160	Social and psychological predictors of onset of anxiety disorders: results from a large prospective cohort study. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 711-721.	3.1	22
161	Changes in physical activity in leisure time and the risk of myocardial infarction, ischemic heart disease, and all-cause mortality. European Journal of Epidemiology, 2012, 27, 91-99.	5.7	94
162	A population-based randomized controlled trial of the effect of combining a pedometer with an intervention toolkit on physical activity among individuals with low levels of physical activity or fitness. Preventive Medicine, 2012, 54, 125-130.	3.4	28

#	Article	IF	Citations
163	Internet-Based Brief Personalized Feedback Intervention in a Non-Treatment-Seeking Population of Adult Heavy Drinkers: A Randomized Controlled Trial. Journal of Medical Internet Research, 2012, 14, e98.	4.3	32
164	Effect of a Web-Based Intervention to Promote Physical Activity and Improve Health Among Physically Inactive Adults: A Population-Based Randomized Controlled Trial. Journal of Medical Internet Research, 2012, 14, e145.	4.3	46
165	Validation of risk stratification schemes for predicting stroke and thromboembolism in patients with atrial fibrillation: nationwide cohort study. BMJ: British Medical Journal, 2011, 342, d124-d124.	2.3	1,143
166	Risks of thromboembolism and bleeding with thromboprophylaxis in patients with atrial fibrillation: A net clinical benefit analysis using a †real world' nationwide cohort study. Thrombosis and Haemostasis, 2011, 106, 739-749.	3.4	393
167	Tobacco smoking as a risk factor for depression. A 26-year population-based follow-up study. Journal of Psychiatric Research, 2011, 45, 143-149.	3.1	102
168	Alcohol intake and risk of acute coronary syndrome and mortality in men and women with and without hypertension. European Journal of Epidemiology, 2011, 26, 439-447.	5.7	12
169	Maternal alcohol drinking pattern during pregnancy and the risk for an offspring with an isolated congenital heart defect and in particular a ventricular septal defect or an atrial septal defect. Birth Defects Research Part A: Clinical and Molecular Teratology, 2011, 91, 616-622.	1.6	19
170	The Danish Health Examination Survey 2007-2008 (DANHES 2007-2008). Scandinavian Journal of Public Health, 2011, 39, 203-211.	2.3	81
171	Binge drinking, drinking frequency, and risk of ischaemic heart disease: A population-based cohort study. Scandinavian Journal of Public Health, 2011, 39, 880-887.	2.3	11
172	The number of persons with alcohol problems in the Danish population. Scandinavian Journal of Public Health, 2011, 39, 128-136.	2.3	65
173	Modifiable risk factors and survival in women diagnosed with primary breast cancer: results from a prospective cohort study. European Journal of Cancer Prevention, 2010, 19, 366-373.	1.3	74
174	Alcohol Intake and Risk of Coronary Heart Disease in Younger, Middle-Aged, and Older Adults. Circulation, 2010, 121, 1589-1597.	1.6	116
175	Time trends in physical activity in leisure time in the Danish population from 1987 to 2005. Scandinavian Journal of Public Health, 2010, 38, 121-128.	2.3	47
176	Prenatal alcohol exposure and autistic spectrum disorders—a population-based prospective study of 80 552 children and their mothers. International Journal of Epidemiology, 2010, 39, 1074-1081.	1.9	57
177	Influence of smoking and alcohol consumption on admissions and duration of hospitalization. European Journal of Public Health, 2010, 20, 376-382.	0.3	16
178	Interaction between ADH1C Arg272Gln and alcohol intake in relation to breast cancer risk suggests that ethanol is the causal factor in alcohol related breast cancer. Cancer Letters, 2010, 295, 191-197.	7.2	20
179	A cohort study of leisure time physical activity and depression. Preventive Medicine, 2010, 51, 471-475.	3.4	84
180	Alcohol drinking habits, alcohol dehydrogenase genotypes and risk of acute coronary syndrome. Scandinavian Journal of Public Health, 2010, 38, 489-494.	2.3	5

#	Article	IF	CITATIONS
181	Alcohol Intake, Myocardial Infarction, Biochemical Risk Factors, and Alcohol Dehydrogenase Genotypes. Circulation: Cardiovascular Genetics, 2009, 2, 507-514.	5.1	55
182	Alcohol Intake, Alcohol Dehydrogenase Genotypes and Liver Damage and Disease in the Danish General Population. American Journal of Gastroenterology, 2009, 104, 2182-2188.	0.4	31
183	Smoking and Risk of Acute and Chronic Pancreatitis Among Women and Men. Archives of Internal Medicine, 2009, 169, 603.	3.8	149
184	The Association of ADH and ALDH Gene Variants With Alcohol Drinking Habits and Cardiovascular Disease Risk Factors. Alcoholism: Clinical and Experimental Research, 2008, 32, 1984-1991.	2.4	44
185	Alcohol consumption and the risk of selfâ€reported perennial and seasonal allergic rhinitis in young adult women in a populationâ€based cohort study. Clinical and Experimental Allergy, 2008, 38, 1179-1185.	2.9	33
186	Alcoholism and alcohol drinking habits predicted from alcohol dehydrogenase genes. Pharmacogenomics Journal, 2008, 8, 220-227.	2.0	65
187	Risk of Pancreatitis According to Alcohol Drinking Habits: A Population-based Cohort Study. American Journal of Epidemiology, 2008, 168, 932-937.	3.4	110
188	Alcohol drinking frequency in relation to subsequent changes in waist circumference. American Journal of Clinical Nutrition, 2008, 87, 957-963.	4.7	55
189	Alcohol and atherosclerosis: Recent insights. Current Atherosclerosis Reports, 2007, 9, 116-124.	4.8	27
190	Spontaneous abortion: A prospective cohort study of younger women from the general population in Denmark. Validation, occurrence and risk determinants. Acta Obstetricia Et Gynecologica Scandinavica, 2006, 85, 467-475.	2.8	84
191	Maternal smoking predicts the risk of spontaneous abortion. Acta Obstetricia Et Gynecologica Scandinavica, 2006, 85, 1057-1065.	2.8	60
192	The role of smoking and alcohol intake in the development of highâ€grade squamous intraepithelial lesions among highâ€risk HPVâ€positive women. Acta Obstetricia Et Gynecologica Scandinavica, 2006, 85, 1114-1119.	2.8	29
193	Fibrinogen and Albumin Levels and Risk of Atrial Fibrillation in Men and Women (the Copenhagen City) Tj ETQq1 I	l 0.78431 1.6	4 rgBT /Ove
194	Prospective study of alcohol drinking patterns and coronary heart disease in women and men. BMJ: British Medical Journal, 2006, 332, 1244.	2.3	144
195	The relation between drinking pattern and body mass index and waist and hip circumference. International Journal of Obesity, 2005, 29, 490-497.	3.4	84
196	Alcohol Consumption and Risk of Atrial Fibrillation in Men and Women. Circulation, 2005, 112, 1736-1742.	1.6	254
197	Drinking pattern and mortality in middle-aged men and women. Addiction, 2004, 99, 323-330.	3.3	64
198	Alcohol and cirrhosis: dose–response or threshold effect?. Journal of Hepatology, 2004, 41, 25-30.	3.7	129

#	Article	IF	CITATIONS
199	Alcohol use as predictor for infertility in a representative population of Danish women. Acta Obstetricia Et Gynecologica Scandinavica, 2003, 82, 744-749.	2.8	50
200	A prospective study of the association between smoking and later alcohol drinking in the general population. Addiction, 2003, 98, 355-364.	3.3	59
201	Does caffeine and alcohol intake before pregnancy predict the occurrence of spontaneous abortion?. Human Reproduction, 2003, 18, 2704-2710.	0.9	73