

Naomi S Levitt

List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/708464/publications.pdf](https://exaly.com/author-pdf/708464/publications.pdf)

Version: 2024-02-01

191
papers

17,674
citations

36087

51
h-index

17068

123
g-index

224
all docs

224
docs citations

224
times ranked

31447
citing authors

#	ARTICLE	IF	CITATIONS
1	Phenotype and predictors of insulin independence in adults presenting with diabetic ketoacidosis: a prospective cohort study. <i>Diabetologia</i> , 2024, 67, 494-505.	6.5	0
2	Core outcome sets for trials of interventions to prevent and to treat multimorbidity in adults in low and middle-income countries: the COSMOS study. <i>BMJ Global Health</i> , 2024, 9, e015120.	5.5	0
3	Exploring the workload of informal caregiving in the context of HIV/NCD multimorbidity in South Africa. <i>PLOS Global Public Health</i> , 2024, 4, e0003782.	1.5	0
4	Kisspeptins and Glucose Homeostasis in Pregnancy: Implications for Gestational Diabetes Mellitusâ€”a Review Article. <i>Reproductive Sciences</i> , 2022, 29, 321-327.	2.5	7
5	IDF Diabetes Atlas: The prevalence of pre-existing diabetes in pregnancy â€” A systematic review and meta-analysis of studies published during 2010â€”2020. <i>Diabetes Research and Clinical Practice</i> , 2022, 183, 109049.	2.8	33
6	Non-communicable disease care and management in two sites of the Cape Town Metro during the first wave of COVID-19: A rapid appraisal. <i>African Journal of Primary Health Care and Family Medicine</i> , 2022, 14, e1-e7.	0.8	7
7	Multimorbidity of non-communicable diseases in low-income and middle-income countries: a systematic review and meta-analysis. <i>BMJ Open</i> , 2022, 12, e049133.	2.1	73
8	IDF Diabetes Atlas: Estimation of Global and Regional Gestational Diabetes Mellitus Prevalence for 2021 by International Association of Diabetes in Pregnancy Study Groupâ€™s Criteria. <i>Diabetes Research and Clinical Practice</i> , 2022, 183, 109050.	2.8	371
9	Cardiometabolic outcomes of women exposed to hyperglycaemia first detected in pregnancy at 3-6 years post-partum in an urban South African setting. <i>PLoS ONE</i> , 2022, 17, e0263529.	2.5	5
10	Cardiometabolic profile and leukocyte telomere length in a Black South African population. <i>Scientific Reports</i> , 2022, 12, 3323.	3.4	2
11	Development of a core outcome set for multimorbidity trials in low/middle-income countries (COSMOS): study protocol. <i>BMJ Open</i> , 2022, 12, e051810.	2.1	6
12	The diagnostic accuracy of HbA _{1c} , compared to the oral glucose tolerance test, for screening for type 2 diabetes mellitus in Africaâ€”A systematic review and meta-analysis. <i>Diabetic Medicine</i> , 2022, 39, e14754.	2.5	11
13	Evaluation of an adapted version of the Diabetes Prevention Program for low- and middle-income countries: A cluster randomized trial to evaluate â€œLifestyle Africaâ€”in South Africa. <i>PLoS Medicine</i> , 2022, 19, e1003964.	8.4	10
14	Applying systems thinking to identify enablers and challenges to scale-up interventions for hypertension and diabetes in low-income and middle-income countries: protocol for a longitudinal mixed-methods study. <i>BMJ Open</i> , 2022, 12, e053122.	2.1	2
15	Building knowledge, optimising physical and mental health and setting up healthier life trajectories in South African women (<i>Bukhali</i>): a preconception randomised control trial part of the Healthy Life Trajectories Initiative (HeLTI). <i>BMJ Open</i> , 2022, 12, e059914.	2.1	23
16	Perceived cardiovascular disease risk and tailored communication strategies among rural and urban community dwellers in Rwanda: a qualitative study. <i>BMC Public Health</i> , 2022, 22, 920.	3.0	8
17	Risk Factors for Coronavirus Disease 2019 (COVID-19) Death in a Population Cohort Study from the Western Cape Province, South Africa. <i>Clinical Infectious Diseases</i> , 2021, 73, e2005-e2015.	5.7	440
18	Integration of mental health counselling into chronic disease services at the primary health care level: Formative research on dedicated versus designated strategies in the Western Cape, South Africa. <i>Journal of Health Services Research and Policy</i> , 2021, 26, 172-179.	1.7	28

#	ARTICLE	IF	CITATIONS
19	Food purchasing behaviour of shoppers from different South African socio-economic communities: results from grocery receipts, intercept surveys and in-supermarkets audits. <i>Public Health Nutrition</i> , 2021, 24, 665-676.	2.4	9
20	Integrating gestational diabetes and type 2 diabetes care into primary health care: Lessons from prevention of mother-to-child transmission of HIV in South Africa - A mixed methods study. <i>PLoS ONE</i> , 2021, 16, e0245229.	2.5	7
21	Intervention development of a brief messaging intervention for a randomised controlled trial to improve diabetes treatment adherence in sub-Saharan Africa. <i>BMC Public Health</i> , 2021, 21, 147.	3.0	9
22	Mixed method evaluation of the CEBHA+ integrated knowledge translation approach: a protocol. <i>Health Research Policy and Systems</i> , 2021, 19, 7.	2.9	8
23	Obesity and adiposity of 3- to 6-year-old children born to mothers with hyperglycaemia first detected in pregnancy in an urban South African setting. <i>Annals of Human Biology</i> , 2021, 48, 81-92.	1.0	5
24	Point-of-care HbA _{1c} testing in an urban primary care diabetes clinic in South Africa: a mixed methods feasibility study. <i>BMJ Open</i> , 2021, 11, e045511.	2.1	1
25	Effectiveness of a task-sharing collaborative care model for identification and management of depressive symptoms in patients with hypertension attending public sector primary care clinics in South Africa: pragmatic parallel cluster randomised controlled trial. <i>Journal of Affective Disorders</i> , 2021, 282, 112-121.	4.2	20
26	Associations of glycated albumin and fructosamine with glycaemic status in urban black South Africans. <i>Clinica Chimica Acta</i> , 2021, 519, 291-297.	1.6	8
27	Prevalence of Type 2 Diabetes in South Africa: A Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5868.	2.7	42
28	Model Kredibilitas B $\frac{1}{4}$ hlmann dengan Frekuensi Klaim Berdistribusi Binomial Negatif-Lindley. <i>Limits Journal of Mathematics and Its Applications</i> , 2021, 18, 71.	0.1	0
29	Use of the socio-ecological model to explore factors that influence the implementation of a diabetes structured education programme (EXTEND project) in Lilongwe, Malawi and Maputo, Mozambique: a qualitative study. <i>BMC Public Health</i> , 2021, 21, 1355.	3.0	12
30	Risk factors for COVID-19 hospitalisation and death in people living with diabetes: A virtual cohort study from the Western Cape Province, South Africa. <i>Diabetes Research and Clinical Practice</i> , 2021, 177, 108925.	2.8	18
31	The influence of maternal blood glucose during pregnancy on weight outcomes at birth and preschool age in offspring exposed to hyperglycemia first detected during pregnancy, in a South African cohort. <i>PLoS ONE</i> , 2021, 16, e0258894.	2.5	8
32	Multimorbidity Among Migrant and Non-Migrant Ghanaians: The RODAM Study. <i>International Journal of Public Health</i> , 2021, 66, 1604056.	2.4	5
33	Tuberculosis, Human Immunodeficiency Virus, and the Association With Transient Hyperglycemia in Periurban South Africa. <i>Clinical Infectious Diseases</i> , 2020, 71, 1080-1088.	5.7	17
34	The Lancet Commission on diabetes: using data to transform diabetes care and patient lives. <i>Lancet</i> , The, 2020, 396, 2019-2082.	12.1	388
35	Perspectives on the psychological and emotional burden of having gestational diabetes amongst low-income women in Cape Town, South Africa. <i>BMC Women's Health</i> , 2020, 20, 231.	2.0	23
36	Critical review of multimorbidity outcome measures suitable for low-income and middle-income country settings: perspectives from the Global Alliance for Chronic Diseases (GACD) researchers. <i>BMJ Open</i> , 2020, 10, e037079.	2.1	25

#	ARTICLE	IF	CITATIONS
37	Prevalence, concordance and associations of chronic kidney disease by five estimators in South Africa. <i>BMC Nephrology</i> , 2020, 21, 372.	1.8	9
38	A high burden of adverse life events and poor coping mechanisms experienced by urban-dwelling black South Africans. <i>PLoS ONE</i> , 2020, 15, e0238320.	2.5	5
39	The effectiveness of peer and community health worker-led self-management support programs for improving diabetes health-related outcomes in adults in low- and-middle-income countries: a systematic review. <i>Systematic Reviews</i> , 2020, 9, 133.	11.6	40
40	Does social support effect knowledge and diabetes self-management practices in older persons with Type 2 diabetes attending primary care clinics in Cape Town, South Africa?. <i>PLoS ONE</i> , 2020, 15, e0230173.	2.5	25
41	Progression to type 2 diabetes mellitus and associated risk factors after hyperglycemia first detected in pregnancy: A cross-sectional study in Cape Town, South Africa. <i>PLoS Medicine</i> , 2019, 16, e1002865.	8.4	37
42	Waist-to-height ratio is a useful indicator of cardio-metabolic risk in South Africa. <i>Family Practice</i> , 2019, 37, 36-42.	2.1	7
43	Prevalence of type 2 diabetes mellitus in women of childbearing age in Africa during 2000â€“2016: a systematic review and meta-analysis. <i>BMJ Open</i> , 2019, 9, e024345.	2.1	18
44	Integrated management of type 2 diabetes and gestational diabetes within multi-morbidity conditions in Africa: a systematic review protocol. <i>BMJ Open</i> , 2019, 9, e023684.	2.1	1
45	Community health worker-delivered counselling for common mental disorders among chronic disease patients in South Africa: a feasibility study. <i>BMJ Open</i> , 2019, 9, e024277.	2.1	46
46	Adapting the Diabetes Prevention Program for low and middle-income countries: protocol for a cluster randomised trial to evaluate â€œLifestyle Africaâ€™. <i>BMJ Open</i> , 2019, 9, e031400.	2.1	12
47	Demographic and socio-economic predictors of physical activity among people living with HIV of low socio-economic status. <i>Health SA Gesondheid</i> , 2019, 24, 1127.	0.9	3
48	Weight underestimation and body size dissatisfaction among black African adults with obesity: Implications for health promotion. <i>African Journal of Primary Health Care and Family Medicine</i> , 2019, 11, e1-e8.	0.8	11
49	Current policies and practices for the provision of diabetes care and self-management support programmes for older South Africans. <i>African Journal of Primary Health Care and Family Medicine</i> , 2019, 11, e1-e12.	0.8	10
50	Experiences of lifestyle change among women with gestational diabetes mellitus (GDM): A behavioural diagnosis using the COM-B model in a low-income setting. <i>PLoS ONE</i> , 2019, 14, e0225431.	2.5	34
51	Factors that influence patient empowerment in inpatient chronic care: early thoughts on a diabetes care intervention in South Africa. <i>BMC Endocrine Disorders</i> , 2019, 19, 133.	2.3	19
52	High prevalence of cardiovascular risk factors and insulin resistance 6 years after hyperglycemia first detected in pregnancy in Cape Town, South Africa. <i>BMJ Open Diabetes Research and Care</i> , 2019, 7, e000740.	3.0	7
53	Mobile Messaging Support Versus Usual Care for People With Type 2 Diabetes on Glycemic Control: Protocol for a Multicenter Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2019, 8, e12377.	1.0	7
54	The prevalence and determinants of active tuberculosis among diabetes patients in Cape Town, South Africa, a high HIV/TB burden setting. <i>Diabetes Research and Clinical Practice</i> , 2018, 138, 16-25.	2.8	26

#	ARTICLE	IF	CITATIONS
55	Comparing dedicated and designated models of integrating mental health into chronic disease care: study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2018, 19, 185.	1.7	47
56	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018, 47, 872-883i.	2.0	70
57	Evolution of sensory neuropathy after initiation of antiretroviral therapy. <i>Muscle and Nerve</i> , 2018, 57, 371-379.	2.3	17
58	From HIV prevention to non-communicable disease health promotion efforts in sub-Saharan Africa. <i>Aids</i> , 2018, 32, S63-S73.	2.2	48
59	Food Purchasing Characteristics and Perceptions of Neighborhood Food Environment of South Africans Living in Low-, Middle- and High-Socioeconomic Neighborhoods. <i>Sustainability</i> , 2018, 10, 4801.	3.3	15
60	Noncommunicable diseases among HIV-infected persons in low-income and middle-income countries. <i>Aids</i> , 2018, 32, S5-S20.	2.2	185
61	Non-communicable diseases surveillance: overview of magnitude and determinants in Kenya from STEPwise approach survey of 2015. <i>BMC Public Health</i> , 2018, 18, 1224.	3.0	30
62	Patient preferences for the integration of mental health counseling and chronic disease care in South Africa. <i>Patient Preference and Adherence</i> , 2018, Volume 12, 1797-1803.	1.9	37
63	Dietary Intake and Beliefs of Pregnant Women with Gestational Diabetes in Cape Town, South Africa. <i>Nutrients</i> , 2018, 10, 1183.	4.2	9
64	Aspects of Multicomponent Integrated Care Promote Sustained Improvement in Surrogate Clinical Outcomes: A Systematic Review and Meta-analysis. <i>Diabetes Care</i> , 2018, 41, 1312-1320.	9.1	91
65	Diabetes in South African older adults: prevalence and impact on quality of life and functional disability " as assessed using SAGE Wave 1 data. <i>Global Health Action</i> , 2018, 11, 1449924.	2.0	36
66	Role of community health workers in type 2 diabetes mellitus self-management: A scoping review. <i>PLoS ONE</i> , 2018, 13, e0198424.	2.5	47
67	Anthropometric definitions for antiretroviral-associated lipodystrophy derived from a longitudinal South African cohort with serial dual-energy X-ray absorptiometry measurements. <i>International Journal of STD and AIDS</i> , 2018, 29, 1194-1203.	1.2	5
68	The prevalence of type 2 diabetes in South Africa: a systematic review protocol. <i>BMJ Open</i> , 2018, 8, e021029.	2.1	43
69	Using the Medical Research Council framework for development and evaluation of complex interventions in a low resource setting to develop a theory-based treatment support intervention delivered via SMS text message to improve blood pressure control. <i>BMC Health Services Research</i> , 2018, 18, 33.	2.2	31
70	Collaborative care for the detection and management of depression among adults receiving antiretroviral therapy in South Africa: study protocol for the CobALT randomised controlled trial. <i>Trials</i> , 2018, 19, 193.	1.7	37
71	Collaborative care for the detection and management of depression among adults with hypertension in South Africa: study protocol for the PRIME-SA randomised controlled trial. <i>Trials</i> , 2018, 19, 192.	1.7	28
72	Policies and clinical practices relating to the management of gestational diabetes mellitus in the public health sector, South Africa " a qualitative study. <i>BMC Health Services Research</i> , 2018, 18, 349.	2.2	16

#	ARTICLE	IF	CITATIONS
73	HIV treatment is associated with a twofold higher probability of raised triglycerides: pooled analyses in 21 023 individuals in sub-Saharan Africa. <i>Global Health, Epidemiology and Genomics</i> , 2018, 3, .	0.8	12
74	A qualitative study on the experiences and perspectives of public sector patients in Cape Town in managing the workload of demands of HIV and type 2 diabetes multimorbidity. <i>PLoS ONE</i> , 2018, 13, e0194191.	2.5	41
75	Models of Diabetes Care Across Different Resource Settings. , 2017, , 973-984.		2
76	Alternative indices of glucose homeostasis as biochemical diagnostic tests for abnormal glucose tolerance in an African setting. <i>Primary Care Diabetes</i> , 2017, 11, 119-131.	1.8	43
77	Updated risk factors should be used to predict development of diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 859-863.	2.4	5
78	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017, 390, 2627-2642.	12.1	5,382
79	Understanding and acting on the developmental origins of health and disease in Africa would improve health across generations. <i>Global Health Action</i> , 2017, 10, 1334985.	2.0	26
80	Trilateral overlap of tuberculosis, diabetes and HIV-1 in a high-burden African setting: implications for TB control. <i>European Respiratory Journal</i> , 2017, 50, 1700004.	7.5	34
81	Diabetes in sub-Saharan Africa: from clinical care to health policy. <i>Lancet Diabetes and Endocrinology</i> , the, 2017, 5, 622-667.	11.3	345
82	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , 2017, 389, 37-55.	12.1	1,813
83	Trends in obesity and diabetes across Africa from 1980 to 2014: an analysis of pooled population-based studies. <i>International Journal of Epidemiology</i> , 2017, 46, 1421-1432.	2.0	206
84	Training community health workers to screen for cardiovascular disease risk in the community: experiences from Cape Town, South Africa. <i>Cardiovascular Journal of Africa</i> , 2017, 28, 170-175.	0.4	11
85	Dietary Intake of the Urban Black Population of Cape Town: The Cardiovascular Risk in Black South Africans (CRIBSA) Study. <i>Nutrients</i> , 2016, 8, 285.	4.2	18
86	Educational Outreach with an Integrated Clinical Tool for Nurse-Led Non-communicable Chronic Disease Management in Primary Care in South Africa: A Pragmatic Cluster Randomised Controlled Trial. <i>PLoS Medicine</i> , 2016, 13, e1002178.	8.4	77
87	Anti-Retroviral Therapy Increases the Prevalence of Dyslipidemia in South African HIV-Infected Patients. <i>PLoS ONE</i> , 2016, 11, e0151911.	2.5	38
88	Sex differences in insulin sensitivity and insulin response with increasing age in black South African men and women. <i>Diabetes Research and Clinical Practice</i> , 2016, 122, 207-214.	2.8	23
89	Prevalence of type 2 diabetes mellitus in women of childbearing age in Africa during 2000-2016: protocol of a systematic review and meta-analysis. <i>BMJ Open</i> , 2016, 6, e012255.	2.1	7
90	Urban Health Research in Africa: Themes and Priority Research Questions. <i>Journal of Urban Health</i> , 2016, 93, 722-730.	3.6	34

#	ARTICLE	IF	CITATIONS
91	The social patterning of risk factors for noncommunicable diseases in five countries: evidence from the modeling the epidemiologic transition study (METS). <i>BMC Public Health</i> , 2016, 16, 956.	3.0	36
92	Diabetes diagnosis and care in sub-Saharan Africa: pooled analysis of individual data from 12 countries. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 903-912.	11.3	111
93	Changes in Body Fat Distribution on Dual-Energy X-Ray Absorptiometry in Black South Africans Starting First-Line Antiretroviral Therapy. <i>AIDS Patient Care and STDs</i> , 2016, 30, 455-462.	2.7	10
94	Making unhealthy places: The built environment and non-communicable diseases in Khayelitsha, Cape Town. <i>Health and Place</i> , 2016, 39, 196-203.	3.4	63
95	Increased risk of dysglycaemia in South Africans with HIV; especially those on protease inhibitors. <i>Diabetes Research and Clinical Practice</i> , 2016, 119, 41-47.	2.8	37
96	Perceptions of body size, obesity threat and the willingness to lose weight among black South African adults: a qualitative study. <i>BMC Public Health</i> , 2016, 16, 365.	3.0	102
97	Mobile Phone Text Messages to Support Treatment Adherence in Adults With High Blood Pressure (SMS-Text Adherence Support [StAR]). <i>Circulation</i> , 2016, 133, 592-600.	9.3	243
98	The prevalence of type 2 diabetes among older people in Africa: a systematic review. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 72-84.	11.3	55
99	Risk Factors for Incident Diabetes in a Cohort Taking First-Line Nonnucleoside Reverse Transcriptase Inhibitor-Based Antiretroviral Therapy. <i>Medicine (United States)</i> , 2016, 95, e2844.	1.1	48
100	Comparison of Nonblood-Based and Blood-Based Total CV Risk Scores in Global Populations. <i>Global Heart</i> , 2016, 11, 37.	1.4	36
101	Tackling NCD in LMIC: Achievements and Lessons Learned From the NHLBI's UnitedHealth Global Health Centers of Excellence Program. <i>Global Heart</i> , 2016, 11, 5.	1.4	38
102	Changes in blood pressure, glucose levels, insulin secretion and anthropometry after long term exposure to antiretroviral therapy in South African women. <i>AIDS Research and Therapy</i> , 2015, 12, 24.	1.8	40
103	A comparison of indices of glucose metabolism in five black populations: data from modeling the epidemiologic transition study (METS). <i>BMC Public Health</i> , 2015, 15, 895.	3.0	14
104	Socioeconomic predictors and consequences of depression among primary care attenders with non-communicable diseases in the Western Cape, South Africa: cohort study within a randomised trial. <i>BMC Public Health</i> , 2015, 15, 1194.	3.0	26
105	Sensory neuropathy and metabolic risk factors in human immune deficiency virus infected South Africans receiving protease inhibitors. <i>AIDS Research and Therapy</i> , 2015, 12, 30.	1.8	7
106	Diabetes mellitus and non-traumatic lower extremity amputations in four public sector hospitals in Cape Town, South Africa, during 2009 and 2010. <i>South African Medical Journal</i> , 2015, 105, 1053.	0.8	20
107	Knowledge and perceptions of risk for cardiovascular disease: Findings of a qualitative investigation from a low-income peri-urban community in the Western Cape, South Africa. <i>African Journal of Primary Health Care and Family Medicine</i> , 2015, 7, 891.	0.8	26
108	Multimorbidity, control and treatment of non-communicable diseases among primary healthcare attenders in the Western Cape, South Africa. <i>South African Medical Journal</i> , 2015, 105, 642.	0.8	46

#	ARTICLE	IF	CITATIONS
109	Referral outcomes of individuals identified at high risk of cardiovascular disease by community health workers in Bangladesh, Guatemala, Mexico, and South Africa. <i>Global Health Action</i> , 2015, 8, 26318.	2.0	30
110	Evidence insufficient to confirm the value of population screening for diabetes and hypertension in low- and-middle-income settings. <i>South African Medical Journal</i> , 2015, 105, 98.	0.8	13
111	Antiretroviral Therapy, Especially Efavirenz, Is Associated with Low Bone Mineral Density in HIV-Infected South Africans. <i>PLoS ONE</i> , 2015, 10, e0144286.	2.5	36
112	Effectiveness of community-based peer-led diabetes self-management programmes (COMP-DSMP) for improving clinical outcomes and quality of life of adults with diabetes in primary care settings in low and middle-income countries (LMIC): a systematic review and meta-analysis. <i>BMJ Open</i> , 2015, 5, e007635.	2.1	20
113	An assessment of community health workers' ability to screen for cardiovascular disease risk with a simple, non-invasive risk assessment instrument in Bangladesh, Guatemala, Mexico, and South Africa: an observational study. <i>The Lancet Global Health</i> , 2015, 3, e556-e563.	6.3	144
114	Cost-effectiveness of a diabetes group education program delivered by health promoters with a guiding style in underserved communities in Cape Town, South Africa. <i>Patient Education and Counseling</i> , 2015, 98, 622-626.	2.4	57
115	Patterns of HIV, TB, and non-communicable disease multi-morbidity in peri-urban South Africa- a cross sectional study. <i>BMC Infectious Diseases</i> , 2015, 15, 20.	3.0	153
116	Cardiovascular Disease Screening By Community Health Workers Can Be Cost-Effective In Low-Resource Countries. <i>Health Affairs</i> , 2015, 34, 1538-1545.	5.8	49
117	Increasing Prescription Length Could Cut Cardiovascular Disease Burden And Produce Savings In South Africa. <i>Health Affairs</i> , 2015, 34, 1578-1585.	5.8	10
118	Ethnic differences in hepatic and systemic insulin sensitivity and their associated determinants in obese black and white South African women. <i>Diabetologia</i> , 2015, 58, 2647-2652.	6.5	40
119	A qualitative study of the experiences of care and motivation for effective self-management among diabetic and hypertensive patients attending public sector primary health care services in South Africa. <i>BMC Health Services Research</i> , 2015, 15, 303.	2.2	62
120	High prevalence of metabolic syndrome in the Black population of Cape Town: The Cardiovascular Risk in Black South Africans (CRIBSA) study. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 1036-1042.	1.8	40
121	Factors Associated with Excessive Body Fat in Men and Women: Cross-Sectional Data from Black South Africans Living in a Rural Community and an Urban Township. <i>PLoS ONE</i> , 2015, 10, e0140153.	2.5	24
122	Preventing diabetic blindness: A priority for South Africa. <i>South African Medical Journal</i> , 2014, 104, 661.	0.8	9
123	Differing Patterns of Overweight and Obesity among Black Men and Women in Cape Town: The CRIBSA Study. <i>PLoS ONE</i> , 2014, 9, e107471.	2.5	15
124	The roles of community health workers in management of non-communicable diseases in an urban township. <i>African Journal of Primary Health Care and Family Medicine</i> , 2014, 6, E1-8.	0.8	57
125	Comparability of total cardiovascular disease risk estimates using laboratory and non-laboratory based assessments in urban-dwelling South Africans: The CRIBSA study. <i>South African Medical Journal</i> , 2014, 104, 691.	0.8	12
126	Insulin Resistance Is Associated with Lower Acetylcholine-Induced Microvascular Reactivity in Nondiabetic Women. <i>Metabolic Syndrome and Related Disorders</i> , 2014, 12, 178-184.	1.4	9

#	ARTICLE	IF	CITATIONS
127	Differential Patterns of Tobacco Use Among Black Men and Women in Cape Town: The Cardiovascular Risk in Black South Africans Study. <i>Nicotine and Tobacco Research</i> , 2014, 16, 1104-1111.	2.6	4
128	Efficacy of a text messaging (SMS) based intervention for adults with hypertension: protocol for the StAR (SMS Text-message Adherence support trial) randomised controlled trial. <i>BMC Public Health</i> , 2014, 14, 28.	3.0	71
129	High Molecular Weight (HMW): total adiponectin ratio is low in hiv-infected women receiving protease inhibitors. <i>BMC Clinical Pathology</i> , 2014, 14, 46.	1.8	8
130	Rising alcohol consumption and a high prevalence of problem drinking in black men and women in Cape Town: the CRIBSA study. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 446-452.	3.9	11
131	HIV and Metabolic, Body, and Bone Disorders. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 67, S27-S39.	2.2	50
132	Alarming rise in prevalence of atherogenic dyslipidaemia in the black population of Cape Town: the Cardiovascular Risk in Black South Africans (CRIBSA) study. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 1549-1556.	1.8	17
133	Evaluating the use of mobile phone technology to enhance cardiovascular disease screening by community health workers. <i>International Journal of Medical Informatics</i> , 2014, 83, 648-654.	3.5	74
134	Chronic diseases and multi-morbidity - a conceptual modification to the WHO ICC model for countries in health transition. <i>BMC Public Health</i> , 2014, 14, 575.	3.0	123
135	Quality of life in individuals living with HIV/AIDS attending a public sector antiretroviral service in Cape Town, South Africa. <i>BMC Public Health</i> , 2014, 14, 676.	3.0	29
136	The development of simple anthropometric measures to diagnose antiretroviral therapy-associated lipodystrophy in resource limited settings. <i>AIDS Research and Therapy</i> , 2014, 11, 26.	1.8	7
137	The prevalence of type 2 diabetes mellitus among older people in Africa: a systematic review study protocol. <i>BMJ Open</i> , 2014, 4, e004747.	2.1	39
138	Cardiovascular Risk Factors in Patients with Addison's Disease: A Comparative Study of South African and Swedish Patients. <i>PLoS ONE</i> , 2014, 9, e90768.	2.5	18
139	Ambulatory blood pressure profiles in a subset of HIV-positive patients pre and post antiretroviral therapy : cardiovascular topic. <i>Cardiovascular Journal of Africa</i> , 2014, 25, 153-157.	0.4	16
140	Fasting substrate oxidation in relation to habitual dietary fat intake and insulin resistance in non-diabetic women: a case for metabolic flexibility?. <i>Nutrition and Metabolism</i> , 2013, 10, 8.	3.0	21
141	Preventing diabetes blindness: Cost effectiveness of a screening programme using digital non-mydratic fundus photography for diabetic retinopathy in a primary health care setting in South Africa. <i>Diabetes Research and Clinical Practice</i> , 2013, 101, 170-176.	2.8	58
142	A lowered salt intake does not compromise iodine status in Cape Town, South Africa, where salt iodization is mandatory. <i>Nutrition</i> , 2013, 29, 630-634.	2.6	34
143	Comparative assessment of absolute cardiovascular disease risk characterization from non-laboratory-based risk assessment in South African populations. <i>BMC Medicine</i> , 2013, 11, 170.	5.7	38
144	A Novel Risk Classification Paradigm for Patients With Impaired Glucose Tolerance and High Cardiovascular Risk. <i>American Journal of Cardiology</i> , 2013, 112, 231-237.	1.6	5

#	ARTICLE	IF	CITATIONS
145	Certification of diabetes-related mortality: the need for an international guideline. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 236-237.	5.0	14
146	Ethnicity influences the diagnosis of primary adrenal insufficiency. <i>Clinical Endocrinology</i> , 2013, 78, 800-802.	2.6	1
147	Re-treatment of relapsed Paget's disease of bone with zoledronic acid: results from an open-label study. <i>BoneKey Reports</i> , 2013, 2, 442.	2.7	17
148	Association of HIV and ART with cardiometabolic traits in sub-Saharan Africa: a systematic review and meta-analysis. <i>International Journal of Epidemiology</i> , 2013, 42, 1754-1771.	2.0	167
149	Mitochondrial Genomics and Antiretroviral Therapy-Associated Metabolic Complications in HIV-Infected Black South Africans: A Pilot Study. <i>AIDS Research and Human Retroviruses</i> , 2013, 29, 1031-1039.	1.2	17
150	Effect of Different Antiretroviral Drug Regimens on Body Fat Distribution of HIV-Infected South African Women. <i>AIDS Research and Human Retroviruses</i> , 2013, 29, 557-563.	1.2	29
151	The non-fatal disease burden caused by type 2 diabetes in South Africa, 2009. <i>Global Health Action</i> , 2013, 6, 19244.	2.0	58
152	Implementation of national guidelines, incorporated within structured diabetes and hypertension records at primary level care in Cape Town, South Africa: a randomised controlled trial. <i>Global Health Action</i> , 2013, 6, 20796.	2.0	34
153	Addison's Disease Symptoms – A Cross Sectional Study in Urban South Africa. <i>PLoS ONE</i> , 2013, 8, e53526.	2.5	22
154	The Role of Adipose Tissue in Insulin Resistance in Women of African Ancestry. <i>Journal of Obesity</i> , 2013, 2013, 1-9.	2.8	32
155	A High Burden of Hypertension in the Urban Black Population of Cape Town: The Cardiovascular Risk in Black South Africans (CRIBSA) Study. <i>PLoS ONE</i> , 2013, 8, e78567.	2.5	73
156	Health promotion services for patients having non-communicable diseases: Feedback from patients and health care providers in Cape Town, South Africa. <i>BMC Public Health</i> , 2012, 12, 503.	3.0	33
157	Association of lopinavir concentrations with plasma lipid or glucose concentrations in HIV-infected South Africans: a cross sectional study. <i>AIDS Research and Therapy</i> , 2012, 9, 32.	1.8	4
158	Effectiveness of a group diabetes education programme in underserved communities in South Africa: pragmatic cluster randomized control trial. <i>BMC Family Practice</i> , 2012, 13, 126.	2.9	67
159	Rising Diabetes Prevalence among Urban-Dwelling Black South Africans. <i>PLoS ONE</i> , 2012, 7, e43336.	2.5	152
160	Diagnostic Ability of Obesity Measures to Identify Metabolic Risk Factors in South African Women. <i>Metabolic Syndrome and Related Disorders</i> , 2011, 9, 353-360.	1.4	16
161	Effect of Nonnucleoside Reverse Transcriptase Inhibitor-Based Antiretroviral Therapy on Dysglycemia and Insulin Sensitivity in South African HIV-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 57, 284-289.	2.2	75
162	Depot- and ethnic-specific differences in the relationship between adipose tissue inflammation and insulin sensitivity. <i>Clinical Endocrinology</i> , 2011, 74, 51-59.	2.6	58

#	ARTICLE	IF	CITATIONS
163	Waist Circumference, BMI, and Visceral Adipose Tissue in White Women and Women of African Descent. <i>Obesity</i> , 2011, 19, 671-674.	3.2	54
164	Reduced Gluteal Expression of Adipogenic and Lipogenic Genes in Black South African Women Is Associated with Obesity-Related Insulin Resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E2029-E2033.	3.6	37
165	They think they know but do they? Misalignment of perceptions of lifestyle modification knowledge among health professionals. <i>Public Health Nutrition</i> , 2011, 14, 1429-1438.	2.4	62
166	Chronic noncommunicable diseases and HIV-AIDS on a collision course: relevance for health care delivery, particularly in low-resource settings—insights from South Africa. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1690S-1696S.	4.6	163
167	Ethnic differences in serum lipoproteins and their determinants in South African women. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 1341-1350.	3.6	69
168	HIV neuropathy in South Africans: Frequency, characteristics, and risk factors. <i>Muscle and Nerve</i> , 2010, 41, 599-606.	2.3	103
169	Lack of association between stavudine exposure and lipoatrophy, dysglycaemia, hyperlactataemia and hypertriglyceridaemia: a prospective cross sectional study. <i>AIDS Research and Therapy</i> , 2010, 7, 23.	1.8	6
170	ORIGINAL ARTICLE: Autoimmunity predominates in a large South African cohort with Addison's disease of mainly European descent despite longstanding disease and is associated with HLA DQB*0201. <i>Clinical Endocrinology</i> , 2010, 73, 291-298.	2.6	23
171	Dual-energy X-ray Absorptiometry and Anthropometric Estimates of Visceral Fat in Black and White South African Women. <i>Obesity</i> , 2010, 18, 619-624.	3.2	25
172	Effect of Valsartan on the Incidence of Diabetes and Cardiovascular Events. <i>New England Journal of Medicine</i> , 2010, 362, 1477-1490.	30.1	596
173	Effect of Nateglinide on the Incidence of Diabetes and Cardiovascular Events. <i>New England Journal of Medicine</i> , 2010, 362, 1463-1476.	30.1	433
174	Insulin Response in Relation to Insulin Sensitivity. <i>Diabetes Care</i> , 2009, 32, 860-865.	9.1	92
175	Differential Effects of Abdominal Adipose Tissue Distribution on Insulin Sensitivity in Black and White South African Women. <i>Obesity</i> , 2009, 17, 1506-1512.	3.2	102
176	The atypical presentation of the metabolic syndrome components in black African women: the relationship with insulin resistance and the influence of regional adipose tissue distribution. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 149-157.	3.6	32
177	Determinants of Insulin-resistant Phenotypes in Normal-weight and Obese Black African Women. <i>Obesity</i> , 2008, 16, 1602-1609.	3.2	78
178	Determinants of Target Organ Damage in Black Hypertensive Patients Attending Primary Health Care Services in Cape Town: The Hi-Hi Study. <i>American Journal of Hypertension</i> , 2008, 21, 896-902.	1.9	29
179	Hypertension and diabetes: Poor care for patients at community health centres. <i>Journal of Endocrinology Metabolism and Diabetes of South Africa</i> , 2008, 13, 64-70.	0.2	31
180	Estimating the burden of disease attributable to diabetes in South Africa in 2000. <i>Journal of Endocrinology Metabolism and Diabetes of South Africa</i> , 2007, 12, 65-71.	0.2	43

#	ARTICLE	IF	CITATIONS
181	Hyperthyroidismâ€”an unusual feature of thyroid carcinoma. Journal of Endocrinology Metabolism and Diabetes of South Africa, 2006, 11, 80-83.	0.2	0
182	Testing of electrochromic materials using symmetrical devices. Journal of Applied Electrochemistry, 2006, 36, 1011-1019.	2.9	11
183	The effect of maternal glucose metabolism, iron, vitamin B ₁₂ and folate status on pregnancy outcomes. South African Journal of Clinical Nutrition, 2006, 19, 120-134.	0.8	4
184	Development and validation of instruments measuring body image and body weight dissatisfaction in South African mothers and their daughters. Public Health Nutrition, 2005, 8, 509-519.	2.4	102
185	Diet and blood pressure in South Africa: Intake of foods containing sodium, potassium, calcium, and magnesium in three ethnic groups. Nutrition, 2005, 21, 39-50.	2.6	101
186	Barriers to initiating insulin therapy in patients with type 2 diabetes mellitus in public-sector primary health care centres in Cape Town. Journal of Endocrinology Metabolism and Diabetes of South Africa, 2005, 10, 94-99.	0.2	48
187	Ethnic differences in intake and excretion of sodium, potassium, calcium and magnesium in South Africans. European Journal of Cardiovascular Prevention and Rehabilitation, 2005, 12, 355-362.	2.8	32
188	A case of generalised allergic reaction to human insulin. Journal of Endocrinology Metabolism and Diabetes of South Africa, 2004, 9, 18-20.	0.2	2
189	Diabetes in Africa. European Journal of Cardiovascular Prevention and Rehabilitation, 2003, 10, 75-76.	2.8	0
190	Dietary intake and barriers to dietary compliance in black type 2 diabetic patients attending primary health-care services. Public Health Nutrition, 2002, 5, 329-338.	2.4	57
191	The Prevalence and Identification of Risk Factors for NIDDM in Urban Africans in Cape Town, South Africa. Diabetes Care, 1993, 16, 601-607.	9.1	142