Naomi S Levitt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/708464/publications.pdf

Version: 2024-02-01

227 papers

18,906 citations

53 h-index 128 g-index

236 all docs

236 docs citations

times ranked

236

27916 citing authors

#	Article	IF	CITATIONS
1	IDF Diabetes Atlas: The prevalence of pre-existing diabetes in pregnancy – A systematic review and meta-analysis of studies published during 2010–2020. Diabetes Research and Clinical Practice, 2022, 183, 109049.	1.1	26
2	Non-communicable disease care and management in two sites of the Cape Town Metro during the first wave of COVID-19: A rapid appraisal. African Journal of Primary Health Care and Family Medicine, 2022, 14, e1-e7.	0.3	4
3	Multimorbidity of non-communicable diseases in low-income and middle-income countries: a systematic review and meta-analysis. BMJ Open, 2022, 12, e049133.	0.8	59
4	IDF Diabetes Atlas: Estimation of Global and Regional Gestational Diabetes Mellitus Prevalence for 2021 by International Association of Diabetes in Pregnancy Study Group's Criteria. Diabetes Research and Clinical Practice, 2022, 183, 109050.	1.1	264
5	Cardiometabolic outcomes of women exposed to hyperglycaemia first detected in pregnancy at 3-6 years post-partum in an urban South African setting. PLoS ONE, 2022, 17, e0263529.	1.1	5
6	Cardiometabolic profile and leukocyte telomere length in a Black South African population. Scientific Reports, 2022, 12, 3323.	1.6	2
7	Development of a core outcome set for multimorbidity trials in low/middle-income countries (COSMOS): study protocol. BMJ Open, 2022, 12, e051810.	0.8	6
8	The diagnostic accuracy of HbA _{1c} , compared to the oral glucose tolerance test, for screening for type 2 diabetes mellitus in Africa—A systematic review and metaâ€analysis. Diabetic Medicine, 2022, 39, e14754.	1.2	8
9	Evaluation of an adapted version of the Diabetes Prevention Program for low- and middle-income countries: A cluster randomized trial to evaluate "Lifestyle Africa―in South Africa. PLoS Medicine, 2022, 19, e1003964.	3.9	9
10	Applying systems thinking to identify enablers and challenges to scale-up interventions for hypertension and diabetes in low-income and middle-income countries: protocol for a longitudinal mixed-methods study. BMJ Open, 2022, 12, e053122.	0.8	1
11	Building knowledge, optimising physical and mental health and setting up healthier life trajectories in South African women (<i>Bukhali</i>): a preconception randomised control trial part of the Healthy Life Trajectories Initiative (HeLTI). BMJ Open, 2022, 12, e059914.	0.8	17
12	Perceived cardiovascular disease risk and tailored communication strategies among rural and urban community dwellers in Rwanda: a qualitative study. BMC Public Health, 2022, 22, 920.	1.2	7
13	Risk Factors for Coronavirus Disease 2019 (COVID-19) Death in a Population Cohort Study from the Western Cape Province, South Africa. Clinical Infectious Diseases, 2021, 73, e2005-e2015.	2.9	405
14	Integration of mental health counselling into chronic disease services at the primary health care level: Formative research on dedicated versus designated strategies in the Western Cape, South Africa. Journal of Health Services Research and Policy, 2021, 26, 172-179.	0.8	23
15	Food purchasing behaviour of shoppers from different South African socio-economic communities: results from grocery receipts, intercept surveys and in-supermarkets audits. Public Health Nutrition, 2021, 24, 665-676.	1.1	7
16	Kisspeptins and Glucose Homeostasis in Pregnancy: Implications for Gestational Diabetes Mellitus—a Review Article. Reproductive Sciences, 2021, , 1.	1.1	6
17	Integrating gestational diabetes and type 2 diabetes care into primary health care: Lessons from prevention of mother-to-child transmission of HIV in South Africa - A mixed methods study. PLoS ONE, 2021, 16, e0245229.	1.1	5
18	Intervention development of a brief messaging intervention for a randomised controlled trial to improve diabetes treatment adherence in sub-Saharan Africa. BMC Public Health, 2021, 21, 147.	1.2	8

#	Article	IF	Citations
19	Mixed method evaluation of the CEBHA+ integrated knowledge translation approach: a protocol. Health Research Policy and Systems, 2021, 19, 7.	1.1	7
20	Community-driven citizen science approach to explore cardiovascular disease risk perception, and develop prevention advocacy strategies in sub-Saharan Africa: a programme protocol. Research Involvement and Engagement, $2021, 7, 11$.	1.1	10
21	Outcomes of hyperglycaemia in pregnancy in Africa: systematic review study protocol. BMJ Open, 2021, 11, e040921.	0.8	1
22	Obesity and adiposity of 3- to 6-year-old children born to mothers with hyperglycaemia first detected in pregnancy in an urban South African setting. Annals of Human Biology, 2021, 48, 81-92.	0.4	5
23	Point-of-care HbA _{1c} testing in an urban primary care diabetes clinic in South Africa: a mixed methods feasibility study. BMJ Open, 2021, 11, e045511.	0.8	1
24	Effectiveness of a task-sharing collaborative care model for identification and management of depressive symptoms in patients with hypertension attending public sector primary care clinics in South Africa: pragmatic parallel cluster randomised controlled trial Journal of Affective Disorders, 2021, 282, 112-121.	2.0	18
25	Associations of glycated albumin and fructosamine with glycaemic status in urban black South Africans. Clinica Chimica Acta, 2021, 519, 291-297.	0.5	8
26	Prevalence of Type 2 Diabetes in South Africa: A Systematic Review and Meta-Analysis. International Journal of Environmental Research and Public Health, 2021, 18, 5868.	1.2	30
27	Use of the socio-ecological model to explore factors that influence the implementation of a diabetes structured education programme (EXTEND project) inLilongwe, Malawi and Maputo, Mozambique: a qualitative study. BMC Public Health, 2021, 21, 1355.	1.2	10
28	Risk factors for COVID-19 hospitalisation and death in people living with diabetes: A virtual cohort study from the Western Cape Province, South Africa. Diabetes Research and Clinical Practice, 2021, 177, 108925.	1.1	12
29	The influence of maternal blood glucose during pregnancy on weight outcomes at birth and preschool age in offspring exposed to hyperglycemia first detected during pregnancy, in a South African cohort. PLoS ONE, 2021, 16, e0258894.	1.1	8
30	Multimorbidity Among Migrant and Non-Migrant Ghanaians: The RODAM Study. International Journal of Public Health, 2021, 66, 1604056.	1.0	4
31	Prevalence of Pragmatically Defined High CV Risk and its Correlates in LMIC: A Report From 10 LMIC Areas in Africa, Asia, and South America. Global Heart, 2020, 11, 27.	0.9	8
32	Tuberculosis, Human Immunodeficiency Virus, and the Association With Transient Hyperglycemia in Periurban South Africa. Clinical Infectious Diseases, 2020, 71, 1080-1088.	2.9	14
33	The Lancet Commission on diabetes: using data to transform diabetes care and patient lives. Lancet, The, 2020, 396, 2019-2082.	6.3	327
34	Perspectives on the psychological and emotional burden of having gestational diabetes amongst low-income women in Cape Town, South Africa. BMC Women's Health, 2020, 20, 231.	0.8	20
35	Critical review of multimorbidity outcome measures suitable for low-income and middle-income country settings: perspectives from the Global Alliance for Chronic Diseases (GACD) researchers. BMJ Open, 2020, 10, e037079.	0.8	25
36	Prevalence, concordance and associations of chronic kidney disease by five estimators in South Africa. BMC Nephrology, 2020, 21, 372.	0.8	6

#	Article	IF	CITATIONS
37	A high burden of adverse life events and poor coping mechanisms experienced by urban-dwelling black South Africans. PLoS ONE, 2020, 15, e0238320.	1.1	5
38	The effectiveness of peer and community health worker-led self-management support programs for improving diabetes health-related outcomes in adults in low- and-middle-income countries: a systematic review. Systematic Reviews, 2020, 9, 133.	2.5	37
39	Does social support effect knowledge and diabetes self-management practices in older persons with Type 2 diabetes attending primary care clinics in Cape Town, South Africa?. PLoS ONE, 2020, 15, e0230173.	1.1	21
40	Physical activity behaviours of persons living with HIV of low socioeconomic status: domain, intensity and sociodemographic correlates. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2019, 31, 255-259.	0.6	5
41	Maternal and neonatal outcomes following a diabetic pregnancy within the context of <scp>HIV</scp> . International Journal of Gynecology and Obstetrics, 2019, 147, 404-412.	1.0	7
42	Progression to type 2 diabetes mellitus and associated risk factors after hyperglycemia first detected in pregnancy: A cross-sectional study in Cape Town, South Africa. PLoS Medicine, 2019, 16, e1002865.	3.9	34
43	Waist-to-height ratio is a useful indicator of cardio-metabolic risk in South Africa. Family Practice, 2019, 37, 36-42.	0.8	7
44	Prevalence of type 2 diabetes mellitus in women of childbearing age in Africa during 2000–2016: a systematic review and meta-analysis. BMJ Open, 2019, 9, e024345.	0.8	17
45	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. Nature, 2019, 569, 260-264.	13.7	469
46	Integrated management of type 2 diabetes and gestational diabetes within multi-morbidity conditions in Africa: a systematic review protocol. BMJ Open, 2019, 9, e023684.	0.8	1
47	Community health worker-delivered counselling for common mental disorders among chronic disease patients in South Africa: a feasibility study. BMJ Open, 2019, 9, e024277.	0.8	42
48	Adapting the Diabetes Prevention Program for low and middle-income countries: protocol for a cluster randomised trial to evaluate †Lifestyle Africa'. BMJ Open, 2019, 9, e031400.	0.8	11
49	Demographic and socio-economic predictors of physical activity among people living with HIV of low socio-economic status. Health SA Gesondheid, 2019, 24, 1127.	0.3	3
50	Weight underestimation and body size dissatisfaction among black African adults with obesity: Implications for health promotion. African Journal of Primary Health Care and Family Medicine, 2019, 11, e1-e8.	0.3	9
51	Current policies and practices for the provision of diabetes care and self-management support programmes for older South Africans. African Journal of Primary Health Care and Family Medicine, 2019, 11, e1-e12.	0.3	8
52	Experiences of lifestyle change among women with gestational diabetes mellitus (GDM): A behavioural diagnosis using the COM-B model in a low-income setting. PLoS ONE, 2019, 14, e0225431.	1.1	30
53	Factors that influence patient empowerment in inpatient chronic care: early thoughts on a diabetes care intervention in South Africa. BMC Endocrine Disorders, 2019, 19, 133.	0.9	17
54	High prevalence of cardiovascular risk factors and insulin resistance 6 years after hyperglycemia first detected in pregnancy in Cape Town, South Africa. BMJ Open Diabetes Research and Care, 2019, 7, e000740.	1.2	6

#	Article	IF	Citations
55	Sugar-sweetened beverage intake and relative weight gain among South African adults living in resource-poor communities: longitudinal data from the STOP-SA study. International Journal of Obesity, 2019, 43, 603-614.	1.6	12
56	Mobile Messaging Support Versus Usual Care for People With Type 2 Diabetes on Glycemic Control: Protocol for a Multicenter Randomized Controlled Trial. JMIR Research Protocols, 2019, 8, e12377.	0.5	7
57	The prevalence and determinants of active tuberculosis among diabetes patients in Cape Town, South Africa, a high HIV/TB burden setting. Diabetes Research and Clinical Practice, 2018, 138, 16-25.	1.1	21
58	Comparing dedicated and designated models of integrating mental health into chronic disease care: study protocol for a cluster randomized controlled trial. Trials, 2018, 19, 185.	0.7	47
59	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. International Journal of Epidemiology, 2018, 47, 872-883i.	0.9	65
60	Evolution of sensory neuropathy after initiation of antiretroviral therapy. Muscle and Nerve, 2018, 57, 371-379.	1.0	17
61	From HIV prevention to non-communicable disease health promotion efforts in sub-Saharan Africa. Aids, 2018, 32, S63-S73.	1.0	25
62	Food Purchasing Characteristics and Perceptions of Neighborhood Food Environment of South Africans Living in Low-, Middle- and High-Socioeconomic Neighborhoods. Sustainability, 2018, 10, 4801.	1.6	13
63	Pregnancy outcome in patients with pregestational and gestational diabetes attending Groote Schuur Hospital, Cape Town, South Africa. South African Medical Journal, 2018, 108, 772.	0.2	12
64	Noncommunicable diseases among HIV-infected persons in low-income and middle-income countries. Aids, 2018, 32, S5-S20.	1.0	171
65	Non-communicable diseases surveillance: overview of magnitude and determinants in Kenya from STEPwise approach survey of 2015. BMC Public Health, 2018, 18, 1224.	1.2	27
66	Patient preferences for the integration of mental health counseling and chronic disease care in South Africa. Patient Preference and Adherence, 2018, Volume 12, 1797-1803.	0.8	35
67	Dietary Intake and Beliefs of Pregnant Women with Gestational Diabetes in Cape Town, South Africa. Nutrients, 2018, 10, 1183.	1.7	9
68	Aspects of Multicomponent Integrated Care Promote Sustained Improvement in Surrogate Clinical Outcomes: A Systematic Review and Meta-analysis. Diabetes Care, 2018, 41, 1312-1320.	4.3	81
69	Diabetes in South African older adults: prevalence and impact on quality of life and functional disability – as assessed using SAGE Wave 1 data. Global Health Action, 2018, 11, 1449924.	0.7	35
70	Role of community health workers in type 2 diabetes mellitus self-management: A scoping review. PLoS ONE, 2018, 13, e0198424.	1.1	45
71	Anthropometric definitions for antiretroviral-associated lipodystrophy derived from a longitudinal South African cohort with serial dual-energy X-ray absorptiometry measurements. International Journal of STD and AIDS, 2018, 29, 1194-1203.	0.5	4
72	The prevalence of type 2 diabetes in South Africa: a systematic review protocol. BMJ Open, 2018, 8, e021029.	0.8	41

#	Article	IF	CITATIONS
73	Using the Medical Research Council framework for development and evaluation of complex interventions in a low resource setting to develop a theory-based treatment support intervention delivered via SMS text message to improve blood pressure control. BMC Health Services Research, 2018. 18. 33.	0.9	31
74	Collaborative care for the detection and management of depression among adults receiving antiretroviral therapy in South Africa: study protocol for the CobALT randomised controlled trial. Trials, 2018, 19, 193.	0.7	36
75	Collaborative care for the detection and management of depression among adults with hypertension in South Africa: study protocol for the PRIME-SA randomised controlled trial. Trials, 2018, 19, 192.	0.7	25
76	Policies and clinical practices relating to the management of gestational diabetes mellitus in the public health sector, South Africa – a qualitative study. BMC Health Services Research, 2018, 18, 349.	0.9	15
77	HIV treatment is associated with a twofold higher probability of raised triglycerides: pooled analyses in 21Â023 individuals in sub-Saharan Africa. Global Health, Epidemiology and Genomics, 2018, 3, .	0.2	11
78	A qualitative study on the experiences and perspectives of public sector patients in Cape Town in managing the workload of demands of HIV and type 2 diabetes multimorbidity. PLoS ONE, 2018, 13, e0194191.	1.1	37
79	Alternative indices of glucose homeostasis as biochemical diagnostic tests for abnormal glucose tolerance in an African setting. Primary Care Diabetes, 2017, 11, 119-131.	0.9	41
80	Updated risk factors should be used to predict development of diabetes. Journal of Diabetes and Its Complications, 2017, 31, 859-863.	1.2	5
81	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128·9 million children, adolescents, and adults. Lancet, The, 2017, 390, 2627-2642.	6.3	5,010
82	Associations of fats and carbohydrate intake with cardiovascular disease and mortality in 18 countries from five continents (PURE): a prospective cohort study. Lancet, The, 2017, 390, 2050-2062.	6.3	841
83	Fruit, vegetable, and legume intake, and cardiovascular disease and deaths in 18 countries (PURE): a prospective cohort study. Lancet, The, 2017, 390, 2037-2049.	6.3	446
84	Association of dietary nutrients with blood lipids and blood pressure in 18 countries: a cross-sectional analysis from the PURE study. Lancet Diabetes and Endocrinology,the, 2017, 5, 774-787.	5 . 5	198
85	Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. Lancet Public Health, The, 2017, 2, e411-e419.	4.7	134
86	Understanding and acting on the developmental origins of health and disease in Africa would improve health across generations. Global Health Action, 2017, 10, 1334985.	0.7	25
87	Trilateral overlap of tuberculosis, diabetes and HIV-1 in a high-burden African setting: implications for TB control. European Respiratory Journal, 2017, 50, 1700004.	3.1	32
88	Diabetes in sub-Saharan Africa: from clinical care to health policy. Lancet Diabetes and Endocrinology,the, 2017, 5, 622-667.	5 . 5	328
89	Worldwide trends in blood pressure from 1975 to 2015 : a pooled analysis of 1479 population-based measurement studies with $19 {\hat A} \cdot 1$ million participants. Lancet, The, 2017 , 389 , $37-55$.	6.3	1,667
90	Trends in obesity and diabetes across Africa from 1980 to 2014: an analysis of pooled population-based studies. International Journal of Epidemiology, 2017, 46, 1421-1432.	0.9	197

#	Article	IF	Citations
91	High prevalence of "non-dipping―blood pressure and vascular stiffness in HIV-infected South Africans on antiretrovirals. PLoS ONE, 2017, 12, e0185003.	1.1	14
92	Training community health workers to screen for cardiovascular disease risk in the community: experiences from Cape Town, South Africa. Cardiovascular Journal of Africa, 2017, 28, 170-175.	0.2	9
93	Dietary Intake of the Urban Black Population of Cape Town: The Cardiovascular Risk in Black South Africans (CRIBSA) Study. Nutrients, 2016, 8, 285.	1.7	17
94	Educational Outreach with an Integrated Clinical Tool for Nurse-Led Non-communicable Chronic Disease Management in Primary Care in South Africa: A Pragmatic Cluster Randomised Controlled Trial. PLoS Medicine, 2016, 13, e1002178.	3.9	74
95	Anti-Retroviral Therapy Increases the Prevalence of Dyslipidemia in South African HIV-Infected Patients. PLoS ONE, 2016, 11, e0151911.	1.1	38
96	Sex differences in insulin sensitivity and insulin response with increasing age in black South African men and women. Diabetes Research and Clinical Practice, 2016, 122, 207-214.	1.1	21
97	Prevalence of type 2 diabetes mellitus in women of childbearing age in Africa during 2000–2016: protocol of a systematic review and meta-analysis. BMJ Open, 2016, 6, e012255.	0.8	7
98	Urban Health Research in Africa: Themes and Priority Research Questions. Journal of Urban Health, 2016, 93, 722-730.	1.8	33
99	The social patterning of risk factors for noncommunicable diseases in five countries: evidence from the modeling the epidemiologic transition study (METS). BMC Public Health, 2016, 16, 956.	1.2	35
100	Delivery of health care for cardiovascular and metabolic diseases among people living with HIV/AIDS in African countries: a systematic review protocol. Systematic Reviews, 2016, 5, 63.	2.5	8
101	Diabetes diagnosis and care in sub-Saharan Africa: pooled analysis of individual data from 12 countries. Lancet Diabetes and Endocrinology,the, 2016, 4, 903-912.	5.5	108
102	Changes in Body Fat Distribution on Dual-Energy X-Ray Absorptiometry in Black South Africans Starting First-Line Antiretroviral Therapy. AIDS Patient Care and STDs, 2016, 30, 455-462.	1.1	10
103	Making unhealthy places: The built environment and non-communicable diseases in Khayelitsha, Cape Town. Health and Place, 2016, 39, 196-203.	1.5	61
104	Increased risk of dysglycaemia in South Africans with HIV; especially those on protease inhibitors. Diabetes Research and Clinical Practice, 2016, 119, 41-47.	1.1	34
105	Perceptions of body size, obesity threat and the willingness to lose weight among black South African adults: a qualitative study. BMC Public Health, 2016, 16, 365.	1.2	97
106	Mobile Phone Text Messages to Support Treatment Adherence in Adults With High Blood Pressure (SMS-Text Adherence Support [StAR]). Circulation, 2016, 133, 592-600.	1.6	230
107	The prevalence of type 2 diabetes among older people in Africa: a systematic review. Lancet Diabetes and Endocrinology,the, 2016, 4, 72-84.	5. 5	51
108	Risk Factors for Incident Diabetes in a Cohort Taking First-Line Nonnucleoside Reverse Transcriptase Inhibitor-Based Antiretroviral Therapy. Medicine (United States), 2016, 95, e2844.	0.4	47

#	Article	IF	CITATIONS
109	Assessing global risk factors for non-fatal injuries from road traffic accidents and falls in adults aged 35â€"70â€years in 17 countries: a cross-sectional analysis of the Prospective Urban Rural Epidemiological (PURE) study. Injury Prevention, 2016, 22, 92-98.	1.2	28
110	A Multiethnic Study of Pre-Diabetes and Diabetes in LMIC. Global Heart, 2016, 11, 61.	0.9	51
111	Hypertension Prevalence, Awareness, Treatment, and Control in Selected LMIC Communities: Results From the NHLBI/UHG Network of Centers of Excellence for Chronic Diseases. Global Heart, 2016, 11, 47.	0.9	95
112	Comparison of Nonblood-Based and Blood-Based Total CV Risk Scores in Global Populations. Global Heart, 2016, 11, 37.	0.9	35
113	Tackling NCD in LMIC: Achievements and Lessons Learned From the NHLBI—UnitedHealth Global Health Centers of Excellence Program. Global Heart, 2016, 11, 5.	0.9	36
114	Training and Capacity Building in LMIC for Research in Heart and Lung Diseases: The NHLBIâ€"UnitedHealth Global Health Centers of Excellence Program. Global Heart, 2016, 11, 17.	0.9	42
115	Obesity and its Relation With Diabetes and Hypertension: A Cross-Sectional Study Across 4 Geographical Regions. Global Heart, 2016, 11, 71.	0.9	65
116	Socioeconomic and modifiable predictors of blood pressure control for hypertension in primary care attenders in the Western Cape, South Africa. South African Medical Journal, 2016, 106, 1241.	0.2	4
117	Pharmacogenetics of plasma efavirenz exposure in HIVâ€infected adults and children in South Africa. British Journal of Clinical Pharmacology, 2015, 80, 146-156.	1.1	64
118	Changes in blood pressure, glucose levels, insulin secretion and anthropometry after long term exposure to antiretroviral therapy in South African women. AIDS Research and Therapy, 2015, 12, 24.	0.7	37
119	A comparison of indices of glucose metabolism in five black populations: data from modeling the epidemiologic transition study (METS). BMC Public Health, 2015, 15, 895.	1.2	14
120	Socioeconomic predictors and consequences of depression among primary care attenders with non-communicable diseases in the Western Cape, South Africa: cohort study within a randomised trial. BMC Public Health, 2015, 15, 1194.	1.2	24
121	Sensory neuropathy and metabolic risk factors in human immune deficiency virus infected South Africans receiving protease inhibitors. AIDS Research and Therapy, 2015, 12, 30.	0.7	7
122	Diabetes mellitus and non-traumatic lower extremity amputations in four public sector hospitals in Cape Town, South Africa, during 2009 and 2010. South African Medical Journal, 2015, 105, 1053.	0.2	19
123	Knowledge and perceptions of risk for cardiovascular disease: Findings of a qualitative investigation from a low-income peri-urban community in the Western Cape, South Africa. African Journal of Primary Health Care and Family Medicine, 2015, 7, 891.	0.3	24
124	Multimorbidity, control and treatment of non-communicable diseases among primary healthcare attenders in the Western Cape, South Africa. South African Medical Journal, 2015, 105, 642.	0.2	45
125	Referral outcomes of individuals identified at high risk of cardiovascular disease by community health workers in Bangladesh, Guatemala, Mexico, and South Africa. Global Health Action, 2015, 8, 26318.	0.7	29
126	Evidence insufficient to confirm the value of population screening for diabetes and hypertension in low- and-middle-income settings. South African Medical Journal, 2015, 105, 98.	0.2	13

#	Article	IF	Citations
127	Antiretroviral Therapy, Especially Efavirenz, Is Associated with Low Bone Mineral Density in HIV-Infected South Africans. PLoS ONE, 2015, 10, e0144286.	1.1	36
128	Effectiveness of community-based peer-led diabetes self-management programmes (COMP-DSMP) for improving clinical outcomes and quality of life of adults with diabetes in primary care settings in low and middle-income countries (LMIC): a systematic review and meta-analysis. BMJ Open, 2015, 5, e007635.	0.8	17
129	An assessment of community health workers' ability to screen for cardiovascular disease risk with a simple, non-invasive risk assessment instrument in Bangladesh, Guatemala, Mexico, and South Africa: an observational study. The Lancet Global Health, 2015, 3, e556-e563.	2.9	139
130	Cost-effectiveness of a diabetes group education program delivered by health promoters with a guiding style in underserved communities in Cape Town, South Africa. Patient Education and Counseling, 2015, 98, 622-626.	1.0	52
131	Patterns of HIV, TB, and non-communicable disease multi-morbidity in peri-urban South Africa- a cross sectional study. BMC Infectious Diseases, 2015, 15, 20.	1.3	148
132	Publisher's Note. Health and Place, 2015, 35, 11-18.	1.5	15
133	Cardiovascular Disease Screening By Community Health Workers Can Be Cost-Effective In Low-Resource Countries. Health Affairs, 2015, 34, 1538-1545.	2.5	42
134	Increasing Prescription Length Could Cut Cardiovascular Disease Burden And Produce Savings In South Africa. Health Affairs, 2015, 34, 1578-1585.	2.5	9
135	Ethnic differences in hepatic and systemic insulin sensitivity and their associated determinants in obese black and white South African women. Diabetologia, 2015, 58, 2647-2652.	2.9	39
136	A qualitative study of the experiences of care and motivation for effective self-management among diabetic and hypertensive patients attending public sector primary health care services in South Africa. BMC Health Services Research, 2015, 15, 303.	0.9	59
137	Glucocorticoid receptor gene expression in adipose tissue and associated metabolic risk in black and white South African women. International Journal of Obesity, 2015, 39, 303-311.	1.6	8
138	High prevalence of metabolic syndrome in the Black population of Cape Town: The Cardiovascular Risk in Black South Africans (CRIBSA) study. European Journal of Preventive Cardiology, 2015, 22, 1036-1042.	0.8	39
139	The Training and Fieldwork Experiences of Community Health Workers Conducting Population-Based, Noninvasive Screening for CVD in LMIC. Global Heart, 2015, 10, 45.	0.9	31
140	Training and Supervision of Community Health Workers Conducting Population-Based, Noninvasive Screening for CVD in LMIC: Implications for Scaling Up. Global Heart, 2015, 10, 39.	0.9	26
141	Factors Associated with Excessive Body Fat in Men and Women: Cross-Sectional Data from Black South Africans Living in a Rural Community and an Urban Township. PLoS ONE, 2015, 10, e0140153.	1.1	22
142	Preventing diabetic blindness: A priority for South Africa. South African Medical Journal, 2014, 104, 661.	0.2	9
143	Differing Patterns of Overweight and Obesity among Black Men and Women in Cape Town: The CRIBSA Study. PLoS ONE, 2014, 9, e107471.	1.1	14
144	The roles of community health workers in management of non-communicable diseases in an urban township. African Journal of Primary Health Care and Family Medicine, 2014, 6, E1-8.	0.3	54

#	Article	IF	CITATIONS
145	Comparability of total cardiovascular disease risk estimates using laboratory and non-laboratory based assessments in urban-dwelling South Africans: The CRIBSA study. South African Medical Journal, 2014, 104, 691.	0.2	12
146	Insulin Resistance Is Associated with Lower Acetylcholine-Induced Microvascular Reactivity in Nondiabetic Women. Metabolic Syndrome and Related Disorders, 2014, 12, 178-184.	0.5	9
147	Male and Female Hypogonadism are Highly Prevalent in South Africans with Addison's Disease. Hormone and Metabolic Research, 2014, 46, 691-696.	0.7	7
148	Differential Patterns of Tobacco Use Among Black Men and Women in Cape Town: The Cardiovascular Risk in Black South Africans Study. Nicotine and Tobacco Research, 2014, 16, 1104-1111.	1.4	4
149	Effectiveness of a group diabetes education programme in underâ€served communities in South Africa: a pragmatic cluster randomized controlled trial. Diabetic Medicine, 2014, 31, 987-993.	1.2	90
150	Ethnic differences in microvascular function in apparently healthy South African men and women. Experimental Physiology, 2014, 99, 985-994.	0.9	15
151	Efficacy of a text messaging (SMS) based intervention for adults with hypertension: protocol for the StAR (SMS Text-message Adherence suppoRt trial) randomised controlled trial. BMC Public Health, 2014, 14, 28.	1.2	68
152	High Molecular Weight (HMW): total adiponectin ratio is low in hiv-infected women receiving protease inhibitors. BMC Clinical Pathology, 2014, 14, 46.	1.8	8
153	Rising alcohol consumption and a high prevalence of problem drinking in black men and women in Cape Town: the CRIBSA study. Journal of Epidemiology and Community Health, 2014, 68, 446-452.	2.0	11
154	HIV and Metabolic, Body, and Bone Disorders. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 67, S27-S39.	0.9	50
155	Alarming rise in prevalence of atherogenic dyslipidaemia in the black population of Cape Town: the Cardiovascular Risk in Black South Africans (CRIBSA) study. European Journal of Preventive Cardiology, 2014, 21, 1549-1556.	0.8	17
156	Enabling the genomic revolution in Africa. Science, 2014, 344, 1346-1348.	6.0	361
157	Evaluating the use of mobile phone technology to enhance cardiovascular disease screening by community health workers. International Journal of Medical Informatics, 2014, 83, 648-654.	1.6	69
158	Chronic diseases and multi-morbidity - a conceptual modification to the WHO ICCC model for countries in health transition. BMC Public Health, 2014, 14, 575.	1.2	116
159	Quality of life in individuals living with HIV/AIDS attending a public sector antiretroviral service in Cape Town, South Africa. BMC Public Health, 2014, 14, 676.	1.2	28
160	The development of simple anthropometric measures to diagnose antiretroviral therapy-associated lipodystrophy in resource limited settings. AIDS Research and Therapy, 2014, 11, 26.	0.7	6
161	The prevalence of type 2 diabetes mellitus among older people in Africa: a systematic review study protocol. BMJ Open, 2014, 4, e004747-e004747.	0.8	38
162	Management of NCD in Low- and Middle-Income Countries. Global Heart, 2014, 9, 431.	0.9	98

#	Article	IF	CITATIONS
163	Cardiovascular Risk Factors in Patients with Addison's Disease: A Comparative Study of South African and Swedish Patients. PLoS ONE, 2014, 9, e90768.	1.1	18
164	Ambulatory blood pressure profiles in a subset of HIV-positive patients pre and post antiretroviral therapy: cardiovascular topic. Cardiovascular Journal of Africa, 2014, 25, 153-157.	0.2	16
165	Fasting substrate oxidation in relation to habitual dietary fat intake and insulin resistance in non-diabetic women: a case for metabolic flexibility?. Nutrition and Metabolism, 2013, 10, 8.	1.3	21
166	Preventing diabetes blindness: Cost effectiveness of a screening programme using digital non-mydriatic fundus photography for diabetic retinopathy in a primary health care setting in South Africa. Diabetes Research and Clinical Practice, 2013, 101, 170-176.	1.1	58
167	A lowered salt intake does not compromise iodine status in Cape Town, South Africa, where salt iodization is mandatory. Nutrition, 2013, 29, 630-634.	1.1	34
168	Comparative assessment of absolute cardiovascular disease risk characterization from non-laboratory-based risk assessment in South African populations. BMC Medicine, 2013, 11, 170.	2.3	38
169	A Novel Risk Classification Paradigm for Patients With Impaired Glucose Tolerance and High Cardiovascular Risk. American Journal of Cardiology, 2013, 112, 231-237.	0.7	5
170	Certification of diabetes-related mortality: the need for an international guideline. Journal of Clinical Epidemiology, 2013, 66, 236-237.	2.4	14
171	Ethnicity influences the diagnosis of primary adrenal insufficiency. Clinical Endocrinology, 2013, 78, 800-802.	1.2	1
172	Re-treatment of relapsed Paget's disease of bone with zoledronic acid: results from an open-label study. BoneKEy Reports, 2013, 2, 442.	2.7	16
173	Increased Cardiovascular Risk in South African Patients with Addison's Disease. Hormone and Metabolic Research, 2013, 45, 905-910.	0.7	24
174	Association of HIV and ART with cardiometabolic traits in sub-Saharan Africa: a systematic review and meta-analysis. International Journal of Epidemiology, 2013, 42, 1754-1771.	0.9	158
175	Salivary Cortisol Day Curves in Addison's Disease in Patients on Hydrocortisone Replacement. Hormone and Metabolic Research, 2013, 45, 62-68.	0.7	11
176	Mitochondrial Genomics and Antiretroviral Therapy-Associated Metabolic Complications in HIV-Infected Black South Africans: A Pilot Study. AIDS Research and Human Retroviruses, 2013, 29, 1031-1039.	0.5	17
177	Effect of Different Antiretroviral Drug Regimens on Body Fat Distribution of HIV-Infected South African Women. AIDS Research and Human Retroviruses, 2013, 29, 557-563.	0.5	28
178	Investigation of glucocorticoid receptor polymorphisms in relation to metabolic parameters in Addison's disease. European Journal of Endocrinology, 2013, 168, 403-412.	1.9	16
179	The non-fatal disease burden caused by type 2 diabetes in South Africa, 2009. Global Health Action, 2013, 6, 19244.	0.7	57
180	Implementation of national guidelines, incorporated within structured diabetes and hypertension records at primary level care in Cape Town, South Africa: a randomised controlled trial. Global Health Action, 2013, 6, 20796.	0.7	34

#	Article	IF	Citations
181	Addison's Disease Symptoms – A Cross Sectional Study in Urban South Africa. PLoS ONE, 2013, 8, e53526.	1.1	19
182	The Role of Adipose Tissue in Insulin Resistance in Women of African Ancestry. Journal of Obesity, 2013, 2013, 1-9.	1.1	30
183	A High Burden of Hypertension in the Urban Black Population of Cape Town: The Cardiovascular Risk in Black South Africans (CRIBSA) Study. PLoS ONE, 2013, 8, e78567.	1.1	70
184	G-protein-coupled receptor kinase 4 polymorphisms predict blood pressure response to dietary modification in Black patients with mild-to-moderate hypertension. Journal of Human Hypertension, 2012, 26, 334-339.	1.0	25
185	Health promotion services for patients having non-comminicable diseases: Feedback from patients and health care providers in Cape Town, South Africa. BMC Public Health, 2012, 12, 503.	1.2	33
186	Association of lopinavir concentrations with plasma lipid or glucose concentrations in HIV-infected South Africans: a cross sectional study. AIDS Research and Therapy, 2012, 9, 32.	0.7	4
187	Effectiveness of a group diabetes education programme in underserved communities in South Africa: pragmatic cluster randomized control trial. BMC Family Practice, 2012, 13, 126.	2.9	58
188	Rising Diabetes Prevalence among Urban-Dwelling Black South Africans. PLoS ONE, 2012, 7, e43336.	1.1	150
189	Site-specific differences in bone mineral density in black and white premenopausal South African women. Osteoporosis International, 2012, 23, 533-542.	1.3	30
190	Diagnostic Ability of Obesity Measures to Identify Metabolic Risk Factors in South African Women. Metabolic Syndrome and Related Disorders, 2011, 9, 353-360.	0.5	15
191	Effect of Nonnucleoside Reverse Transcriptase Inhibitor–Based Antiretroviral Therapy on Dysglycemia and Insulin Sensitivity in South African HIV-Infected Patients. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 57, 284-289.	0.9	75
192	Depot―and ethnicâ€specific differences in the relationship between adipose tissue inflammation and insulin sensitivity. Clinical Endocrinology, 2011, 74, 51-59.	1.2	57
193	Waist Circumference, BMI, and Visceral Adipose Tissue in White Women and Women of African Descent. Obesity, 2011, 19, 671-674.	1.5	53
194	Reduced Gluteal Expression of Adipogenic and Lipogenic Genes in Black South African Women Is Associated with Obesity-Related Insulin Resistance. Journal of Clinical Endocrinology and Metabolism, 2011, 96, E2029-E2033.	1.8	36
195	They think they know but do they? Misalignment of perceptions of lifestyle modification knowledge among health professionals. Public Health Nutrition, 2011, 14, 1429-1438.	1.1	58
196	Global response to non-communicable disease. BMJ: British Medical Journal, 2011, 342, d3823-d3823.	2.4	25
197	Chronic noncommunicable diseases and HIV-AIDS on a collision course: relevance for health care delivery, particularly in low-resource settings—insights from South Africa. American Journal of Clinical Nutrition, 2011, 94, 1690S-1696S.	2.2	159
198	Ethnic differences in serum lipoproteins and their determinants in South African women. Metabolism: Clinical and Experimental, 2010, 59, 1341-1350.	1.5	69

#	Article	IF	Citations
199	HIV neuropathy in South Africans: Frequency, characteristics, and risk factors. Muscle and Nerve, 2010, 41, 599-606.	1.0	98
200	Lack of association between stavudine exposure and lipoatrophy, dysglycaemia, hyperlactataemia and hypertriglyceridaemia: a prospective cross sectional study. AIDS Research and Therapy, 2010, 7, 23.	0.7	5
201	ORIGINAL ARTICLE: Autoimmunity predominates in a large South African cohort with addison's disease of mainly European descent despite longâ€standing disease and is associated with HLA DQB*0201. Clinical Endocrinology, 2010, 73, 291-298.	1.2	23
202	Dualâ€energy Xâ€ray Absorptiometry and Anthropometric Estimates of Visceral Fat in Black and White South African Women. Obesity, 2010, 18, 619-624.	1.5	25
203	Effect of Valsartan on the Incidence of Diabetes and Cardiovascular Events. New England Journal of Medicine, 2010, 362, 1477-1490.	13.9	588
204	Effect of Nateglinide on the Incidence of Diabetes and Cardiovascular Events. New England Journal of Medicine, 2010, 362, 1463-1476.	13.9	430
205	Insulin Response in Relation to Insulin Sensitivity. Diabetes Care, 2009, 32, 860-865.	4.3	92
206	Differential Effects of Abdominal Adipose Tissue Distribution on Insulin Sensitivity in Black and White South African Women. Obesity, 2009, 17, 1506-1512.	1.5	100
207	The atypical presentation of the metabolic syndrome components in black African women: the relationship with insulin resistance and the influence of regional adipose tissue distribution. Metabolism: Clinical and Experimental, 2009, 58, 149-157.	1.5	32
208	Determinants of Insulinâ€resistant Phenotypes in Normalâ€weight and Obese Black African Women. Obesity, 2008, 16, 1602-1609.	1.5	78
209	Determinants of Target Organ Damage in Black Hypertensive Patients Attending Primary Health Care Services in Cape Town: The Hi-Hi Study. American Journal of Hypertension, 2008, 21, 896-902.	1.0	29
210	Hypertension and diabetes: Poor care for patients at community health centres. Journal of Endocrinology Metabolism and Diabetes of South Africa, 2008, 13, 64-70.	0.4	28
211	Hypertension and diabetes: poor care for patients at community health centres. South African Medical Journal, 2008, 98, 618-22.	0.2	36
212	Estimating the burden of disease attributable to diabetes in South Africa in 2000. Journal of Endocrinology Metabolism and Diabetes of South Africa, 2007, 12, 65-71.	0.4	42
213	Estimating the burden of disease attributable to diabetes in South Africa in 2000. South African Medical Journal, 2007, 97, 700-6.	0.2	63
214	Cardiovascular risk and comorbid conditions among Black South Africans with hypertension in public and private primary care settings: the HiHi study. Ethnicity and Disease, 2007, 17, 477-83.	1.0	7
215	Screening for diabetic retinopathy in primary care with a mobile fundal cameraevaluation of a South African pilot project. South African Medical Journal, 2007, 97, 1284-8.	0.2	46
216	Hyperthyroidismâ€"an unusual feature of thyroid carcinoma. Journal of Endocrinology Metabolism and Diabetes of South Africa, 2006, 11, 80-83.	0.4	0

#	Article	IF	CITATIONS
217	The effect of maternal glucose metabolism, iron, vitamin B ₁₂ and folate status on pregnancy outcomes. South African Journal of Clinical Nutrition, 2006, 19, 120-134.	0.3	4
218	Development and validation of instruments measuring body image and body weight dissatisfaction in South African mothers and their daughters. Public Health Nutrition, 2005, 8, 509-519.	1.1	99
219	Diet and blood pressure in South Africa: Intake of foods containing sodium, potassium, calcium, and magnesium in three ethnic groups. Nutrition, 2005, 21, 39-50.	1.1	99
220	Barriers to initiating insulin therapy in patients with type 2 diabetes mellitus in public-sector primary health care centres in Cape Town. Journal of Endocrinology Metabolism and Diabetes of South Africa, 2005, 10, 94-99.	0.4	46
221	Ethnic differences in intake and excretion of sodium, potassium, calcium and magnesium in South Africans. European Journal of Cardiovascular Prevention and Rehabilitation, 2005, 12, 355-362.	3.1	30
222	A case of generalised allergic reaction to human insulin. Journal of Endocrinology Metabolism and Diabetes of South Africa, 2004, 9, 18-20.	0.4	2
223	The global cardiovascular diseases risk pattern in a peri-urban working-class community in South Africa. The Mamre study. Ethnicity and Disease, 2004, 14, 233-42.	1.0	15
224	Diabetes in Africa. European Journal of Cardiovascular Prevention and Rehabilitation, 2003, 10, 75-76.	3.1	0
225	Dietary intake and barriers to dietary compliance in black type 2 diabetic patients attending primary health-care services. Public Health Nutrition, 2002, 5, 329-338.	1.1	57
226	The foetal origins of the metabolic syndrome—a South African perspective., 2002, 13, 179-80.		10
227	The Prevalence and Identification of Risk Factors for NIDDM in Urban Africans in Cape Town, South Africa. Diabetes Care, 1993, 16, 601-607.	4.3	141