

# Sarah V Ward

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7084999/publications.pdf>

Version: 2024-02-01

19  
papers

802  
citations

933264

10  
h-index

839398

18  
g-index

21  
all docs

21  
docs citations

21  
times ranked

2330  
citing authors

#	ARTICLE	IF	CITATIONS
1	Germline variants are associated with increased primary melanoma tumor thickness at diagnosis. <i>Human Molecular Genetics</i> , 2021, 29, 3578-3587.	1.4	3
2	Association of Known Melanoma Risk Factors with Primary Melanoma of the Scalp and Neck. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 2203-2210.	1.1	6
3	Assessment of polygenic architecture and risk prediction based on common variants across fourteen cancers. <i>Nature Communications</i> , 2020, 11, 3353.	5.8	75
4	Association of <i>rs12203592</i> single nucleotide polymorphism with melanoma-specific survival. <i>British Journal of Dermatology</i> , 2020, 183, 163-165.	1.4	6
5	Genome-wide association meta-analyses combining multiple risk phenotypes provide insights into the genetic architecture of cutaneous melanoma susceptibility. <i>Nature Genetics</i> , 2020, 52, 494-504.	9.4	138
6	The prevalence of common sleep disorders in young adults: a descriptive population-based study. <i>Sleep</i> , 2020, 43, .	0.6	42
7	Familial and non-familial risk factors associated with colorectal cancer survival in young and middle-aged patients. <i>International Journal of Colorectal Disease</i> , 2019, 34, 1673-1680.	1.0	2
8	Familial and non-familial risk factors associated with incidence of colorectal cancer in young and middle-aged persons in Western Australia. <i>Cancer Epidemiology</i> , 2019, 62, 101591.	0.8	6
9	Genetic influence on scar height and pliability after burn injury in individuals of European ancestry: A prospective cohort study. <i>Burns</i> , 2019, 45, 567-578.	1.1	5
10	Polyunsaturated fatty acids and risk of melanoma: A Mendelian randomisation analysis. <i>International Journal of Cancer</i> , 2018, 143, 508-514.	2.3	18
11	Exome array analysis suggests an increased variant burden in families with schizophrenia. <i>Schizophrenia Research</i> , 2017, 185, 9-16.	1.1	18
12	Functional melanoma risk variant <i>rs12203592</i> associated with Breslow thickness: a pooled international study of primary melanomas. <i>British Journal of Dermatology</i> , 2017, 177, e180-e182.	1.4	14
13	Melanoma Epidemiology and Prevention. <i>Cancer Treatment and Research</i> , 2016, 167, 17-49.	0.2	111
14	The aggregation of early-onset melanoma in young Western Australian families. <i>Cancer Epidemiology</i> , 2015, 39, 346-352.	0.8	0
15	Genome-wide meta-analysis identifies five new susceptibility loci for cutaneous malignant melanoma. <i>Nature Genetics</i> , 2015, 47, 987-995.	9.4	218
16	The association of host and genetic melanoma risk factors with Breslow thickness in the Western Australian Melanoma Health Study. <i>British Journal of Dermatology</i> , 2014, 170, 851-857.	1.4	12
17	The Effect on Melanoma Risk of Genes Previously Associated With Telomere Length. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	3.0	109
18	Association of TGF $\beta$ 1 and clinical factors with scar outcome following melanoma excision. <i>Archives of Dermatological Research</i> , 2012, 304, 343-351.	1.1	9

#	ARTICLE	IF	CITATIONS
19	The Western Australian Melanoma Health Study: Study design and participant characteristics. <i>Cancer Epidemiology</i> , 2011, 35, 423-431.	0.8	9