

Young-Jun Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7085768/publications.pdf>

Version: 2024-02-01

73
papers

5,390
citations

101535

36
h-index

79691

73
g-index

74
all docs

74
docs citations

74
times ranked

6419
citing authors

#	ARTICLE	IF	CITATIONS
1	A technology review of electrodes and reaction mechanisms in vanadium redox flow batteries. Journal of Materials Chemistry A, 2015, 3, 16913-16933.	10.3	565
2	Prospective materials and applications for Li secondary batteries. Energy and Environmental Science, 2011, 4, 1986.	30.8	558
3	Improved electrochemical and thermal properties of nickel rich LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ cathode materials by SiO ₂ coating. Journal of Power Sources, 2015, 282, 45-50.	7.8	270
4	Effect of Residual Lithium Compounds on Layer Ni-Rich Li[Ni _{0.7} Mn _{0.3}]O ₂ . Journal of the Electrochemical Society, 2014, 161, A920-A926.	2.9	267
5	The effects of surface modification on carbon felt electrodes for use in vanadium redox flow batteries. Materials Chemistry and Physics, 2011, 131, 547-553.	4.0	264
6	Novel catalytic effects of Mn ₃ O ₄ for all vanadium redox flow batteries. Chemical Communications, 2012, 48, 5455.	4.1	250
7	Core-shell Structured Silicon Nanoparticles@TiO ₂ /Carbon Mesoporous Microfiber Composite as a Safe and High-Performance Lithium-Ion Battery Anode. ACS Nano, 2014, 8, 2977-2985.	14.6	227
8	A case study on fibrous porous SnO ₂ anode for robust, high-capacity lithium-ion batteries. Nano Energy, 2014, 10, 53-62.	16.0	179
9	A new strategy for integrating abundant oxygen functional groups into carbon felt electrode for vanadium redox flow batteries. Scientific Reports, 2014, 4, 6906.	3.3	136
10	Facile Synthesis of Carbon-Coated Silicon/Graphite Spherical Composites for High-Performance Lithium-Ion Batteries. ACS Applied Materials & Interfaces, 2016, 8, 12109-12117.	8.0	130
11	Capacity fading mechanism of LiFePO ₄ -based lithium secondary batteries for stationary energy storage. Journal of Power Sources, 2013, 229, 190-197.	7.8	118
12	Investigation of new manganese orthophosphate Mn ₃ (PO ₄) ₂ coating for nickel-rich LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ cathode and improvement of its thermal properties. Electrochimica Acta, 2016, 198, 77-83.	5.2	117
13	Dual-Size Silicon Nanocrystal-Embedded SiO ₂ Nanocomposite as a High-Capacity Lithium Storage Material. ACS Nano, 2015, 9, 7690-7696.	14.6	107
14	Multifunctional TiO ₂ coating for a SiO anode in Li-ion batteries. Journal of Materials Chemistry, 2012, 22, 7999.	6.7	97
15	Superior Electrocatalytic Activity of a Robust Carbon-rich Felt Electrode with Oxygen-rich Phosphate Groups for All-vanadium Redox Flow Batteries. ChemSusChem, 2016, 9, 1329-1338.	6.8	95
16	Hydrogen Silsequioxane-Derived Si/SiO ₂ Nanospheres for High-Capacity Lithium Storage Materials. ACS Applied Materials & Interfaces, 2014, 6, 9608-9613.	8.0	93
17	The origins and mechanism of phase transformation in bulk Li ₂ MnO ₃ : first-principles calculations and experimental studies. Journal of Materials Chemistry A, 2015, 3, 7066-7076.	10.3	91
18	Physically Cross-linked Polymer Binder Induced by Reversible Acid-Base Interaction for High-Performance Silicon Composite Anodes. ACS Applied Materials & Interfaces, 2015, 7, 23545-23553.	8.0	88

#	ARTICLE	IF	CITATIONS
19	Effect of additives on electrochemical performance of lithium nickel cobalt manganese oxide at high temperature. <i>Journal of Power Sources</i> , 2014, 253, 48-54.	7.8	82
20	Understanding the effects of a multi-functionalized additive on the cathode-electrolyte interfacial stability of Ni-rich materials. <i>Journal of Power Sources</i> , 2016, 302, 431-438.	7.8	82
21	Capacity fading behavior of Ni-rich layered cathode materials in Li-ion full cells. <i>Journal of Electroanalytical Chemistry</i> , 2016, 782, 168-173.	3.8	76
22	Facile Mn Surface Doping of Ni-Rich Layered Cathode Materials for Lithium Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 38915-38921.	8.0	69
23	Dendrite-Free Polygonal Sodium Deposition with Excellent Interfacial Stability in a $\text{NaAlCl}_4 \cdot 2\text{SO}_2$ Inorganic Electrolyte. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 27206-27214.	8.0	68
24	Ceramic composite separators coated with moisturized ZrO_2 nanoparticles for improving the electrochemical performance and thermal stability of lithium ion batteries. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 9337-9343.	2.8	65
25	Effect of aluminum fluoride coating on the electrochemical and thermal properties of $0.5\text{Li}_2\text{MnO}_3 \cdot 0.5\text{LiNi}_0.5\text{Co}_0.2\text{Mn}_0.3\text{O}_2$ composite material. <i>Journal of Alloys and Compounds</i> , 2012, 517, 20-25.	5.5	63
26	Few-Layer Graphene Island Seeding for Dendrite-Free Li Metal Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 26895-26901.	8.0	63
27	Conductive porous carbon film as a lithium metal storage medium. <i>Electrochimica Acta</i> , 2015, 176, 172-178.	5.2	62
28	Shutdown-functionalized nonwoven separator with improved thermal and electrochemical properties for lithium-ion batteries. <i>Journal of Power Sources</i> , 2016, 305, 225-232.	7.8	62
29	High-Performance Si/SiO_2 Nanosphere Anode Material by Multipurpose Interfacial Engineering with Black TiO_2 . <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 4541-4547.	8.0	62
30	Co-intercalation of Mg^{2+} and Na^+ in $\text{Na}_{0.69}\text{Fe}_2(\text{CN})_6$ as a High-Voltage Cathode for Magnesium Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 8554-8560.	8.0	57
31	Graphene collage on Ni-rich layered oxide cathodes for advanced lithium-ion batteries. <i>Nature Communications</i> , 2021, 12, 2145.	12.8	54
32	5V-class high-voltage batteries with over-lithiated oxide and a multi-functional additive. <i>Journal of Materials Chemistry A</i> , 2015, 3, 6157-6167.	10.3	51
33	Effect of gamma ray irradiation on thermal and electrochemical properties of polyethylene separator for Li ion batteries. <i>Journal of Power Sources</i> , 2010, 195, 6075-6080.	7.8	46
34	A Highly Resilient Mesoporous SiO_2 Lithium Storage Material Engineered by Oil-Water Templating. <i>ChemSusChem</i> , 2015, 8, 688-694.	6.8	45
35	Mechanism of Oxygen Vacancy on Impeded Phase Transformation and Electrochemical Activation in Inactive Li_2MnO_3 . <i>ChemElectroChem</i> , 2016, 3, 943-949.	3.4	44
36	Incorporation of phosphorus into the surface of natural graphite anode for lithium ion batteries. <i>Journal of Materials Chemistry</i> , 2011, 21, 17960.	6.7	42

#	ARTICLE	IF	CITATIONS
37	Robust Design of Dual-Phase Carbon Cathode for Lithium-Oxygen Batteries. <i>Advanced Functional Materials</i> , 2019, 29, 1902915.	14.9	34
38	Understanding of Surface Redox Behaviors of Li_2MnO_3 in Li-ion Batteries: First-Principles Prediction and Experimental Validation. <i>ChemSusChem</i> , 2015, 8, 3255-3262.	6.8	31
39	Tuning the surface chemistry of natural graphite anode by H_3PO_4 and H_3BO_3 treatments for improving electrochemical and thermal properties. <i>Carbon</i> , 2013, 62, 278-287.	10.3	29
40	High Performance NaCuCl_2 Rechargeable Battery toward Room Temperature ZEBRA-type Battery. <i>Advanced Energy Materials</i> , 2016, 6, 1600862.	19.5	28
41	Polymeric binder based on PAA and conductive PANI for high performance silicon-based anodes. <i>RSC Advances</i> , 2016, 6, 101622-101625.	3.6	28
42	Improvement of Structural Stability during High-Voltage Cycling in High-Nickel Cathode Materials with B_2O_3 Addition. <i>Journal of the Electrochemical Society</i> , 2016, 163, A748-A750.	2.9	28
43	A room-temperature sodium rechargeable battery using an SO_2 -based nonflammable inorganic liquid catholyte. <i>Scientific Reports</i> , 2015, 5, 12827.	3.3	27
44	Thermal and chemical characterization of the solid-electrolyte interphase in Li-ion batteries using a novel separator sampling method. <i>Journal of Power Sources</i> , 2019, 440, 227083.	7.8	26
45	Insight into the electrochemical behaviors of 5V-class high-voltage batteries composed of lithium-rich layered oxide with multifunctional additive. <i>Journal of Power Sources</i> , 2016, 336, 465-474.	7.8	24
46	Self-adaptive anode design with graphene-coated $\text{SiO}_x/\text{graphite}$ for high-energy Li-ion batteries. <i>Chemical Engineering Journal</i> , 2022, 442, 136166.	12.7	24
47	Nanotechnology enabled rechargeable LiSO_2 batteries: another approach towards post-lithium-ion battery systems. <i>Energy and Environmental Science</i> , 2015, 8, 3173-3180.	30.8	23
48	Rosin-Embedded Poly(acrylic acid) Binder for Silicon/Graphite Negative Electrode. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 6362-6370.	6.7	22
49	Magnesium Anode Pretreatment Using a Titanium Complex for Magnesium Battery. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 5733-5739.	6.7	22
50	Improved particle hardness of Ti-doped $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3-x}\text{Ti}_x\text{O}_2$ as high-voltage cathode material for lithium-ion batteries. <i>Journal of Physics and Chemistry of Solids</i> , 2018, 123, 271-278.	4.0	22
51	Oriented TiO_2 nanotubes as a lithium metal storage medium. <i>Journal of Electroanalytical Chemistry</i> , 2014, 726, 51-54.	3.8	21
52	Electron-beam-irradiated polyethylene membrane with improved electrochemical and thermal properties for lithium-ion batteries. <i>Journal of Applied Electrochemistry</i> , 2014, 44, 345-352.	2.9	19
53	Junction Welding Techniques for Metal Nanowire Network Electrodes. <i>Macromolecular Research</i> , 2018, 26, 1066-1073.	2.4	19
54	Comparative study of thermal runaway and cell failure of lab-scale Li-ion batteries using accelerating rate calorimetry. <i>Journal of Industrial and Engineering Chemistry</i> , 2020, 83, 247-251.	5.8	19

#	ARTICLE	IF	CITATIONS
55	Dendrite-Free Li Metal Anode for Rechargeable Li ⁺ SO ₂ Batteries Employing Surface Modification with a NaAlCl ₄ ·2SO ₂ Electrolyte. ACS Applied Materials & Interfaces, 2018, 10, 34699-34705.	8.0	18
56	New insights into the phase evolution in CuS during lithiation and delithiation processes. Journal of Materials Chemistry A, 2019, 7, 11699-11708.	10.3	16
57	Natural Activation of CuO to CuCl ₂ as a Cathode Material for Dual-Ion Lithium Metal Batteries. Energy Storage Materials, 2021, 41, 466-474.	18.0	16
58	1,3-Propanesultone as an effective functional additive to enhance the electrochemical performance of over-lithiated layered oxides. RSC Advances, 2014, 4, 19172.	3.6	15
59	Defect-Free Copolymer Gate Dielectrics for Gating MoS ₂ Transistors. Journal of Physical Chemistry C, 2018, 122, 12193-12199.	3.1	15
60	Reversible dual-ion battery via mesoporous Cu ₂ O cathode in SO ₂ -in-salt non-flammable electrolyte. Nano Energy, 2019, 66, 104138.	16.0	14
61	Hard Carbon-coated Natural Graphite Electrodes for High-Energy and Power Lithium-ion Capacitors. Bulletin of the Korean Chemical Society, 2015, 36, 150-155.	1.9	13
62	Si Nanocrystal-Embedded SiO _x nanofoils: Two-Dimensional Nanotechnology-Enabled High Performance Li Storage Materials. Scientific Reports, 2018, 8, 6904.	3.3	11
63	Electrode Engineering with CNTs to Enhance the Electrochemical Performance of LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ Cathodes with Commercial Level Design Parameters. ChemElectroChem, 2020, 7, 2621-2628.	3.4	11
64	NH ₄ PF ₆ as a Structural Modifier for Building a Robust Carbon-coated Natural Graphite Anode for Lithium-ion Batteries. ChemElectroChem, 2014, 1, 1672-1678.	3.4	10
65	Carbon nanotubes-coated Ni-rich cathodes for the green manufacturing process of lithium-ion batteries. International Journal of Energy Research, 2022, 46, 16061-16074.	4.5	10
66	Densification and charge transport characterization of composite cathodes with single-crystalline LiNi _{0.8} Co _{0.15} Al _{0.05} O ₂ for solid-state batteries. Energy Storage Materials, 2022, 46, 155-164.	18.0	9
67	Effect of electrode design parameters on the rate performance of LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ cathodes using pulse measurements. Electrochimica Acta, 2020, 341, 135936.	5.2	8
68	Effects of Various Transition Metals on the Thermal Oxidative Stabilization of Polyacrylonitrile Nanofibers. Journal of Inorganic and Organometallic Polymers and Materials, 2021, 31, 3368-3377.	3.7	8
69	Self-Formulated Na-Based Dual-Ion Battery Using Nonflammable SO ₂ -Based Inorganic Liquid Electrolyte. Small, 2021, 17, e1902144.	10.0	7
70	Graphene/PVDF Composites for Ni-rich Oxide Cathodes toward High-Energy Density Li-ion Batteries. Materials, 2021, 14, 2271.	2.9	7
71	A joint experimental and theoretical determination of the structure of discharge products in Na ⁺ SO ₂ batteries. Physical Chemistry Chemical Physics, 2016, 18, 24841-24844.	2.8	5
72	Size effect of SO ₂ receptors on the energy efficiency of Na ⁺ SO ₂ batteries: gallium-based inorganic electrolytes. RSC Advances, 2016, 6, 105105-105109.	3.6	4

#	ARTICLE	IF	CITATIONS
73	Enhanced Rate Capability of Na ⁺ /SO ₂ Rechargeable Battery by Urea-Templated Meso/Macroporous Carbon Electrode. Bulletin of the Korean Chemical Society, 2016, 37, 1285-1289.	1.9	2