Christopher D Etherton-Beer

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/70863/christopher-d-etherton-beer-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

149 papers 2,874 citations

28 h-index

48 g-index

166 ext. papers

3,515 ext. citations

3.5 avg, IF

5.19 L-index

| # | Paper | IF | Citations |
|-----|---|------------------|-----------|
| 149 | Light acupuncture and five-element music therapy for nurses' mental health and well-being during and post-COVID-19: protocol for a randomised cross-over feasibility study <i>BMJ Open</i> , 2022 , 12, e0571 | 0 <u>ể</u> | |
| 148 | A Tailored Music-Motor Therapy and Real-Time Biofeedback Mobile Phone App (CotRhythm) to Promote Rehabilitation Following Stroke: A Pilot Study. <i>Neuroscience Insights</i> , 2022 , 17, 263310552211 | 005 | O |
| 147 | Generating Real-World Evidence on the Quality Use, Benefits and Safety of Medicines in Australia: History, Challenges and a Roadmap for the Future <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18, | 4.6 | 1 |
| 146 | Why is the use of inappropriate medicines so high in Aboriginal Australians?. <i>International Psychogeriatrics</i> , 2021 , 1-5 | 3.4 | |
| 145 | Development of a Toolkit to support sustainable culture change in residential aged care. <i>Australasian Journal on Ageing</i> , 2021 , 40, 77-83 | 1.5 | |
| 144 | Incidence and Associated Risk Factors for Falls in Older Adults Postdischarge Who Undergo Elective Total Hip Replacement Surgery-A Prospective Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 1814-1820 | 6.4 | 0 |
| 143 | Prevalence of frailty and pain in hospitalised adult patients in an acute hospital: a protocol for a point prevalence observational study. <i>BMJ Open</i> , 2021 , 11, e046138 | 3 | |
| 142 | Attitudes to Drug Use in Residential Aged Care Facilities: A Cross-Sectional Survey of Nurses and Care Staff. <i>Drugs and Aging</i> , 2021 , 38, 697-711 | 4.7 | 0 |
| 141 | The Well-Being of Carers of Older Aboriginal People Living in the Kimberley Region of Remote Western Australia: Empowerment, Depression, and Carer Burden. <i>Journal of Applied Gerontology</i> , 2021 , 40, 693-702 | 3.3 | 2 |
| 140 | Exploring stakeholder roles in medication management for people living with dementia. <i>Research in Social and Administrative Pharmacy</i> , 2021 , 17, 707-714 | 2.9 | 2 |
| 139 | A research approach for co-designing education with healthcare consumers. <i>Medical Education</i> , 2021 , 55, 574-581 | 3.7 | 1 |
| 138 | Frailty, and not medicines with anticholinergic or sedative effects, predicts adverse outcomes in octogenarians admitted for myocardial infarction: Population-level study. <i>Australasian Journal on Ageing</i> , 2021 , 40, e155-e162 | 1.5 | 2 |
| 137 | Mild cognitive impairment: To diagnose or not to diagnose. <i>Australasian Journal on Ageing</i> , 2021 , 40, 111-115 | 1.5 | 2 |
| 136 | Does Free-Text Information in Falls Incident Reports Assist to Explain How and Why the Falls Occurred in a Hospital Setting?. <i>Journal of Patient Safety</i> , 2021 , 17, e1472-e1479 | 1.9 | 4 |
| 135 | Incidence and associated risk factors for falls in older adults following elective total knee replacement surgery - a prospective cohort study. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2021 , | 2.6 | 1 |
| 134 | Strong Carers, Strong Communities: a cluster randomised controlled trial to improve wellbeing of family carers of older people in remote Aboriginal communities. <i>Rural and Remote Health</i> , 2021 , 21, 60 | 78 ⁻³ | |
| 133 | Tailored Education Increased Capability and Motivation for Fall Prevention in Older People After Hospitalization. <i>Frontiers in Public Health</i> , 2021 , 9, 683723 | 6 | 1 |

(2020-2021)

| 132 | Anticholinergics and clinical outcomes amongst people with pre-existing dementia: A systematic review. <i>Maturitas</i> , 2021 , 151, 1-14 | 5 | 2 |
|-----|--|------|----|
| 131 | A Randomized Controlled Trial on the Effects of a 6-Month Home-Based Physical Activity Program with Individual Goal-Setting and Volunteer Mentors on Physical Activity, Adherence, and Physical Fitness in Inactive Older Adults at Risk of Cognitive Decline: The INDIGO Study. <i>Journal of</i> | 4.3 | 1 |
| 130 | Holistic approach to undifferentiated acute severe behavioural disturbance in older emergency department patients. <i>EMA - Emergency Medicine Australasia</i> , 2021 , 33, 1100-1105 | 1.5 | |
| 129 | Depression Outcomes Among Patients Treated With Fluoxetine for Stroke Recovery: The AFFINITY Randomized Clinical Trial. <i>JAMA Neurology</i> , 2021 , 78, 1072-1079 | 17.2 | 2 |
| 128 | Effect of frailty on initiation of statins following incident acute coronary syndromes in patients aged \$\mathbb{I}\$5 years. <i>Maturitas</i> , 2021 , 153, 13-18 | 5 | O |
| 127 | Reflecting on experiences of care: an exploratory qualitative descriptive study of the perspectives of stroke survivors, families and staff <i>BMJ Open</i> , 2021 , 11, e047559 | 3 | O |
| 126 | Pattern of prescription of psychotropics (antipsychotics, antidepressants and benzodiazepines) in Western Australian residential aged care facilities <i>Internal Medicine Journal</i> , 2021 , 51, 2140-2143 | 1.6 | O |
| 125 | Transcranial Direct Current Stimulation to Optimise Participation in Stroke Rehabilitation - A Sham-Controlled Cross-Over Feasibility Study. <i>Neuroscience Insights</i> , 2020 , 15, 2633105520922181 | 3 | |
| 124 | Optimisation of medications used in residential aged care facilities: a systematic review and meta-analysis of randomised controlled trials. <i>BMC Geriatrics</i> , 2020 , 20, 236 | 4.1 | 11 |
| 123 | Perspectives of older adults regarding barriers and enablers to engaging in fall prevention activities after hospital discharge. <i>Health and Social Care in the Community</i> , 2020 , 28, 1710-1722 | 2.6 | 5 |
| 122 | Deprescribing in older people. Australian Prescriber, 2020, 43, 114-120 | 1.4 | 10 |
| 121 | Deprescribing in older people: helpful tools and proton pump inhibitors. <i>Australian Prescriber</i> , 2020 , 43, 184 | 1.4 | |
| 120 | Increasing patient activation through diabetes self-management education: Outcomes of DESMOND in regional Western Australia. <i>Patient Education and Counseling</i> , 2020 , 103, 848-853 | 3.1 | 10 |
| 119 | Embracing Cultural Diversity - Leadership Perspectives on Championing Meaningful Engagement for Residents Living with Advanced Dementia. <i>Journal of Cross-Cultural Gerontology</i> , 2020 , 35, 49-67 | 2 | 1 |
| 118 | Safety and efficacy of fluoxetine on functional outcome after acute stroke (AFFINITY): a randomised, double-blind, placebo-controlled trial. <i>Lancet Neurology, The</i> , 2020 , 19, 651-660 | 24.1 | 48 |
| 117 | Scoping Review: Intergenerational Resource Transfer and Possible Enabling Factors. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17, | 4.6 | 2 |
| 116 | Evaluating a Novel Multifactorial Falls Prevention Activity Programme for Community-Dwelling Older People After Stroke: A Mixed-Method Feasibility Study. <i>Clinical Interventions in Aging</i> , 2020 , 15, 1099-1112 | 4 | |
| 115 | Development and evaluation of an organisational culture change intervention in residential aged care facilities. <i>Australasian Journal on Ageing</i> , 2020 , 39, 56-63 | 1.5 | 4 |

| 114 | Using MRI art, poetry, photography and patient narratives to bridge clinical and human experiences of stroke recovery. <i>Medical Humanities</i> , 2020 , 46, 243-249 | 1.4 | 1 |
|-----|--|-------------------|----|
| 113 | Multifactorial falls prevention programmes for older adults presenting to the emergency department with a fall: systematic review and meta-analysis. <i>Injury Prevention</i> , 2019 , 25, 557-564 | 3.2 | 12 |
| 112 | Polypharmacy among older Australians, 2006-2017: a population-based study. <i>Medical Journal of Australia</i> , 2019 , 211, 71-75 | 4 | 53 |
| 111 | Evaluation of RESPOND, a patient-centred program to prevent falls in older people presenting to the emergency department with a fall: A randomised controlled trial. <i>PLoS Medicine</i> , 2019 , 16, e100280 | 7 ^{11.6} | 18 |
| 110 | Potentially suboptimal prescribing of medicines for older Aboriginal Australians in remote areas. <i>Medical Journal of Australia</i> , 2019 , 211, 119-125 | 4 | 6 |
| 109 | Undiagnosing to prevent overprescribing. <i>Maturitas</i> , 2019 , 123, 67-72 | 5 | 6 |
| 108 | Evaluation of care staff knowledge, confidence, motivation and opportunity for preventing falls in residential aged care settings: A cross-sectional survey. <i>International Journal of Older People Nursing</i> , 2019 , 14, e12224 | 2.3 | 4 |
| 107 | Falls After Hospital Discharge: A Randomized Clinical Trial of Individualized Multimodal Falls Prevention Education. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 1511-1517 | 6.4 | 15 |
| 106 | Evaluation of older people's knowledge, awareness, motivation and perceptions about falls and falls prevention in residential aged care homes: a tale of two cities. <i>Ageing and Society</i> , 2019 , 39, 2541-2 | 1 579 | 2 |
| 105 | Evaluation of Tailored Falls Education on Older Adults' Behavior Following Hospitalization. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 2274-2281 | 5.6 | 10 |
| 104 | Behavioural activation in nursing homes to treat depression (BAN-Dep): study protocol for a pragmatic randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e032421 | 3 | 2 |
| 103 | A mixed methods process evaluation of a person-centred falls prevention program. <i>BMC Health Services Research</i> , 2019 , 19, 906 | 2.9 | 7 |
| 102 | Impact of tailored falls prevention education for older adults at hospital discharge on engagement in falls prevention strategies postdischarge: protocol for a process evaluation. <i>BMJ Open</i> , 2018 , 8, e020 | 726 | 5 |
| 101 | A concept analysis of deprescribing medications in older people. <i>Journal of Pharmacy Practice and Research</i> , 2018 , 48, 132-148 | 0.7 | 14 |
| 100 | Effectiveness of complex falls prevention interventions in residential aged care settings: a systematic review. <i>JBI Database of Systematic Reviews and Implementation Reports</i> , 2018 , 16, 973-1002 | 1.6 | 14 |
| 99 | Informing deprescribing decisions in older people: does the Product Information contain advice on medication use for older people and medication withdrawal?. <i>Journal of Pharmacy Practice and Research</i> , 2018 , 48, 149-157 | 0.7 | 1 |
| 98 | Reducing falls in older adults recently discharged from hospital: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2018 , 47, 512-519 | 3 | 21 |
| 97 | A randomized-controlled trial of a patient-centred intervention in high-risk discharged older patients. <i>European Journal of Emergency Medicine</i> , 2018 , 25, 237-241 | 2.3 | 3 |

(2016-2018)

| 96 | Integrate healthcare to provide multidisciplinary consumer-centred medication management: report from a working group formed from the National Stakeholders Meeting for the Quality Use of Medicines to Optimise Ageing in Older Australians. Journal of Pharmacy Practice and Research, | 0.7 | 4 |
|----|--|-----|----|
| 95 | 2018 , 48, 459-466 Evaluating the impact of a falls prevention community of practice in a residential aged care setting: a realist approach. <i>BMC Health Services Research</i> , 2018 , 18, 21 | 2.9 | 8 |
| 94 | Medication use to manage comorbidities for people with dementia: a systematic review. <i>Journal of Pharmacy Practice and Research</i> , 2018 , 48, 356-367 | 0.7 | 8 |
| 93 | Development of a Consensus List of Potentially Inappropriate Medications for Korean Older Adults. <i>Annals of Geriatric Medicine and Research</i> , 2018 , 22, 121-129 | 2.9 | 15 |
| 92 | Choosing a medication brand: Excipients, food intolerance and prescribing in older people. <i>Maturitas</i> , 2018 , 107, 103-109 | 5 | 6 |
| 91 | A clinical trial of nurse practitioner care in residential aged care facilities. <i>Archives of Gerontology and Geriatrics</i> , 2018 , 77, 129-132 | 4 | 16 |
| 90 | Demystifying aged care for medical students. Clinical Teacher, 2017, 14, 100-103 | 1.1 | 5 |
| 89 | Can a web-based community of practice be established and operated to lead falls prevention activity in residential care?. <i>Geriatric Nursing</i> , 2017 , 38, 133-140 | 2.1 | 3 |
| 88 | Reducing falls after hospital discharge: a protocol for a randomised controlled trial evaluating an individualised multimodal falls education programme for older adults. <i>BMJ Open</i> , 2017 , 7, e013931 | 3 | 12 |
| 87 | The effect of complex falls prevention interventions on falls in residential aged care settings: a systematic review protocol. <i>JBI Database of Systematic Reviews and Implementation Reports</i> , 2017 , 15, 236-244 | 1.6 | 2 |
| 86 | Effectiveness of falls prevention interventions for older adults newly discharged from hospital: a systematic review protocol. <i>JBI Database of Systematic Reviews and Implementation Reports</i> , 2017 , 15, 686-693 | 1.6 | 3 |
| 85 | RESPOND: a programme to prevent secondary falls in older people presenting to the emergency department with a fall: protocol for an economic evaluation. <i>Injury Prevention</i> , 2017 , 23, 124-130 | 3.2 | 3 |
| 84 | Comparison of the HUI3 and the EQ-5D-3L in a nursing home setting. <i>PLoS ONE</i> , 2017 , 12, e0172796 | 3.7 | 5 |
| 83 | Measurement properties of the Health Literacy Questionnaire (HLQ) among older adults who present to the emergency department after a fall: a Rasch analysis. <i>BMC Health Services Research</i> , 2017 , 17, 605 | 2.9 | 24 |
| 82 | Using a community of practice to evaluate falls prevention activity in a residential aged care organisation: a clinical audit. <i>Australian Health Review</i> , 2017 , 41, 13-18 | 1.8 | 8 |
| 81 | Exploring the enablers and barriers to implementing the Medication Appropriateness Tool for Comorbid Health conditions during Dementia (MATCH-D) criteria in Australia: a qualitative study. <i>BMJ Open</i> , 2017 , 7, e017906 | 3 | 6 |
| 80 | A randomized controlled trial of physical activity with individual goal-setting and volunteer mentors to overcome sedentary lifestyle in older adults at risk of cognitive decline: the INDIGO trial protocol. <i>BMC Geriatrics</i> , 2017 , 17, 215 | 4.1 | 5 |
| 79 | RESPOND: a patient-centred programme to prevent secondary falls in older people presenting to the emergency department with a fall-protocol for a mixed methods programme evaluation. <i>Injury Prevention</i> , 2016 , 22, 153-60 | 3.2 | 4 |

| 78 | Medication appropriateness tool for co-morbid health conditions in dementia: consensus recommendations from a multidisciplinary expert panel. <i>Internal Medicine Journal</i> , 2016 , 46, 1189-1197 | 1.6 | 27 |
|----|---|----------------|-----|
| 77 | Incidence, risk factors and the healthcare cost of falls postdischarge after elective total hip and total knee replacement surgery: protocol for a prospective observational cohort study. <i>BMJ Open</i> , 2016 , 6, e011139 | 3 | 3 |
| 76 | Deprescribing in older people. <i>Maturitas</i> , 2016 , 91, 115-34 | 5 | 45 |
| 75 | Depth of Field: Using photographs and narratives to explore and reflect on ageing. <i>Reflective Practice</i> , 2016 , 17, 676-680 | 0.9 | 9 |
| 74 | 'My independent streak may get in the way': how older adults respond to falls prevention education in hospital. <i>BMJ Open</i> , 2016 , 6, e012363 | 3 | 24 |
| 73 | 'It promoted a positive culture around falls prevention': staff response to a patient education programme-a qualitative evaluation. <i>BMJ Open</i> , 2016 , 6, e013414 | 3 | 8 |
| 72 | Do photographs, older adults' narratives and collaborative dialogue foster anticipatory reflection ("preflection") in medical students?. <i>BMC Medical Education</i> , 2016 , 16, 289 | 3.3 | 12 |
| 71 | Models for community based day care for older people: A narrative review. <i>Cogent Social Sciences</i> , 2016 , 2, 1267301 | 1.4 | 1 |
| 70 | The feasibility and effect of deprescribing in older adults on mortality and health: a systematic review and meta-analysis. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 583-623 | 3.8 | 225 |
| 69 | Expanding the Caring Lens: Nursing and Medical Students Reflecting on Images of Older People. <i>Gerontology and Geriatrics Education</i> , 2016 , 37, 167-84 | 1.2 | 10 |
| 68 | Deprescribing in frail older peopleDo doctors and pharmacists agree?. <i>Research in Social and Administrative Pharmacy</i> , 2016 , 12, 438-49 | 2.9 | 24 |
| 67 | Deprescribing in Frail Older People: A Randomised Controlled Trial. <i>PLoS ONE</i> , 2016 , 11, e0149984 | 3.7 | 119 |
| 66 | Survey of Australasian geriatricians' satisfaction with, and preferences for, continuing professional development. <i>Internal Medicine Journal</i> , 2016 , 46, 805-11 | 1.6 | 5 |
| 65 | Deprescribing: a guide for medication reviews. <i>Journal of Pharmacy Practice and Research</i> , 2016 , 46, 358 | -3 <u>.6</u> 7 | 6 |
| 64 | Use of a risk nomogram to predict emergency department reattendance in older people after discharge: a validation study. <i>Internal and Emergency Medicine</i> , 2015 , 10, 481-7 | 3.7 | 9 |
| 63 | Fall rates in hospital rehabilitation units after individualised patient and staff education programmes: a pragmatic, stepped-wedge, cluster-randomised controlled trial. <i>Lancet, The</i> , 2015 , 385, 2592-9 | 40 | 129 |
| 62 | Depressive symptoms and adverse outcomes from hospitalization in older adults: secondary outcomes of a trial of falls prevention education. <i>Archives of Gerontology and Geriatrics</i> , 2015 , 60, 96-10. | <u>-</u> | 9 |
| 61 | RESPONDA patient-centred programme to prevent secondary falls in older people presenting to the emergency department with a fall: protocol for a multicentre randomised controlled trial. <i>Injury Prevention</i> , 2015 , 21, e1 | 3.2 | 18 |

(2013-2015)

| 60 | Poisoning among older people with dementia: a wake up call. <i>International Psychogeriatrics</i> , 2015 , 27, 1755-6 | 3.4 | |
|----|--|------|----|
| 59 | Prevalence of oropharyngeal antibiotic-resistant flora among residents of aged care facilities: a pilot study. <i>Respirology</i> , 2015 , 20, 1139-41 | 3.6 | 3 |
| 58 | Educators' perspectives about how older hospital patients can engage in a falls prevention education programme: a qualitative process evaluation. <i>BMJ Open</i> , 2015 , 5, e009780 | 3 | 20 |
| 57 | Investigating the impact of a falls prevention community of practice in a residential aged-care setting: a mixed methods study protocol. <i>Journal of Advanced Nursing</i> , 2015 , 71, 2977-86 | 3.1 | 7 |
| 56 | Anticholinergic burden in older women: not seeing the wood for the trees?. <i>Medical Journal of Australia</i> , 2015 , 202, 91-4 | 4 | 22 |
| 55 | A Systematic Review of Interventions to Change Staff Care Practices in Order to Improve Resident Outcomes in Nursing Homes. <i>PLoS ONE</i> , 2015 , 10, e0140711 | 3.7 | 72 |
| 54 | Prescribing for Australians living with dementia: study protocol using the Delphi technique. <i>BMJ Open</i> , 2015 , 5, e008048 | 3 | 25 |
| 53 | Statin Therapy and Cognition in Older People: What is the Evidence?. <i>Current Clinical Pharmacology</i> , 2015 , 10, 185-93 | 2.5 | 8 |
| 52 | Vascular cognitive impairment in dementia. <i>Maturitas</i> , 2014 , 79, 220-6 | 5 | 8 |
| 51 | Grey matter changes associated with deficit awareness in mild cognitive impairment: a voxel-based morphometry study. <i>Journal of Alzheimera Disease</i> , 2014 , 42, 1251-9 | 4.3 | 9 |
| 50 | The efficacy of deprescribing interventions on health outcomes in people aged over 65 years: a systematic review protocol. <i>JBI Database of Systematic Reviews and Implementation Reports</i> , 2014 , 12, 124-134 | 1.6 | 3 |
| 49 | A stepped-wedge cluster randomised controlled trial for evaluating rates of falls among inpatients in aged care rehabilitation units receiving tailored multimedia education in addition to usual care: a trial protocol. <i>BMJ Open</i> , 2014 , 4, e004195 | 3 | 19 |
| 48 | RAndomised controlled trial to imProve depression and the quality of life of people with Dementia using cognitive bias modification: RAPID study protocol. <i>BMJ Open</i> , 2014 , 4, e005623 | 3 | 3 |
| 47 | Nurse led care coordination: trial protocol and development of a best practice resource guide for a cluster controlled clinical trial in Australian aged care facilities. <i>Archives of Gerontology and Geriatrics</i> , 2014 , 58, 15-9 | 4 | 9 |
| 46 | Cost effectiveness of patient education for the prevention of falls in hospital: economic evaluation from a randomized controlled trial. <i>BMC Medicine</i> , 2013 , 11, 135 | 11.4 | 46 |
| 45 | Brain and mood changes over 2 years in healthy controls and adults with heart failure and ischaemic heart disease. <i>European Journal of Heart Failure</i> , 2013 , 15, 850-8 | 12.3 | 34 |
| 44 | e-ageing: development and evaluation of a flexible online geriatric medicine educational resource for diverse learners. <i>Australasian Journal on Ageing</i> , 2013 , 32, 222-8 | 1.5 | 3 |
| 43 | Tailored education for older patients to facilitate engagement in falls prevention strategies after hospital dischargea pilot randomized controlled trial. <i>PLoS ONE</i> , 2013 , 8, e63450 | 3.7 | 41 |

| 42 | Organisational culture in residential aged care facilities: a cross-sectional observational study. <i>PLoS ONE</i> , 2013 , 8, e58002 | 3.7 | 28 |
|----|---|-----|----|
| 41 | A randomized placebo controlled trial of early treatment of acute ischemic stroke with atorvastatin and irbesartan. <i>International Journal of Stroke</i> , 2012 , 7, 104-11 | 6.3 | 26 |
| 40 | Stroke management: updated recommendations for treatment along the care continuum. <i>Internal Medicine Journal</i> , 2012 , 42, 562-9 | 1.6 | 32 |
| 39 | Perception of worsening health predicts mortality in older men: the Health in Men Study (HIMS). <i>Archives of Gerontology and Geriatrics</i> , 2012 , 55, 363-8 | 4 | 8 |
| 38 | Systemic arterial inflammation, measured with 18FDG-PET, is common amongst subjects with both recent and prior cerebrovascular disease. <i>Clinical Neurology and Neurosurgery</i> , 2012 , 114, 613-6 | 2 | 1 |
| 37 | Two-year course of cognitive function and mood in adults with congestive heart failure and coronary artery disease: the Heart-Mind Study. <i>International Psychogeriatrics</i> , 2012 , 24, 38-47 | 3.4 | 31 |
| 36 | Homocysteine, grey matter and cognitive function in adults with cardiovascular disease. <i>PLoS ONE</i> , 2012 , 7, e33345 | 3.7 | 13 |
| 35 | Dietary patterns are associated with cognition among older people with mild cognitive impairment. <i>Nutrients</i> , 2012 , 4, 1542-51 | 6.7 | 37 |
| 34 | Memory loss. Medical Journal of Australia, 2012, 196, 114-7 | 4 | 5 |
| 33 | Use of Potentially Harmful Medications and Health-Related Quality of Life among People with Dementia Living in Residential Aged Care Facilities. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2012, 2, 361-71 | 2.5 | 47 |
| 32 | Cognitive and brain changes associated with ischaemic heart disease and heart failure. <i>European Heart Journal</i> , 2012 , 33, 1769-76 | 9.5 | 96 |
| 31 | Factors associated with older patients' engagement in exercise after hospital discharge. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 1395-403 | 2.8 | 67 |
| 30 | A cluster-randomised trial of staff education to improve the quality of life of people with dementia living in residential care: the DIRECT study. <i>PLoS ONE</i> , 2011 , 6, e28155 | 3.7 | 25 |
| 29 | Development and evaluation of an educational intervention for general practitioners and staff caring for people with dementia living in residential facilities. <i>International Psychogeriatrics</i> , 2011 , 23, 221-9 | 3.4 | 25 |
| 28 | Cytochrome P450 metabolites of arachidonic acid are elevated in stroke patients compared with healthy controls. <i>Clinical Science</i> , 2011 , 121, 501-7 | 6.5 | 50 |
| 27 | Quality use of medicines and health outcomes among a cohort of community dwelling older men: an observational study. <i>British Journal of Clinical Pharmacology</i> , 2011 , 71, 592-9 | 3.8 | 76 |
| 26 | Students and teachers' preferences for undergraduate dementia education in Western Australia. <i>Gerontology and Geriatrics Education</i> , 2011 , 32, 273-90 | 1.2 | 8 |
| 25 | Awareness of cognitive deficits in older adults with cognitive-impairment-no-dementia (CIND): comparison with informant report. <i>Alzheimer Disease and Associated Disorders</i> , 2011 , 25, 24-33 | 2.5 | 16 |

(2009-2011)

| 24 | Evaluation of the sustained effect of inpatient falls prevention education and predictors of falls after hospital dischargefollow-up to a randomized controlled trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011 , 66, 1001-12 | 6.4 | 49 |
|----|---|------------------|-----|
| 23 | A pilot randomized controlled trial of deprescribing. <i>Therapeutic Advances in Drug Safety</i> , 2011 , 2, 37-43 | 3.5 | 50 |
| 22 | Traditional risk factors for incident cardiovascular events have limited importance in later life compared with the health in men study cardiovascular risk score. <i>Stroke</i> , 2011 , 42, 952-9 | 6.7 | 18 |
| 21 | Falls after discharge from hospital: is there a gap between older peoples' knowledge about falls prevention strategies and the research evidence?. <i>Gerontologist, The,</i> 2011 , 51, 653-62 | 5 | 68 |
| 20 | Patient education to prevent falls among older hospital inpatients: a randomized controlled trial. <i>Archives of Internal Medicine</i> , 2011 , 171, 516-24 | | 132 |
| 19 | Systemic markers of inflammation are independently associated with S100B concentration: results of an observational study in subjects with acute ischaemic stroke. <i>Journal of Neuroinflammation</i> , 2010 , 7, 71 | 10.1 | 29 |
| 18 | Systemic vascular function, measured with forearm flow mediated dilatation, in acute and stable cerebrovascular disease: a case-control study. <i>Cardiovascular Ultrasound</i> , 2010 , 8, 46 | 2.4 | 1 |
| 17 | The fitness for the Ageing Brain Study II (FABS II): protocol for a randomized controlled clinical trial evaluating the effect of physical activity on cognitive function in patients with Alzheimer's disease. <i>Trials</i> , 2010 , 11, 120 | 2.8 | 13 |
| 16 | Dementia in residential care: education intervention trial (DIRECT); protocol for a randomised controlled trial. <i>Trials</i> , 2010 , 11, 63 | 2.8 | 10 |
| 15 | Measuring falls events in acute hospitals-a comparison of three reporting methods to identify missing data in the hospital reporting system. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 1347- | -52 ⁶ | 95 |
| 14 | Factors associated with self and informant ratings of the quality of life of people with dementia living in care facilities: a cross sectional study. <i>PLoS ONE</i> , 2010 , 5, e15621 | 3.7 | 81 |
| 13 | Effect of long-term homocysteine reduction with B vitamins on arterial wall inflammation assessed by fluorodeoxyglucose positron emission tomography: a randomised double-blind, placebo-controlled trial. <i>Cerebrovascular Diseases</i> , 2009 , 27, 259-65 | 3.2 | 31 |
| 12 | Evaluation of the effect of patient education on rates of falls in older hospital patients: description of a randomised controlled trial. <i>BMC Geriatrics</i> , 2009 , 9, 14 | 4.1 | 21 |
| 11 | Current experiences and educational preferences of general practitioners and staff caring for people with dementia living in residential facilities. <i>BMC Geriatrics</i> , 2009 , 9, 36 | 4.1 | 22 |
| 10 | Feedback on the clinical practice guidelines for the management of delirium in older people in Australia. <i>Australasian Journal on Ageing</i> , 2009 , 28, 98 | 1.5 | |
| 9 | Contributors to cognitive impairment in congestive heart failure: a pilot case-control study. <i>Internal Medicine Journal</i> , 2009 , 39, 600-5 | 1.6 | 43 |
| 8 | Acute stroke and transient ischaemic attack managementtime to act fast. <i>Internal Medicine Journal</i> , 2009 , 39, 325-31 | 1.6 | 9 |
| 7 | A randomized trial comparing digital video disc with written delivery of falls prevention education for older patients in hospital. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 1458-63 | 5.6 | 72 |

| 6 | Rating the quality of life of people with dementia living in residential care facilities in routine research practice. <i>Age and Ageing</i> , 2009 , 38, 343-6 | 3 | 10 |
|---|--|-----|----|
| 5 | Coronary heart disease is associated with regional grey matter volume loss: implications for cognitive function and behaviour. <i>Internal Medicine Journal</i> , 2008 , 38, 599-606 | 1.6 | 23 |
| 4 | Long-term mortality following stroke, myocardial infarction and fractured neck of femur in Western Australia. <i>Internal Medicine Journal</i> , 2007 , 37, 815-9 | 1.6 | 6 |
| 3 | Liver unit admission following paracetamol overdose with concentrations below current UK treatment thresholds. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2007 , 100, 93-6 | 2.7 | 26 |
| 2 | End of life care for older people admitted to hospital. Australasian Journal on Ageing, 2004, 23, 58-62 | 1.5 | 1 |
| 1 | Fall prevention education for older people being discharged from hospital: Educators[berspectives. Health Education Journal,001789692110327 | 1.5 | 1 |