

Igor Puzanov

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7086735/publications.pdf>

Version: 2024-02-01

239
papers

40,113
citations

15504

65
h-index

2684

193
g-index

251
all docs

251
docs citations

251
times ranked

37772
citing authors

#	ARTICLE	IF	CITATIONS
1	Inhibition of Mutated, Activated BRAF in Metastatic Melanoma. <i>New England Journal of Medicine</i> , 2010, 363, 809-819.	27.0	3,288
2	Management of Immune-Related Adverse Events in Patients Treated With Immune Checkpoint Inhibitor Therapy: American Society of Clinical Oncology Clinical Practice Guideline. <i>Journal of Clinical Oncology</i> , 2018, 36, 1714-1768.	1.6	2,691
3	Combined BRAF and MEK Inhibition in Melanoma with BRAF V600 Mutations. <i>New England Journal of Medicine</i> , 2012, 367, 1694-1703.	27.0	2,445
4	Survival, Durable Tumor Remission, and Long-Term Safety in Patients With Advanced Melanoma Receiving Nivolumab. <i>Journal of Clinical Oncology</i> , 2014, 32, 1020-1030.	1.6	2,015
5	Talimogene Laherparepvec Improves Durable Response Rate in Patients With Advanced Melanoma. <i>Journal of Clinical Oncology</i> , 2015, 33, 2780-2788.	1.6	1,988
6	Survival in BRAF V600 Mutant Advanced Melanoma Treated with Vemurafenib. <i>New England Journal of Medicine</i> , 2012, 366, 707-714.	27.0	1,955
7	Fulminant Myocarditis with Combination Immune Checkpoint Blockade. <i>New England Journal of Medicine</i> , 2016, 375, 1749-1755.	27.0	1,668
8	Clinical efficacy of a RAF inhibitor needs broad target blockade in BRAF-mutant melanoma. <i>Nature</i> , 2010, 467, 596-599.	27.8	1,610
9	Vemurafenib in Multiple Nonmelanoma Cancers with <i>BRAF</i> V600 Mutations. <i>New England Journal of Medicine</i> , 2015, 373, 726-736.	27.0	1,483
10	Pembrolizumab versus investigator-choice chemotherapy for ipilimumab-refractory melanoma (KEYNOTE-002): a randomised, controlled, phase 2 trial. <i>Lancet Oncology</i> , The, 2015, 16, 908-918.	10.7	1,419
11	Oncolytic Virotherapy Promotes Intratumoral T Cell Infiltration and Improves Anti-PD-1 Immunotherapy. <i>Cell</i> , 2017, 170, 1109-1119.e10.	28.9	1,124
12	Ipilimumab in patients with melanoma and brain metastases: an open-label, phase 2 trial. <i>Lancet Oncology</i> , The, 2012, 13, 459-465.	10.7	995
13	Combined Nivolumab and Ipilimumab in Melanoma Metastatic to the Brain. <i>New England Journal of Medicine</i> , 2018, 379, 722-730.	27.0	983
14	<i>RAS</i> Mutations in Cutaneous Squamous-Cell Carcinomas in Patients Treated with BRAF Inhibitors. <i>New England Journal of Medicine</i> , 2012, 366, 207-215.	27.0	978
15	Dabrafenib in patients with Val600Glu or Val600Lys BRAF-mutant melanoma metastatic to the brain (BREAK-MB): a multicentre, open-label, phase 2 trial. <i>Lancet Oncology</i> , The, 2012, 13, 1087-1095.	10.7	841
16	Ipilimumab Therapy in Patients With Advanced Melanoma and Preexisting Autoimmune Disorders. <i>JAMA Oncology</i> , 2016, 2, 234.	7.1	534
17	Adjuvant sunitinib or sorafenib for high-risk, non-metastatic renal-cell carcinoma (ECOG-ACRIN) Tj ETQq1 1 0.784314 ggBT /Overlock 10 13.7 529	13.7	529
18	Randomized, Open-Label Phase II Study Evaluating the Efficacy and Safety of Talimogene Laherparepvec in Combination With Ipilimumab Versus Ipilimumab Alone in Patients With Advanced, Unresectable Melanoma. <i>Journal of Clinical Oncology</i> , 2018, 36, 1658-1667.	1.6	483

#	ARTICLE	IF	CITATIONS
19	Talimogene Laherparepvec in Combination With Ipilimumab in Previously Untreated, Unresectable Stage IIIB-IV Melanoma. <i>Journal of Clinical Oncology</i> , 2016, 34, 2619-2626.	1.6	449
20	Structure-Guided Blockade of CSF1R Kinase in Tenosynovial Giant-Cell Tumor. <i>New England Journal of Medicine</i> , 2015, 373, 428-437.	27.0	438
21	Targeted Next Generation Sequencing Identifies Markers of Response to PD-1 Blockade. <i>Cancer Immunology Research</i> , 2016, 4, 959-967.	3.4	428
22	Melanoma-specific MHC-II expression represents a tumour-autonomous phenotype and predicts response to anti-PD-1/PD-L1 therapy. <i>Nature Communications</i> , 2016, 7, 10582.	12.8	412
23	Survival, Durable Response, and Long-Term Safety in Patients With Previously Treated Advanced Renal Cell Carcinoma Receiving Nivolumab. <i>Journal of Clinical Oncology</i> , 2015, 33, 2013-2020.	1.6	385
24	Safety and Antitumor Activity of Pembrolizumab in Advanced Programmed Death Ligand 1-Positive Endometrial Cancer: Results From the KEYNOTE-028 Study. <i>Journal of Clinical Oncology</i> , 2017, 35, 2535-2541.	1.6	383
25	Pharmacodynamic Effects and Mechanisms of Resistance to Vemurafenib in Patients With Metastatic Melanoma. <i>Journal of Clinical Oncology</i> , 2013, 31, 1767-1774.	1.6	335
26	Everolimus versus sunitinib for patients with metastatic non-clear cell renal cell carcinoma (ASPEN): a multicentre, open-label, randomised phase 2 trial. <i>Lancet Oncology</i> , The, 2016, 17, 378-388.	10.7	327
27	Evolving Strategies for the Management of Hand-Foot Skin Reaction Associated with the Multitargeted Kinase Inhibitors Sorafenib and Sunitinib. <i>Oncologist</i> , 2008, 13, 1001-1011.	3.7	315
28	Ipilimumab Plus Sargramostim vs Ipilimumab Alone for Treatment of Metastatic Melanoma. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 1744.	7.4	312
29	Axitinib in combination with pembrolizumab in patients with advanced renal cell cancer: a non-randomised, open-label, dose-finding, and dose-expansion phase 1b trial. <i>Lancet Oncology</i> , The, 2018, 19, 405-415.	10.7	305
30	Society for Immunotherapy of Cancer (SITC) clinical practice guideline on immune checkpoint inhibitor-related adverse events. , 2021, 9, e002435.		298
31	Phase I, Pharmacokinetic, and Pharmacodynamic Study of AMG 479, a Fully Human Monoclonal Antibody to Insulin-Like Growth Factor Receptor 1. <i>Journal of Clinical Oncology</i> , 2009, 27, 5800-5807.	1.6	293
32	Vemurafenib for <i>BRAF</i> V600E-Mutant Erdheim-Chester Disease and Langerhans Cell Histiocytosis. <i>JAMA Oncology</i> , 2018, 4, 384.	7.1	280
33	Overall Survival and Durable Responses in Patients With <i>BRAF</i> V600E-Mutant Metastatic Melanoma Receiving Dabrafenib Combined With Trametinib. <i>Journal of Clinical Oncology</i> , 2016, 34, 871-878.	1.6	266
34	<i>BRAF</i> Inhibition in <i>BRAF</i> ^{V600} -Mutant Gliomas: Results From the VE-BASKET Study. <i>Journal of Clinical Oncology</i> , 2018, 36, 3477-3484.	1.6	247
35	Double-Blind Randomized Phase II Study of the Combination of Sorafenib and Dacarbazine in Patients With Advanced Melanoma: A Report From the 11715 Study Group. <i>Journal of Clinical Oncology</i> , 2008, 26, 2178-2185.	1.6	238
36	The efficacy of anti-EPD agents in acral and mucosal melanoma. <i>Cancer</i> , 2016, 122, 3354-3362.	4.1	236

#	ARTICLE	IF	CITATIONS
37	Patterns of Clinical Response with Talimogene Laherparepvec (T-VEC) in Patients with Melanoma Treated in the OPTiM Phase III Clinical Trial. <i>Annals of Surgical Oncology</i> , 2016, 23, 4169-4177.	1.5	236
38	Combination of vemurafenib and cobimetinib in patients with advanced BRAFV600-mutated melanoma: a phase 1b study. <i>Lancet Oncology</i> , The, 2014, 15, 954-965.	10.7	225
39	COVID-19 and Cancer: a Comprehensive Review. <i>Current Oncology Reports</i> , 2020, 22, 53.	4.0	220
40	Merkel Cell Carcinoma, Version 1.2018, NCCN Clinical Practice Guidelines in Oncology. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2018, 16, 742-774.	4.9	202
41	Final analysis of a randomised trial comparing pembrolizumab versus investigator-choice chemotherapy for ipilimumab-refractory advanced melanoma. <i>European Journal of Cancer</i> , 2017, 86, 37-45.	2.8	183
42	Marked, Homogeneous, and Early [¹⁸ F]Fluorodeoxyglucoseâ€“Positron Emission Tomography Responses to Vemurafenib in <i>BRAF</i> -Mutant Advanced Melanoma. <i>Journal of Clinical Oncology</i> , 2012, 30, 1628-1634.	1.6	172
43	BRAF Fusions Define a Distinct Molecular Subset of Melanomas with Potential Sensitivity to MEK Inhibition. <i>Clinical Cancer Research</i> , 2013, 19, 6696-6702.	7.0	160
44	Talimogene laherparepvec (T-VEC) for the treatment of advanced melanoma. <i>Immunotherapy</i> , 2015, 7, 611-619.	2.0	141
45	Long-term outcomes of patients with active melanoma brain metastases treated with combination nivolumab plus ipilimumab (CheckMate 204): final results of an open-label, multicentre, phase 2 study. <i>Lancet Oncology</i> , The, 2021, 22, 1692-1704.	10.7	129
46	Severe gastrointestinal toxicity with administration of trametinib in combination with dabrafenib and ipilimumab. <i>Pigment Cell and Melanoma Research</i> , 2015, 28, 611-612.	3.3	125
47	Thrombocytopenia in patients with melanoma receiving immune checkpoint inhibitor therapy. , 2017, 5, 8.		111
48	Predicting response to checkpoint inhibitors in melanoma beyond PD-L1 and mutational burden. , 2018, 6, 32.		111
49	Treatment of NRAS-Mutant Melanoma. <i>Current Treatment Options in Oncology</i> , 2015, 16, 15.	3.0	110
50	Opportunities and Obstacles to Combination Targeted Therapy in Renal Cell Cancer. <i>Clinical Cancer Research</i> , 2007, 13, 764s-769s.	7.0	107
51	Efficacy and safety of nivolumab (NIVO) plus ipilimumab (IPI) in patients with melanoma (MEL) metastatic to the brain: Results of the phase II study CheckMate 204.. <i>Journal of Clinical Oncology</i> , 2017, 35, 9507-9507.	1.6	106
52	A randomized phase 2 trial of gemcitabine/cisplatin with or without cetuximab in patients with advanced urothelial carcinoma. <i>Cancer</i> , 2014, 120, 2684-2693.	4.1	105
53	Clinical development of talimogene laherparepvec (T-VEC): a modified herpes simplex virus type-1â€“derived oncolytic immunotherapy. <i>Expert Review of Anticancer Therapy</i> , 2015, 15, 1389-1403.	2.4	102
54	Rechallenge patients with immune checkpoint inhibitors following severe immune-related adverse events: review of the literature and suggested prophylactic strategy. , 2020, 8, e000604.		98

#	ARTICLE	IF	CITATIONS
55	Pembrolizumab for the treatment of programmed deathâ€“ligand 1â€“positive advanced carcinoid or pancreatic neuroendocrine tumors: Results from the KEYNOTEâ€“028 study. <i>Cancer</i> , 2020, 126, 3021-3030.	4.1	97
56	Linking prostate cancer cell AR heterogeneity to distinct castration and enzalutamide responses. <i>Nature Communications</i> , 2018, 9, 3600.	12.8	96
57	Enabling a Genetically Informed Approach to Cancer Medicine: A Retrospective Evaluation of the Impact of Comprehensive Tumor Profiling Using a Targeted Next-Generation Sequencing Panel. <i>Oncologist</i> , 2014, 19, 616-622.	3.7	94
58	Pan-Cancer Efficacy of Vemurafenib in <i>BRAF</i> -V600-Mutant Non-Melanoma Cancers. <i>Cancer Discovery</i> , 2020, 10, 657-663.	9.4	93
59	Intratumoral Immunotherapyâ€“Update 2019. <i>Oncologist</i> , 2020, 25, e423-e438.	3.7	92
60	Survivorship in Immune Therapy: Assessing Chronic Immune Toxicities, Health Outcomes, and Functional Status among Long-term Ipilimumab Survivors at a Single Referral Center. <i>Cancer Immunology Research</i> , 2015, 3, 464-469.	3.4	91
61	Managing Metastatic Melanoma in 2022: A Clinical Review. <i>JCO Oncology Practice</i> , 2022, 18, 335-351.	2.9	91
62	Sunitinib-associated hypertension and neutropenia as efficacy biomarkers in metastatic renal cell carcinoma patients. <i>British Journal of Cancer</i> , 2015, 113, 1571-1580.	6.4	88
63	A Phase I Study of Continuous Oral Dosing of OSI-906, a Dual Inhibitor of Insulin-Like Growth Factor-1 and Insulin Receptors, in Patients with Advanced Solid Tumors. <i>Clinical Cancer Research</i> , 2015, 21, 701-711.	7.0	86
64	Sequencing Treatment in BRAF V600 Mutant Melanoma: Anti-PD-1 Before and After BRAF Inhibition. <i>Journal of Immunotherapy</i> , 2017, 40, 31-35.	2.4	85
65	T-cell CX3CR1 expression as a dynamic blood-based biomarker of response to immune checkpoint inhibitors. <i>Nature Communications</i> , 2021, 12, 1402.	12.8	85
66	Anti-IL6R role in treatment of COVID-19-related ARDS. <i>Journal of Translational Medicine</i> , 2020, 18, 165.	4.4	82
67	Health-related quality of life in the randomised KEYNOTE-002 study of pembrolizumab versus chemotherapy in patients with ipilimumab-refractory melanoma. <i>European Journal of Cancer</i> , 2016, 67, 46-54.	2.8	77
68	Efficacy analysis of MASTERKEY-265 phase 1b study of talimogene laherparepvec (T-VEC) and pembrolizumab (pembro) for unresectable stage IIIB-IV melanoma.. <i>Journal of Clinical Oncology</i> , 2016, 34, 9568-9568.	1.6	76
69	Phase I Clinical Trial of Combination Propranolol and Pembrolizumab in Locally Advanced and Metastatic Melanoma: Safety, Tolerability, and Preliminary Evidence of Antitumor Activity. <i>Clinical Cancer Research</i> , 2021, 27, 87-95.	7.0	72
70	Clinical and immunologic correlates of response to PD-1 blockade in a patient with metastatic renal medullary carcinoma. , 2017, 5, 1.		68
71	OPTiM: A randomized phase III trial of talimogene laherparepvec (T-VEC) versus subcutaneous (SC) granulocyte-macrophage colony-stimulating factor (GM-CSF) for the treatment (tx) of unresected stage IIIB/C and IV melanoma.. <i>Journal of Clinical Oncology</i> , 2013, 31, LBA9008-LBA9008.	1.6	67
72	Ipilimumab plus nivolumab for patients with metastatic uveal melanoma: a multicenter, retrospective study. , 2020, 8, e000331.		66

#	ARTICLE	IF	CITATIONS
73	Safety and efficacy of the combination of nivolumab plus ipilimumab in patients with melanoma and asymptomatic or symptomatic brain metastases (CheckMate 204). <i>Neuro-Oncology</i> , 2021, 23, 1961-1973.	1.2	66
74	Long-term survival of ipilimumab-naïve patients (pts) with advanced melanoma (MEL) treated with nivolumab (anti-PD-1, BMS-936558, ONO-4538) in a phase I trial. <i>Journal of Clinical Oncology</i> , 2014, 32, 9002-9002.	1.6	64
75	Cardiac Toxicity Associated with Immune Checkpoint Inhibitors: Case Series and Review of the Literature. <i>Case Reports in Oncology</i> , 2019, 12, 260-276.	0.7	63
76	Long-term outcome in BRAFV600E melanoma patients treated with vemurafenib: Patterns of disease progression and clinical management of limited progression. <i>European Journal of Cancer</i> , 2015, 51, 1435-1443.	2.8	61
77	Safety and efficacy of anti-PD-1 in patients with baseline cardiac, renal, or hepatic dysfunction. , 2016, 4, 60.		60
78	Prospective Evaluation of Sunitinib-Induced Cardiotoxicity in Patients with Metastatic Renal Cell Carcinoma. <i>Clinical Cancer Research</i> , 2017, 23, 3601-3609.	7.0	58
79	Phase 1 study of mTORC1/2 inhibitor sapanisertib (TAK-228) in advanced solid tumours, with an expansion phase in renal, endometrial or bladder cancer. <i>British Journal of Cancer</i> , 2020, 123, 1590-1598.	6.4	57
80	Long-term safety of pembrolizumab monotherapy and relationship with clinical outcome: A landmark analysis in patients with advanced melanoma. <i>European Journal of Cancer</i> , 2021, 144, 182-191.	2.8	57
81	Bempegaldesleukin Plus Nivolumab in First-Line Metastatic Melanoma. <i>Journal of Clinical Oncology</i> , 2021, 39, 2914-2925.	1.6	55
82	γ -H2AX Foci Formation as a Pharmacodynamic Marker of DNA Damage Produced by DNA Cross-Linking Agents: Results from 2 Phase I Clinical Trials of SJG-136 (SG2000). <i>Clinical Cancer Research</i> , 2013, 19, 721-730.	7.0	52
83	Analytical Validation of a Next-Generation Sequencing Assay to Monitor Immune Responses in Solid Tumors. <i>Journal of Molecular Diagnostics</i> , 2018, 20, 95-109.	2.8	50
84	B-RAF Inhibitors: An Evolving Role in the Therapy of Malignant Melanoma. <i>Current Oncology Reports</i> , 2010, 12, 146-152.	4.0	49
85	Phase I Pharmacokinetic and Pharmacodynamic Study of SJG-136, a Novel DNA Sequence Selective Minor Groove Cross-linking Agent, in Advanced Solid Tumors. <i>Clinical Cancer Research</i> , 2011, 17, 3794-3802.	7.0	49
86	Phase 1 trial of tivantinib in combination with sorafenib in adult patients with advanced solid tumors. <i>Investigational New Drugs</i> , 2015, 33, 159-168.	2.6	49
87	Retrospective Analysis of the Safety and Efficacy of Interleukin-2 After Prior VEGF-targeted Therapy in Patients With Advanced Renal Cell Carcinoma. <i>Journal of Immunotherapy</i> , 2009, 32, 181-185.	2.4	48
88	Molecular Targets in Melanoma from Angiogenesis to Apoptosis. <i>Clinical Cancer Research</i> , 2006, 12, 2376s-2383s.	7.0	46
89	Combination targeted therapy in advanced renal cell carcinoma. <i>Cancer</i> , 2009, 115, 2368-2375.	4.1	45
90	Targeted Molecular Therapy in Melanoma. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2010, 29, 196-201.	1.6	45

#	ARTICLE	IF	CITATIONS
91	Clinical characterization of colitis arising from anti-PD-1 based therapy. <i>Oncolimmunology</i> , 2019, 8, e1524695.	4.6	44
92	Primary analysis of a phase 1b multicenter trial to evaluate safety and efficacy of talimogene laherparepvec (T-VEC) and ipilimumab (ipi) in previously untreated, unresected stage IIIB-IV melanoma.. <i>Journal of Clinical Oncology</i> , 2014, 32, 9029-9029.	1.6	43
93	Recombinant interleukin-21 plus sorafenib for metastatic renal cell carcinoma: a phase 1/2 study. , 2014, 2, 2.		42
94	Two phase 2 trials of the novel Akt inhibitor perifosine in patients with advanced renal cell carcinoma after progression on vascular endothelial growth factor-targeted therapy. <i>Cancer</i> , 2012, 118, 6055-6062.	4.1	41
95	Updated safety and efficacy results from a phase I/II study of the oral BRAF inhibitor dabrafenib (GSK2118436) combined with the oral MEK 1/2 inhibitor trametinib (GSK1120212) in patients with BRAFi-naive metastatic melanoma.. <i>Journal of Clinical Oncology</i> , 2012, 30, 8510-8510.	1.6	41
96	Survival and long-term follow-up of safety and response in patients (pts) with advanced melanoma (MEL) in a phase I trial of nivolumab (anti-PD-1; BMS-936558; ONO-4538).. <i>Journal of Clinical Oncology</i> , 2013, 31, CRA9006-CRA9006.	1.6	41
97	Phase 1 study of the BRAF inhibitor dabrafenib (D) with or without the MEK inhibitor trametinib (T) in combination with ipilimumab (Ipi) for V600E/K mutation-positive unresectable or metastatic melanoma (MM).. <i>Journal of Clinical Oncology</i> , 2014, 32, 2511-2511.	1.6	41
98	Association of BRAF V600E/K Mutation Status and Prior BRAF/MEK Inhibition With Pembrolizumab Outcomes in Advanced Melanoma. <i>JAMA Oncology</i> , 2020, 6, 1256.	7.1	38
99	Durable response rate as an endpoint in cancer immunotherapy: insights from oncolytic virus clinical trials. , 2017, 5, 72.		37
100	A Phase I Trial of Bortezomib with Temozolomide in Patients with Advanced Melanoma: Toxicities, Antitumor Effects, and Modulation of Therapeutic Targets. <i>Clinical Cancer Research</i> , 2010, 16, 348-357.	7.0	36
101	Longitudinal Assessment of Vascular Function With Sunitinib in Patients With Metastatic Renal Cell Carcinoma. <i>Circulation: Heart Failure</i> , 2018, 11, e004408.	3.9	34
102	Extended 5-Year Follow-up Results of a Phase Ib Study (BRIM7) of Vemurafenib and Cobimetinib in BRAF-Mutant Melanoma. <i>Clinical Cancer Research</i> , 2020, 26, 46-53.	7.0	32
103	Tilsotolimod with Ipilimumab Drives Tumor Responses in Anti-PD-1 Refractory Melanoma. <i>Cancer Discovery</i> , 2021, 11, 1996-2013.	9.4	32
104	Efficacy of Vemurafenib in Patients With Non-Small-Cell Lung Cancer With BRAF V600 Mutation: An Open-Label, Single-Arm Cohort of the Histology-Independent VE-BASKET Study. <i>JCO Precision Oncology</i> , 2019, 3, 1-9.	3.0	31
105	Biological challenges of BRAF inhibitor therapy. <i>Molecular Oncology</i> , 2011, 5, 116-123.	4.6	30
106	Safety and Pharmacokinetics of Ganitumab (AMG 479) Combined with Sorafenib, Panitumumab, Erlotinib, or Gemcitabine in Patients with Advanced Solid Tumors. <i>Clinical Cancer Research</i> , 2012, 18, 3414-3427.	7.0	30
107	Combining targeted and immunotherapy: BRAF inhibitor dabrafenib (D) ± the MEK inhibitor trametinib (T) in combination with ipilimumab (Ipi) for V600E/K mutation-positive unresectable or metastatic melanoma (MM). <i>Journal of Translational Medicine</i> , 2015, 13, K8.	4.4	28
108	BRAF V600E mutations in solid tumors, other than metastatic melanoma and papillary thyroid cancer, or multiple myeloma: a screening study. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 965-971.	2.0	28

#	ARTICLE	IF	CITATIONS
109	Primary results from a randomized (1:1), open-label phase II study of talimogene laherparepvec (T) and ipilimumab (I) vs I alone in unresected stage IIIB-IV melanoma.. Journal of Clinical Oncology, 2017, 35, 9509-9509.	1.6	27
110	Primary overall survival (OS) from OPTiM, a randomized phase III trial of talimogene laherparepvec (T-VEC) versus subcutaneous (SC) granulocyte-macrophage colony-stimulating factor (GM-CSF) for the treatment (tx) of unresected stage IIIB/C and IV melanoma.. Journal of Clinical Oncology, 2014, 32, 9008a-9008a.	1.6	26
111	Is Renal Thrombotic Angiopathy an Emerging Problem in the Treatment of Ovarian Cancer Recurrences?. Oncologist, 2012, 17, 1534-1540.	3.7	25
112	A Phase II Study of Bevacizumab and High-dose Interleukin-2 in Patients With Metastatic Renal Cell Carcinoma. Journal of Immunotherapy, 2013, 36, 490-495.	2.4	25
113	The need for a network to establish and validate predictive biomarkers in cancer immunotherapy. Journal of Translational Medicine, 2017, 15, 223.	4.4	25
114	Responses to immune checkpoint inhibitors in nonagenarians. OncoImmunology, 2016, 5, e1234572.	4.6	24
115	A first-in-human phase I, multicenter, open-label, dose-escalation study of the oral RAF/VEGFR2 inhibitor (RAF265) in locally advanced or metastatic melanoma independent from <scp>BRAF</scp> mutation status. Cancer Medicine, 2017, 6, 1904-1914.	2.8	24
116	Patterns of response with talimogene laherparepvec in combination with ipilimumab or ipilimumab alone in metastatic unresectable melanoma. British Journal of Cancer, 2019, 121, 417-420.	6.4	24
117	Clinical characteristics, time course, treatment and outcomes of patients with immune checkpoint inhibitor-associated myocarditis. , 2021, 9, e002553.		24
118	BREAK-MB: A phase II study assessing overall intracranial response rate (OIRR) to dabrafenib (GSK2118436) in patients (pts) with BRAF V600E/k mutation-positive melanoma with brain metastases (mets).. Journal of Clinical Oncology, 2012, 30, 8501-8501.	1.6	24
119	Multicenter, randomized phase II trial of GM-CSF (GM) plus ipilimumab (Ipi) versus Ipi alone in metastatic melanoma: E1608.. Journal of Clinical Oncology, 2013, 31, CRA9007-CRA9007.	1.6	23
120	Survival, safety, and response patterns in a phase 1b multicenter trial of talimogene laherparepvec (T-VEC) and ipilimumab (ipi) in previously untreated, unresected stage IIIB-IV melanoma.. Journal of Clinical Oncology, 2015, 33, 9063-9063.	1.6	23
121	Vemurafenib (RG67204, PLX4032): a potent, selective BRAF kinase inhibitor. Future Oncology, 2012, 8, 509-523.	2.4	22
122	Pembrolizumab in advanced endometrial cancer: Preliminary results from the phase 1b KEYNOTE-028 study.. Journal of Clinical Oncology, 2016, 34, 5581-5581.	1.6	22
123	A phase 2 study to evaluate the safety and efficacy of Intratumoral (IT) injection of the TLR9 agonist IMO-2125 (IMO) in combination with ipilimumab (ipi) in PD-1 inhibitor refractory melanoma.. Journal of Clinical Oncology, 2018, 36, 9515-9515.	1.6	22
124	Vemurafenib treatment for patients with locally advanced, unresectable stage IIIC or metastatic melanoma and activating exon 15 BRAF mutations other than V600E. Melanoma Research, 2017, 27, 585-590.	1.2	21
125	OPTiM: A randomized phase III trial of talimogene laherparepvec (T-VEC) versus subcutaneous (SC) granulocyte-macrophage colony-stimulating factor (GM-CSF) for the treatment (tx) of unresected stage IIIB/C and IV melanoma.. Journal of Clinical Oncology, 2013, 31, LBA9008-LBA9008.	1.6	21
126	Prolonged Benefit from Ipilimumab Correlates with Improved Outcomes from Subsequent Pembrolizumab. Cancer Immunology Research, 2016, 4, 569-573.	3.4	20

#	ARTICLE	IF	CITATIONS
127	Vemurafenib in Patients With Relapsed Refractory Multiple Myeloma Harboring <i>BRAF</i> ^{V600} Mutations: A Cohort of the Histology-Independent VE-BASKET Study. <i>JCO Precision Oncology</i> , 2018, 2, 1-9.	3.0	20
128	Comparative analysis of the <i>GNAQ</i> , <i>GNA11</i> , <i>SF3B1</i> , and <i>EIF1AX</i> driver mutations in melanoma and across the cancer spectrum. <i>Pigment Cell and Melanoma Research</i> , 2016, 29, 470-473.	3.3	18
129	Neoadjuvant Pembrolizumab and High-Dose IFN α -2b in Resectable Regionally Advanced Melanoma. <i>Clinical Cancer Research</i> , 2021, 27, 4195-4204.	7.0	18
130	Efficacy based on tumor PD-L1 expression in KEYNOTE-002, a randomized comparison of pembrolizumab (pembro; MK-3475) versus chemotherapy in patients (pts) with ipilimumab-refractory (IPI-R) advanced melanoma (MEL).. <i>Journal of Clinical Oncology</i> , 2015, 33, 3012-3012.	1.6	18
131	Multiple Gastrointestinal Polyps in Patients Treated with BRAF Inhibitors. <i>Clinical Cancer Research</i> , 2015, 21, 5215-5221.	7.0	17
132	Myelodysplastic Syndrome Revealed by Systems Immunology in a Melanoma Patient Undergoing Anti-PD-1 Therapy. <i>Cancer Immunology Research</i> , 2016, 4, 474-480.	3.4	17
133	Axitinib plus pembrolizumab in patients with advanced renal-cell carcinoma: Long-term efficacy and safety from a phase Ib trial. <i>European Journal of Cancer</i> , 2021, 145, 1-10.	2.8	17
134	Building on a foundation of VEGF and mTOR targeted agents in renal cell carcinoma. <i>Biochemical Pharmacology</i> , 2010, 80, 638-646.	4.4	16
135	Insulin-like growth factor-1 receptor inhibitor, AMG479, in cetuximab-refractory head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2011, 33, 1804-1808.	2.0	16
136	Final planned overall survival (OS) from OPTiM, a randomized Phase III trial of talimogene laherparepvec (T-VEC) versus GM-CSF for the treatment of unresected stage IIIB/C/IV melanoma (NCT00769704)., 2014, 2, .		16
137	Survival and long-term follow-up of safety and response in patients (pts) with advanced melanoma (MEL) in a phase I trial of nivolumab (anti-PD-1; BMS-936558; ONO-4538).. <i>Journal of Clinical Oncology</i> , 2013, 31, CRA9006-CRA9006.	1.6	16
138	Hybrid capture-based next-generation sequencing (HC NGS) in melanoma to identify markers of response to anti-PD-1/PD-L1.. <i>Journal of Clinical Oncology</i> , 2016, 34, 105-105.	1.6	16
139	Extended follow-up results of phase Ib study (BRIM7) of vemurafenib (VEM) with cobimetinib (COBI) in BRAF-mutant melanoma.. <i>Journal of Clinical Oncology</i> , 2015, 33, 9020-9020.	1.6	15
140	Immune Checkpoint Inhibitor Toxicity Review for the Palliative Care Clinician. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 460-472.	1.2	14
141	Angiokines Associated with Targeted Therapy Outcomes in Patients with Non-Clear Cell Renal Cell Carcinoma. <i>Clinical Cancer Research</i> , 2021, 27, 3317-3328.	7.0	14
142	Safety and efficacy of MET inhibitor tivantinib (ARQ 197) combined with sorafenib in patients (pts) with hepatocellular carcinoma (HCC) from a phase I study.. <i>Journal of Clinical Oncology</i> , 2012, 30, 4117-4117.	1.6	14
143	Safety and efficacy of MET inhibitor tivantinib (ARQ 197) combined with sorafenib in patients (pts) with NRAS wild-type or mutant melanoma from a phase I study.. <i>Journal of Clinical Oncology</i> , 2012, 30, 8519-8519.	1.6	14
144	Infectious Colitis Associated With Ipilimumab Therapy. <i>Gastroenterology Research</i> , 2014, 7, 28-31.	1.3	14

#	ARTICLE	IF	CITATIONS
145	Angiogenic and Immune-Related Biomarkers and Outcomes Following Axitinib/Pembrolizumab Treatment in Patients with Advanced Renal Cell Carcinoma. <i>Clinical Cancer Research</i> , 2020, 26, 5598-5608.	7.0	13
146	Updated overall survival (OS) for BR113220, a phase 1-2 study of dabrafenib (D) alone versus combined dabrafenib and trametinib (D+T) in pts with <i>BRAF</i> V600 mutation-positive (+) metastatic melanoma (MM).. <i>Journal of Clinical Oncology</i> , 2014, 32, 9010-9010.	1.6	13
147	Oncologist uptake of comprehensive genomic profile guided targeted therapy. <i>Oncotarget</i> , 2019, 10, 4616-4629.	1.8	13
148	Perspectives in immunotherapy: meeting report from the Immunotherapy Bridge (29-30 November, 2017,) Tj ETQq0 0 0 rgBT /Overlock		12
149	VE-BASKET, a first-in-kind, phase II, histology-independent "basket" study of vemurafenib (VEM) in nonmelanoma solid tumors harboring <i>BRAF</i> V600 mutations (V600m).. <i>Journal of Clinical Oncology</i> , 2014, 32, 2533-2533.	1.6	12
150	Updated overall survival (OS) results for BR113220, a phase II study of dabrafenib alone versus combined dabrafenib and trametinib in patients with <i>BRAF</i> V600 metastatic melanoma (MM).. <i>Journal of Clinical Oncology</i> , 2015, 33, 9036-9036.	1.6	12
151	A phase 1/2 study of a novel IL-2 cytokine, NKTR-214, and nivolumab in patients with select locally advanced or metastatic solid tumors.. <i>Journal of Clinical Oncology</i> , 2017, 35, e14040-e14040.	1.6	12
152	Results from Phase I Extension Study Assessing Pexidartinib Treatment in Six Cohorts with Solid Tumors including TGCT, and Abnormal <i>CSF1</i> Transcripts in TGCT. <i>Clinical Cancer Research</i> , 2022, 28, 298-307.	7.0	12
153	Phase 2 Study of Bevacizumab and Temeolimus After VEGFR TKI in Metastatic Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2016, 14, 304-313.e6.	1.9	11
154	A phase II trial of erlotinib and bevacizumab for patients with metastatic melanoma. <i>Pigment Cell and Melanoma Research</i> , 2016, 29, 101-103.	3.3	11
155	Clinical and immunologic implications of COVID-19 in patients with melanoma and renal cell carcinoma receiving immune checkpoint inhibitors. , 2021, 9, e002835.		11
156	Final clinical results of a randomized phase II international trial of everolimus vs. sunitinib in patients with metastatic non-clear cell renal cell carcinoma (ASPEN).. <i>Journal of Clinical Oncology</i> , 2015, 33, 4507-4507.	1.6	11
157	Ipilimumab in metastatic melanoma patients with pre-existing autoimmune disorders.. <i>Journal of Clinical Oncology</i> , 2015, 33, 9019-9019.	1.6	11
158	Pembrolizumab for the treatment of advanced melanoma. <i>Expert Opinion on Orphan Drugs</i> , 2016, 4, 867-873.	0.8	10
159	Challenges faced when identifying patients for combination immunotherapy. <i>Future Oncology</i> , 2017, 13, 1607-1618.	2.4	10
160	Efficacy of vemurafenib in patients (pts) with non-small cell lung cancer (NSCLC) with <i>BRAF</i> V600 mutation.. <i>Journal of Clinical Oncology</i> , 2017, 35, 9074-9074.	1.6	10
161	Safety and efficacy of axitinib (axi) in combination with pembrolizumab (pembro) in patients (pts) with advanced renal cell cancer (aRCC).. <i>Journal of Clinical Oncology</i> , 2018, 36, 579-579.	1.6	10
162	Determination of chemically reduced pyrrolbenzodiazepine SJG136 in human plasma by HPLC-MS/MS: application to an anticancer phase I dose escalation study. <i>Journal of Mass Spectrometry</i> , 2008, 43, 42-52.	1.6	9

#	ARTICLE	IF	CITATIONS
163	A phase I trial of concurrent sorafenib and stereotactic radiosurgery for patients with brain metastases. <i>Journal of Neuro-Oncology</i> , 2017, 133, 435-442.	2.9	9
164	Vemurafenib (VEM) in Relapsed Refractory Multiple Myeloma Harboring BRAFV600 Mutations (V600m): A Cohort of the Histology-Independent VE-Basket Study. <i>Blood</i> , 2015, 126, 4263-4263.	1.4	9
165	A multicenter, open-label trial of talimogene laherparepvec (T-VEC) plus pembrolizumab vs pembrolizumab monotherapy in previously untreated, unresected, stage IIIB-IV melanoma.. <i>Journal of Clinical Oncology</i> , 2015, 33, TPS9081-TPS9081.	1.6	9
166	Evaluation of the pharmacokinetic drug interaction potential of tivantinib (ARQ 197) using cocktail probes in patients with advanced solid tumours. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 112-121.	2.4	8
167	Multicenter, randomized phase II trial of GM-CSF (GM) plus ipilimumab (Ipi) versus ipi alone in metastatic melanoma: E1608.. <i>Journal of Clinical Oncology</i> , 2013, 31, CRA9007-CRA9007.	1.6	8
168	A pilot study of PLX3397, a selective colony-stimulating factor 1 receptor (CSF1R) kinase inhibitor, in pigmented villonodular synovitis (PVNS).. <i>Journal of Clinical Oncology</i> , 2014, 32, 10503-10503.	1.6	8
169	KEYNOTE-006 study of pembrolizumab (pembro) versus ipilimumab (ipi) for advanced melanoma: Efficacy by PD-L1 expression and line of therapy.. <i>Journal of Clinical Oncology</i> , 2016, 34, 9513-9513.	1.6	8
170	Neoadjuvant combination immunotherapy with pembrolizumab and high dose IFN- γ 2b in locally/regionally advanced melanoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, 181-181.	1.6	8
171	Randomized phase II trial of gemcitabine/cisplatin (GC) with or without cetuximab (CET) in patients (pts) with advanced urothelial carcinoma (UC).. <i>Journal of Clinical Oncology</i> , 2012, 30, 4506-4506.	1.6	7
172	A phase I/3 multicenter trial of talimogene laherparepvec in combination with pembrolizumab for unresected, stage IIIB-IV melanoma (MASTERKEY-265).. <i>Journal of Clinical Oncology</i> , 2016, 34, TPS9598-TPS9598.	1.6	6
173	A phase I study of neoadjuvant combination immunotherapy in locally/regionally advanced melanoma.. <i>Journal of Clinical Oncology</i> , 2019, 37, 9586-9586.	1.6	6
174	<p>Optimal Management of First-Line Advanced Renal Cell Carcinoma: Focus on Pembrolizumab</p>. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 4021-4034.	2.0	5
175	Vemurafenib in Patients with Erdheim-Chester Disease (ECD) and Langerhans Cell Histiocytosis (LCH) Harboring BRAFV600 Mutations: A Cohort of the Histology-Independent VE-Basket Study. <i>Blood</i> , 2016, 128, 480-480.	1.4	5
176	Patterns of durable response with intralesional talimogene laherparepvec (T-VEC): Results from a phase III trial in patients with stage IIIB-IV melanoma.. <i>Journal of Clinical Oncology</i> , 2014, 32, 9026-9026.	1.6	5
177	Dose analysis of ASSURE (E2805): Adjuvant sorafenib or sunitinib for unfavorable renal carcinoma, an ECOG-ACRIN-led, NCTN phase 3 trial.. <i>Journal of Clinical Oncology</i> , 2015, 33, 4508-4508.	1.6	5
178	Clinical presentation of immune-related colitis associated with PD-1 inhibitor monotherapy (MONO) and combination PD-1/CTLA-4 inhibitors (COMBO) in melanoma.. <i>Journal of Clinical Oncology</i> , 2017, 35, 9566-9566.	1.6	5
179	Identifying strategies to address obstacles to optimal integration of cancer immunotherapies in the community.. <i>Journal of Clinical Oncology</i> , 2020, 38, 96-96.	1.6	5
180	Anti-CTLA-4 and BRAF inhibition in patients with metastatic melanoma and brain metastases. <i>Expert Review of Dermatology</i> , 2013, 8, 479-487.	0.3	4

#	ARTICLE	IF	CITATIONS
181	The great debate at "Immunotherapy Bridge 2018", Naples, November 29th, 2018. , 2019, 7, 221.		4
182	Abstract 4062: Activation of innate and adaptive immunity using intratumoral tilsotolimod (IMO-2125) as monotherapy in patients with refractory solid tumors: a phase Ib study (ILLUMINATE-101). , 2019, , .		4
183	Safety and efficacy of MET inhibitor tivantinib (ARQ 197) combined with sorafenib in patients (pts) with renal cell carcinoma (RCC) from a phase I study.. Journal of Clinical Oncology, 2012, 30, 4545-4545.	1.6	4
184	Model-based analysis of the relationship between pembrolizumab (MK-3475) exposure and efficacy in patients with advanced or metastatic melanoma.. Journal of Clinical Oncology, 2015, 33, 3068-3068.	1.6	4
185	Tissue based biomarkers in non-clear cell RCC: Correlative analysis from the ASPEN clinical trial. Kidney Cancer Journal: Official Journal of the Kidney Cancer Association, 2021, 19, 64-72.	0.1	4
186	A phase II study of talimogene laherparepvec followed by talimogene laherparepvec + nivolumab in refractory T cell and NK cell lymphomas, cutaneous squamous cell carcinoma, Merkel cell carcinoma, and other rare skin tumors (NCI #10057).. Journal of Clinical Oncology, 2018, 36, TPS219-TPS219.	1.6	4
187	CSF1 receptor inhibition of tenosynovial giant cell tumor using novel disease-specific MRI measures of tumor burden. Future Oncology, 2022, , .	2.4	4
188	The Great Debate at "Melanoma Bridge", Napoli, December 2nd, 2017. Journal of Translational Medicine, 2018, 16, 101.	4.4	3
189	The Great Debate at "Immunotherapy Bridge"™, Naples, December 5, 2019. , 2020, 8, e000921.		3
190	Observational study of talimogene laherparepvec use in the anti-PD-1 era for melanoma in the US (COSMUS-2). Melanoma Management, 2020, 7, MMT41.	0.5	3
191	Perspectives in immunotherapy: meeting report from the "Immunotherapy Bridge"(December 4th-5th,) Tj ETQq1 1 0,784314	4.4	3
192	Metabolic tumor burden for prediction of overall survival following combined BRAF/MEK inhibition in patients with advanced BRAF mutant melanoma.. Journal of Clinical Oncology, 2014, 32, 9006-9006.	1.6	3
193	Progression-free survival (PFS) in unresectable melanoma patients (pts) treated with talimogene laherparepvec (T-VEC) versus granulocyte macrophage colony-stimulating factor (GM-CSF) in OPTiM.. Journal of Clinical Oncology, 2019, 37, 9524-9524.	1.6	3
194	Phase I dose-escalation study of cabazitaxel administered in combination with gemcitabine in patients with metastatic or unresectable advanced solid malignancies. Anti-Cancer Drugs, 2015, 26, 785-792.	1.4	2
195	Toxicities in Immune Checkpoint Inhibitors. , 2019, , 205-226.		2
196	The Great Debate at "Melanoma Bridge", Naples, December 7th, 2019. Journal of Translational Medicine, 2020, 18, 171.	4.4	2
197	Patient-reported outcomes (PROs) in KEYNOTE-002, a randomized study of pembrolizumab vs chemotherapy in patients (pts) with ipilimumab-refractory (IPI-R) metastatic melanoma (MEL).. Journal of Clinical Oncology, 2015, 33, 9040-9040.	1.6	2
198	Oncolytic Viruses: T-VEC and Others. , 2018, , 387-403.		1

#	ARTICLE	IF	CITATIONS
199	The Importance of Outcome and Precise Evaluation in Economic Analysis of Cancer Drugs. <i>JAMA Dermatology</i> , 2019, 155, 862.	4.1	1
200	The "Great Debate" at Melanoma Bridge 2020: December, 5th, 2020. <i>Journal of Translational Medicine</i> , 2021, 19, 142.	4.4	1
201	Phase I dose escalation of KD033, a PDL1-IL15 bispecific molecule, in advanced solid tumors.. <i>Journal of Clinical Oncology</i> , 2021, 39, 2568-2568.	1.6	1
202	Perspectives in immunotherapy: meeting report from the immunotherapy bridge (December 2nd-3rd,) Tj ETQq0 0 0 rgBT /Overlock 10	4.4	1
203	Editorial: Advancements in Molecular Diagnosis and Treatment of Melanoma. <i>Frontiers in Oncology</i> , 2021, 11, 728113.	2.8	1
204	Phase II study of vemurafenib in patients with locally advanced, unresectable stage IIIc or metastatic melanoma and activating exon 15 <i>BRAF</i> mutations other than V600E.. <i>Journal of Clinical Oncology</i> , 2014, 32, 9075-9075.	1.6	1
205	Early change in lactate dehydrogenase is marker of response to PD-1/PDL1 inhibitors.. <i>Journal of Clinical Oncology</i> , 2015, 33, e20045-e20045.	1.6	1
206	Clinical activity of anti-programmed death-1 (PD-1) agents in acral and mucosal melanoma.. <i>Journal of Clinical Oncology</i> , 2016, 34, 9516-9516.	1.6	1
207	Vemurafenib in patients with BRAFV600 mutant glioma: A cohort of the histology-independent VE-basket study.. <i>Journal of Clinical Oncology</i> , 2017, 35, 2004-2004.	1.6	1
208	Comprehensive immune and mutational profile of melanoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, 182-182.	1.6	1
209	Immune deserts: Correlation of low CD8 gene expression with non-response to checkpoint inhibition.. <i>Journal of Clinical Oncology</i> , 2018, 36, 23-23.	1.6	1
210	Association between complete response and survival in advanced melanoma treated with talimogene laherparepvec (T-VEC) plus ipilimumab (ipi).. <i>Journal of Clinical Oncology</i> , 2020, 38, 10029-10029.	1.6	1
211	Axitinib plus pembrolizumab in patients with advanced renal cell carcinoma: Long-term efficacy and safety from a phase Ib study.. <i>Journal of Clinical Oncology</i> , 2020, 38, 5080-5080.	1.6	1
212	Enabling a genetically informed approach to cancer medicine: A retrospective evaluation of the impact of comprehensive tumor profiling using a targeted next-generation sequencing panel.. <i>Journal of Clinical Oncology</i> , 2014, 32, 11089-11089.	1.6	1
213	Effect of CTLA-4 overexpression on response to ipilimumab in melanoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, 190-190.	1.6	1
214	Correlation of lung cancer mutational profile with immune profile.. <i>Journal of Clinical Oncology</i> , 2018, 36, 146-146.	1.6	1
215	Targeted drug development in melanoma and nonsmall cell lung cancer: BRAF, MEK, and ALK inhibitors. Memo - Magazine of European Medical Oncology, 2012, 5, 302-308.	0.5	0
216	Management of "pan-negative" melanoma: current and emerging strategies. <i>Melanoma Management</i> , 2014, 1, 87-90.	0.5	0

#	ARTICLE	IF	CITATIONS
217	Treatment of elderly patients with melanoma. Memo - Magazine of European Medical Oncology, 2016, 9, 13-16.	0.5	0
218	Talimogene laherparepvec in advanced melanoma. Expert Opinion on Orphan Drugs, 2016, 4, 781-788.	0.8	0
219	Circulating T-Cell Biomarkers to Predict Response to Immune Checkpoint Inhibitors. Journal of the American College of Surgeons, 2018, 227, e56.	0.5	0
220	The "Great Debate" at Immunotherapy Bridge 2020, December 3rd, 2020. Journal of Translational Medicine, 2021, 19, 144.	4.4	0
221	Abstract C85: Drug interaction study of tivantinib in cancer subjects using a cocktail approach.. , 2013, , .		0
222	A phase II study of bevacizumab (Bev) and temsirolimus (Tem) in VEGF-refractory metastatic renal cell carcinoma (mRCC).. Journal of Clinical Oncology, 2014, 32, 4570-4570.	1.6	0
223	LK or IGF1R: When selectivity hurts. Aging, 2015, 7, 342-343.	3.1	0
224	Thyroid nodule: not as clear-cut as it seems. Journal of Community and Supportive Oncology, 2016, 14, 45-48.	0.1	0
225	Comprehensive echocardiographic assessment of cardiac function in patients with metastatic renal cell carcinoma newly initiated on sunitinib.. Journal of Clinical Oncology, 2016, 34, e16072-e16072.	1.6	0
226	Risk of left ventricular systolic dysfunction with sunitinib therapy in patients with metastatic renal cell carcinoma: A prospective cohort study.. Journal of Clinical Oncology, 2016, 34, e16104-e16104.	1.6	0
227	Anti-PD-1 in patients with advanced malignancies and baseline organ dysfunction.. Journal of Clinical Oncology, 2016, 34, e14539-e14539.	1.6	0
228	Cyclooxygenase inhibition and response to anti-PD1/L1 in advanced melanoma.. Journal of Clinical Oncology, 2016, 34, e21023-e21023.	1.6	0
229	Abstract 2123: Inhibition of AURKA induces Raf1-independent activation of MAPK pathway in breast cancer cells. , 2017, , .		0
230	Abstract 588: Advanced molecular characterization of severe autoimmune toxicities associated with checkpoint inhibitor therapies. , 2017, , .		0
231	Trial in progress: A phase 2 study of intratumor pil-12 plus electroporation in combination with intravenous pembrolizumab in patients with stage III/IV melanoma progressing on either pembrolizumab or nivolumab treatment (PISCES).. Journal of Clinical Oncology, 2018, 36, TPS9601-TPS9601.	1.6	0
232	Cardiovascular Toxicities Related to Immune Checkpoint Inhibitors. , 2019, , .		0
233	Abstract CT093: Axitinib in combination with pembrolizumab (AXI+PEMBRO) in patients (pts) with advanced renal cell carcinoma (aRCC): Analysis of immune-related biomarkers. , 2019, , .		0
234	Abstract 4057: Measurement of myeloid derived suppressor cells (MDSC), T regulatory cells (Treg), CD8+and CD4+T-cells, and cytokines/chemokines in patients with metastatic melanoma treated with pembrolizumab and propranolol. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
235	Cardiovascular Toxicities of Immunotherapy. , 2020, , 259-276.		0
236	Multiple functions of the DEAD-box RNA helicase, DDX5 (p68), make DDX5 a superior oncogenic biomarker and target for targeted cancer therapy. American Journal of Cancer Research, 2021, 11, 5190-5213.	1.4	0
237	The "Great Debate" at Immunotherapy Bridge 2021, December 1st-2nd, 2021. Journal of Translational Medicine, 2022, 20, 179.	4.4	0
238	The "Great Debate" at Melanoma Bridge 2021, December 2nd-4th, 2021. Journal of Translational Medicine, 2022, 20, 200.	4.4	0
239	Abstract CT218: First-in-human trial of intravenous MEDI9253, an oncolytic virus, in combination with durvalumab in patients with advanced solid tumors. Cancer Research, 2022, 82, CT218-CT218.	0.9	0