
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/708680/publications.pdf Version: 2024-02-01



TAÃS CONTIEDI

#	Article	IF	CITATIONS
1	A poloxamer/chitosan in situ forming gel with prolonged retention time for ocular delivery. European Journal of Pharmaceutics and Biopharmaceutics, 2010, 75, 186-193.	2.0	283
2	Enhancing and sustaining the topical ocular delivery of fluconazole using chitosan solution and poloxamer/chitosan in situ forming gel. European Journal of Pharmaceutics and Biopharmaceutics, 2011, 79, 320-327.	2.0	135
3	The Digital Pharmacies Era: How 3D Printing Technology Using Fused Deposition Modeling Can Become a Reality. Pharmaceutics, 2019, 11, 128.	2.0	125
4	Next generation intra- and transdermal therapeutic systems: Using non- and minimally-invasive technologies to increase drug delivery into and across the skin. European Journal of Pharmaceutical Sciences, 2013, 50, 609-622.	1.9	99
5	Chitosan nanoparticles for targeting and sustaining minoxidil sulphate delivery to hair follicles. International Journal of Biological Macromolecules, 2015, 75, 225-229.	3.6	98
6	Liposomal voriconazole (VOR) formulation for improved ocular delivery. Colloids and Surfaces B: Biointerfaces, 2015, 133, 331-338.	2.5	79
7	Mathematical models to describe iontophoretic transport in vitro and in vivo and the effect of current application on the skin barrier. Advanced Drug Delivery Reviews, 2013, 65, 315-329.	6.6	73
8	Chitosan nanoparticles loading oxaliplatin as a mucoadhesive topical treatment of oral tumors: Iontophoresis further enhances drug delivery ex vivo. International Journal of Biological Macromolecules, 2020, 154, 1265-1275.	3.6	62
9	Penetration of Quantum Dot Particles Through Human Skin. Journal of Biomedical Nanotechnology, 2010, 6, 586-595.	0.5	60
10	Doxorubicin skin penetration from monoolein-containing propylene glycol formulations. International Journal of Pharmaceutics, 2007, 329, 88-93.	2.6	57
11	Chitosan microparticles for sustaining the topical delivery of minoxidil sulphate. Journal of Microencapsulation, 2011, 28, 650-658.	1.2	54
12	Targeted clindamycin delivery to pilosebaceous units by chitosan or hyaluronic acid nanoparticles for improved topical treatment of acne vulgaris. Carbohydrate Polymers, 2021, 253, 117295.	5.1	51
13	Taste masking and rheology improvement of drug complexed with beta-cyclodextrin and hydroxypropyl-β-cyclodextrin by hot-melt extrusion. Carbohydrate Polymers, 2018, 185, 19-26.	5.1	50
14	Microparticles prepared with 50–190 kDa chitosan as promising non-toxic carriers for pulmonary delivery of isoniazid. Carbohydrate Polymers, 2017, 174, 421-431.	5.1	49
15	Clobetasol-loaded nanostructured lipid carriers for epidermal targeting. Journal of Pharmacy and Pharmacology, 2016, 68, 742-750.	1.2	44
16	Basic principles and current status of transcorneal and transscleral iontophoresis. Expert Opinion on Drug Delivery, 2017, 14, 1091-1102.	2.4	43
17	Non-invasive iontophoretic delivery of peptides and proteins across the skin. Expert Opinion on Drug Delivery, 2011, 8, 645-663.	2.4	42
18	Voriconazole-loaded nanostructured lipid carriers (NLC) for drug delivery in deeper regions of the nail plate. International Journal of Pharmaceutics, 2017, 531, 292-298.	2.6	42

#	Article	IF	CITATIONS
19	Voriconazole-Loaded Nanostructured Lipid Carriers for Ocular Drug Delivery. Cornea, 2016, 35, 866-871.	0.9	37
20	Besifloxacin liposomes with positively charged additives for an improved topical ocular delivery. Scientific Reports, 2020, 10, 19285.	1.6	37
21	The Effects of pH and Ionic Strength on Topical Delivery of a Negatively Charged Porphyrin (TPPS4). Journal of Pharmaceutical Sciences, 2008, 97, 4249-4257.	1.6	36
22	The influence of positive or negative charges in the passive and iontophoretic skin penetration of porphyrins used in photodynamic therapy. European Journal of Pharmaceutics and Biopharmaceutics, 2011, 77, 249-256.	2.0	36
23	Iontophoresis-Targeted, Follicular Delivery of Minoxidil Sulfate for the Treatment of Alopecia. Journal of Pharmaceutical Sciences, 2013, 102, 1488-1494.	1.6	36
24	FDM 3D printing of modified drug-delivery systems using hot melt extrusion: a new approach for individualized therapy. Therapeutic Delivery, 2017, 8, 957-966.	1.2	35
25	Targeted local simultaneous iontophoresis of chemotherapeutics for topical therapy of head and neck cancers. International Journal of Pharmaceutics, 2014, 460, 24-27.	2.6	34
26	Solid effervescent formulations as new approach for topical minoxidil delivery. European Journal of Pharmaceutical Sciences, 2017, 96, 411-419.	1.9	34
27	Dutasteride nanocapsules for hair follicle targeting: Effect of chitosan-coating and physical stimulus. International Journal of Biological Macromolecules, 2020, 151, 56-61.	3.6	34
28	The role of formulation and follicular pathway in voriconazole cutaneous delivery from liposomes and nanostructured lipid carriers. Colloids and Surfaces B: Biointerfaces, 2018, 170, 341-346.	2.5	33
29	Hydroxypropyl-β-cyclodextrin-complexed naringenin by solvent change precipitation for improving anti-inflammatory effect in vivo. Carbohydrate Polymers, 2020, 231, 115769.	5.1	33
30	Predictive models of FDM 3D printing using experimental design based on pharmaceutical requirements for tablet production. International Journal of Pharmaceutics, 2020, 588, 119728.	2.6	33
31	Tyrosinase inhibitory activity, molecular docking studies and antioxidant potential of chemotypes of Lippia origanoides (Verbenaceae) essential oils. PLoS ONE, 2017, 12, e0175598.	1.1	33
32	Use of mixture design in drug-excipient compatibility determinations: Thymol nanoparticles case study. Journal of Pharmaceutical and Biomedical Analysis, 2017, 137, 196-203.	1.4	32
33	Iontophoretic transport kinetics of ketorolac in vitro and in vivo: Demonstrating local enhanced topical drug delivery to muscle. European Journal of Pharmaceutics and Biopharmaceutics, 2014, 86, 219-226.	2.0	31
34	Thermal analysis used to guide the production of thymol and Lippia origanoides essential oil inclusion complexes with cyclodextrin. Journal of Thermal Analysis and Calorimetry, 2019, 137, 543-553.	2.0	31
35	Lipid nanoparticles as carriers of cyclodextrin inclusion complexes: A promising approach for cutaneous delivery of a volatile essential oil. Colloids and Surfaces B: Biointerfaces, 2019, 182, 110382.	2.5	30
36	Effect of physical stimuli on hair follicle deposition of clobetasol-loaded Lipid Nanocarriers. Scientific Reports, 2020, 10, 176.	1.6	30

#	ŧ	Article	IF	CITATIONS
8	37	Polymeric nanocapsules: A review on design and production methods for pharmaceutical purpose. Methods, 2022, 199, 54-66.	1.9	30
3	38	Excised Porcine Cornea Integrity Evaluation in an in vitro Model of Iontophoretic Ocular Research. Ophthalmic Research, 2010, 43, 208-216.	1.0	29
3	39	Development and validation of a selective HPLC-UV method for thymol determination in skin permeation experiments. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1022, 81-86.	1.2	29
4	10	Chemical and physical strategies in onychomycosis topical treatment: A review. Medical Mycology, 2017, 55, myw084.	0.3	28
4	11	Nanotechnology advances for hair loss. Therapeutic Delivery, 2018, 9, 593-603.	1.2	28
4	12	Key Technical Aspects Influencing the Accuracy of Tablet Subdivision. AAPS PharmSciTech, 2017, 18, 1393-1401.	1.5	26
4	13	Hot Melt Extrudates Formulated Using Design Space: One Simple Process for Both Palatability and Dissolution Rate Improvement. Journal of Pharmaceutical Sciences, 2018, 107, 286-296.	1.6	25
4	14	Development and validation of a simple chromatographic method for simultaneous determination of clindamycin phosphate and rifampicin in skin permeation studies. Journal of Pharmaceutical and Biomedical Analysis, 2018, 159, 331-340.	1.4	25
4	15	Mixture design applied in compatibility studies of catechin and lipid compounds. Journal of Pharmaceutical and Biomedical Analysis, 2018, 149, 612-617.	1.4	24
4	16	Incorporation of Eugenia dysenterica extract in microemulsions preserves stability, antioxidant effect and provides enhanced cutaneous permeation. Journal of Molecular Liquids, 2018, 265, 408-415.	2.3	24
4	17	Iontophoresis enhances voriconazole antifungal potency and corneal penetration. International Journal of Pharmaceutics, 2020, 576, 118991.	2.6	21
4	18	Latanoprost Loaded in Polymeric Nanocapsules for Effective Topical Treatment of Alopecia. AAPS PharmSciTech, 2020, 21, 305.	1.5	20
4	19	Topical Treatment for Scarring and Non-Scarring Alopecia: An Overview of the Current Evidence. Clinical, Cosmetic and Investigational Dermatology, 2021, Volume 14, 485-499.	0.8	19
5	50	Topotecan-loaded lipid nanoparticles as a viable tool for the topical treatment of skin cancers. Journal of Pharmacy and Pharmacology, 2017, 69, 1318-1326.	1.2	18
5	51	Novel iron oxide nanocarriers loading finasteride or dutasteride: Enhanced skin penetration for topical treatment of alopecia. International Journal of Pharmaceutics, 2020, 587, 119709.	2.6	18
5	52	Follicular-targeted delivery of spironolactone provided by polymeric nanoparticles. Colloids and Surfaces B: Biointerfaces, 2021, 208, 112101.	2.5	18
5	53	PrincÃpios básicos e aplicação da iontoforese na penetração cutânea de fármacos. Quimica Nova, 2008, 31, 1490-1498.	0.3	17
5	54	Novel ex vivo protocol using porcine vagina to assess drug permeation from mucoadhesive and colloidal pharmaceutical systems. Colloids and Surfaces B: Biointerfaces. 2017, 158, 222-228.	2.5	17

#	Article	IF	CITATIONS
55	SLN- and NLC-Encapsulating Antifungal Agents: Skin Drug Delivery and their Unexplored Potential for Treating Onychomycosis. Current Pharmaceutical Design, 2018, 23, 6684-6695.	0.9	16
56	Combination of cyclodextrin complexation and iontophoresis as a promising strategy for the cutaneous delivery of aluminum-chloride phthalocyanine in photodynamic therapy. European Journal of Pharmaceutical Sciences, 2019, 139, 105056.	1.9	16
57	Nanostructured lipid carriers for hair follicle-targeted delivery of clindamycin and rifampicin to hidradenitis suppurativa treatment. Colloids and Surfaces B: Biointerfaces, 2021, 197, 111448.	2.5	16
58	Versatile chromatographic method for catechin determination in development of topical formulations containing natural extracts. Biomedical Chromatography, 2018, 32, e4062.	0.8	15
59	Preformulation studies of finasteride to design matrix systems for topical delivery. Journal of Pharmaceutical and Biomedical Analysis, 2018, 161, 273-279.	1.4	15
60	Microemulsions incorporating Brosimum gaudichaudii extracts as a topical treatment for vitiligo: In vitro stimulation of melanocyte migration and pigmentation. Journal of Molecular Liquids, 2019, 294, 111685.	2.3	15
61	Application of hot-melt extrusion in the complexation of naringenin with cyclodextrin using hydrophilic polymers. Advanced Powder Technology, 2022, 33, 103380.	2.0	15
62	Nanostructured lipid carriers loaded with an association of minoxidil and latanoprost for targeted topical therapy of alopecia. European Journal of Pharmaceutics and Biopharmaceutics, 2022, 172, 78-88.	2.0	15
63	Development and Validation of a Simple and Selective Analytical HPLC Method for the Quantification of Oxaliplatin. Journal of Chemistry, 2015, 2015, 1-6.	0.9	14
64	LC–MS bioanalytical method for simultaneous determination of latanoprost and minoxidil in the skin. Journal of Pharmaceutical and Biomedical Analysis, 2020, 187, 113373.	1.4	14
65	Oscillatory shear rheology as an in-process control tool for 3D printing medicines production by fused deposition modeling. Journal of Manufacturing Processes, 2022, 76, 850-862.	2.8	14
66	Minoxidil topical treatment may be more efficient if applied on damp scalp in comparison with dry scalp. Dermatologic Therapy, 2016, 29, 330-333.	0.8	13
67	Subdivision of Tablets Containing Modified Delivery Technology: the Case of Orally Disintegrating Tablets. Journal of Pharmaceutical Innovation, 2018, 13, 261-269.	1.1	13
68	Current efforts and the potential of nanomedicine in treating fungal keratitis. Expert Review of Ophthalmology, 2010, 5, 365-384.	0.3	12
69	Nanostructured lipid carriers for targeting drug delivery to the epidermal layer. Therapeutic Delivery, 2016, 7, 735-737.	1.2	12
70	Hot-Melt Extrusion as an Advantageous Technology to Obtain Effervescent Drug Products. Pharmaceutics, 2020, 12, 779.	2.0	12
71	Topical and Transdermal Delivery of Drug-Loaded Nano/ Microsystems with Application of Physical Enhancement Techniques. Current Drug Targets, 2016, 17, 1545-1559.	1.0	12
72	Preformulation Studies to Guide the Production of Medicines by Fused Deposition Modeling 3D Printing. AAPS PharmSciTech, 2021, 22, 263.	1.5	12

#	Article	IF	CITATIONS
73	In situ gelling microemulsion for topical ocular delivery of moxifloxacin and betamethasone. Journal of Molecular Liquids, 2022, 360, 119559.	2.3	12
74	Liquid crystalline systems containing Vitamin E TPGS for the controlled transdermal nicotine delivery. Brazilian Journal of Pharmaceutical Sciences, 2016, 52, 191-200.	1.2	11
75	Chromatographic method for clobetasol propionate determination in hair follicles and in different skin layers. Biomedical Chromatography, 2017, 31, e3804.	0.8	11
76	Brazilian requirements for stability indicating methods. TrAC - Trends in Analytical Chemistry, 2018, 98, 58-63.	5.8	11
77	Dissolution Enhancement in Cocoa Extract, Combining Hydrophilic Polymers through Hot-Melt Extrusion. Pharmaceutics, 2018, 10, 135.	2.0	11
78	Compatibility and stability studies involving polymers used in fused deposition modeling 3D printing of medicines. Journal of Pharmaceutical Analysis, 2022, 12, 424-435.	2.4	11
79	New perspectives on the topical management of recurrent candidiasis. Drug Delivery and Translational Research, 2021, 11, 1568-1585.	3.0	10
80	Stabilityâ€indicating analytical method of quantifying spironolactone and canrenone in dermatological formulations and iontophoretic skin permeation experiments. Biomedical Chromatography, 2019, 33, e4656.	0.8	9
81	The influence of sebaceous content on the performance of nanosystems designed for the treatment of follicular diseases. Journal of Drug Delivery Science and Technology, 2020, 59, 101895.	1.4	9
82	Main Reasons for Registration Application Refusal of Generic and Similar Pharmaceutical Drug Products by the Brazilian Health Regulatory Agency (ANVISA). BioMed Research International, 2017, 2017, 1-10.	0.9	8
83	The Influence of Matrix Technology on the Subdivision of Sustained Release Matrix Tablets. AAPS PharmSciTech, 2020, 21, 8.	1.5	8
84	Evolution of quality on pharmaceutical design: regulatory requirement?. Accreditation and Quality Assurance, 2017, 22, 199-205.	0.4	7
85	Improvements of theobromine pharmaceutical properties using solid dispersions prepared with newfound technologies. Chemical Engineering Research and Design, 2018, 132, 1193-1201.	2.7	7
86	Enhanced nail delivery of voriconazole-loaded nanomicelles by thioglycolic acid pretreatment: A study of protein dynamics and disulfide bond rupture. International Journal of Pharmaceutics, 2021, 602, 120597.	2.6	7
87	Skin Regenerative Potential of Cupuaçu Seed Extract (Theobroma grandiflorum), a Native Fruit from the Amazon: Development of a Topical Formulation Based on Chitosan-Coated Nanocapsules. Pharmaceutics, 2022, 14, 207.	2.0	7
88	Granules of finasteride and cyclodextrin obtained by hot-melt extrusion to target the hair follicles. Powder Technology, 2021, 391, 311-320.	2.1	6
89	An Update of the Brazilian Regulatory Bioequivalence Recommendations for Approval of Generic Topical Dermatological Drug Products. AAPS Journal, 2015, 17, 1517-1518.	2.2	5
90	Simple and Selective HPLC-UV/Vis Bioanalytical Method to Determine Aluminum Phthalocyanine Chloride in Skin Permeation Studies. Journal of Analytical Methods in Chemistry, 2018, 2018, 1-7.	0.7	5

#	Article	IF	CITATIONS
91	Tissue Levels of Flurbiprofen in the Rat Plantar Heel after Short-Duration Topical Iontophoresis Are Sufficient to Induce Pharmacodynamic Responses to Local Pain Stimuli. Pharmaceutics, 2020, 12, 608.	2.0	5
92	In vitro skin model for the evaluation of burn healing drug delivery systems. Journal of Drug Delivery Science and Technology, 2021, 62, 102330.	1.4	5
93	The influence of skin barrier impairment on the iontophoretic transport of low and high molecular weight permeants. International Journal of Pharmaceutics, 2021, 602, 120607.	2.6	5
94	Influence of monoolein on progesterone transdermal delivery. Brazilian Journal of Pharmaceutical Sciences, 2015, 51, 923-929.	1.2	4
95	The influence of porosity on tablet subdivision. Particuology, 2020, 53, 192-196.	2.0	4
96	Subdivision of modified-release tablets: state-of-the-art and future perspectives. Therapeutic Delivery, 2020, 11, 285-287.	1.2	4
97	Development and validation of a HPAEâ€PAD method for the quantification of CGP69669A, a sialyl Lewis <sup>x</sup> mimetic, in skin permeation studies. Biomedical Chromatography, 2012, 26, 507-511.	0.8	3
98	Cutaneous iontophoretic delivery of CGP69669A, a sialyl Lewis <sup>x</sup> mimetic, <i>in vitro</i> . Experimental Dermatology, 2012, 21, 226-228.	1.4	3
99	Overcoming hurdles in iontophoretic drug delivery: is skin the only barrier?. Therapeutic Delivery, 2014, 5, 493-496.	1.2	3
100	Oxaliplatin preformulation studies for the development of innovative topical drug delivery systems. Journal of Thermal Analysis and Calorimetry, 2017, 130, 1671-1681.	2.0	3
101	Comparison of Clobetasol Propionate Generics Using Simplified In vitro Bioequivalence Method for Topical Drug Products. Current Drug Delivery, 2018, 15, 998-1008.	0.8	3
102	As boas práticas de fabricação de medicamentos e suas determinantes. Vigilância Sanitária Em Debate: Sociedade, Ciência & Tecnologia, 2017, 5, 34.	0.3	3
103	Topical lontophoresis for Targeted Local Drug Delivery to the Eye and Skin. Advances in Delivery Science and Technology, 2014, , 263-284.	0.4	2
104	Infusão subcutânea contÃnua de insulina: cenário nacional e internacional. Cadernos Saude Coletiva, 2016, 24, 496-501.	0.2	2
105	Iontophoresis on minoxidil sulphate-loaded chitosan nanoparticles accelerates drug release, decreasing their targeting effect to hair follicles. Quimica Nova, 0, , .	0.3	2
106	Three-dimensional printed personalized drug devices with anatomical fit: a review. Journal of Pharmacy and Pharmacology, 2022, 74, 1391-1405.	1.2	2
107	Topical ophthalmic antimicrobials: unfulfilled demands and possibility of new investments in Brazil and in the United States. Brazilian Journal of Pharmaceutical Sciences, 0, 55, .	1.2	2
108	Validation of a simple chromatographic method for naringenin quantification in skin permeation experiments. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2022, 1201-1202, 123291.	1.2	2

#	Article	IF	CITATIONS
109	Overcoming hurdles in iontophoretic drug delivery: is skin the only barrier?–Âan update. Therapeutic Delivery, 2019, 10, 211-214.	1.2	1
110	lontophoresis: Basic Principles. , 2017, , 61-65.		1
111	Thermal analysis applied to the development of nanostructured lipid carriers loading propranolol using quality-by-design strategies. Thermochimica Acta, 2022, 708, 179143.	1.2	1
112	Regulatory Requirements and Innovation: A Comparison of the Dermatologic Antifungal Drug Product Markets in Brazil and United States. Therapeutic Innovation and Regulatory Science, 2019, 53, 661-668.	0.8	0
113	Aqueous-Based Nanoemulsion Containing (-)-α-Bisabolol for Topical Treatment of Skin burns. Current Cosmetic Science, 2021, 01, .	0.1	0
114	Iontophoretic Transport Mechanisms and Factors Affecting Electrically Assisted Delivery. , 2017, , 67-76.		0
115	Principais razões não técnicas para o indeferimento de registro de medicamentos em 2015. Vigilância Sanitária Em Debate: Sociedade, Ciência & Tecnologia, 2017, 5, 127.	0.3	0
116	Nanostructured Lipid Carriers Loaded with an Association of Minoxidil and Latanoprost for Targeted Topical Therapy of Alopecia. SSRN Electronic Journal, 0, , .	0.4	0
117	Randomized, double-blind clinical trial comparing the healing of stasis ulcers in lower limbs with standard hydrocolloid gel dressings and with dressings with Syzygium cumini extract. Phlebology, 2022, , 026835552210883.	0.6	0