

# Seung-Jae Hong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7086822/publications.pdf>

Version: 2024-02-01

40  
papers

608  
citations

623574

14  
h-index

642610

23  
g-index

42  
all docs

42  
docs citations

42  
times ranked

1155  
citing authors

#	ARTICLE	IF	CITATIONS
1	Korean Observational Study Network for Arthritis (KORONA): Establishment of a Prospective Multicenter Cohort for Rheumatoid Arthritis in South Korea. <i>Seminars in Arthritis and Rheumatism</i> , 2012, 41, 745-751.	1.6	54
2	Synovial proliferation differentially affects hypoxia in the joint cavities of rheumatoid arthritis and osteoarthritis patients. <i>Clinical Rheumatology</i> , 2007, 26, 2023-2029.	1.0	53
3	Determinants of quality of life in patients with fibromyalgia: A structural equation modeling approach. <i>PLoS ONE</i> , 2017, 12, e0171186.	1.1	51
4	Progress in Oral Microbiome Related to Oral and Systemic Diseases: An Update. <i>Diagnostics</i> , 2021, 11, 1283.	1.3	45
5	Impact of interstitial lung disease on mortality of patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2017, 37, 1735-1745.	1.5	43
6	COVID-19 Vaccination in Patients with Autoimmune Inflammatory Rheumatic Diseases: Clinical Guidance of the Korean College of Rheumatology. <i>Journal of Korean Medical Science</i> , 2021, 36, e95.	1.1	40
7	The frequency of and risk factors for osteoporosis in Korean patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 98.	0.8	38
8	Angiotensin converting enzyme gene polymorphism in Korean patients with primary knee osteoarthritis. <i>Experimental and Molecular Medicine</i> , 2003, 35, 189-195.	3.2	27
9	Polymorphisms of the <i>TRPV2</i> and <i>TRPV3</i> genes associated with fibromyalgia in a Korean population. <i>Rheumatology</i> , 2016, 55, 1518-1527.	0.9	27
10	Increased expression of endocan in arthritic synovial tissues: Effects of adiponectin on the expression of endocan in fibroblast-like synoviocytes. <i>Molecular Medicine Reports</i> , 2015, 11, 2695-2702.	1.1	19
11	Mapping health assessment questionnaire disability index (HAQ-DI) score, pain visual analog scale (VAS), and disease activity score in 28 joints (DAS28) onto the EuroQol-5D (EQ-5D) utility score with the KORean Observational study Network for Arthritis (KORONA) registry data. <i>Rheumatology International</i> , 2016, 36, 505-513.	1.5	18
12	Brief Report: Influence of HLA-DRB1 Susceptibility Alleles on the Clinical Subphenotypes of Systemic Lupus Erythematosus in Koreans. <i>Arthritis and Rheumatology</i> , 2016, 68, 1190-1196.	2.9	17
13	What factors affect discordance between physicians and patients in the global assessment of disease activity in rheumatoid arthritis?. <i>Modern Rheumatology</i> , 2017, 27, 35-41.	0.9	16
14	Soy isoflavones reduce asthma exacerbation in asthmatic patients with high PAI-1-producing genotypes. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 109-117.e4.	1.5	16
15	PER2 is downregulated by the LPS-induced inflammatory response in synoviocytes in rheumatoid arthritis and is implicated in disease susceptibility. <i>Molecular Medicine Reports</i> , 2017, 16, 422-428.	1.1	14
16	Long-term efficacy, safety and immunogenicity in patients with rheumatoid arthritis continuing on an etanercept biosimilar (LBEC0101) or switching from reference etanercept to LBEC0101: an open-label extension of a phase III multicentre, randomised, double-blind, parallel-group study. <i>Arthritis Research and Therapy</i> , 2019, 21, 122.	1.6	12
17	Association between brain-derived neurotrophic factor gene polymorphisms and fibromyalgia in a Korean population: a multicenter study. <i>Arthritis Research and Therapy</i> , 2018, 20, 220.	1.6	11
18	Characteristics and outcomes of rheumatoid arthritis patients who started biosimilar infliximab. <i>Rheumatology International</i> , 2017, 37, 1007-1014.	1.5	10

#	ARTICLE	IF	CITATIONS
19	Seasonal Variations and Associated Factors of Gout Attacks: a Prospective Multicenter Study in Korea. <i>Journal of Korean Medical Science</i> , 2020, 35, e133.	1.1	10
20	Changes in the accreditation standards of medical schools by the Korean Institute of Medical Education and Evaluation from 2000 to 2019. <i>Journal of Educational Evaluation for Health Professions</i> , 2020, 17, 2.	5.9	10
21	Comparative effectiveness of treatment options after conventional DMARDs failure in rheumatoid arthritis. <i>Rheumatology International</i> , 2017, 37, 975-982.	1.5	8
22	Mast cell-derived plasminogen activator inhibitor type 1 promotes airway inflammation and remodeling in a murine model of asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 142, 294-297.e5.	1.5	8
23	Patient Perspectives and Preferences Regarding Gout and Gout Management: Impact on Adherence. <i>Journal of Korean Medical Science</i> , 2021, 36, e208.	1.1	8
24	Factors Contributing to Discordance between the 2011 ACR/EULAR Criteria and Physician Clinical Judgment for the Identification of Remission in Patients with Rheumatoid Arthritis. <i>Journal of Korean Medical Science</i> , 2016, 31, 1907.	1.1	7
25	Hypocomplementemic Urticarial Vasculitis Syndrome with Membranous Nephropathy: Case Report. <i>Journal of Korean Medical Science</i> , 2017, 32, 2064.	1.1	7
26	Prediction for TNF Inhibitor Users in RA Patients According to Reimbursement Criteria Based on DAS28. <i>Journal of Rheumatic Diseases</i> , 2014, 21, 64.	0.4	6
27	The bone bridge significantly affects the decrease in bone mineral density measured with quantitative computed tomography in ankylosing spondylitis. <i>PLoS ONE</i> , 2021, 16, e0249578.	1.1	5
28	Comparison of the 2017 EULAR/ACR Criteria with Clinicoserologic Criteria for the Classification of Idiopathic Inflammatory Myopathies in Korean Patients. <i>Yonsei Medical Journal</i> , 2021, 62, 424.	0.9	4
29	Severity of fibromyalgia symptoms is associated with socioeconomic status and not obesity in Korean patients. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, S83-8.	0.4	4
30	Association of ultraviolet radiation resistance-associated gene polymorphisms with rheumatoid arthritis. <i>Biomedical Reports</i> , 2014, 2, 117-121.	0.9	3
31	Quality Indicators for Evaluating the Health Care of Patients with Rheumatoid Arthritis: a Korean Expert Consensus. <i>Journal of Korean Medical Science</i> , 2021, 36, e109.	1.1	3
32	Real-world experiences of the diagnosis process in Korean patients with ankylosing spondylitis based on a self-report questionnaire. <i>Journal of International Medical Research</i> , 2021, 49, 030006052110042.	0.4	3
33	Predicting Imaging Remission in Rheumatoid Arthritis: a Case-control Ultrasound Study. <i>Journal of Korean Medical Science</i> , 2020, 35, e260.	1.1	2
34	A Case of Behçet's Disease Associated with Myelofibrosis. <i>Journal of Rheumatic Diseases</i> , 2012, 19, 55.	0.4	1
35	A Case of Development of Vitiligo Followed by TNF- $\alpha$ Antagonist Treatment for Rheumatoid Arthritis. <i>Journal of Rheumatic Diseases</i> , 2012, 19, 216.	0.4	1
36	Apo-1/Fas (CD95) Gene Polymorphism in Korean Knee Osteoarthritis Patients. <i>Immune Network</i> , 2003, 3, 145.	1.6	1

#	ARTICLE	IF	CITATIONS
37	Coptis chinensis Extract Inhibits the Production of Inflammatory Mediators and Delayed Type Hypersensitivity in Mice. <i>Immune Network</i> , 2008, 8, 13.	1.6	1
38	Simplified disease activity changes in real-world practice: a nationwide observational study of seropositive rheumatoid arthritis patients with moderate-to-high disease activity. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 231-239.	0.7	1
39	Clinical outcomes of patients with active rheumatoid arthritis with normal acute phase reactant values. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 852-859.	0.9	0
40	Comparison of the efficacy and safety of CELBESTAÂ® versus CELEBREXÂ® in patients with rheumatoid arthritis: a 6-week, multicenter, double-blind, double-dummy, active-controlled, randomized, parallel-group, non-inferiority phase 4 clinical trial. <i>Journal of International Medical Research</i> , 2020, 48, 030006052093132.	0.4	0