

Seung-Jae Hong

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7086822/seung-jae-hong-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40
papers

404
citations

11
h-index

18
g-index

42
ext. papers

488
ext. citations

3.8
avg, IF

2.99
L-index

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 40 | Synovial proliferation differentially affects hypoxia in the joint cavities of rheumatoid arthritis and osteoarthritis patients. <i>Clinical Rheumatology</i> , 2007 , 26, 2023-2029 | 3.9 | 48 |
| 39 | Korean Observational Study Network for Arthritis (KORONA): establishment of a prospective multicenter cohort for rheumatoid arthritis in South Korea. <i>Seminars in Arthritis and Rheumatism</i> , 2012 , 41, 745-51 | 5.3 | 46 |
| 38 | Determinants of quality of life in patients with fibromyalgia: A structural equation modeling approach. <i>PLoS ONE</i> , 2017 , 12, e0171186 | 3.7 | 37 |
| 37 | The frequency of and risk factors for osteoporosis in Korean patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 98 | 2.8 | 28 |
| 36 | COVID-19 Vaccination in Patients with Autoimmune Inflammatory Rheumatic Diseases: Clinical Guidance of the Korean College of Rheumatology. <i>Journal of Korean Medical Science</i> , 2021 , 36, e95 | 4.7 | 26 |
| 35 | Impact of interstitial lung disease on mortality of patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2017 , 37, 1735-1745 | 3.6 | 23 |
| 34 | Angiotensin converting enzyme gene polymorphism in Korean patients with primary knee osteoarthritis. <i>Experimental and Molecular Medicine</i> , 2003 , 35, 189-95 | 12.8 | 23 |
| 33 | Polymorphisms of the TRPV2 and TRPV3 genes associated with fibromyalgia in a Korean population. <i>Rheumatology</i> , 2016 , 55, 1518-27 | 3.9 | 23 |
| 32 | Mapping health assessment questionnaire disability index (HAQ-DI) score, pain visual analog scale (VAS), and disease activity score in 28 joints (DAS28) onto the EuroQol-5D (EQ-5D) utility score with the KOREan Observational study Network for Arthritis (KORONA) registry data. <i>Rheumatology International</i> , 2017 , 37, 1735-1745 | 3.6 | 15 |
| 31 | Increased expression of endocan in arthritic synovial tissues: effects of adiponectin on the expression of endocan in fibroblast-like synoviocytes. <i>Molecular Medicine Reports</i> , 2015 , 11, 2695-702 | 2.9 | 13 |
| 30 | Brief Report: Influence of HLA-DRB1 Susceptibility Alleles on the Clinical Subphenotypes of Systemic Lupus Erythematosus in Koreans. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1190-6 | 9.5 | 13 |
| 29 | PER2 is downregulated by the LPS-induced inflammatory response in synoviocytes in rheumatoid arthritis and is implicated in disease susceptibility. <i>Molecular Medicine Reports</i> , 2017 , 16, 422-428 | 2.9 | 10 |
| 28 | Progress in Oral Microbiome Related to Oral and Systemic Diseases: An Update. <i>Diagnostics</i> , 2021 , 11, | 3.8 | 10 |
| 27 | What factors affect discordance between physicians and patients in the global assessment of disease activity in rheumatoid arthritis?. <i>Modern Rheumatology</i> , 2017 , 27, 35-41 | 3.3 | 9 |
| 26 | Comparative effectiveness of treatment options after conventional DMARDs failure in rheumatoid arthritis. <i>Rheumatology International</i> , 2017 , 37, 975-982 | 3.6 | 8 |
| 25 | Characteristics and outcomes of rheumatoid arthritis patients who started biosimilar infliximab. <i>Rheumatology International</i> , 2017 , 37, 1007-1014 | 3.6 | 8 |
| 24 | Soy isoflavones reduce asthma exacerbation in asthmatic patients with high PAI-1-producing genotypes. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 144, 109-117.e4 | 11.5 | 6 |

| | | | |
|----|---|------|---|
| 23 | Prediction for TNF Inhibitor Users in RA Patients According to Reimbursement Criteria Based on DAS28. <i>Journal of Rheumatic Diseases</i> , 2014 , 21, 64 | 1.2 | 6 |
| 22 | Factors Contributing to Discordance between the 2011 ACR/EULAR Criteria and Physician Clinical Judgment for the Identification of Remission in Patients with Rheumatoid Arthritis. <i>Journal of Korean Medical Science</i> , 2016 , 31, 1907-1913 | 4.7 | 6 |
| 21 | Long-term efficacy, safety and immunogenicity in patients with rheumatoid arthritis continuing on an etanercept biosimilar (LBEC0101) or switching from reference etanercept to LBEC0101: an open-label extension of a phase III multicentre, randomised, double-blind, parallel-group study. <i>Arthritis Research and Therapy</i> , 2019 , 21, 122 | 5.7 | 5 |
| 20 | Mast cell-derived plasminogen activator inhibitor type 1 promotes airway inflammation and remodeling in a murine model of asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 142, 294-297.e5 | 11.5 | 5 |
| 19 | Hypocomplementemic Urticarial Vasculitis Syndrome with Membranous Nephropathy: Case Report. <i>Journal of Korean Medical Science</i> , 2017 , 32, 2064-2068 | 4.7 | 5 |
| 18 | Seasonal Variations and Associated Factors of Gout Attacks: a Prospective Multicenter Study in Korea. <i>Journal of Korean Medical Science</i> , 2020 , 35, e133 | 4.7 | 4 |
| 17 | Change of accreditation standards of medical schools by the Korean Institute of Medical Education and Evaluation from 2000 to 2019. <i>Journal of Educational Evaluation for Health Professions</i> , 2020 , 17, 2 | 1.6 | 4 |
| 16 | Association between brain-derived neurotrophic factor gene polymorphisms and fibromyalgia in a Korean population: a multicenter study. <i>Arthritis Research and Therapy</i> , 2018 , 20, 220 | 5.7 | 4 |
| 15 | Comparison of the 2017 EULAR/ACR Criteria with Clinicoserologic Criteria for the Classification of Idiopathic Inflammatory Myopathies in Korean Patients. <i>Yonsei Medical Journal</i> , 2021 , 62, 424-430 | 3 | 3 |
| 14 | Association of gene polymorphisms with rheumatoid arthritis. <i>Biomedical Reports</i> , 2014 , 2, 117-121 | 1.8 | 2 |
| 13 | Predicting Imaging Remission in Rheumatoid Arthritis: a Case-control Ultrasound Study. <i>Journal of Korean Medical Science</i> , 2020 , 35, e260 | 4.7 | 2 |
| 12 | Real-world experiences of the diagnosis process in Korean patients with ankylosing spondylitis based on a self-report questionnaire. <i>Journal of International Medical Research</i> , 2021 , 49, 3000605211004201 | 14.1 | 2 |
| 11 | Severity of fibromyalgia symptoms is associated with socioeconomic status and not obesity in Korean patients. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S83-8 | 2.2 | 2 |
| 10 | A Case of Behçet's Disease Associated with Myelofibrosis. <i>Journal of Rheumatic Diseases</i> , 2012 , 19, 55 | 1.2 | 1 |
| 9 | A Case of Development of Vitiligo Followed by TNF- α Antagonist Treatment for Rheumatoid Arthritis. <i>Journal of Rheumatic Diseases</i> , 2012 , 19, 216 | 1.2 | 1 |
| 8 | Apo-1/Fas (CD95) Gene Polymorphism in Korean Knee Osteoarthritis Patients. <i>Immune Network</i> , 2003 , 3, 145 | 6.1 | 1 |
| 7 | Coptis chinensis Extract Inhibits the Production of Inflammatory Mediators and Delayed Type Hypersensitivity in Mice. <i>Immune Network</i> , 2008 , 8, 13 | 6.1 | 1 |
| 6 | The bone bridge significantly affects the decrease in bone mineral density measured with quantitative computed tomography in ankylosing spondylitis. <i>PLoS ONE</i> , 2021 , 16, e0249578 | 3.7 | 1 |

| | | | |
|---|---|-----|---|
| 5 | Patient Perspectives and Preferences Regarding Gout and Gout Management: Impact on Adherence. <i>Journal of Korean Medical Science</i> , 2021 , 36, e208 | 4.7 | 1 |
| 4 | Quality Indicators for Evaluating the Health Care of Patients with Rheumatoid Arthritis: a Korean Expert Consensus. <i>Journal of Korean Medical Science</i> , 2021 , 36, e109 | 4.7 | 1 |
| 3 | Clinical outcomes of patients with active rheumatoid arthritis with normal acute phase reactant values. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 852-859 | 2.3 | |
| 2 | Simplified disease activity changes in real-world practice: a nationwide observational study of seropositive rheumatoid arthritis patients with moderate-to-high disease activity. <i>Korean Journal of Internal Medicine</i> , 2020 , 35, 231-239 | 2.5 | |
| 1 | Comparison of the efficacy and safety of CELBESTA [®] versus CELEBREX [®] in patients with rheumatoid arthritis: a 6-week, multicenter, double-blind, double-dummy, active-controlled, randomized, parallel-group, non-inferiority phase 4 clinical trial. <i>Journal of International Medical Research</i> , 2020 , 48, 300060520931323 | 1.4 | |