

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7088712/publications.pdf>

Version: 2024-02-01

108  
papers

2,445  
citations

186265

28  
h-index

233421

45  
g-index

120  
all docs

120  
docs citations

120  
times ranked

1058  
citing authors

#	ARTICLE	IF	CITATIONS
1	Modeling of stiffness of FRP composites under elevated and high temperatures. <i>Composites Science and Technology</i> , 2008, 68, 3099-3106.	7.8	172
2	Flexural behavior of a hybrid FRP and lightweight concrete sandwich bridge deck. <i>Composites Part A: Applied Science and Manufacturing</i> , 2007, 38, 879-889.	7.6	116
3	Adhesively bonded lap joints from pultruded GFRP profiles. Part I: stress-strain analysis and failure modes. <i>Composites Part B: Engineering</i> , 2005, 36, 331-340.	12.0	108
4	Modeling of thermo-physical properties for FRP composites under elevated and high temperature. <i>Composites Science and Technology</i> , 2007, 67, 3098-3109.	7.8	107
5	Modeling of thermal responses for FRP composites under elevated and high temperatures. <i>Composites Science and Technology</i> , 2008, 68, 47-56.	7.8	105
6	Structural Concept, Design, and Experimental Verification of a Glass Fiber-Reinforced Polymer Sandwich Roof Structure. <i>Journal of Composites for Construction</i> , 2008, 12, 454-468.	3.2	96
7	Long-Term Performance of a Glass Fiber-Reinforced Polymer Truss Bridge. <i>Journal of Composites for Construction</i> , 2007, 11, 99-108.	3.2	84
8	Adhesively bonded connections in the context of timber engineering – A Review. <i>Journal of Adhesion</i> , 2017, 93, 257-287.	3.0	70
9	Adhesively bonded lap joints from pultruded GFRP profiles. Part II: joint strength prediction. <i>Composites Part B: Engineering</i> , 2005, 36, 341-350.	12.0	69
10	Probabilistic strength prediction for double lap joints composed of pultruded GFRP profiles – Part II: Strength prediction. <i>Composites Science and Technology</i> , 2006, 66, 1915-1930.	7.8	62
11	Dimensioning method for bolted, adhesively bonded, and hybrid joints involving Fibre-Reinforced-Polymers. <i>Composites Part B: Engineering</i> , 2013, 46, 179-187.	12.0	56
12	Influence of stress-reduction methods on the strength of adhesively bonded joints composed of orthotropic brittle adherends. <i>International Journal of Adhesion and Adhesives</i> , 2010, 30, 583-594.	2.9	54
13	Rods glued in engineered hardwood products part I: Experimental results under quasi-static loading. <i>International Journal of Adhesion and Adhesives</i> , 2019, 90, 163-181.	2.9	47
14	The impact of defects on the capacity of timber joints with glued-in rods. <i>International Journal of Adhesion and Adhesives</i> , 2016, 65, 33-40.	2.9	44
15	Long-term performance of adhesively bonded timber-concrete composites. <i>International Journal of Adhesion and Adhesives</i> , 2017, 72, 51-61.	2.9	44
16	Probabilistic strength prediction for double lap joints composed of pultruded GFRP profiles part I: Experimental and numerical investigations. <i>Composites Science and Technology</i> , 2006, 66, 1903-1914.	7.8	43
17	Experimental and numerical investigations on full-scale adhesively bonded timber trusses. <i>Materials and Structures/Materiaux Et Constructions</i> , 2011, 44, 1745-1758.	3.1	42
18	Strength Prediction for Rounded Dovetail Connections Considering Size Effects. <i>Journal of Engineering Mechanics - ASCE</i> , 2010, 136, 358-366.	2.9	40

#	ARTICLE	IF	CITATIONS
19	Adhesively bonded steel tubes “ Part I: Experimental investigations. International Journal of Adhesion and Adhesives, 2019, 90, 199-210.	2.9	38
20	Adhesively bonded lap joints from pultruded GFRP profiles. Part III: Effects of chamfers. Composites Part B: Engineering, 2006, 37, 328-336.	12.0	37
21	Numerical investigations and capacity prediction of G-FRP rods glued into timber. Composite Structures, 2018, 202, 47-59.	5.8	37
22	Experimental and numerical investigations on adhesively bonded timber joints. Wood Science and Technology, 2012, 46, 579-590.	3.2	35
23	Hybrid adhesively bonded timber-concrete-composite floors. International Journal of Adhesion and Adhesives, 2020, 97, 102490.	2.9	35
24	Delamination of pultruded glass fiber-reinforced polymer composites subjected to axial compression. Composite Structures, 2009, 91, 66-73.	5.8	34
25	Probabilistic strength prediction of adhesively bonded timber joints. Wood Science and Technology, 2012, 46, 503-513.	3.2	34
26	Adhesively bonded steel tubes “ Part II: Numerical modelling and strength prediction. International Journal of Adhesion and Adhesives, 2019, 90, 211-224.	2.9	34
27	Optimum thickness of joints made of GFPR pultruded adherends and polyurethane adhesive. Composite Structures, 2010, 92, 2102-2108.	5.8	30
28	Structural performance of rounded dovetail connections: experimental and numerical investigations. European Journal of Wood and Wood Products, 2011, 69, 471-482.	2.9	30
29	Adhesively Bonded Hardwood Joints under Room Temperature and Elevated Temperatures. Journal of Adhesion, 2014, 90, 401-419.	3.0	30
30	Adhesively bonded timber joints “ Do defects matter?. International Journal of Adhesion and Adhesives, 2014, 55, 12-17.	2.9	30
31	Rods glued in engineered hardwood products part II: Numerical modelling and capacity prediction. International Journal of Adhesion and Adhesives, 2019, 90, 182-198.	2.9	30
32	Adhesively bonded joints composed of pultruded adherends: Considerations at the upper tail of the material strength statistical distribution. Probabilistic Engineering Mechanics, 2009, 24, 358-366.	2.7	29
33	Numerical Modeling of Hybrid-bonded Joints. Journal of Adhesion, 2016, 92, 652-664.	3.0	29
34	Influence of imperfections on the load capacity and stiffness of glued-in rod connections. Construction and Building Materials, 2019, 226, 200-211.	7.2	27
35	Inductively cured glued-in rods in timber using Curie particles. International Journal of Adhesion and Adhesives, 2016, 70, 37-45.	2.9	23
36	Experimental and numerical investigations on adhesively bonded hardwood joints. International Journal of Adhesion and Adhesives, 2012, 37, 65-69.	2.9	22

#	ARTICLE	IF	CITATIONS
37	Hybrid joining of jacket structures for offshore wind turbines – Validation under static and dynamic loading at medium and large scale. <i>Engineering Structures</i> , 2022, 252, 113595.	5.3	22
38	Pre-applicable structural adhesives for timber engineering: Glued-in G-FRP rods. <i>International Journal of Adhesion and Adhesives</i> , 2016, 67, 121-127.	2.9	21
39	Hardwood rods glued into softwood using environmentally sustainable adhesives. <i>Journal of Adhesion</i> , 2018, 94, 991-1016.	3.0	20
40	Influence of manufacturing methods and imperfections on the load capacity of glued-in rods. <i>Journal of Adhesion</i> , 2020, 96, 738-759.	3.0	20
41	Under water glued stud bonding fasteners for offshore structures. <i>International Journal of Adhesion and Adhesives</i> , 2020, 98, 102533.	2.9	19
42	Direct load transmission in hybrid FRP and lightweight concrete sandwich bridge deck. <i>Composites Part A: Applied Science and Manufacturing</i> , 2008, 39, 478-487.	7.6	18
43	Load bearing and failure behaviour of adhesively bonded glass-metal joints in façade structures. <i>Journal of Adhesion</i> , 2019, 95, 653-674.	3.0	18
44	Fracture mechanics based joint capacity prediction of glued-in rods with beech laminated veneer lumber. <i>Journal of Adhesion</i> , 2019, 95, 405-424.	3.0	17
45	Experimental investigations and probabilistic strength prediction of linear welded double lap joints composed of timber. <i>International Journal of Adhesion and Adhesives</i> , 2012, 39, 42-48.	2.9	16
46	Accelerated curing of glued-in threaded rods by means of inductive heating – Part I: experiments. <i>Journal of Adhesion</i> , 2021, 97, 225-250.	3.0	16
47	Moment resisting connections composed of friction-welded spruce boards: experimental investigations and numerical strength prediction. <i>European Journal of Wood and Wood Products</i> , 2014, 72, 229-241.	2.9	15
48	Tensile and fatigue investigations of timber joints with glued-in FRP rods. <i>Journal of Adhesion</i> , 2017, 93, 926-942.	3.0	15
49	Experimental and Numerical Investigations of Groove Connections for a Novel Timber-Concrete-Composite System. <i>Journal of Performance of Constructed Facilities</i> , 2014, 28, .	2.0	14
50	Numerical simulation of the propagation of Lamb waves and their interaction with defects in C-FRP laminates for non-destructive testing. <i>Advanced Composite Materials</i> , 2020, 29, 423-441.	1.9	14
51	Accelerated curing of G-FRP rods glued into timber by means of inductive heating using Curie-particles – large-scale experiments at room temperature. <i>Journal of Adhesion</i> , 2021, 97, 1532-1560.	3.0	14
52	Capacity prediction of welded timber joints. <i>Wood Science and Technology</i> , 2012, 46, 333-347.	3.2	13
53	An efficient numerical model for the evaluation of compression flow of high-viscosity adhesives. <i>International Journal of Adhesion and Adhesives</i> , 2018, 85, 251-262.	2.9	13
54	Design and dimensioning of a complex timber-glass hybrid structure: the IFAM pedestrian bridge. <i>Glass Structures and Engineering</i> , 2016, 1, 3-18.	1.7	12

#	ARTICLE	IF	CITATIONS
55	Experimental investigations on pre-tensioned hybrid joints for structural steel applications. Journal of Adhesion, 2023, 99, 117-152.	3.0	12
56	Experimental investigations of glued-in rod connections in CLT. Construction and Building Materials, 2022, 324, 126680.	7.2	12
57	Hybrid joining of jacket structures for offshore wind turbines – Determination of requirements and adhesive characterisation. Engineering Structures, 2022, 259, 114186.	5.3	12
58	Probabilistische Bemessung von geklebten Anschlüssen im Holzbau. Bautechnik, 2010, 87, 623-629.	0.1	11
59	Modelling and strength prediction of pre-tensioned hybrid bonded joints for structural steel applications. Journal of Adhesion, 2022, 98, 1573-1613.	3.0	11
60	Accelerated curing of glued-in threaded rods by means of inductive heating – part IV: curing under low temperatures. Journal of Adhesion, 2022, 98, 105-130.	3.0	10
61	Glued-in multiple steel rod connections in cross-laminated timber. Journal of Adhesion, 2022, 98, 810-826.	3.0	10
62	Manufacturing gluing-in-rods under low temperatures and with shorter process times using induction and resistive heating. Welding in the World, Le Soudage Dans Le Monde, 2017, 61, 575-580.	2.5	9
63	Accelerated curing of glued-in threaded rods by means of inductive heating – part II: modelling. Journal of Adhesion, 2021, 97, 251-281.	3.0	9
64	Critical review on the assessment of glulam structures using shear core samples. Journal of Civil Structural Health Monitoring, 2012, 2, 65-72.	3.9	8
65	Short-time procedure for fatigue assessment of beech wood and adhesively bonded beech wood joints. Materials and Structures/Materiaux Et Constructions, 2016, 49, 2161-2170.	3.1	8
66	Fatigue of glued-in rods in engineered hardwood products – part I: experimental results. Journal of Adhesion, 2019, 95, 675-701.	3.0	8
67	Accelerated curing of glued-in threaded rods by means of inductive heating – Part III: transient curing. Journal of Adhesion, 2021, 97, 705-729.	3.0	8
68	Development and validation of a compression flow model of non-Newtonian adhesives. Journal of Adhesion, 2022, 98, 1260-1297.	3.0	7
69	Shear loaded friction-welded crosswise arranged timber boards. International Journal of Adhesion and Adhesives, 2017, 72, 109-116.	2.9	6
70	Hybrid joining techniques. , 2021, , 353-381.		6
71	Resistive curing of glued-in rods. Construction and Building Materials, 2021, 268, 121127.	7.2	6
72	GFRP posts for railway noise barriers – Experimental validation of load-carrying performance and durability. Composite Structures, 2008, 85, 116-125.	5.8	5

#	ARTICLE	IF	CITATIONS
73	Accelerated curing of G-FRP rods glued into timber by means of inductive heating â€“ Influences of curing kinetics. Journal of Adhesion, 0, , 1-39.	3.0	4
74	Towards the efficient modelling of trapped air pockets during squeeze flow. Experimental and Computational Multiphase Flow, 2023, 5, 29-52.	3.9	4
75	Geklebte KreishohlprofilanschlÃ¼sse in Stahlkonstruktionen. Stahlbau, 2016, 85, 828-835.	0.1	3
76	Filament breaking length â€“ Experimental and numerical investigations. International Journal of Adhesion and Adhesives, 2018, 87, 47-63.	2.9	3
77	Fatigue of glued-in rods in engineered hardwood products â€” Part II: Numerical modelling. Journal of Adhesion, 2019, 95, 702-722.	3.0	3
78	Transformation of tribological modelling of squeeze flows to simulate the flow of highly viscous adhesives and sealants in manufacturing processes. Proceedings in Applied Mathematics and Mechanics, 2019, 19, e201900056.	0.2	3
79	Accelerated curing of adhesively bonded G-FRP tube connectionsâ€”Part III: Modelling of strength. Composite Structures, 2021, 268, 113900.	5.8	3
80	Curie-supported accelerated curing by means of inductive heating â€“ Part I: Model building. Journal of Adhesion, 2022, 98, 1394-1437.	3.0	3
81	Experimental validation of a compression flow model of Non-Newtonian adhesives. Journal of Adhesion, 2022, 98, 2295-2324.	3.0	3
82	Numerical modelling and strength prediction of welded double lap joints made of timber. Procedia Engineering, 2011, 10, 1309-1314.	1.2	2
83	Building and construction steel and aluminium. , 2021, , 525-569.		2
84	Fast inductive curing of adhesively bonded glass-timber joints. Journal of Adhesion, 0, , 1-35.	3.0	2
85	Effects of Curie particle induced accelerated curing on thermo-mechanical performance of 2K structural adhesives â€“ Part II: Lap shear properties. Journal of Adhesion, 2022, 98, 1167-1217.	3.0	2
86	Effects of Curie particle induced accelerated curing on thermo mechanical performance of 2K structural adhesives â€“ Part I: Bulk properties. Journal of Adhesion, 2022, 98, 1298-1339.	3.0	2
87	Curieâ€“supported accelerated curing by means of inductive heating â€“ Part II Validation and numerical studies. Journal of Adhesion, 2022, 98, 2045-2077.	3.0	2
88	Low-temperature curing of adhesives â€“ Large-scale experiments. Journal of Adhesion, 0, , 1-36.	3.0	2
89	A Probabilistic Strength Prediction Method for Adhesively Bonded Joints Composed of Wooden Adherends. Key Engineering Materials, 0, 417-418, 533-536.	0.4	1
90	The 5-minute-rod. Adhesion Adhesives and Sealants, 2015, 12, 28-31.	0.1	1

#	ARTICLE	IF	CITATIONS
91	Fibre Reinforced Polymers for Civil Engineering Applications. Adhesion Adhesives and Sealants, 2018, 15, 14-19.	0.1	1
92	Accelerated curing of glued-in rods: Influence of manufacturing defects. Construction and Building Materials, 2021, 298, 123665.	7.2	1
93	Modeling of Direct Load Transmission in Lightweight-Concrete-Core Sandwich Beams. ACI Structural Journal, 2009, 106, .	0.2	1
94	Shear Resistance of Lightweight Concrete Core of Fiber-Reinforced Polymer Concrete Sandwich Structure. ACI Materials Journal, 2009, 106, .	0.2	1
95	Load-carrying capacity prediction of single rods glued into cross-laminated timber. European Journal of Wood and Wood Products, 2022, 80, 1041-1055.	2.9	1
96	Experiments and Strength Prediction of a Joint Composed of a Pultruded FRP Tube Bonded to an FRP Lamella. Key Engineering Materials, 0, 417-418, 505-508.	0.4	0
97	Experimental investigations on welded double lap joints composed of timber. Procedia Engineering, 2011, 10, 2526-2531.	1.2	0
98	Previous experience and perspectives. Adhesion Adhesives and Sealants, 2013, 10, 28-33.	0.1	0
99	Load-Bearing Behaviour of Rods Glued in Hardwood. Adhesion Adhesives and Sealants, 2018, 15, 10-15.	0.1	0
100	Mit voller Zuversicht hoch hinaus. Bautechnik, 2020, 97, 1-2.	0.1	0
101	Upper Tail of Material Strength Distribution and Strength Prediction of Bonded Joints Composed of Pultruded Adherends. , 2007, , 205-206.		0
102	Acoustic Emission in Adhesively Bonded Joints Composed of Pultruded Adherends. , 2007, , 141-142.		0
103	Direct load transmission in sandwich slabs with lightweight concrete core. , 2008, , 181-181.		0
104	Bauwesen. , 2018, , 313-334.		0
105	A Weibull-Based Method to Predict the Strength of Adhesively Bonded Joints of Pultruded FRPS. , 2006, , 375-376.		0
106	Think global, publish local. Bautechnik, 2021, 98, 85-85.	0.1	0
107	Threaded rods grouted in beech laminated veneer lumber. Civil Engineering Design, 2022, 4, 110-119.	1.9	0
108	Die Jugend von heute. Bautechnik, 2022, 99, 1-1.	0.1	0