

# Li Khim Kwah

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7089930/publications.pdf>

Version: 2024-02-01

19  
papers

1,000  
citations

840776

11  
h-index

940533

16  
g-index

19  
all docs

19  
docs citations

19  
times ranked

1211  
citing authors

#	ARTICLE	IF	CITATIONS
1	Brief report: Passive mechanical properties of gastrocnemius in multiple sclerosis and ankle contracture. <i>Clinical Biomechanics</i> , 2021, 84, 105338.	1.2	2
2	Quality of Clinical Practice Guidelines for Management of Limb Amputations: A Systematic Review. <i>Physical Therapy</i> , 2019, 99, 577-590.	2.4	7
3	Reliability and Validity of Measurement Tools for Residual Limb Volume in People With Limb Amputations: A Systematic Review. <i>Physical Therapy</i> , 2019, 99, 612-626.	2.4	8
4	Rigid dressings versus soft dressings for transtibial amputations. <i>The Cochrane Library</i> , 2019, 2019, CD012427.	2.8	3
5	Prediction of Motor Recovery and Outcomes After Stroke. , 2019, , 23-47.		1
6	Reliability and validity of the iSense optical scanner for measuring volume of transtibial residual limb models. <i>Prosthetics and Orthotics International</i> , 2019, 43, 213-220.	1.0	8
7	Prediction of Walking and Arm Recovery after Stroke: A Critical Review. <i>Brain Sciences</i> , 2016, 6, 53.	2.3	41
8	National Institutes of Health Stroke Scale (NIHSS). <i>Journal of Physiotherapy</i> , 2014, 60, 61.	1.7	331
9	Models containing age and NIHSS predict recovery of ambulation and upper limb function six months after stroke: an observational study. <i>Journal of Physiotherapy</i> , 2013, 59, 189-197.	1.7	85
10	Reliability and validity of ultrasound measurements of muscle fascicle length and pennation in humans: a systematic review. <i>Journal of Applied Physiology</i> , 2013, 114, 761-769.	2.5	159
11	Gastrocnemius Muscle Contracture After Spinal Cord Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2013, 92, 565-574.	1.4	16
12	Incidence and predictors of contracture after spinal cord injury—a prospective cohort study. <i>Spinal Cord</i> , 2012, 50, 579-584.	1.9	67
13	Mechanisms of increased passive compliance of hamstring muscle-tendon units after spinal cord injury. <i>Clinical Biomechanics</i> , 2012, 27, 893-898.	1.2	11
14	Passive Mechanical Properties of Gastrocnemius Muscles of People With Ankle Contracture After Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 1185-1190.	0.9	61
15	Passive mechanical properties of the gastrocnemius after spinal cord injury. <i>Muscle and Nerve</i> , 2012, 46, 237-245.	2.2	30
16	Half of the adults who present to hospital with stroke develop at least one contracture within six months: an observational study. <i>Journal of Physiotherapy</i> , 2012, 58, 41-47.	1.7	79
17	<i>In vivo</i> passive mechanical behaviour of muscle fascicles and tendons in human gastrocnemius muscle-tendon units. <i>Journal of Physiology</i> , 2011, 589, 5257-5267.	2.9	89
18	1494: Use of Ultrasound to Assess Mechanical Properties of Human Muscles in Vivo. <i>Ultrasound in Medicine and Biology</i> , 2009, 35, S233-S234.	1.5	0

#	ARTICLE	IF	CITATIONS
19	Rigid dressings versus soft dressings for transtibial amputations. The Cochrane Library, 0, , .	2.8	2