

Lynette K Cole

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7092673/lynette-k-cole-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

27
papers

260
citations

10
h-index

15
g-index

27
ext. papers

308
ext. citations

1.6
avg, IF

3.37
L-index

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 27 | Clinical Techniques: When and how to do a myringotomy - a practical guide. <i>Veterinary Dermatology</i> , 2021 , 32, 302-e82 | 1.8 | 1 |
| 26 | Is low-level laser therapy useful as an adjunctive treatment for canine acral lick dermatitis? A randomized, double-blinded, sham-controlled study. <i>Veterinary Dermatology</i> , 2021 , 32, 148-e35 | 1.8 | 1 |
| 25 | Mechanical quantitative sensory testing in cavalier King Charles spaniels with and without syringomyelia. <i>BMC Veterinary Research</i> , 2020 , 16, 94 | 2.7 | 1 |
| 24 | Comparison of high-field MRI and multidetector CT for grading Chiari-like malformation and syringomyelia in Cavalier King Charles Spaniels. <i>Veterinary Radiology and Ultrasound</i> , 2020 , 61, 444-452 | 1.2 | |
| 23 | Bacteriology and cytology of otic exudates in 41 cavalier King Charles spaniels with primary secretory otitis media. <i>Veterinary Dermatology</i> , 2019 , 30, 151-e44 | 1.8 | 6 |
| 22 | Conductive hearing loss in four dogs associated with the use of ointment-based otic medications. <i>Veterinary Dermatology</i> , 2018 , 29, 341 | 1.8 | 4 |
| 21 | An evaluation of veterinary allergen extract content and resultant canine intradermal threshold concentrations. <i>Veterinary Dermatology</i> , 2018 , 29, 496-e167 | 1.8 | 3 |
| 20 | In vitro bactericidal activity of blue light (465 nm) phototherapy on meticillin-susceptible and meticillin-resistant <i>Staphylococcus pseudintermedius</i> . <i>Veterinary Dermatology</i> , 2017 , 28, 463-e106 | 1.8 | 6 |
| 19 | Evaluation of canine-specific minocycline and doxycycline susceptibility breakpoints for meticillin-resistant <i>Staphylococcus pseudintermedius</i> isolates from dogs. <i>Veterinary Dermatology</i> , 2015 , 26, 334-8, e70-1 | 1.8 | 11 |
| 18 | Diagnosis of primary secretory otitis media in the cavalier King Charles spaniel. <i>Veterinary Dermatology</i> , 2015 , 26, 459-66, e106-7 | 1.8 | 16 |
| 17 | Effect of feeding on the pharmacokinetics of oral minocycline in healthy research dogs. <i>Veterinary Dermatology</i> , 2015 , 26, 399-405, e92-3 | 1.8 | 10 |
| 16 | Primary secretory otitis media in Cavalier King Charles spaniels. <i>Veterinary Clinics of North America - Small Animal Practice</i> , 2012 , 42, 1137-42 | 2.4 | 14 |
| 15 | Practical otic anatomy and physiology of the dog and cat. <i>Veterinary Clinics of North America - Small Animal Practice</i> , 2012 , 42, 1109-26 | 2.4 | 16 |
| 14 | Anatomy and physiology of the canine ear. <i>Veterinary Dermatology</i> , 2010 , 21, 221-31 | 1.8 | 6 |
| 13 | Plasma and ear tissue concentrations of enrofloxacin and its metabolite ciprofloxacin in dogs with chronic end-stage otitis externa after intravenous administration of enrofloxacin. <i>Veterinary Dermatology</i> , 2009 , 20, 51-9 | 1.8 | 18 |
| 12 | Anatomy and physiology of the canine ear. <i>Veterinary Dermatology</i> , 2009 , 20, 412-21 | 1.8 | 21 |
| 11 | In vitro activity of an ear rinse containing tromethamine, EDTA, benzyl alcohol and 0.1% ketoconazole on <i>Malassezia</i> organisms from dogs with otitis externa. <i>Veterinary Dermatology</i> , 2007 , 18, 115-9 | 1.8 | 9 |

| | | | |
|----|--|---------|----|
| 10 | Variation in gross and histological appearance of the canine pars flaccida. <i>Veterinary Dermatology</i> , 2007 , 18, 464-8 | 1.8 | 6 |
| 9 | Contrast-enhanced computed tomographic imaging of the auditory tube in mesaticephalic dogs. <i>Veterinary Radiology and Ultrasound</i> , 2007 , 48, 125-8 | 1.2 | 14 |
| 8 | In vitro activity of an ear rinse containing tromethamine, EDTA, and benzyl alcohol on bacterial pathogens from dogs with otitis. <i>American Journal of Veterinary Research</i> , 2006 , 67, 1040-4 | 1.1 | 9 |
| 7 | Ciprofloxacin as a representative of disk diffusion in vitro susceptibility of enrofloxacin for bacterial organisms from the middle-ear tissue of dogs with end-stage otitis externa. <i>Veterinary Dermatology</i> , 2006 , 17, 128-33 | 1.8 | |
| 6 | Comparison of bacterial organisms and their susceptibility patterns from otic exudate and ear tissue from the vertical ear canal of dogs undergoing a total ear canal ablation. <i>Veterinary Therapeutics: Research in Applied Veterinary Medicine</i> , 2005 , 6, 252-9 | | |
| 5 | Ear cleaning: the UK and US perspective. <i>Veterinary Dermatology</i> , 2004 , 15, 127-36 | 1.8 | 28 |
| 4 | Otosopic evaluation of the ear canal. <i>Veterinary Clinics of North America - Small Animal Practice</i> , 2004 , 34, 397-410 | 2.4 | 48 |
| 3 | Evaluation of an ear cleanser for the treatment of infectious otitis externa in dogs. <i>Veterinary Therapeutics: Research in Applied Veterinary Medicine</i> , 2003 , 4, 12-23 | | |
| 2 | Impedance audiometric measurements in clinically normal dogs. <i>American Journal of Veterinary Research</i> , 2000 , 61, 442-5 | 1.1 | 12 |
| 1 | The Effect of Ketoconazole on Whole Blood and Skin Ciclosporin Concentrations in Dogs | 129-136 | |