

# Raquel TalÃ©ns-Visconti

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7093260/publications.pdf>

Version: 2024-02-01

29  
papers

1,147  
citations

567144

15  
h-index

395590

33  
g-index

33  
all docs

33  
docs citations

33  
times ranked

2139  
citing authors

#	ARTICLE	IF	CITATIONS
1	Nanoliposomes in Cancer Therapy: Marketed Products and Current Clinical Trials. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4249.	1.8	37
2	Blockade of the trans-sulfuration pathway in acute pancreatitis due to nitration of cystathionine $\beta$ -synthase. <i>Redox Biology</i> , 2020, 28, 101324.	3.9	11
3	p38 $\beta$ deficiency restrains liver regeneration after partial hepatectomy triggering oxidative stress and liver injury. <i>Scientific Reports</i> , 2019, 9, 3775.	1.6	7
4	Age-dependent regulation of antioxidant genes by p38 $\beta$ MAPK in the liver. <i>Redox Biology</i> , 2018, 16, 276-284.	3.9	8
5	Patología vascular: ¿causa o efecto en la enfermedad de Alzheimer?. <i>Neurología</i> , 2018, 33, 112-120.	0.3	49
6	Redox signaling in the gastrointestinal tract. <i>Free Radical Biology and Medicine</i> , 2017, 104, 75-103.	1.3	201
7	Targeted delivery of Cyclosporine A by polymeric nanocarriers improves the therapy of inflammatory bowel disease in a relevant mouse model. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2017, 119, 361-371.	2.0	30
8	p38 $\beta$ regulates actin cytoskeleton and cytokinesis in hepatocytes during development and aging. <i>PLoS ONE</i> , 2017, 12, e0171738.	1.1	13
9	Regulation of cytokinesis and its clinical significance. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2015, 52, 159-167.	2.7	16
10	Oxidative stress triggers cytokinesis failure in hepatocytes upon isolation. <i>Free Radical Research</i> , 2015, 49, 927-934.	1.5	12
11	Hesperetin induces melanin production in adult human epidermal melanocytes. <i>Food and Chemical Toxicology</i> , 2015, 80, 80-84.	1.8	12
12	p38 MAPK: A dual role in hepatocyte proliferation through reactive oxygen species. <i>Free Radical Research</i> , 2013, 47, 905-916.	1.5	85
13	Liver-specific p38 $\beta$ deficiency causes reduced cell growth and cytokinesis failure during chronic biliary cirrhosis in mice. <i>Hepatology</i> , 2013, 57, 1950-1961.	3.6	32
14	Neural Differentiation from Human Embryonic Stem Cells as a Tool to Study Early Brain Development and the Neuroteratogenic Effects of Ethanol. <i>Stem Cells and Development</i> , 2011, 20, 327-339.	1.1	52
15	RhoE stimulates neurite-like outgrowth in PC12 cells through inhibition of the RhoA/ROCK signaling. <i>Journal of Neurochemistry</i> , 2010, 112, 1074-1087.	2.1	21
16	RhoE participates in the stimulation of the inflammatory response induced by ethanol in astrocytes. <i>Experimental Cell Research</i> , 2007, 313, 3779-3788.	1.2	27
17	Human mesenchymal stem cells from adipose tissue: Differentiation into hepatic lineage. <i>Toxicology in Vitro</i> , 2007, 21, 324-329.	1.1	91
18	Maximum Longitudinal Relaxation Velocity of the Left Ventricle: Its Clinical Value and Relationship with NT-proBNP Plasma Levels in Heart Failure. <i>Echocardiography</i> , 2006, 23, 295-302.	0.3	5

#	ARTICLE	IF	CITATIONS
19	Left ventricular cavity area reflects N-terminal pro-brain natriuretic peptide plasma levels in heart failure. European Journal of Echocardiography, 2006, 7, 45-52.	2.3	12
20	Hepatogenic differentiation of human mesenchymal stem cells from adipose tissue in comparison with bone marrow mesenchymal stem cells. World Journal of Gastroenterology, 2006, 12, 5834.	1.4	238
21	Obese subjects with heart failure have lower N-terminal pro-brain natriuretic peptide plasma levels irrespective of aetiology. European Journal of Heart Failure, 2005, 7, 1168-1170.	2.9	45
22	Plasma Concentration of Big Endothelin-1 and Its Relation With Plasma NT-proBNP and Ventricular Function in Heart Failure Patients. Revista Espanola De Cardiologia (English Ed ), 2005, 58, 278-284.	0.4	3
23	Soluble TNF- $\alpha$ and interleukin-6 receptors in the urine of heart failure patients. Their clinical value and relationship with plasma levels. European Journal of Heart Failure, 2004, 6, 877-882.	2.9	12
24	NT-proBNP Levels and Hypertension. Their Importance in the Diagnosis of Heart Failure. Revista Espanola De Cardiologia (English Ed ), 2004, 57, 396-402.	0.4	7
25	Ventricular hypertrophy increases NT-proBNP in subjects with and without hypertension. International Journal of Cardiology, 2004, 96, 265-271.	0.8	19
26	Hipertensi3n y valores de NT-proBNP. Su importancia en el diagn3stico de insuficiencia card3aca. Revista Espanola De Cardiologia, 2004, 57, 396-402.	0.6	7
27	Quantification of proinflammatory cytokines in the urine of congestive heart failure patients. Its relationship with plasma levels. European Journal of Heart Failure, 2003, 5, 27-31.	2.9	23
28	Small-Colony Mutants of Staphylococcus aureus Allow Selection of Gyrase-Mediated Resistance to Dual-Target Fluoroquinolones. Antimicrobial Agents and Chemotherapy, 2002, 46, 2498-2506.	1.4	45
29	Activity6Bioavailability balance in Oral Drug Development for a Selected Group of 6Fluoroquinolones. Journal of Pharmaceutical Sciences, 2002, 91, 2452-2464.	1.6	5