
## Sanghoon Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7093793/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Green electrode processing using a seaweed-derived mesoporous carbon additive and binder for LiMn <sub>2</sub> O <sub>4</sub> and LiNi <sub>1/3</sub> Mn <sub>1/3</sub> Co <sub>1/3</sub> O <sub>2</sub> lithium ion battery electrodes. Sustainable Energy and Fuels, 2019, 3, 450-456.	2.5	11
2	Dehydration of Alginic Acid Cryogel by TiCl 4 vapor: Direct Access to Mesoporous TiO 2 @C Nanocomposites and Their Performance in Lithiumâ€lon Batteries. ChemSusChem, 2019, 12, 2660-2670.	3.6	6
3	Alginic acid-derived mesoporous carbonaceous materials (Starbon®) as negative electrodes for lithium ion batteries: Importance of porosity and electronic conductivity. Journal of Power Sources, 2018, 406, 18-25.	4.0	8
4	Alginic acid aquagel as a template and carbon source in the synthesis of Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> /C nanocomposites for application as anodes in Li-ion batteries. RSC Advances, 2018, 8, 32558-32564.	1.7	8
5	Alginic acid-derived mesoporous carbon (Starbon®) as template and reducing agent for the hydrothermal synthesis of mesoporous LiMn <sub>2</sub> O <sub>4</sub> grafted with carbonaceous species. Journal of Materials Chemistry A, 2018, 6, 14392-14399.	5.2	8
6	Advances in Multifunctional Surface Coating Using Metalâ€Phenolic Networks. Bulletin of the Korean Chemical Society, 2017, 38, 519-520.	1.0	6
7	Enhanced photocatalytic ability of Cu, Co doped ZnAl based mixed metal oxides derived from layered double hydroxides. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2017, 524, 43-52.	2.3	28
8	Ternary Layered Double Hydroxides (LDHs) Based on Co-, Cu-Substituted ZnAl for the Design of Efficient Photocatalysts. European Journal of Inorganic Chemistry, 2017, 2017, 669-678.	1.0	43
9	Sustainable polysaccharide-derived mesoporous carbons (Starbon®) as additives in lithium-ion batteries negative electrodes. Journal of Materials Chemistry A, 2017, 5, 24380-24387.	5.2	17
10	Enhanced catalytic oxidation ability of ternary layered double hydroxides for organic pollutants degradation. Dalton Transactions, 2016, 45, 8224-8235.	1.6	32
11	Spin State As a Probe of Vesicle Self-Assembly. Journal of the American Chemical Society, 2016, 138, 2552-2555.	6.6	24
12	Core–shell microcapsules of solid lipid nanoparticles and mesoporous silica for enhanced oral delivery of curcumin. Colloids and Surfaces B: Biointerfaces, 2016, 140, 161-168.	2.5	63
13	Metallo-Solid Lipid Nanoparticles as Colloidal Tools for Meso–Macroporous Supported Catalysts. Langmuir, 2015, 31, 1842-1849.	1.6	21
14	pH- and glutathione-responsive release of curcumin from mesoporous silica nanoparticles coated using tannic acid–Fe( <scp>iii</scp> ) complex. RSC Advances, 2015, 5, 90550-90558.	1.7	71
15	Solid Lipid Nanoparticle - Functional Template of Meso-Macrostructured Silica Materials. ACS Symposium Series, 2015, , 269-283.	0.5	1
16	Stimuli-Responsive Nanostructured Silica Matrix Targeting Drug Delivery Applications. , 2015, , 3-38.		0
17	A meso-macro compartmentalized bioreactor obtained through silicalization of "green―double emulsions: W/O/W and W/SLNs/W. Chemical Communications, 2014, 50, 11871-11874.	2.2	16
18	pH-controlled delivery of curcumin from a compartmentalized solid lipid nanoparticle@mesostructured silica matrix. Journal of Materials Chemistry B, 2014, 2, 7910-7917.	2.9	56

#	Article	IF	CITATIONS
19	Nanoparticle-free magnetic mesoporous silica with magneto-responsive surfactants. Journal of Materials Chemistry C, 2013, 1, 6930.	2.7	24