

# Giuseppe Boriani,, Fehra, Fesc

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7094935/giuseppe-boriani-fehra-fesc-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

643  
papers

24,977  
citations

71  
h-index

140  
g-index

745  
ext. papers

32,783  
ext. citations

4.4  
avg, IF

6.64  
L-index

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 643 | Impact of COVID-19 in emergency medicine literature: a bibliometric analysis.. <i>Internal and Emergency Medicine</i> , <b>2022</b> , 1   | 3.7  | 1         |
| 642 | Impact of renal impairment on atrial fibrillation: ESC-EHRA EORP-AF Long-Term General Registry.. <i>European Journal of Clinical Investigation</i> , <b>2022</b> , e13745   | 4.6  |           |
| 641 | Incidence and Predictors of Infections and All-Cause Death in Patients with Cardiac Implantable Electronic Devices: The Italian Nationwide RI-AIAC Registry.. <i>Journal of Personalized Medicine</i> , <b>2022</b> , 12,   | 3.6  | 3         |
| 640 | Atrial high rate episodes as a marker of atrial cardiomyopathy: In the quest of the Holy Grail. Author's reply.. <i>European Journal of Internal Medicine</i> , <b>2022</b> ,   | 3.9  | 1         |
| 639 | Atrial Fibrillation and Dementia: A Report From the AF-SCREEN International Collaboration.. <i>Circulation</i> , <b>2022</b> , 145, 392-409   | 16.7 | 4         |
| 638 | Kidney Function According to Different Equations in Patients Admitted to a Cardiology Unit and Impact on Outcome.. <i>Journal of Clinical Medicine</i> , <b>2022</b> , 11,  | 5.1  | 2         |
| 637 | Atrial fibrillation ablation in heart failure: Findings from the ESC-EHRA EORP Atrial Fibrillation Ablation long-term (AFA LT) registry. <i>International Journal of Cardiology</i> , <b>2022</b> , 346, 19-26  | 3.2  | 0         |
| 636 | Clinical implications of assessing frailty in elderly patients treated with permanent cardiac pacing.. <i>Journal of Cardiovascular Medicine</i> , <b>2022</b> , 23, 87-90  | 1.9  | 1         |
| 635 | Case Report: Free-Floating Intracoronary Thrombus: Who Is the Convict?. <i>Frontiers in Oncology</i> , <b>2022</b> , 12, 825711   | 5.3  | 0         |
| 634 | Comparative effectiveness and safety of non-vitamin K antagonists for atrial fibrillation in clinical practice: GLORIA-AF Registry.. <i>Clinical Research in Cardiology</i> , <b>2022</b> , 1   | 6.1  | 0         |
| 633 | Impact of malignancy on outcomes in European patients with atrial fibrillation: A report from the ESC-EHRA EURObservational research programme in atrial fibrillation general long-term registry.. <i>European Journal of Clinical Investigation</i> , <b>2022</b> , e13773 | 4.6  | 1         |
| 632 | AIM-AF: A Physician Survey in the United States and Europe.. <i>Journal of the American Heart Association</i> , <b>2022</b> , e023838   | 6    | 0         |
| 631 | How to use digital devices to detect and manage arrhythmias: an EHRA practical guide.. <i>Europace</i> , <b>2022</b> ,  | 3.9  | 2         |
| 630 | Chronic Kidney Disease with Mild and Mild to Moderate Reduction in Renal Function and Long-Term Recurrences of Atrial Fibrillation after Pulmonary Vein Cryoballoon Ablation. <i>Journal of Cardiovascular Development and Disease</i> , <b>2022</b> , 9, 126               | 4.2  | 1         |
| 629 | Association between implantable defibrillator-detected sleep apnea and atrial fibrillation: the DASAP-HF study.. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2022</b> ,   | 2.7  | 2         |
| 628 | Frailty Prevalence and Impact on Outcomes in Patients with Atrial Fibrillation: A Systematic Review and Meta-Analysis of 1,187,000 Patients. <i>Ageing Research Reviews</i> , <b>2022</b> , 101652  | 12   | 3         |
| 627 | Digital literacy as a potential barrier to implementation of cardiology tele-visits after COVID-19 pandemic: the INFO-COVID survey. <i>Journal of Geriatric Cardiology</i> , <b>2021</b> , 18, 739-747  | 1.7  | 0         |

|     |   |      |    |
|-----|---|------|----|
| 626 | Estimate and reporting of longevity for cardiac implantable electronic devices: a proposal for standardized criteria. <i>Expert Review of Medical Devices</i> , <b>2021</b> , 1-6   | 3.5  |    |
| 625 | Rhythm- or rate-control strategies according to 4S-AF characterization scheme and long-term outcomes in atrial fibrillation patients: the FAMo (Fibrillazione Atriale in Modena) cohort. <i>Internal and Emergency Medicine</i> , <b>2021</b> , 1         | 3.7  | 4  |
| 624 | Clinical management of electrical storm: a current overview. <i>Journal of Cardiovascular Medicine</i> , <b>2021</b> , 22, 669-679  | 1.9  | 2  |
| 623 | Role of cardiac imaging in patients undergoing catheter ablation of ventricular tachycardia. <i>Journal of Cardiovascular Medicine</i> , <b>2021</b> , 22, 727-737  | 1.9  |    |
| 622 | Impact of clinical phenotypes on management and outcomes in European atrial fibrillation patients: a report from the ESC-EHRA EURObservational Research Programme in AF (EORP-AF) General Long-Term Registry. <i>BMC Medicine</i> , <b>2021</b> , 19, 256 | 11.4 | 4  |
| 621 | The Practice of Deep Sedation in Electrophysiology and Cardiac Pacing Laboratories: Results of an Italian Survey Promoted by the AIAC (Italian Association of Arrhythmology and Cardiac Pacing). <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,  | 5.1  | 1  |
| 620 | COVID-19 pandemic: complex interactions with the arrhythmic profile and the clinical course of patients with cardiovascular disease. <i>European Heart Journal</i> , <b>2021</b> , 42, 529-532  | 9.5  | 6  |
| 619 | Sinergy between drugs and devices in the fight against sudden cardiac death and heart failure. <i>European Journal of Preventive Cardiology</i> , <b>2021</b> , 28, 110-123   | 3.9  | 5  |
| 618 | Anticoagulation in patients with atrial fibrillation and active cancer: an international survey on patient management. <i>European Journal of Preventive Cardiology</i> , <b>2021</b> , 28, 611-621   | 3.9  | 7  |
| 617 | Atrial fibrillation pattern and factors affecting the progression to permanent atrial fibrillation. <i>Internal and Emergency Medicine</i> , <b>2021</b> , 16, 1131-1140  | 3.7  | 8  |
| 616 | Long-term outcomes of postoperative atrial fibrillation following non cardiac surgery: A systematic review and metanalysis. <i>European Journal of Internal Medicine</i> , <b>2021</b> , 85, 27-33  | 3.9  | 5  |
| 615 | Red blood cell distribution width in patients undergoing transcatheter aortic valve implantation: Implications for outcomes. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e14153   | 2.9  | 1  |
| 614 | Worldwide Survey of COVID-19-Associated Arrhythmias. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2021</b> , 14, e009458   | 6.4  | 54 |
| 613 | Organization and procedures in contemporary catheter ablation centres: data from the 2018 Italian Catheter Ablation Registry. <i>Journal of Cardiovascular Medicine</i> , <b>2021</b> , 22, 631-636   | 1.9  | 1  |
| 612 | Optimizing indices of AF susceptibility and burden to evaluate AF severity, risk and outcomes. <i>Cardiovascular Research</i> , <b>2021</b> ,   | 9.9  | 16 |
| 611 | Beyond the 2020 guidelines on atrial fibrillation of the European society of cardiology. <i>European Journal of Internal Medicine</i> , <b>2021</b> , 86, 1-11  | 3.9  | 12 |
| 610 | Clinical Value of Complex Echocardiographic Left Ventricular Hypertrophy Classification Based on Concentricity, Mass, and Volume Quantification. <i>Frontiers in Cardiovascular Medicine</i> , <b>2021</b> , 8, 667984                                    | 5.4  | 2  |
| 609 | 2021 European Heart Rhythm Association Practical Guide on the Use of Non-Vitamin K Antagonist Oral Anticoagulants in Patients with Atrial Fibrillation. <i>Europace</i> , <b>2021</b> , 23, 1612-1676   | 3.9  | 99 |

|     |  |     |    |
|-----|--|-----|----|
| 608 | In- and out-of-hospital mortality for myocardial infarction during the first wave of the COVID-19 pandemic in Emilia-Romagna, Italy: A population-based observational study. <i>Lancet Regional Health - Europe, The</i> , <b>2021</b> , 3, 100055                           |     | 12 |
| 607 | Optimized implementation of cardiac resynchronization therapy: a call for action for referral and optimization of care. <i>Europace</i> , <b>2021</b> , 23, 1324-1342  | 3.9 | 4  |
| 606 | Guía ESC 2020 sobre el diagnóstico y tratamiento de la fibrilación auricular, desarrollada en colaboración de la European Association of Cardio-Thoracic Surgery (EACTS). <i>Revista Espanola De Cardiologia</i> , <b>2021</b> , 74, 437.e1-437.e116                         | 1.5 | 3  |
| 605 | Remote monitoring and telemedicine in heart failure: implementation and benefits. <i>Current Cardiology Reports</i> , <b>2021</b> , 23, 55   | 4.2 | 7  |
| 604 | Infections associated with cardiac electronic implantable devices: economic perspectives and impact of the TYRX <sup>®</sup> antibacterial envelope. <i>Europace</i> , <b>2021</b> , 23, iv33-iv44   | 3.9 | 4  |
| 603 | Impact of body mass index on the outcome of elderly patients treated with transcatheter aortic valve implantation. <i>Internal and Emergency Medicine</i> , <b>2021</b> , 1  | 3.7 | 0  |
| 602 | Catheter ablation as first-line treatment for paroxysmal atrial fibrillation: a systematic review and meta-analysis. <i>Heart</i> , <b>2021</b> , 107, 1630-1636   | 5.1 | 9  |
| 601 | Clinical Phenotype Classification of Atrial Fibrillation Patients Using Cluster Analysis and Associations with Trial-Adjudicated Outcomes. <i>Biomedicines</i> , <b>2021</b> , 9,  | 4.8 | 3  |
| 600 | Screening for Atrial Fibrillation in Relation to Stroke and Mortality Risk. <i>Thrombosis and Haemostasis</i> , <b>2021</b> ,  | 7   | 2  |
| 599 | The importance of adherence and persistence with oral anticoagulation treatment in patients with atrial fibrillation. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , <b>2021</b> , 7, f81-f83  | 6.4 | 4  |
| 598 | Cohort profile: the ESC EURObservational Research Programme Atrial Fibrillation III (AF III) Registry. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , <b>2021</b> , 7, 229-237  | 4.6 | 6  |
| 597 | Prognostic value of implantable defibrillator-computed respiratory disturbance index: The DASAP-HF study. <i>Heart Rhythm</i> , <b>2021</b> , 18, 374-381  | 6.7 | 1  |
| 596 | Relation of outcomes to ABC (Atrial Fibrillation Better Care) pathway adherent care in European patients with atrial fibrillation: an analysis from the ESC-EHRA EORP Atrial Fibrillation General Long-Term (AFGen LT) Registry. <i>Europace</i> , <b>2021</b> , 23, 174-183 | 3.9 | 28 |
| 595 | Trans-catheter valve implantation and patient outcomes: Focus on the kidney. <i>European Journal of Internal Medicine</i> , <b>2021</b> , 83, 88-89  | 3.9 |    |
| 594 | Atrial fibrillation in dilated cardiomyopathy: Outcome prediction from an observational registry. <i>International Journal of Cardiology</i> , <b>2021</b> , 323, 140-147  | 3.2 | 5  |
| 593 | Prevention of long-lasting atrial fibrillation through antitachycardia pacing in DDDR pacemakers. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e13820   | 2.9 | 1  |
| 592 | Grey zones in the practice of permanent cardiac pacing: The case of preventive pacing for improving rhythm control in atrial fibrillation. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e13728  | 2.9 | 0  |
| 591 | Permanent Atrial Fibrillation as the Terminal Stage of a Chronic Disease: Palliative Care Needs to be Considered in Selected Patients with Markedly Impaired Quality of Life. <i>Cardiology</i> , <b>2021</b> , 146, 397-399   | 1.6 |    |

|     |   |     |      |
|-----|---|-----|------|
| 590 | Anticoagulant selection in relation to the SAME-TTR score in patients with atrial fibrillation: The GLORIA-AF registry. <i>Hellenic Journal of Cardiology</i> , <b>2021</b> , 62, 152-157   | 2.1 | 1    |
| 589 | Cognitive impairment in patients with atrial fibrillation: Implications for outcome in a cohort study. <i>International Journal of Cardiology</i> , <b>2021</b> , 323, 83-89  | 3.2 | 3    |
| 588 | 2020 ESC Guidelines for the diagnosis and management of atrial fibrillation developed in collaboration with the European Association for Cardio-Thoracic Surgery (EACTS): The Task Force for the diagnosis and management of atrial fibrillation of the European Society of Cardiology (ESC) Developed with the special contribution of the European Heart Rhythm Association (EHRA) of the | 9.5 | 1676 |
| 587 | Edoxaban versus Warfarin in Patients with Atrial Fibrillation at the Extremes of Body Weight: An Analysis from the ENGAGE AF-TIMI 48 Trial. <i>Thrombosis and Haemostasis</i> , <b>2021</b> , 121, 140-149  | 7   | 8    |
| 586 | Seventeen-year trend (2001-2017) in pacemaker and implantable cardioverter-defibrillator utilization based on hospital discharge database data: An analysis by age groups. <i>European Journal of Internal Medicine</i> , <b>2021</b> , 84, 38-45   | 3.9 | 9    |
| 585 | The 4S-AF Scheme (Stroke Risk; Symptoms; Severity of Burden; Substrate): A Novel Approach to In-Depth Characterization (Rather than Classification) of Atrial Fibrillation. <i>Thrombosis and Haemostasis</i> , <b>2021</b> , 121, 270-278  | 7   | 45   |
| 584 | Sudden cardiac death in dialysis patients: different causes and management strategies. <i>Nephrology Dialysis Transplantation</i> , <b>2021</b> , 36, 396-405   | 4.3 | 16   |
| 583 | Inhibition of lysyl oxidase stimulates TGF- $\beta$ signaling and metalloproteinases-2 and -9 expression and contributes to the disruption of ascending aorta in rats: protection by propylthiouracil. <i>Heart and Vessels</i> , <b>2021</b> , 36, 738-747   | 2.1 | 2    |
| 582 | High Sensitivity C-reactive Protein (hsCRP) and its Implications in Cardiovascular Outcomes. <i>Current Pharmaceutical Design</i> , <b>2021</b> , 27, 263-275   | 3.3 | 3    |
| 581 | Red Cell Distribution Width: A Routinely Available Biomarker with Important Clinical Implications in Patients with Atrial Fibrillation. <i>Current Pharmaceutical Design</i> , <b>2021</b> , 27, 3901-3912  | 3.3 | 3    |
| 580 | Clinical Factors Associated with Atrial Fibrillation Detection on Single-Time Point Screening Using a Hand-Held Single-Lead ECG Device. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,   | 5.1 | 11   |
| 579 | Infective endocarditis with perivalvular abscess complicated by septic embolization with acute ST-segment elevation myocardial infarction and peripheral ischemia. <i>IJC Heart and Vasculature</i> , <b>2021</b> , 32, 100711  | 2.4 |      |
| 578 | Percutaneous pericardiocentesis for pericardial effusion: predictors of mortality and outcomes. <i>Internal and Emergency Medicine</i> , <b>2021</b> , 16, 1771-1777  | 3.7 | 3    |
| 577 | Cost-Effectiveness Analyses of an Absorbable Antibacterial Envelope for Use in Patients at Increased Risk of Cardiac Implantable Electronic Device Infection in Germany, Italy, and England. <i>Value in Health</i> , <b>2021</b> , 24, 930-938   | 3.3 | 6    |
| 576 | Cost-minimization analysis of a wearable cardioverter defibrillator in adult patients undergoing ICD explant procedures: Clinical and economic implications. <i>Clinical Cardiology</i> , <b>2021</b> , 44, 1497-1505   | 3.3 | 3    |
| 575 | Evaluation and management of cancer patients presenting with acute cardiovascular disease: a Consensus Document of the Acute CardioVascular Care (ACVC) association and the ESC council of Cardio-Oncology-Part 1: acute coronary syndromes and acute pericardial diseases. <i>European Heart Journal: Acute Cardiovascular Care</i> , <b>2021</b> , 10, 947-959                            | 4.3 | 5    |
| 574 | 2021 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy. <i>European Heart Journal</i> , <b>2021</b> , 42, 3427-3520  | 9.5 | 134  |
| 573 | Medical therapies for prevention of cardiovascular and renal events in patients with atrial fibrillation and diabetes mellitus. <i>Europace</i> , <b>2021</b> , 23, 1873-1891   | 3.9 | 2    |

|     |  |     |    |
|-----|--|-----|----|
| 572 | Real-world applicability and impact of early rhythm control for European patients with atrial fibrillation: a report from the ESC-EHRA EORP-AF Long-Term General Registry. <i>Clinical Research in Cardiology</i> , <b>2021</b> , 1  | 6.1 | 4  |
| 571 | Reshaping of Italian Echocardiographic Laboratories Activities during the Second Wave of COVID-19 Pandemic and Expectations for the Post-Pandemic Era. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,   | 5.1 | 1  |
| 570 | 2021 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy. <i>Europace</i> , <b>2021</b> ,   | 3.9 | 6  |
| 569 | European Society of Cardiology Quality Indicators for the care and outcomes of cardiac pacing: developed by the Working Group for Cardiac Pacing Quality Indicators in collaboration with the European Heart Rhythm Association of the European Society of Cardiology. <i>Europace</i> , <b>2021</b> , | 3.9 | 2  |
| 568 | Characterization of atrial fibrillation in real-world patients: testing the 4S-AF scheme in the Spanish and French cohorts of the EORP-AF Long-Term General Registry. <i>Europace</i> , <b>2021</b> ,  | 3.9 | 1  |
| 567 | Prevalence, management and impact of chronic obstructive pulmonary disease in atrial fibrillation: a systematic review and meta-analysis of 4,200,000 patients. <i>European Heart Journal</i> , <b>2021</b> , 42, 3541-3554  | 9.5 | 7  |
| 566 | Updating a simple clinical score predicting incident atrial fibrillation: The CHEST score or more (mCHEST)?. <i>European Journal of Internal Medicine</i> , <b>2021</b> , 90, 27-29  | 3.9 | 1  |
| 565 | Comparing Outcomes in Asymptomatic and Symptomatic Atrial Fibrillation: A Systematic Review and Meta-Analysis of 81,462 Patients. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,  | 5.1 | 4  |
| 564 | Comparison of HAS-BLED and ORBIT Bleeding Risk Scores in AF Patients treated with NOACs: A Report from the ESC-EHRA EORP-AF General Long-Term Registry. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , <b>2021</b> ,  | 4.6 | 5  |
| 563 | Burden of disease and costs of infections associated with cardiac implantable electronic devices. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , <b>2021</b> , 1-10   | 2.2 | 1  |
| 562 | How did COVID-19 affect medical and cardiology journals? A pandemic in literature. <i>Journal of Cardiovascular Medicine</i> , <b>2021</b> , 22, 840-847   | 1.9 | 2  |
| 561 | Atrial fibrillation is related to higher mortality in COVID-19/SARS-CoV-2 pneumonia infection. <i>Cardiology Journal</i> , <b>2021</b> ,   | 1.4 | 1  |
| 560 | Impact of COVID-19 Pandemic on Remote Monitoring of Cardiac Implantable Electronic Devices in Italy: Results of a Survey Promoted by AIAC (Italian Association of Arrhythmology and Cardiac Pacing). <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,   | 5.1 | 2  |
| 559 | Device-detected atrial high rate episodes and the risk of stroke/thrombo-embolism and atrial fibrillation incidence: a systematic review and meta-analysis. <i>European Journal of Internal Medicine</i> , <b>2021</b> , 92, 100-106   | 3.9 | 7  |
| 558 | Effects of sildenafil on right ventricle remodelling in Portopulmonary hypertension. <i>Pulmonary Pharmacology and Therapeutics</i> , <b>2021</b> , 70, 102071   | 3.5 | 1  |
| 557 | Clinical and electrocardiographic characteristics at admission of COVID-19/SARS-CoV2 pneumonia infection. <i>Internal and Emergency Medicine</i> , <b>2021</b> , 16, 1451-1456   | 3.7 | 11 |
| 556 | Influence of BMI and geographical region on prescription of oral anticoagulants in newly diagnosed atrial fibrillation: The GLORIA-AF Registry Program. <i>European Journal of Internal Medicine</i> , <b>2020</b> , 80, 35-44   | 3.9 | 5  |
| 555 | Complicated myocardial infarction in a 99-year-old lady in the era of COVID-19 pandemic: from the need to rule out coronavirus infection to emergency percutaneous coronary angioplasty. <i>Internal and Emergency Medicine</i> , <b>2020</b> , 15, 835-839  | 3.7 | 4  |



|     |  |      |    |
|-----|--|------|----|
| 554 | Edoxaban and the Issue of Drug-Drug Interactions: From Pharmacology to Clinical Practice. <i>Drugs</i> , <b>2020</b> , 80, 1065-1083   | 12.1 | 13 |
| 553 | Protective role of chronic treatment with direct oral anticoagulants in elderly patients affected by interstitial pneumonia in COVID-19 era. <i>European Journal of Internal Medicine</i> , <b>2020</b> , 77, 158-160  | 3.9  | 43 |
| 552 | The Euro Heart Survey and EURObservational Research Programme (EORP) in atrial fibrillation registries: contribution to epidemiology, clinical management and therapy of atrial fibrillation patients over the last 20 years. <i>Internal and Emergency Medicine</i> , <b>2020</b> , 15, 1183-1192   | 3.7  | 16 |
| 551 | Effects of Anti-vitamin k oral anticoagulants on bone and cardiovascular health. <i>European Journal of Internal Medicine</i> , <b>2020</b> , 79, 1-11   | 3.9  | 2  |
| 550 | Effect on mortality of different routes of administration and loading dose of aspirin in patients with ST-segment elevation acute myocardial infarction treated with primary angioplasty. <i>Coronary Artery Disease</i> , <b>2020</b> , 31, 348-353   | 1.4  | 1  |
| 549 | Driving restriction in patients with cardiac implantable electronic devices: an overview of worldwide regulations. <i>Expert Review of Medical Devices</i> , <b>2020</b> , 17, 297-308   | 3.5  | 2  |
| 548 | Cardiac implantable electrical devices in patients with hypertrophic cardiomyopathy: single center implant data extracted from the Swedish pacemaker and ICD registry. <i>Scandinavian Cardiovascular Journal</i> , <b>2020</b> , 54, 239-247  | 2    | 2  |
| 547 | Intrahospital organizational model of remote monitoring data sharing, for a global management of patients with cardiac implantable electronic devices: a document of the Italian Association of Arrhythmology and Cardiac Pacing. <i>Journal of Cardiovascular Medicine</i> , <b>2020</b> , 21, 171-181  | 1.9  | 14 |
| 546 | Cytokine Profile in Striated Muscle Laminopathies: New Promising Biomarkers for Disease Prediction. <i>Cells</i> , <b>2020</b> , 9,  | 7.9  | 2  |
| 545 | Kidney dysfunction and short term all-cause mortality after transcatheter aortic valve implantation. <i>European Journal of Internal Medicine</i> , <b>2020</b> , 81, 32-37  | 3.9  | 5  |
| 544 | European Heart Rhythm Association (EHRA) international consensus document on how to prevent, diagnose, and treat cardiac implantable electronic device infections-endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), the Latin American Heart Rhythm Society (LAHRS), International Society for Cardiovascular Infectious Diseases (ISCVID), and the Cardiac arrest: The need for integrated multi-disciplinary actions for a continuum of care both in acute and at long-term. <i>European Journal of Internal Medicine</i> , <b>2020</b> , 74, 37-39 | 9.5  | 35 |
| 543 | Cardiac arrest: The need for integrated multi-disciplinary actions for a continuum of care both in acute and at long-term. <i>European Journal of Internal Medicine</i> , <b>2020</b> , 74, 37-39  | 3.9  | 32 |
| 542 | One-year clinical events and management of patients with atrial fibrillation hospitalized in cardiology centers: Data from the BLITZ-AF study. <i>European Journal of Internal Medicine</i> , <b>2020</b> , 74, 55-60  | 3.9  | 6  |
| 541 | A giant right coronary artero-venous fistula revealed by an integrated multimodality imaging approach. <i>Internal and Emergency Medicine</i> , <b>2020</b> , 15, 1331-1332  | 3.7  |    |
| 540 | Prevention of Device Infection: Procedural Aspects, Drugs, and Preventive Tools <b>2020</b> , 177-208  |      |    |
| 539 | COVID-19 pandemic: usefulness of telemedicine in management of arrhythmias in elderly people. <i>Journal of Geriatric Cardiology</i> , <b>2020</b> , 17, 593-596   | 1.7  | 5  |
| 538 | Infection of Cardiac Implantable Electrical Devices: An Emerging Epidemiological Issue <b>2020</b> , 1-16  |      |    |
| 537 | From meta-analysis to the individual patient with atrial fibrillation and coronary artery disease: the complexity of antithrombotic treatment in real-world clinical practice and the need for a tailored approach. <i>European Journal of Internal Medicine</i> , <b>2020</b> , 77, 27-29   | 3.9  | 2  |

|     |   |      |    |
|-----|---|------|----|
| 536 | European Heart Rhythm Association (EHRA) international consensus document on how to prevent, diagnose, and treat cardiac implantable electronic device infections-endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), the Latin American Heart Rhythm Society (LAHRS), International Society for Cardiovascular Infectious Diseases (ISCVID) and the                     | 3.9  | 82 |
| 535 | Managing atrial fibrillation: the need for an individualized approach even in the emergency with department. <i>Internal and Emergency Medicine</i> , <b>2020</b> , 15, 9-12-549  | 3.7  | 6  |
| 534 | Shoulder Function After Cardioverter-Defibrillator Implantation: 5-Year Follow-up. <i>Annals of Thoracic Surgery</i> , <b>2020</b> , 110, 608-614   | 2.7  | 1  |
| 533 | European Heart Rhythm Association (EHRA) international consensus document on how to prevent, diagnose, and treat cardiac implantable electronic device infections-endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), the Latin American Heart Rhythm Society (LAHRS), International Society for Cardiovascular Infectious Diseases (ISCVID) and the                     | 3    | 22 |
| 532 | 'Real-world' observational studies in arrhythmia research: data sources, methodology, and interpretation. A position document from European Heart Rhythm Association (EHRA), endorsed by Heart Rhythm Society (HRS), Asia-Pacific HRS (APHRS), and Latin America HRS (LAHRS). <i>Europace</i> , <b>2020</b> , 22, 831-832   | 3.9  | 14 |
| 531 | Radiotherapy-induced malfunctions of cardiac implantable electronic devices in cancer patients. <i>Internal and Emergency Medicine</i> , <b>2020</b> , 15, 967-973  | 3.7  | 5  |
| 530 | Cost-Effectiveness of an Antibacterial Envelope for Cardiac Implantable Electronic Device Infection Prevention in the US Healthcare System From the WRAP-IT Trial. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2020</b> , 13, e008503   | 6.4  | 16 |
| 529 | Cardiac Electronic Devices: Future Directions and Challenges. <i>Medical Devices: Evidence and Research</i> , <b>2020</b> , 13, 325-338   | 1.5  | 7  |
| 528 | Consumer-led screening for atrial fibrillation using consumer-facing wearables, devices and apps: A survey of health care professionals by AF-SCREEN international collaboration. <i>European Journal of Internal Medicine</i> , <b>2020</b> , 82, 97-104   | 3.9  | 17 |
| 527 | Protective role of statins in COVID 19 patients: importance of pharmacokinetic characteristics rather than intensity of action. <i>Internal and Emergency Medicine</i> , <b>2020</b> , 15, 1573-1576  | 3.7  | 36 |
| 526 | Continuous monitoring of sleep-disordered breathing with pacemakers: Indexes for risk stratification of atrial fibrillation and risk of stroke. <i>Clinical Cardiology</i> , <b>2020</b> , 43, 1609-1615  | 3.3  | 2  |
| 525 | Optimal Use of Echocardiography in Management of Thrombosis After Anterior Myocardial Infarction. <i>Echocardiography</i> , <b>2020</b> , 37, 1287-1295   | 1.5  | 4  |
| 524 | Degree of left ventricular dilatation at end-diastole: Correlation and prognostic utility of quantitative volumes by 2D-echocardiography versus linear dimensions in patients with asymptomatic aortic regurgitation. <i>Echocardiography</i> , <b>2020</b> , 37, 1336-1344   | 1.5  | 1  |
| 523 | Antithrombotic treatment in atrial fibrillation patients undergoing percutaneous coronary interventions: focus on stent thrombosis. <i>Expert Review of Cardiovascular Therapy</i> , <b>2020</b> , 18, 587-600  | 2.5  | 3  |
| 522 | Optimized implementation of cardiac resynchronization therapy: a call for action for referral and optimization of care: A joint position statement from the Heart Failure Association (HFA), European Heart Rhythm Association (EHRA), and European Association of Cardiovascular Imaging (EACVI) of the European Society of Cardiology. <i>European Journal of Heart Failure</i> , <b>2020</b> , 22, 2349-2369 | 12.3 | 38 |
| 521 | Impact of COVID-19 pandemic on the clinical activities related to arrhythmias and electrophysiology in Italy: results of a survey promoted by AIAC (Italian Association of Arrhythmology and Cardiac Pacing). <i>Internal and Emergency Medicine</i> , <b>2020</b> , 15, 1445-1456  | 3.7  | 29 |
| 520 | Temporary transvenous cardiac pacing: a survey on current practice. <i>Journal of Cardiovascular Medicine</i> , <b>2020</b> , 21, 420-427   | 1.9  | 6  |
| 519 | What do we do about atrial high rate episodes?. <i>European Heart Journal Supplements</i> , <b>2020</b> , 22, O42-O52   | 1.5  | 12 |



|     |  |      |    |
|-----|--|------|----|
| 518 | Association between clinical risk scores and mortality in atrial fibrillation: Systematic review and network meta-regression of 669,000 patients. <i>European Journal of Preventive Cardiology</i> , <b>2020</b> , 27, 633-644   | 3.9  | 11 |
| 517 | Are atrial high rate episodes (AHREs) a precursor to atrial fibrillation?. <i>Clinical Research in Cardiology</i> , <b>2020</b> , 109, 409-416   | 6.1  | 13 |
| 516 | Obesity Paradox in Atrial Fibrillation: Implications for Outcomes and Relationship with Oral Anticoagulant Drugs. <i>American Journal of Cardiovascular Drugs</i> , <b>2020</b> , 20, 125-137  | 4    | 6  |
| 515 | Female sex and stroke in atrial fibrillation: an intriguing relationship. <i>Internal and Emergency Medicine</i> , <b>2020</b> , 15, 175-179   | 3.7  | 2  |
| 514 | Temporal patterns of premature atrial complexes predict atrial fibrillation occurrence in bradycardia patients continuously monitored through pacemaker diagnostics. <i>Internal and Emergency Medicine</i> , <b>2020</b> , 15, 599-606  | 3.7  | 2  |
| 513 | Impact of Cardiac Implantable Electronic Device Infection: A Clinical and Economic Analysis of the WRAP-IT Trial. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2020</b> , 13, e008280   | 6.4  | 14 |
| 512 | Usefulness of Red Cells Distribution Width to Predict Worse Outcomes in Patients With Atrial Fibrillation. <i>American Journal of Cardiology</i> , <b>2019</b> , 124, 1561-1567  | 3    | 9  |
| 511 | Cancer and atrial fibrillation. Author's reply. <i>European Journal of Internal Medicine</i> , <b>2019</b> , 62, e24-e25   | 3.9  |    |
| 510 | Clinical practice and implementation of guidelines for the prevention, diagnosis and management of cardiac implantable electronic device infections: results of a worldwide survey under the auspices of the European Heart Rhythm Association. <i>Europace</i> , <b>2019</b> , 21, 1270-1279  | 3.9  | 29 |
| 509 | Imaging functional stress test for stable chest pain symptoms in patients at low pretest probability of coronary artery disease: Current practice and long-term outcome. <i>Echocardiography</i> , <b>2019</b> , 36, 1095-1102   | 1.5  | 3  |
| 508 | Clinical characteristics of heart failure patients undergoing atrial fibrillation ablation today in Europe. Data from the atrial fibrillation registries of the European Society of Cardiology and the European Heart Rhythm Association. <i>European Journal of Heart Failure</i> , <b>2019</b> , 21, 690-693   | 12.3 | 2  |
| 507 | Association between antithrombotic treatment and outcomes at 1-year follow-up in patients with atrial fibrillation: the EORP-AF General Long-Term Registry. <i>Europace</i> , <b>2019</b> , 21, 1013-1022  | 3.9  | 28 |
| 506 | Remodeling classification system considering left ventricular volume in patients with aortic valve stenosis: Association with adverse cardiovascular outcomes. <i>Echocardiography</i> , <b>2019</b> , 36, 639-650   | 1.5  | 4  |
| 505 | Reactive atrial-based antitachycardia pacing therapy reduces atrial tachyarrhythmias. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2019</b> , 42, 970-979  | 1.6  | 11 |
| 504 | Stroke Prevention, Evaluation of Bleeding Risk, and Anticoagulant Treatment Management in Atrial Fibrillation Contemporary International Guidelines. <i>Canadian Journal of Cardiology</i> , <b>2019</b> , 35, 619-633   | 3.8  | 35 |
| 503 | European Heart Rhythm Association (EHRA) consensus document on management of arrhythmias and cardiac electronic devices in the critically ill and post-surgery patient, endorsed by Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS), Cardiac Arrhythmia Society of Southern Africa (CASSA), and Latin American Heart Rhythm Society (LAHRS). <i>Europace</i> , <b>2019</b> , 21, 7-8 | 3.9  | 48 |
| 502 | Management of atrial fibrillation in the emergency room and in the cardiology ward: the BLITZ AF study. <i>Europace</i> , <b>2019</b> , 21, 230-238  | 3.9  | 13 |
| 501 | Lead choice in cardiac implantable electronic devices: an Italian survey promoted by AIAC (Italian Association of Arrhythmias and Cardiac Pacing). <i>Expert Review of Medical Devices</i> , <b>2019</b> , 16, 821-828   | 3.5  | 1  |

|     |   |      |    |
|-----|---|------|----|
| 500 | Infective endocarditis in patients with cardiac implantable electronic devices: Impact of comorbidities on outcome. <i>European Journal of Internal Medicine</i> , <b>2019</b> , 66, e9-e10   | 3.9  | 4  |
| 499 | Safety and efficacy of dronedarone from clinical trials to real-world evidence: implications for its use in atrial fibrillation. <i>Europace</i> , <b>2019</b> , 21, 1764-1775  | 3.9  | 5  |
| 498 | Oral anticoagulation for subclinical atrial tachyarrhythmias detected by implantable cardiac devices: an international survey of the AF-SCREEN Group. <i>International Journal of Cardiology</i> , <b>2019</b> , 296, 65-70   | 3.2  | 9  |
| 497 | Early or Delayed Cardioversion in Recent-Onset Atrial Fibrillation. <i>New England Journal of Medicine</i> , <b>2019</b> , 381, 385-386   | 59.2 | 1  |
| 496 | Favorable Trend of Implantable Cardioverter-Defibrillator Service Life in a Large Single-Nation Population: Insights From 10-Year Analysis of the Italian Implantable Cardioverter-Defibrillator Registry. <i>Journal of the American Heart Association</i> , <b>2019</b> , 8, e012759  | 6    | 7  |
| 495 | Cardiac arrhythmias in the emergency settings of acute coronary syndrome and revascularization: an European Heart Rhythm Association (EHRA) consensus document, endorsed by the European Association of Percutaneous Cardiovascular Interventions (EAPCI), and European Acute Cardiovascular Care Association (EACVA). <i>Europace</i> , <b>2019</b> , 21, 1688-1694                | 3.9  | 33 |
| 494 | Occurrence of atrial fibrillation in pacemaker patients and its association with sleep apnea and heart rate variability. <i>European Journal of Internal Medicine</i> , <b>2019</b> , 68, 13-17   | 3.9  | 5  |
| 493 | Atrial high rate episodes in patients with cardiac implantable electronic devices: implications for clinical outcomes. <i>Clinical Research in Cardiology</i> , <b>2019</b> , 108, 1034-1041  | 6.1  | 13 |
| 492 | EHRA White Paper: knowledge gaps in arrhythmia management-status 2019. <i>Europace</i> , <b>2019</b> , 21, 993-994  | 3.9  | 23 |
| 491 | Management of asymptomatic arrhythmias: a European Heart Rhythm Association (EHRA) consensus document, endorsed by the Heart Failure Association (HFA), Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS), Cardiac Arrhythmia Society of Southern Africa (CASSA), and Latin America Heart Rhythm Society (LAHRS). <i>Europace</i> , <b>2019</b> , 21, 1695-1701 | 3.9  | 30 |
| 490 | Differences in cardiac phenotype and natural history of laminopathies with and without neuromuscular onset. <i>Orphanet Journal of Rare Diseases</i> , <b>2019</b> , 14, 263  | 4.2  | 9  |
| 489 | Nationwide survey on the current practice of ventricular tachycardia ablation. <i>Journal of Cardiovascular Medicine</i> , <b>2019</b> , 20, 597-605  | 1.9  | 2  |
| 488 | Long-Term Relationship Between Atrial Fibrillation, Multimorbidity and Oral Anticoagulant Drug Use. <i>Mayo Clinic Proceedings</i> , <b>2019</b> , 94, 2427-2436  | 6.4  | 36 |
| 487 | Searching for Atrial Fibrillation Poststroke: A White Paper of the AF-SCREEN International Collaboration. <i>Circulation</i> , <b>2019</b> , 140, 1834-1850   | 16.7 | 93 |
| 486 | The role of physical activity in individuals with cardiovascular risk factors: an opinion paper from Italian Society of Cardiology-Emilia Romagna-Marche and SIC-Sport. <i>Journal of Cardiovascular Medicine</i> , <b>2019</b> , 20, 631-639   | 1.9  | 21 |
| 485 | Clinical and organizational management of cardiac implantable electronic device replacements: an Italian Survey promoted by AIAC (Italian Association of Arrhythmology and Cardiac Pacing). <i>Journal of Cardiovascular Medicine</i> , <b>2019</b> , 20, 531-541   | 1.9  | 7  |
| 484 | Neuro-arrhythmology: a challenging field of action and research: a review from the Task Force of Neuro-arrhythmology of Italian Association of Arrhythmias and Cardiac Pacing. <i>Journal of Cardiovascular Medicine</i> , <b>2019</b> , 20, 731-744  | 1.9  | 8  |
| 483 | Home care for heart failure: can caregiver education prevent hospital admissions? A randomized trial in primary care. <i>Journal of Cardiovascular Medicine</i> , <b>2019</b> , 20, 30-38   | 1.9  | 8  |

|     |   |     |     |
|-----|---|-----|-----|
| 482 | Contribution of PET imaging to mortality risk stratification in candidates to lead extraction for pacemaker or defibrillator infection: a prospective single center study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2019</b> , 46, 194-205                        | 8.8 | 27  |
| 481 | Corrected QT Interval Prolongation in Psychopharmacological Treatment and Its Modulation by Genetic Variation. <i>Neuropsychobiology</i> , <b>2019</b> , 77, 67-72  | 4   | 5   |
| 480 | Cardiac resynchronization therapy: need to synchronize patients and device longevities with comorbidities. <i>Europace</i> , <b>2019</b> , 21, 683-685  | 3.9 | 1   |
| 479 | Impact of Body Mass Index on Outcomes in the Edoxaban Versus Warfarin Therapy Groups in Patients Underwent Cardioversion of Atrial Fibrillation (from ENSURE-AF). <i>American Journal of Cardiology</i> , <b>2019</b> , 123, 592-597  | 3   | 6   |
| 478 | New classification of geometric patterns considering left ventricular volume in patients with chronic aortic valve regurgitation: Prevalence and association with adverse cardiovascular outcomes. <i>Echocardiography</i> , <b>2019</b> , 36, 38-46  | 1.5 | 3   |
| 477 | Direct oral anticoagulants vs non-vitamin K antagonist in atrial fibrillation: A prospective, propensity score adjusted cohort study. <i>European Journal of Internal Medicine</i> , <b>2019</b> , 62, 9-16   | 3.9 | 11  |
| 476 | Relationship between body mass index and outcomes in patients with atrial fibrillation treated with edoxaban or warfarin in the ENGAGE AF-TIMI 48 trial. <i>European Heart Journal</i> , <b>2019</b> , 40, 1541-1550  | 9.5 | 53  |
| 475 | Effect of PR interval and pacing mode on persistent atrial fibrillation incidence in dual chamber pacemaker patients: a sub-study of the international randomized MINERVA trial. <i>Europace</i> , <b>2019</b> , 21, 636-644  | 3.9 | 12  |
| 474 | Atrial fibrillation in patients with active malignancy and use of anticoagulants: Under-prescription but no adverse impact on all-cause mortality. <i>European Journal of Internal Medicine</i> , <b>2019</b> , 59, 27-33   | 3.9 | 18  |
| 473 | Effects of cardiac resynchronization therapy on right ventricular function during rest and exercise, as assessed by radionuclide angiography, and on NT-proBNP levels. <i>Journal of Nuclear Cardiology</i> , <b>2019</b> , 26, 123-132   | 2.1 | 4   |
| 472 | Chronic kidney disease and arrhythmias: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>European Heart Journal</i> , <b>2018</b> , 39, 2314-2325  | 9.5 | 104 |
| 471 | Practical management of ibrutinib in the real life: Focus on atrial fibrillation and bleeding. <i>Hematological Oncology</i> , <b>2018</b> , 36, 624-632  | 1.3 | 36  |
| 470 | Clinically oriented device programming in bradycardia patients: part 2 (atrioventricular blocks and neurally mediated syncope). Proposals from AIAC (Italian Association of Arrhythmology and Cardiac Pacing). <i>Journal of Cardiovascular Medicine</i> , <b>2018</b> , 19, 170-180            | 1.9 | 12  |
| 469 | Clinically oriented device programming in bradycardia patients: part 1 (sinus node disease). Proposals from AIAC (Italian Association of Arrhythmology and Cardiac Pacing). <i>Journal of Cardiovascular Medicine</i> , <b>2018</b> , 19, 161-169   | 1.9 | 17  |
| 468 | Role of cardiovascular imaging in cardiac resynchronization therapy: a literature review. <i>Journal of Cardiovascular Medicine</i> , <b>2018</b> , 19, 211-222   | 1.9 | 8   |
| 467 | Physical Activity Measured by Implanted Devices Predicts Atrial Arrhythmias and Patient Outcome: Results of IMPLANTED (Italian Multicentre Observational Registry on Patients With Implantable Devices Remotely Monitored). <i>Journal of the American Heart Association</i> , <b>2018</b> , 7, | 6   | 18  |
| 466 | Cardiac resynchronization therapy: How did consensus guidelines from Europe and the United States evolve in the last 15 years?. <i>International Journal of Cardiology</i> , <b>2018</b> , 261, 119-129   | 3.2 | 11  |
| 465 | Management and prognosis of atrial fibrillation in diabetic patients: an EORP-AF General Pilot Registry report. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , <b>2018</b> , 4, 172-179   | 6.4 | 24  |

|     |   |      |      |
|-----|---|------|------|
| 464 | Letter responding to Screening for atrial fibrillation: a European Heart Rhythm Association (EHRA) consensus document endorsed by the Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS), and Sociedad Latinoamericana de Estimulación Cardíaca y Electrofisiología (SOLAECE)-Authors' reply. <i>Europace</i> , <b>2018</b> , <i>20</i> , 893-894                    | 3.9  | 0    |
| 463 | Clinical Course and Quality of Life in High-Risk Patients With Hypertrophic Cardiomyopathy and Implantable Cardioverter-Defibrillators. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2018</b> , <i>11</i> , e005820  | 6.4  | 26   |
| 462 | Contemporary stroke prevention strategies in 11 096 European patients with atrial fibrillation: a report from the EURObservational Research Programme on Atrial Fibrillation (EORP-AF) Long-Term General Registry. <i>Europace</i> , <b>2018</b> , <i>20</i> , 747-757  | 3.9  | 81   |
| 461 | Five year trends (2008-2012) in cardiac implantable electrical device utilization in five European nations: a case study in cross-country comparisons using administrative databases. <i>Europace</i> , <b>2018</b> , <i>20</i> , 643-653   | 3.9  | 8    |
| 460 | Antiarrhythmic drugs-clinical use and clinical decision making: a consensus document from the European Heart Rhythm Association (EHRA) and European Society of Cardiology (ESC) Working Group on Cardiovascular Pharmacology, endorsed by the Heart Rhythm Society (HRS), Asia-Pacific Heart Rhythm Society (APHRS) and International Society of Cardiovascular Pharmacotherapy (ISCP). | 3.9  | 81   |
| 459 | Overweight and obesity in patients with atrial fibrillation: Sex differences in 1-year outcomes in the EORP-AF General Pilot Registry. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2018</b> , <i>29</i> , 566-572   | 2.7  | 16   |
| 458 | European Society of Cardiology: Cardiovascular Disease Statistics 2017. <i>European Heart Journal</i> , <b>2018</b> , <i>39</i> , 508-579   | 9.5  | 395  |
| 457 | Management of patients with cardiac implantable electronic devices (CIED) undergoing radiotherapy: A consensus document from Associazione Italiana Aritmologia e Cardiostimolazione (AIAC), Associazione Italiana Radioterapia Oncologica (AIRO), Associazione Italiana Fisica Medica   | 3.2  | 35   |
| 456 | Atrioventricular junction ablation in patients with atrial fibrillation treated with cardiac resynchronization therapy: positive impact on ventricular arrhythmias, implantable cardioverter-defibrillator therapies and hospitalizations. <i>European Journal of Heart Failure</i> , <b>2018</b> , <i>20</i> , 1472-1481   | 12.3 | 19   |
| 455 | Integrating new approaches to atrial fibrillation management: the 6th AFNET/EHRA Consensus Conference. <i>Europace</i> , <b>2018</b> , <i>20</i> , 395-407  | 3.9  | 66   |
| 454 | Elevated TGF- $\beta$ serum levels in Emery-Dreifuss Muscular Dystrophy: Implications for myocyte and tenocyte differentiation and fibrogenic processes. <i>Nucleus</i> , <b>2018</b> , <i>9</i> , 292-304  | 3.9  | 15   |
| 453 | In Memoriam Luigi Padeletti: an Italian Scientist, an Italian Maestro, an Italian Friend. <i>Europace</i> , <b>2018</b> , <i>20</i> , 1063-1064   | 3.9  |      |
| 452 | 2018 EHRA expert consensus statement on lead extraction: recommendations on definitions, endpoints, research trial design, and data collection requirements for clinical scientific studies and registries: endorsed by APHRS/HRS/LAHRs. <i>Europace</i> , <b>2018</b> , <i>20</i> , 1217   | 3.9  | 126  |
| 451 | Atrial fibrillation and prediction of mortality by conventional clinical score systems according to the setting of care. <i>International Journal of Cardiology</i> , <b>2018</b> , <i>261</i> , 73-77  | 3.2  | 5    |
| 450 | European Heart Rhythm Association (EHRA) position paper on arrhythmia management and device therapies in endocrine disorders, endorsed by Asia Pacific Heart Rhythm Society (APHRS) and Latin American Heart Rhythm Society (LAHRs). <i>Europace</i> , <b>2018</b> , <i>20</i> , 895-896  | 3.9  | 13   |
| 449 | The 2018 European Heart Rhythm Association Practical Guide on the use of non-vitamin K antagonist oral anticoagulants in patients with atrial fibrillation: executive summary. <i>Europace</i> , <b>2018</b> , <i>20</i> , 1231-1242  | 3.9  | 148  |
| 448 | The 2018 European Heart Rhythm Association Practical Guide on the use of non-vitamin K antagonist oral anticoagulants in patients with atrial fibrillation. <i>European Heart Journal</i> , <b>2018</b> , <i>39</i> , 1330-1393   | 9.5  | 1094 |
| 447 | Rate vs. rhythm control and adverse outcomes among European patients with atrial fibrillation. <i>Europace</i> , <b>2018</b> , <i>20</i> , 243-252  | 3.9  | 28   |

|     |   |     |     |
|-----|---|-----|-----|
| 446 | Role of the tricuspid regurgitation after mitralclip and transcatheter aortic valve implantation: a systematic review and meta-analysis. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2018</b> , 19, 654-659   | 4.1 | 16  |
| 445 | Cardiac resynchronization therapy and electrical storm: results of the OBSERVational registry on long-term outcome of ICD patients (OBSERVO-ICD). <i>Europace</i> , <b>2018</b> , 20, 979-985   | 3.9 | 17  |
| 444 | Risk stratification of cardiovascular and heart failure hospitalizations using integrated device diagnostics in patients with a cardiac resynchronization therapy defibrillator. <i>Europace</i> , <b>2018</b> , 20, e69-e77  | 3.9 | 14  |
| 443 | Acute hemodynamic effects of intravenous adenosine in patients with associated pulmonary arterial hypertension: Comparison with intravenous epoprostenol. <i>Pulmonary Pharmacology and Therapeutics</i> , <b>2018</b> , 49, 147-151  | 3.5 | 2   |
| 442 | Implantable cardioverter-defibrillator-computed respiratory disturbance index accurately identifies severe sleep apnea: The DASAP-HF study. <i>Heart Rhythm</i> , <b>2018</b> , 15, 211-217   | 6.7 | 12  |
| 441 | The "Subtle" connection between development of cardiac implantable electrical device infection and survival after complete system removal: An observational prospective multicenter study. <i>International Journal of Cardiology</i> , <b>2018</b> , 250, 146-149  | 3.2 | 18  |
| 440 | Predictors of long-term survival free from relapses after extraction of infected CIED. <i>Europace</i> , <b>2018</b> , 20, 1018-1027  | 3.9 | 27  |
| 439 | European Heart Rhythm Association (EHRA) consensus document on the management of supraventricular arrhythmias, endorsed by Heart Rhythm Society (HRS), Asia-Pacific Heart Rhythm Society (APHRS), and Sociedad Latinoamericana de Estimulaci3n Cardiac y Electrofisiologia (SOLAECE). <i>European Heart Journal</i> , <b>2018</b> , 39, 1442-1445 | 9.5 | 24  |
| 438 | Impact of pacemaker longevity on expected device replacement rates: Results from computer simulations based on a multicenter registry (ESSENTIAL). <i>Clinical Cardiology</i> , <b>2018</b> , 41, 1185-1191   | 3.3 | 4   |
| 437 | Changes to oral anticoagulant therapy and risk of death over a 3-year follow-up of a contemporary cohort of European patients with atrial fibrillation final report of the EURObservational Research Programme on Atrial Fibrillation (EORP-AF) pilot general registry. <i>International Journal of Cardiology</i> , <b>2018</b> , 271, 60-71     | 3.2 | 23  |
| 436 | Variations in clinical management of non-vitamin K antagonist oral anticoagulants in patients with atrial fibrillation according to different equations for estimating renal function : Post hoc analysis of a prospective cohort. <i>Internal and Emergency Medicine</i> , <b>2018</b> , 13, 1059-1067   | 3.7 | 13  |
| 435 | Cardiolaminopathies from bench to bedside: challenges in clinical decision-making with focus on arrhythmia-related outcomes. <i>Nucleus</i> , <b>2018</b> , 9, 442-459  | 3.9 | 12  |
| 434 | Antithrombotic Therapy for Atrial Fibrillation: CHEST Guideline and Expert Panel Report. <i>Chest</i> , <b>2018</b> , 154, 1121-1201  | 5.3 | 502 |
| 433 | Long-term progression of rhythm and conduction disturbances in pacemaker recipients: findings from the Pacemaker Expert Programming study. <i>Journal of Cardiovascular Medicine</i> , <b>2018</b> , 19, 357-365  | 1.9 | 6   |
| 432 | Efficacy of cardiac resynchronization therapy in patients with isolated ventricular noncompaction with dilated cardiomyopathy: a systematic review of the literature. <i>Journal of Cardiovascular Medicine</i> , <b>2018</b> , 19, 324-328   | 1.9 | 4   |
| 431 | Meta-analysis of Clinical Outcomes of Electrical Cardioversion and Catheter Ablation in Patients with Atrial Fibrillation and Chronic Kidney Disease. <i>Current Pharmaceutical Design</i> , <b>2018</b> , 24, 2794-2801  | 3.3 | 8   |
| 430 | 12-year Temporal Trend in Referral Pattern and Test Results of Stress Echocardiography in a Tertiary Care Referral Center with Moderate Volume Activities and Cath-lab Facility. <i>Journal of Cardiovascular Echography</i> , <b>2018</b> , 28, 32-38  | 0.6 | 2   |
| 429 | European Society of Cardiology-Proposed Diagnostic Echocardiographic Algorithm in Elective Patients with Clinical Suspicion of Infective Endocarditis: Diagnostic Yield and Prognostic Implications in Clinical Practice. <i>Journal of Cardiovascular Echography</i> , <b>2018</b> , 28, 26-31   | 0.6 | 3   |



|     |   |      |     |
|-----|---|------|-----|
| 428 | Extending survival by reducing sudden death with implantable cardioverter-defibrillators: a challenging clinical issue in non-ischaemic and ischaemic cardiomyopathies. <i>European Journal of Heart Failure</i> , <b>2018</b> , 20, 420-426                  | 12.3 | 4   |
| 427 | Atrial fibrillation prevention: an appraisal of current evidence. <i>Heart</i> , <b>2018</b> , 104, 882-887   | 5.1  | 19  |
| 426 | Detection of new atrial fibrillation in patients with cardiac implanted electronic devices and factors associated with transition to higher device-detected atrial fibrillation burden. <i>Heart Rhythm</i> , <b>2018</b> , 15, 376-383                       | 6.7  | 55  |
| 425 | Management of cardiopulmonary disease in patients with systemic sclerosis: cardiorheumatology clinic and patient care standardization proposal. <i>Journal of Cardiovascular Medicine</i> , <b>2018</b> , 19, 513-515   | 1.9  | 3   |
| 424 | Health care cost analysis of enhanced pacing modalities in bradycardia patients: Portuguese case study on the results of the MINERVA trial. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , <b>2018</b> , 37, 973-978                            | 0    | 1   |
| 423 | Comparison of cryoballoon and radiofrequency ablation techniques for atrial fibrillation: a meta-analysis. <i>Journal of Cardiovascular Medicine</i> , <b>2018</b> , 19, 725-738  | 1.9  | 11  |
| 422 | Health care cost analysis of enhanced pacing modalities in bradycardia patients: Portuguese case study on the results of the MINERVA trial. <i>Revista Portuguesa De Cardiologia</i> , <b>2018</b> , 37, 973-978  | 1    | 1   |
| 421 | Use of idarucizumab in reversing dabigatran anticoagulant effect: a critical appraisal. <i>Therapeutics and Clinical Risk Management</i> , <b>2018</b> , 14, 1483-1488  | 2.9  | 5   |
| 420 | Is ventricular sensing always right, when it is left?. <i>Clinical Cardiology</i> , <b>2018</b> , 41, 1238-1245   | 3.3  | 8   |
| 419 | Increased burden of comorbidities and risk of cardiovascular death in atrial fibrillation patients in Europe over ten years: A comparison between EORP-AF pilot and EHS-AF registries. <i>European Journal of Internal Medicine</i> , <b>2018</b> , 55, 28-34 | 3.9  | 37  |
| 418 | Cardiac involvement in systemic sclerosis: identification of high-risk patient profiles in different patterns of clinical presentation. <i>Journal of Cardiovascular Medicine</i> , <b>2018</b> , 19, 393-395   | 1.9  | 4   |
| 417 | Pacemaker-detected severe sleep apnoea predicts new-onset atrial fibrillation: Author's reply. <i>Europace</i> , <b>2018</b> , 20, 2047-2048  | 3.9  |     |
| 416 | Battery longevity of implantable cardioverter-defibrillators and cardiac resynchronization therapy defibrillators: technical, clinical and economic aspects. An expert review paper from EHRA. <i>Europace</i> , <b>2018</b> , 20, 1882-1897                  | 3.9  | 15  |
| 415 | Can we predict new AF occurrence in single-chamber ICD patients? Insights from an observational investigation. <i>International Journal of Cardiology</i> , <b>2017</b> , 230, 275-280  | 3.2  | 7   |
| 414 | Edoxaban in Atrial Fibrillation and Venous Thromboembolism-Ten Key Questions and Answers: A Practical Guide. <i>Advances in Therapy</i> , <b>2017</b> , 34, 620-637   | 4.1  | 6   |
| 413 | The Changing Landscape for Stroke Prevention in AF: Findings From the GLORIA-AF Registry Phase 2. <i>Journal of the American College of Cardiology</i> , <b>2017</b> , 69, 777-785  | 15.1 | 193 |
| 412 | Investigating Regional Variation of Cardiac Implantable Electrical Device Implant Rates in European Healthcare Systems: What Drives Differences?. <i>Health Economics (United Kingdom)</i> , <b>2017</b> , 26 Suppl 1, 30-45                                  | 2.4  | 17  |
| 411 | Oral loading of propafenone: restoring its role before restoring rhythm. <i>Europace</i> , <b>2017</b> , 19, 1903   | 3.9  |     |



|     |  |      |     |
|-----|--|------|-----|
| 410 | Screening for Atrial Fibrillation: A Report of the AF-SCREEN International Collaboration. <i>Circulation</i> , <b>2017</b> , 135, 1851-1867  | 16.7 | 302 |
| 409 | Rationale and design of the Apixaban for the Reduction of Thrombo-Embolism in Patients With Device-Detected Sub-Clinical Atrial Fibrillation (ARTESiA) trial. <i>American Heart Journal</i> , <b>2017</b> , 189, 137-145   | 4.9  | 170 |
| 408 | Electrocardiogram Alterations Associated With Psychotropic Drug Use and CACNA1C Gene Variants in Three Independent Samples. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2017</b> , 120, 482-490   | 3.1  | 6   |
| 407 | Atrial antitachycardia pacing and atrial remodeling: A substudy of the international, randomized MINERVA trial. <i>Heart Rhythm</i> , <b>2017</b> , 14, 1476-1484  | 6.7  | 8   |
| 406 | Hypertension and cardiac arrhythmias: executive summary of a consensus document from the European Heart Rhythm Association (EHRA) and ESC Council on Hypertension, endorsed by the Heart Rhythm Society (HRS), Asia-Pacific Heart Rhythm Society (APHRS), and Sociedad Latinoamericana de Estimulaci3n Cardíaca y Electrofisiología (SOLEACE). <i>Europace</i> , <b>2017</b> , 19, 891-911 | 6.4  | 34  |
| 405 | Hypertension and cardiac arrhythmias: a consensus document from the European Heart Rhythm Association (EHRA) and ESC Council on Hypertension, endorsed by the Heart Rhythm Society (HRS), Asia-Pacific Heart Rhythm Society (APHRS) and Sociedad Latinoamericana de Estimulaci3n Cardíaca y Electrofisiología (SOLEACE). <i>Europace</i> , <b>2017</b> , 19, 891-911                       | 3.9  | 58  |
| 404 | Pacemaker-detected severe sleep apnea predicts new-onset atrial fibrillation. <i>Europace</i> , <b>2017</b> , 19, 1937-1943  | 3.9  | 22  |
| 403 | The effects of gender on electrical therapies for the heart: procedural considerations, results and complications: A report from the XII Congress of the Italian Association on Arrhythmology and Cardiac Stimulation (AIAC). <i>Europace</i> , <b>2017</b> , 19, 1911-1921  | 3.9  | 3   |
| 402 | The effects of gender on electrical therapies for the heart: physiology, epidemiology, and access to therapies. <i>Europace</i> , <b>2017</b> , 19, 1418-1426  | 3.9  | 12  |
| 401 | The increased risk of stroke/transient ischemic attack in women with a cardiac implantable electronic device is not associated with a higher atrial fibrillation burden. <i>Europace</i> , <b>2017</b> , 19, 1767-1775   | 3.9  | 4   |
| 400 | The Italian subcutaneous implantable cardioverter-defibrillator survey: S-ICD, why not?. <i>Europace</i> , <b>2017</b> , 19, 1826-1832   | 3.9  | 12  |
| 399 | Electrical treatment of atrial arrhythmias in heart failure patients implanted with a dual defibrillator CRT device. Results from the TRADE-HF study. <i>International Journal of Cardiology</i> , <b>2017</b> , 236, 181-186  | 3.2  | 1   |
| 398 | Prevalence and clinical significance of left bundle branch block according to classical or strict definition criteria in permanent pacemaker patients. <i>Clinical Cardiology</i> , <b>2017</b> , 40, 377-382  | 3.3  | 3   |
| 397 | Adoption Decisions for Medical Devices in the Field of Cardiology: Results from a European Survey. <i>Health Economics (United Kingdom)</i> , <b>2017</b> , 26 Suppl 1, 124-144  | 2.4  | 12  |
| 396 | Adverse outcomes in patients with atrial fibrillation and peripheral arterial disease: a report from the EURObservational research programme pilot survey on atrial fibrillation. <i>Europace</i> , <b>2017</b> , 19, 1439-1448  | 3.8  | 34  |
| 395 | Establishing and Managing a Device Clinic and Database <b>2017</b> , 1191-1200   |      |     |
| 394 | Clinically guided pacemaker choice and setting: pacemaker expert programming study. <i>Europace</i> , <b>2017</b> , 19, 1500-1507  | 3.9  | 6   |
| 393 | European Heart Rhythm Association (EHRA)/European Association of Cardiovascular Prevention and Rehabilitation (EACPR) position paper on how to prevent atrial fibrillation endorsed by the Heart Rhythm Society (HRS) and Asia Pacific Heart Rhythm Society (APHRS). <i>Europace</i> , <b>2017</b> , 19, 190-225   | 3.9  | 44  |

|     |   |      |     |
|-----|---|------|-----|
| 392 | Reduction in unnecessary ventricular pacing fails to affect hard clinical outcomes in patients with preserved left ventricular function: a meta-analysis. <i>Europace</i> , <b>2017</b> , 19, 282-288   | 3.9  | 19  |
| 391 | Self-reported physical activity and major adverse events in patients with atrial fibrillation: a report from the EURObservational Research Programme Pilot Survey on Atrial Fibrillation (EORP-AF) General Registry. <i>Europace</i> , <b>2017</b> , 19, 535-543  | 3.9  | 26  |
| 390 | Effect of fixed-rate vs. rate-RESPONSive pacing on exercise capacity in patients with permanent, refractory atrial fibrillation and left ventricular dysfunction treated with atrioventricular junction ablation and biventricular pacing (RESPONSIBLE): a prospective, multicentre, randomized, single-blind study. <i>Europace</i> , <b>2017</b> , 19, 414-420  | 3.9  | 7   |
| 389 | Arrhythmias Originating in the Atria. <i>Cardiac Electrophysiology Clinics</i> , <b>2017</b> , 9, 383-409   | 1.4  | 9   |
| 388 | Use of statins and adverse outcomes in patients with atrial fibrillation: An analysis from the EURObservational Research Programme Atrial Fibrillation (EORP-AF) general registry pilot phase. <i>International Journal of Cardiology</i> , <b>2017</b> , 248, 166-172  | 3.2  | 6   |
| 387 | Emery-Dreifuss Muscular Dystrophy-Associated Mutant Forms of Lamin A Recruit the Stress Responsive Protein Ankrd2 into the Nucleus, Affecting the Cellular Response to Oxidative Stress. <i>Cellular Physiology and Biochemistry</i> , <b>2017</b> , 42, 169-184  | 3.9  | 10  |
| 386 | Management of atrial high-rate episodes detected by cardiac implanted electronic devices. <i>Nature Reviews Cardiology</i> , <b>2017</b> , 14, 701-714  | 14.8 | 61  |
| 385 | The wearable cardioverter-defibrillator: current technology and evolving indications. <i>Europace</i> , <b>2017</b> , 19, 335-345   | 3.9  | 41  |
| 384 | European Heart Rhythm Association (EHRA)/European Association of Cardiovascular Prevention and Rehabilitation (EACPR) position paper on how to prevent atrial fibrillation endorsed by the Heart Rhythm Society (HRS) and Asia Pacific Heart Rhythm Society (APHRS). <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 1-10  | 3.9  | 43  |
| 383 | European Heart Rhythm Association (EHRA) consensus document on the management of supraventricular arrhythmias, endorsed by Heart Rhythm Society (HRS), Asia-Pacific Heart Rhythm Society (APHRS), and Sociedad Latinoamericana de Estimulaci3n Cardıaca y Electrofisiologıa (SOLAECE). <i>Europace</i> , <b>2017</b> , 19, 155-157  | 3.9  | 85  |
| 382 | Effects of remote monitoring on clinical outcomes and use of healthcare resources in heart failure patients with biventricular defibrillators: results of the MORE-CARE multicentre randomized controlled trial. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 416-425   | 12.3 | 100 |
| 381 | Cardiac Resynchronization Therapy: An Overview on Guidelines. <i>Heart Failure Clinics</i> , <b>2017</b> , 13, 117-137  | 3.3  | 8   |
| 380 | Device-detected subclinical atrial tachyarrhythmias: definition, implications and management-an European Heart Rhythm Association (EHRA) consensus document, endorsed by Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS) and Sociedad Latinoamericana de Estimulaci3n Cardıaca y Electrofisiologıa (SOLAECE). <i>Europace</i> , <b>2017</b> , 19, 155-157   | 3.9  | 137 |
| 379 | Screening for atrial fibrillation: a European Heart Rhythm Association (EHRA) consensus document endorsed by the Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS), and Sociedad Latinoamericana de Estimulaci3n Cardıaca y Electrofisiologıa (SOLAECE). <i>Europace</i> , <b>2017</b> , 19, 158-160  | 3.9  | 135 |
| 378 | Antithrombotic therapy in atrial fibrillation associated with valvular heart disease: a joint consensus document from the European Heart Rhythm Association (EHRA) and European Society of Cardiology Working Group on Thrombosis, endorsed by the ESC Working Group on Valvular Heart Disease, Cardiac Arrhythmia Society of Southern Africa (CASSA), Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS), and Sociedade Brasileira de Cardiologia (SBC). <i>Europace</i> , <b>2017</b> , 19, 115-116                      | 3.9  | 75  |
| 377 | Antithrombotic Therapy in Atrial Fibrillation Associated with Valvular Heart Disease: Executive Summary of a Joint Consensus Document from the European Heart Rhythm Association (EHRA) and European Society of Cardiology Working Group on Thrombosis, Endorsed by the ESC Working Group on Valvular Heart Disease, Cardiac Arrhythmia Society of Southern Africa (CASSA), Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS), and Sociedade Brasileira de Cardiologia (SBC). <i>Europace</i> , <b>2017</b> , 19, 115-116 | 7    | 29  |
| 376 | Outcomes with Dronedarone in Atrial Fibrillation: What Differences Between Real-World Practice and Trials? A Meta-Analysis and Meta-Regression Analysis. <i>Current Pharmaceutical Design</i> , <b>2017</b> , 23, 944-951   | 3.3  | 10  |
| 375 | 'Real-world' atrial fibrillation management in Europe: observations from the 2-year follow-up of the EURObservational Research Programme-Atrial Fibrillation General Registry Pilot Phase. <i>Europace</i> , <b>2017</b> , 19, 722-733  | 3.9  | 49  |

|     |   |      |     |
|-----|---|------|-----|
| 374 | Impact of chronic obstructive pulmonary disease on prognosis in atrial fibrillation: A report from the EURObservational Research Programme Pilot Survey on Atrial Fibrillation (EORP-AF) General Registry. <i>American Heart Journal</i> , <b>2016</b> , 181, 83-91                             | 4.9  | 22  |
| 373 | Psychological correlates, allostatic overload and clinical course in patients with implantable cardioverter defibrillator (ICD). <i>International Journal of Cardiology</i> , <b>2016</b> , 220, 360-4  | 3.2  | 14  |
| 372 | Prognostic implications of mitral regurgitation in patients after cardiac resynchronization therapy. <i>European Journal of Heart Failure</i> , <b>2016</b> , 18, 1060-8  | 12.3 | 18  |
| 371 | P-wave Variability and Atrial Fibrillation. <i>Scientific Reports</i> , <b>2016</b> , 6, 26799  | 4.9  | 22  |
| 370 | Modelling projections for the uptake of edoxaban in an European population to 2050: effects on stroke, thromboembolism, and health economics perspectives. <i>Europace</i> , <b>2016</b> , 18, 1507-1513  | 3.9  | 7   |
| 369 | Cardiac device therapy in patients with left ventricular dysfunction and heart failure: 'real-world' data on long-term outcomes (mortality, hospitalizations, days alive and out of hospital). <i>European Journal of Heart Failure</i> , <b>2016</b> , 18, 693-702                             | 12.3 | 29  |
| 368 | Implant rates of cardiac implantable electrical devices in Europe: A systematic literature review. <i>Health Policy</i> , <b>2016</b> , 120, 1-15   | 3.2  | 24  |
| 367 | Effect of Cardiac Resynchronization Therapy on Left Atrial Size and Function as Expressed by Speckle Tracking 2-Dimensional Strain. <i>American Journal of Cardiology</i> , <b>2016</b> , 118, 237-43   | 3    | 13  |
| 366 | Implantable cardioverter-defibrillator programming and electrical storm: Results of the OBSERVational registry On long-term outcome of ICD patients (OBSERVO-ICD). <i>Heart Rhythm</i> , <b>2016</b> , 13, 1987-92  | 6.7  | 26  |
| 365 | The ventricular ectopic QRS interval (VEQSI): Diagnosis of arrhythmogenic right ventricular cardiomyopathy in patients with incomplete disease expression. <i>Heart Rhythm</i> , <b>2016</b> , 13, 1504-12  | 6.7  | 8   |
| 364 | Cardiac Resynchronization Therapy With a Quadripolar Electrode Lead Decreases Complications at 6 Months: Results of the MORE-CRT Randomized Trial. <i>JACC: Clinical Electrophysiology</i> , <b>2016</b> , 2, 212-220   | 4.6  | 28  |
| 363 | EACVI/EHRA Expert Consensus Document on the role of multi-modality imaging for the evaluation of patients with atrial fibrillation. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2016</b> , 17, 355-83   | 4.1  | 170 |
| 362 | Guía ESC 2015 sobre el tratamiento de pacientes con arritmias ventriculares y prevención de la muerte súbita cardíaca. <i>Revista Española De Cardiología</i> , <b>2016</b> , 69, 176.e1-176.e77  | 1.5  | 11  |
| 361 | Reduction of inappropriate anti-tachycardia pacing therapies and shocks by a novel suite of detection algorithms in heart failure patients with cardiac resynchronization therapy defibrillators: a historical comparison of a prospective database. <i>Europace</i> , <b>2016</b> , 18, 1391-8 | 3.9  | 4   |
| 360 | 'Real-world' management and outcomes of patients with paroxysmal vs. non-paroxysmal atrial fibrillation in Europe: the EURObservational Research Programme-Atrial Fibrillation (EORP-AF) General Pilot Registry. <i>Europace</i> , <b>2016</b> , 18, 648-57                                     | 3.9  | 45  |
| 359 | Battery drain in daily practice and medium-term projections on longevity of cardioverter-defibrillators: an analysis from a remote monitoring database. <i>Europace</i> , <b>2016</b> , 18, 1366-73   | 3.9  | 16  |
| 358 | 2015 HRS/EHRA/APHS/SOLAECE expert consensus statement on optimal implantable cardioverter-defibrillator programming and testing. <i>Europace</i> , <b>2016</b> , 18, 159-83   | 3.9  | 80  |
| 357 | A roadmap to improve the quality of atrial fibrillation management: proceedings from the fifth Atrial Fibrillation Network/European Heart Rhythm Association consensus conference. <i>Europace</i> , <b>2016</b> , 18, 37-50  | 3.9  | 90  |

|     |   |      |    |
|-----|---|------|----|
| 356 | Ventricular antitachycardia pacing therapy in patients with heart failure implanted with a cardiac resynchronization therapy defibrillator device: Efficacy, safety, and impact on mortality. <i>Heart Rhythm</i> , <b>2016</b> , 13, 472-80  | 6.7  | 3  |
| 355 | Executive Summary: European Heart Rhythm Association Consensus Document on the Management of Supraventricular Arrhythmias: Endorsed by Heart Rhythm Society (HRS), Asia-Pacific Heart Rhythm Society (APHRS), and Sociedad Latinoamericana de Estimulaci3n Cardiac y Electrofisiologia (SOLAECE). <i>Arrhythmia and Electrophysiology Review</i> , <b>2016</b> , 5, 210-224 | 3.2  | 3  |
| 354 | BLOCK HF: how far does it extend indications for cardiac resynchronization therapy?. <i>Journal of Cardiovascular Medicine</i> , <b>2016</b> , 17, 306-8  | 1.9  | 5  |
| 353 | Predictors of nonsimultaneous interventricular delay at cardiac resynchronization therapy optimization. <i>Journal of Cardiovascular Medicine</i> , <b>2016</b> , 17, 299-305   | 1.9  | 4  |
| 352 | Effect of telemonitoring of cardiac implantable electronic devices on healthcare utilization: a meta-analysis of randomized controlled trials in patients with heart failure. <i>European Journal of Heart Failure</i> , <b>2016</b> , 18, 195-204  | 12.3 | 65 |
| 351 | Left Ventricular Reverse Remodeling Elicited by a Quadripolar Lead: Results from the Multicenter Per4mer Study. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2016</b> , 39, 250-60  | 1.6  | 8  |
| 350 | Glomerular filtration rate in patients with atrial fibrillation and 1-year outcomes. <i>Scientific Reports</i> , <b>2016</b> , 6, 30271   | 4.9  | 35 |
| 349 | Automatic management of atrial and ventricular stimulation in a contemporary unselected population of pacemaker recipients: the ESSENTIAL Registry. <i>Europace</i> , <b>2016</b> , 18, 1551-1560   | 3.9  | 13 |
| 348 | Beat-to-beat variability of P-wave in patients suffering from atrial fibrillation. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , <b>2016</b> , 2016, 770-773  | 0.9  |    |
| 347 | Electrocardiographic Eligibility for Subcutaneous Implantable Cardioverter Defibrillator: Evaluation during Bicycle Exercise. <i>Heart Lung and Circulation</i> , <b>2016</b> , 25, 476-83  | 1.8  | 11 |
| 346 | Atrial fibrillation burden and atrial fibrillation type: Clinical significance and impact on the risk of stroke and decision making for long-term anticoagulation. <i>Vascular Pharmacology</i> , <b>2016</b> , 83, 26-35   | 5.9  | 48 |
| 345 | Usefulness of Electrocardiographic Patterns at Presentation to Predict Long-term Risk of Cardiac Death in Patients With Hypertrophic Cardiomyopathy. <i>American Journal of Cardiology</i> , <b>2016</b> , 118, 432-9   | 3    | 27 |
| 344 | Tailored treatment strategies: a new approach for modern management of atrial fibrillation. <i>Journal of Internal Medicine</i> , <b>2016</b> , 279, 457-66   | 10.8 | 6  |
| 343 | Switching among Equivalents in Chronic Cardiovascular Therapies: 'Real World' Data from Italy. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2016</b> , 118, 63-9  | 3.1  | 1  |
| 342 | A tailored treatment strategy: a modern approach for stroke prevention in patients with atrial fibrillation. <i>Journal of Internal Medicine</i> , <b>2016</b> , 279, 467-76  | 10.8 | 8  |
| 341 | Ranolazine in the treatment of atrial fibrillation: Results of the dose-ranging RAFFAELLO (Ranolazine in Atrial Fibrillation Following An ELEctrical CardiOverersion) study. <i>Heart Rhythm</i> , <b>2015</b> , 12, 872-8  | 6.7  | 55 |
| 340 | Chronic kidney disease in patients with cardiac rhythm disturbances or implantable electrical devices: clinical significance and implications for decision making-a position paper of the European Heart Rhythm Association endorsed by the Heart Rhythm Society and the Asia Pacific Heart Rhythm Society. <i>Europace</i> , <b>2015</b> , 17, 1169-96                     | 3.9  | 89 |
| 339 | Repolarization effects of multiple-cycle chemotherapy and predictors of QTc prolongation: a prospective female cohort study on >2000 ECGs. <i>European Journal of Clinical Pharmacology</i> , <b>2015</b> , 71, 1001-9  | 2.8  | 10 |

|     |  |      |     |
|-----|--|------|-----|
| 338 | New-generation atrial antitachycardia pacing (Reactive ATP) is associated with reduced risk of persistent or permanent atrial fibrillation in patients with bradycardia: Results from the MINERVA randomized multicenter international trial. <i>Heart Rhythm</i> , <b>2015</b> , 12, 1717-25  | 6.7  | 41  |
| 337 | Inappropriate shock for myopotential over-sensing in a patient with subcutaneous ICD. <i>Indian Heart Journal</i> , <b>2015</b> , 67, 56-9   | 1.6  | 11  |
| 336 | Heart failure in patients with atrial fibrillation in Europe: a report from the EURObservational Research Programme Pilot survey on Atrial Fibrillation. <i>European Journal of Heart Failure</i> , <b>2015</b> , 17, 570-82   | 12.3 | 54  |
| 335 | 2015 ESC Guidelines for the management of patients with ventricular arrhythmias and the prevention of sudden cardiac death: The Task Force for the Management of Patients with Ventricular Arrhythmias and the Prevention of Sudden Cardiac Death of the European Society of Cardiology (ESC) Endorsed by the Association of European Pediatric Cardiology Societies | 3.9  | 426 |
| 334 | Improved outcomes with European Society of Cardiology guideline-adherent antithrombotic treatment in high-risk patients with atrial fibrillation: a report from the EORP-AF General Pilot Registry. <i>Europace</i> , <b>2015</b> , 17, 1777-86  | 3.9  | 103 |
| 333 | Cardiac Resynchronization Therapy: An Overview on Guidelines. <i>Cardiac Electrophysiology Clinics</i> , <b>2015</b> , 7, 673-93   | 1.4  | 2   |
| 332 | Antithrombotic management in patients undergoing electrophysiological procedures: a European Heart Rhythm Association (EHRA) position document endorsed by the ESC Working Group Thrombosis, Heart Rhythm Society (HRS), and Asia Pacific Heart Rhythm Society (APHS). <i>Europace</i> , <b>2015</b> , 17, 1197-214  | 3.9  | 123 |
| 331 | Heterogeneous response of cardiac sympathetic function to cardiac resynchronization therapy in heart failure documented by 11[C]-hydroxy-ephedrine and PET/CT. <i>Nuclear Medicine and Biology</i> , <b>2015</b> , 42, 858-63  | 2.1  | 8   |
| 330 | Sex-related differences in presentation, treatment, and outcome of patients with atrial fibrillation in Europe: a report from the Euro Observational Research Programme Pilot survey on Atrial Fibrillation. <i>Europace</i> , <b>2015</b> , 17, 24-31   | 3.9  | 113 |
| 329 | Against all odds: Targeted pacing site for resynchronization therapy by venoplasty and active fixation lead. <i>Indian Heart Journal</i> , <b>2015</b> , 67, 574-6   | 1.6  |     |
| 328 | Age-Related Differences in Presentation, Treatment, and Outcome of Patients With Atrial Fibrillation in Europe: The EORP-AF General Pilot Registry (EURObservational Research Programme-Atrial Fibrillation). <i>JACC: Clinical Electrophysiology</i> , <b>2015</b> , 1, 326-334   | 4.6  | 37  |
| 327 | Validation of a simple risk stratification tool for patients implanted with Cardiac Resynchronization Therapy: the VALID-CRT risk score. <i>European Journal of Heart Failure</i> , <b>2015</b> , 17, 717-24   | 12.3 | 30  |
| 326 | Detect Long-term Complications After ICD Replacement (DECODE): Rationale and Study Design of a Multicenter Italian Registry. <i>Clinical Cardiology</i> , <b>2015</b> , 38, 577-84   | 3.3  | 14  |
| 325 | New left ventricular active fixation lead: The experience of lead extraction. <i>Indian Heart Journal</i> , <b>2015</b> , 67 Suppl 3, S97-9  | 1.6  | 14  |
| 324 | Non-valvular atrial fibrillation: potential clinical implications of the heterogeneous definitions used in trials on new oral anticoagulants. <i>Journal of Cardiovascular Medicine</i> , <b>2015</b> , 16, 491-6  | 1.9  | 16  |
| 323 | Clinical management of electromagnetic interferences in patients with pacemakers and implantable cardioverter-defibrillators: review of the literature and focus on magnetic resonance conditional devices. <i>Journal of Cardiovascular Medicine</i> , <b>2015</b> , 16, 704-13   | 1.9  | 10  |
| 322 | Cardiac resynchronization therapy and cardiac sympathetic function. <i>European Journal of Clinical Investigation</i> , <b>2015</b> , 45, 792-9  | 4.6  | 14  |
| 321 | Management of atrial fibrillation in bradyarrhythmias. <i>Nature Reviews Cardiology</i> , <b>2015</b> , 12, 337-49   | 14.8 | 23  |



|     |   |     |     |
|-----|---|-----|-----|
| 320 | Effects of enhanced pacing modalities on health care resource utilization and costs in bradycardia patients: An analysis of the randomized MINERVA trial. <i>Heart Rhythm</i> , <b>2015</b> , 12, 1192-200  | 6.7 | 9   |
| 319 | Holter ECG for pacemaker/defibrillator carriers: what is its role in the era of remote monitoring?. <i>Heart</i> , <b>2015</b> , 101, 1272-8  | 5.1 | 11  |
| 318 | Cardiac tachyarrhythmias and patient values and preferences for their management: the European Heart Rhythm Association (EHRA) consensus document endorsed by the Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS), and Sociedad Latinoamericana de Estimulaci3n Cardíaca y Electrofisiología (SOLEACE). <i>Europace</i> , <b>2015</b> , 17, 1747-69 | 3.9 | 94  |
| 317 | Asymptomatic atrial fibrillation: clinical correlates, management, and outcomes in the EORP-AF Pilot General Registry. <i>American Journal of Medicine</i> , <b>2015</b> , 128, 509-18.e2   | 2.4 | 166 |
| 316 | Regional differences in presentation and treatment of patients with atrial fibrillation in Europe: a report from the EURObservational Research Programme Atrial Fibrillation (EORP-AF) Pilot General Registry. <i>Europace</i> , <b>2015</b> , 17, 194-206  | 3.9 | 30  |
| 315 | Asymptomatic lone atrial fibrillation - how can we detect the arrhythmia?. <i>Current Pharmaceutical Design</i> , <b>2015</b> , 21, 659-66  | 3.3 | 25  |
| 314 | Role of 18F-FDG PET/CT in the diagnosis of infective endocarditis in patients with an implanted cardiac device: a prospective study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2014</b> , 41, 1617-23  | 8.8 | 64  |
| 313 | 'Real-world' antithrombotic treatment in atrial fibrillation: The EORP-AF pilot survey. <i>American Journal of Medicine</i> , <b>2014</b> , 127, 519-29.e1  | 2.4 | 123 |
| 312 | New devices in heart failure: an European Heart Rhythm Association report: developed by the European Heart Rhythm Association; endorsed by the Heart Failure Association. <i>Europace</i> , <b>2014</b> , 16, 1092-8  | 3.9 | 39  |
| 311 | AF burden is important - fact or fiction?. <i>International Journal of Clinical Practice</i> , <b>2014</b> , 68, 444-52   | 2.9 | 41  |
| 310 | Management of antithrombotic therapy in atrial fibrillation patients presenting with acute coronary syndrome and/or undergoing percutaneous coronary or valve interventions: a joint consensus document of the European Society of Cardiology Working Group on Thrombosis, European Heart Rhythm Association (EHRA), European Association of Percutaneous Cardiovascular  | 9.5 | 413 |
| 309 | Pacing-induced torsades de pointes after the short-long-short sequence in a patient with a biventricular defibrillator: what is the mechanism?. <i>Heart Rhythm</i> , <b>2014</b> , 11, 728-31  | 6.7 | 1   |
| 308 | 2013 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy. <i>Revista Espanola De Cardiologia (English Ed)</i> , <b>2014</b> , 67, 58   | 0.7 | 24  |
| 307 | Cost-effectiveness of implantable cardioverter-defibrillator in today's world. <i>Indian Heart Journal</i> , <b>2014</b> , 66 Suppl 1, S101-4   | 1.6 | 8   |
| 306 | Stroke/thromboembolism and intracranial hemorrhage in a real-world atrial fibrillation population: the Complications of Atrial Fibrillation in the Bologna Area (CAFBO) study. <i>Chest</i> , <b>2014</b> , 146, 1073-1080  | 5.3 | 6   |
| 305 | Device-detected atrial fibrillation and risk for stroke: an analysis of >10,000 patients from the SOS AF project (Stroke preventiOn Strategies based on Atrial Fibrillation information from implanted devices). <i>European Heart Journal</i> , <b>2014</b> , 35, 508-16   | 9.5 | 278 |
| 304 | Statistics on the use of cardiac electronic devices and electrophysiological procedures in 55 ESC countries: 2013 report from the European Heart Rhythm Association (EHRA). <i>Europace</i> , <b>2014</b> , 16 Suppl 1, i1-78   | 3.9 | 38  |
| 303 | Atrial antitachycardia pacing and managed ventricular pacing in bradycardia patients with paroxysmal or persistent atrial tachyarrhythmias: the MINERVA randomized multicentre international trial. <i>European Heart Journal</i> , <b>2014</b> , 35, 2352-62   | 9.5 | 76  |



|     |   |      |     |
|-----|---|------|-----|
| 302 | Left ventricular lead stabilization to retain cardiac resynchronization therapy at long term: when is it advisable?. <i>Europace</i> , <b>2014</b> , 16, 533-40   | 3.9  | 24  |
| 301 | Prognosis and treatment of atrial fibrillation patients by European cardiologists: one year follow-up of the EURObservational Research Programme-Atrial Fibrillation General Registry Pilot Phase (EORP-AF Pilot registry). <i>European Heart Journal</i> , <b>2014</b> , 35, 3365-76   | 9.5  | 161 |
| 300 | The OPTI-MIND study: a prospective, observational study of pacemaker patients according to pacing modality and primary indications. <i>Europace</i> , <b>2014</b> , 16, 689-97  | 3.9  | 14  |
| 299 | Ventricular rate monitoring as a tool to predict and prevent atrial fibrillation-related inappropriate shocks in heart failure patients treated with cardiac resynchronisation therapy defibrillators. <i>Heart</i> , <b>2014</b> , 100, 848-54   | 5.1  | 7   |
| 298 | Prevention of infections in cardiovascular implantable electronic devices beyond the antibiotic agent. <i>Journal of Cardiovascular Medicine</i> , <b>2014</b> , 15, 554-64   | 1.9  | 24  |
| 297 | Cardiac resynchronization therapy: implant rates, temporal trends and relationships with heart failure epidemiology. <i>Journal of Cardiovascular Medicine</i> , <b>2014</b> , 15, 147-54   | 1.9  | 11  |
| 296 | Determinants of all-cause mortality in different age groups in patients with severe systolic left ventricular dysfunction receiving an implantable cardioverter defibrillator (From the Italian ClinicalService Multicenter Observational Project). <i>American Journal of Cardiology</i> , <b>2014</b> , 113, 1691-6   | 3    | 13  |
| 295 | <sup>11</sup> C-mHED for PET / CT: principles of synthesis, methodology and first clinical applications. <i>Current Radiopharmaceuticals</i> , <b>2014</b> , 7, 79-83   | 1.8  | 5   |
| 294 | Trends in antiarrhythmic drug use after marketing authorization of dronedarone: comparison between Emilia Romagna (Italy) and Sweden. <i>European Journal of Clinical Pharmacology</i> , <b>2013</b> , 69, 715-20   | 2.8  | 5   |
| 293 | Ventricular tachycardia/fibrillation early after defibrillator implantation in patients with hypertrophic cardiomyopathy is explained by a high-risk subgroup of patients. <i>Heart Rhythm</i> , <b>2013</b> , 10, 214-8  | 6.7  | 14  |
| 292 | Prevention of sudden cardiac death with implantable cardioverter-defibrillators in children and adolescents with hypertrophic cardiomyopathy. <i>Journal of the American College of Cardiology</i> , <b>2013</b> , 61, 1527-35  | 15.1 | 189 |
| 291 | Acute changes in electromechanical parameters during different pacing configurations using a quadripolar left ventricular lead. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2013</b> , 38, 61-9   | 2.4  | 9   |
| 290 | Assessing the outcomes of implantable cardioverter defibrillator treatment in a real world setting: results from hospital record data. <i>BMC Health Services Research</i> , <b>2013</b> , 13, 100  | 2.9  | 6   |
| 289 | The use of imaging for electrophysiological and devices procedures: a report from the first European Heart Rhythm Association Policy Conference, jointly organized with the European Association of Cardiovascular Imaging (EACVI), the Council of Cardiovascular Imaging and the European Society of Cardiac Radiology. <i>Europace</i> , <b>2013</b> , 15, 227-34 | 3.9  | 33  |
| 288 | Personalized management of atrial fibrillation: Proceedings from the fourth Atrial Fibrillation competence NETwork/European Heart Rhythm Association consensus conference. <i>Europace</i> , <b>2013</b> , 15, 1540-56  | 3.9  | 101 |
| 287 | Cost effectiveness of treatments for stroke prevention in atrial fibrillation: focus on the novel oral anticoagulants. <i>Pharmacoeconomics</i> , <b>2013</b> , 31, 971-80  | 4.4  | 32  |
| 286 | From lead management to implanted patient management: systematic review and meta-analysis of the last 15 years of experience in lead extraction. <i>Expert Review of Medical Devices</i> , <b>2013</b> , 10, 551-73   | 3.5  | 62  |
| 285 | Short-spaced dipole for managing phrenic nerve stimulation in patients with CRT: the "phrenic nerve mapping and stimulation EP" catheter study. <i>Heart Rhythm</i> , <b>2013</b> , 10, 39-45   | 6.7  | 17  |

|     |   |     |                  |
|-----|---|-----|------------------|
| 284 | Implantation of cardioverter-defibrillator: effects on shoulder function. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 294-9   | 3.2 | 15               |
| 283 | Cardiac resynchronization therapy in patients with atrial fibrillation: the CERTIFY study (Cardiac Resynchronization Therapy in Atrial Fibrillation Patients Multinational Registry). <i>JACC: Heart Failure</i> , <b>2013</b> , 1, 500-7   | 7.9 | 115              |
| 282 | Response to the letter from dr bertini. <i>Europace</i> , <b>2013</b> , 15, 613-4   | 3.9 |                  |
| 281 | Health technology assessment in interventional electrophysiology and device therapy: a position paper of the European Heart Rhythm Association. <i>European Heart Journal</i> , <b>2013</b> , 34, 1869-74   | 9.5 | 59               |
| 280 | Left ventricular pacing rate lower than expected during manual pacing threshold test in a biventricular defibrillator. <i>Europace</i> , <b>2013</b> , 15, 826  | 3.9 | 1                |
| 279 | 2013 ESC guidelines on cardiac pacing and cardiac resynchronization therapy: the task force on cardiac pacing and resynchronization therapy of the European Society of Cardiology (ESC). Developed in collaboration with the European Heart Rhythm Association (EHRA). <i>Europace</i> , <b>2013</b> , 15, 1070-110               | 3.9 | 73 <sup>1</sup>  |
| 278 | Impact of extending device longevity on the long-term costs of implantable cardioverter-defibrillator therapy: a modelling study with a 15-year time horizon. <i>Europace</i> , <b>2013</b> , 15, 1453-62   | 3.9 | 41               |
| 277 | Letter by Gasparini and Boriani regarding article, "Cardiac resynchronization therapy in patients with permanent atrial fibrillation: results from the Resynchronization for Ambulatory Heart Failure Trial (RAFT)". <i>Circulation: Heart Failure</i> , <b>2013</b> , 6, e22   | 7.6 | 2                |
| 276 | 2013 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy: the Task Force on cardiac pacing and resynchronization therapy of the European Society of Cardiology (ESC). Developed in collaboration with the European Heart Rhythm Association (EHRA). <i>European Heart Journal</i> , <b>2013</b> , 34, 2281-329 | 9.5 | 149 <sup>1</sup> |
| 275 | Incidence and predictors of postoperative atrial fibrillation in kidney transplant recipients. <i>Transplantation</i> , <b>2013</b> , 96, 981-6   | 1.8 | 18               |
| 274 | Atrial Fibrillation in Patients with Cardiac Resynchronization Therapy: Clinical Management and Outcome. <i>Journal of Atrial Fibrillation</i> , <b>2013</b> , 5, 748   | 0.8 |                  |
| 273 | The MOonitoring Resynchronization dEVICES and CARdiac patiEnts (MORE-CARE) randomized controlled trial: phase 1 results on dynamics of early intervention with remote monitoring. <i>Journal of Medical Internet Research</i> , <b>2013</b> , 15, e167  | 7.6 | 61               |
| 272 | Changes in global longitudinal strain during rest and exercise in patients treated with cardiac resynchronization therapy. <i>Clinical Physiology and Functional Imaging</i> , <b>2012</b> , 32, 310-6  | 2.4 | 4                |
| 271 | Arrhythmia discrimination by physician and defibrillator: importance of atrial channel. <i>International Journal of Cardiology</i> , <b>2012</b> , 154, 134-40  | 3.2 | 15               |
| 270 | Winning the war, far, in developing countries. Novel anticoagulants as a new weapon against stroke. <i>International Journal of Cardiology</i> , <b>2012</b> , 154, 336-7   | 3.2 | 2                |
| 269 | Short-term onset of fatal pulmonary toxicity in a patient treated with intravenous amiodarone for post-operative atrial fibrillation. <i>International Journal of Cardiology</i> , <b>2012</b> , 159, e1-4  | 3.2 | 6                |
| 268 | The "rope and stick" and the "safety snare": two new techniques for tricky lead extractions. <i>International Journal of Cardiology</i> , <b>2012</b> , 157, 449-51   | 3.2 | 3                |
| 267 | QRS pattern and improvement in right and left ventricular function after cardiac resynchronization therapy: a radionuclide study. <i>BMC Cardiovascular Disorders</i> , <b>2012</b> , 12, 27  | 2.3 | 5                |

|     |   |      |     |
|-----|---|------|-----|
| 266 | Influence of time between last myocardial infarction and prophylactic implantable defibrillator implant on device detections and therapies. "Routine Practice" data from the SEARCH MI registry. <i>BMC Cardiovascular Disorders</i> , <b>2012</b> , 12, 72                   | 2.3  | 4   |
| 265 | The empowerment of translational research: lessons from laminopathies. <i>Orphanet Journal of Rare Diseases</i> , <b>2012</b> , 7, 37   | 4.2  | 5   |
| 264 | Massive pulmonary embolism with acute coronary syndrome-like electrocardiogram mimicking acute left main coronary artery obstruction. <i>Journal of Emergency Medicine</i> , <b>2012</b> , 43, e255-8   | 1.5  | 5   |
| 263 | Transcatheter aortic valve implantation with a self-expanding nitinol bioprosthesis: prediction of the need for permanent pacemaker using simple baseline and procedural characteristics. <i>Catheterization and Cardiovascular Interventions</i> , <b>2012</b> , 79, 712-9   | 2.7  | 30  |
| 262 | Impact of mitral regurgitation on the outcome of patients treated with CRT-D: data from the InSync ICD Italian Registry. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2012</b> , 35, 146-54   | 1.6  | 13  |
| 261 | On the resolution of ECG acquisition systems for the reliable analysis of the P-wave. <i>Physiological Measurement</i> , <b>2012</b> , 33, N11-7  | 2.9  | 7   |
| 260 | Improving thromboprophylaxis using atrial fibrillation diagnostic capabilities in implantable cardioverter-defibrillators: the multicentre Italian ANGELS of AF Project. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2012</b> , 5, 182-8                     | 5.8  | 28  |
| 259 | Meta-analysis of randomized controlled trials evaluating left ventricular vs. biventricular pacing in heart failure: effect on all-cause mortality and hospitalizations. <i>European Journal of Heart Failure</i> , <b>2012</b> , 14, 652-60                                  | 12.3 | 34  |
| 258 | Cost-effectiveness of cardiac resynchronisation therapy. <i>Heart</i> , <b>2012</b> , 98, 1828-36   | 5.1  | 19  |
| 257 | Comprehensive risk reduction in patients with atrial fibrillation: emerging diagnostic and therapeutic options--a report from the 3rd Atrial Fibrillation Competence NETwork/European Heart Rhythm Association consensus conference. <i>Europace</i> , <b>2012</b> , 14, 8-27 | 3.9  | 156 |
| 256 | First prospective, multi-centre clinical experience with a novel left ventricular quadripolar lead. <i>Europace</i> , <b>2012</b> , 14, 365-72  | 3.9  | 69  |
| 255 | The EHRA White Book. <i>Europace</i> , <b>2012</b> , 14 Suppl 3, iii1-55  | 3.9  | 14  |
| 254 | Relevance of Monitoring Atrial Fibrillation in Clinical Practice. <i>Arrhythmia and Electrophysiology Review</i> , <b>2012</b> , 1, 54-58   | 3.2  | 3   |
| 253 | Device-detected atrial tachyarrhythmias predict adverse outcome in real-world patients with implantable biventricular defibrillators. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 57, 167-72   | 15.1 | 97  |
| 252 | Treatment of atrial fibrillation with a dual defibrillator in heart failure patients (TRADE HF): protocol for a randomized clinical trial. <i>Trials</i> , <b>2011</b> , 12, 44   | 2.8  | 5   |
| 251 | Role of atrial fibrillation after transcatheter closure of patent foramen ovale in patients with or without cryptogenic stroke. <i>International Journal of Cardiology</i> , <b>2011</b> , 146, 17-21   | 3.2  | 15  |
| 250 | Comprehensive risk reduction in patients with atrial fibrillation: Emerging diagnostic and therapeutic options. Executive summary of the report from the 3rd AFNET/EHRA consensus conference. <i>Thrombosis and Haemostasis</i> , <b>2011</b> , 106, 1012-9                   | 7    | 60  |
| 249 | Phrenic stimulation management in CRT patients: are we there yet?. <i>Current Opinion in Cardiology</i> , <b>2011</b> , 26, 12-6  | 2.1  | 19  |

|     |  |      |    |
|-----|--|------|----|
| 248 | Targeting the arrhythmogenic substrate in atrial fibrillation: focus on structural remodeling. <i>Current Drug Targets</i> , <b>2011</b> , 12, 263-86  | 3    | 7  |
| 247 | QT interval shortening in spontaneous reports submitted to the FDA: the need for consensus. <i>British Journal of Clinical Pharmacology</i> , <b>2011</b> , 72, 839-41   | 3.8  | 6  |
| 246 | Long-term RV threshold behavior by automated measurements: safety is the standpoint of pacemaker longevity!. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2011</b> , 34, 89-95   | 1.6  | 21 |
| 245 | Response:. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2011</b> , 34, 389-390   | 1.6  |    |
| 244 | Management of phrenic stimulation in CRT patients over the long term: still an unmet need ?. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2011</b> , 34, 1201-8  | 1.6  | 20 |
| 243 | Changes in exercise capacity induced by heart transplantation: prognostic and therapeutic implications. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2011</b> , 21, 519-25   | 4.6  | 6  |
| 242 | Comparison of the usefulness of cardiac resynchronization therapy in three age-groups (. <i>American Journal of Cardiology</i> , <b>2011</b> , 107, 1510-6   | 3    | 27 |
| 241 | How to truly value implantable cardioverter-defibrillators technology: up-front cost or daily cost?. <i>International Journal of Technology Assessment in Health Care</i> , <b>2011</b> , 27, 201-6  | 1.8  | 13 |
| 240 | Effects of cardiac resynchronization therapy on myocardial contractile reserve during exercise. <i>European Journal of Heart Failure</i> , <b>2011</b> , 13, 406-11  | 12.3 | 6  |
| 239 | Incidence and clinical relevance of uncontrolled ventricular rate during atrial fibrillation in heart failure patients treated with cardiac resynchronization therapy. <i>European Journal of Heart Failure</i> , <b>2011</b> , 13, 868-76 | 12.3 | 38 |
| 238 | Effects of cardiac resynchronisation therapy on dilated cardiomyopathy with isolated ventricular non-compaction. <i>Heart</i> , <b>2011</b> , 97, 295-300  | 5.1  | 42 |
| 237 | Device therapy and hospital reimbursement practices across European countries: a heterogeneous scenario. <i>Europace</i> , <b>2011</b> , 13 Suppl 2, ii59-65   | 3.9  | 33 |
| 236 | Excimer laser lead extraction by femoral approach. <i>Europace</i> , <b>2011</b> , 13, 757-9   | 3.9  | 8  |
| 235 | Healthcare personnel resource burden related to in-clinic follow-up of cardiovascular implantable electronic devices: a European Heart Rhythm Association and Eucomed joint survey. <i>Europace</i> , <b>2011</b> , 13, 1166-73            | 3.9  | 27 |
| 234 | Cardiac resynchronization therapy: a cost or an investment?. <i>Europace</i> , <b>2011</b> , 13 Suppl 2, ii32-8  | 3.9  | 11 |
| 233 | Health technology assessment: what is it? Current status and perspectives in the field of electrophysiology. <i>Europace</i> , <b>2011</b> , 13 Suppl 2, ii49-53   | 3.9  | 12 |
| 232 | Economic evaluation in cardiology. <i>Europace</i> , <b>2011</b> , 13 Suppl 2, ii3-8   | 3.9  | 19 |
| 231 | Health economics and the European Heart Rhythm Association. <i>Europace</i> , <b>2011</b> , 13 Suppl 2, ii1-2  | 3.9  | 5  |

|     |   |      |     |
|-----|---|------|-----|
| 230 | Improving stroke risk stratification using the CHADS2 and CHA2DS2-VASc risk scores in patients with paroxysmal atrial fibrillation by continuous arrhythmia burden monitoring. <i>Stroke</i> , <b>2011</b> , 42, 1768-70  | 6.7  | 148 |
| 229 | Long-term complications related to biventricular defibrillator implantation: rate of surgical revisions and impact on survival: insights from the Italian Clinical Service Database. <i>Circulation</i> , <b>2011</b> , 123, 2526-35  | 16.7 | 57  |
| 228 | From lead management to implanted patient management: indications to lead extraction in pacemaker and cardioverter-defibrillator systems. <i>Expert Review of Medical Devices</i> , <b>2011</b> , 8, 235-55   | 3.5  | 36  |
| 227 | Role of drugs and devices in patients at risk of sudden cardiac death. <i>Fundamental and Clinical Pharmacology</i> , <b>2010</b> , 24, 575-94  | 3.1  | 11  |
| 226 | Actual pacemaker longevity: the benefit of stimulation by automatic capture verification. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2010</b> , 33, 873-81  | 1.6  | 42  |
| 225 | Interventricular delay optimization: a comparison among three different echocardiographic methods. <i>Echocardiography</i> , <b>2010</b> , 27, 38-43  | 1.5  | 7   |
| 224 | Long-term follow-up of patients with syncope evaluated by head-up tilt test. <i>Annals of Noninvasive Electrocardiology</i> , <b>2010</b> , 15, 101-6   | 1.5  | 2   |
| 223 | Trial-generated profiles for implantation of electrical devices in outpatients with heart failure: real-world prevalence and 1-year outcome. <i>Journal of Evaluation in Clinical Practice</i> , <b>2010</b> , 16, 82-91  | 2.5  | 8   |
| 222 | Prediction of cardiac resynchronization therapy response: value of calibrated integrated backscatter imaging. <i>Circulation: Cardiovascular Imaging</i> , <b>2010</b> , 3, 86-93   | 3.9  | 16  |
| 221 | Prophylactic implantable defibrillator in patients with arrhythmogenic right ventricular cardiomyopathy/dysplasia and no prior ventricular fibrillation or sustained ventricular tachycardia. <i>Circulation</i> , <b>2010</b> , 122, 1144-52   | 16.7 | 214 |
| 220 | Prediction of atrial fibrillation in patients with an implantable cardioverter-defibrillator and heart failure. <i>European Journal of Heart Failure</i> , <b>2010</b> , 12, 1101-10  | 12.3 | 28  |
| 219 | Exercise intolerance in chronic heart failure: mechanisms and therapies. Part I. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2010</b> , 17, 637-42   |      | 85  |
| 218 | Device therapy: a subcutaneous ICD--preliminary results. <i>Nature Reviews Cardiology</i> , <b>2010</b> , 7, 543-4  | 14.8 |     |
| 217 | P-wave characteristics after electrical external cardioversion: predictive indexes of relapse. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , <b>2010</b> , 2010, 3442-5 | 0.9  | 1   |
| 216 | Bill-in-the-pocket treatment for recent-onset atrial fibrillation. <i>Heart</i> , <b>2010</b> , 96, 1605-1606   | 5.1  |     |
| 215 | Delayed asymptomatic migration of an implantable cardioverter-defibrillator lead to the costophrenic angle. <i>Europace</i> , <b>2010</b> , 12, 1126  | 3.9  |     |
| 214 | Implantable electrical devices for prevention of sudden cardiac death: data on implant rates from a 'real world' regional registry. <i>Europace</i> , <b>2010</b> , 12, 1224-30   | 3.9  | 20  |
| 213 | Cardiac resynchronization therapy: is systole all that matters?. <i>Europace</i> , <b>2010</b> , 12, 1209-10  | 3.9  | 1   |



|     |  |      |     |
|-----|--|------|-----|
| 212 | Management of patients receiving implantable cardiac defibrillator shocks: recommendations for acute and long-term patient management. <i>Europace</i> , <b>2010</b> , 12, 1673-90   | 3.9  | 86  |
| 211 | Exercise intolerance in chronic heart failure: mechanisms and therapies. Part II. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2010</b> , 17, 643-8  |      | 44  |
| 210 | Atrial fibrillation: adverse effects of "pill-in-the-pocket" treatment and propafenone-carvedilol interaction. <i>International Journal of Cardiology</i> , <b>2010</b> , 140, 242-3; author reply 243-4   | 3.2  | 8   |
| 209 | Incompatibility between intravenous amiodarone and heparin in an infant. <i>International Journal of Cardiology</i> , <b>2010</b> , 145, e70-e73   | 3.2  | 4   |
| 208 | A randomized double-blind comparison of biventricular versus left ventricular stimulation for cardiac resynchronization therapy: the Biventricular versus Left Univentricular Pacing with ICD Back-up in Heart Failure Patients (B-LEFT HF) trial. <i>American Heart Journal</i> , <b>2010</b> , 159, 1052-1058.e1   | 4.9  | 67  |
| 207 | The MONitoring Resynchronization dEVICES and CARdiac patiENTS (MORE-CARE) study: rationale and design. <i>American Heart Journal</i> , <b>2010</b> , 160, 42-8   | 4.9  | 27  |
| 206 | La tachicardiomiopatia: una revisione della letteratura. <i>Italian Journal of Medicine</i> , <b>2010</b> , 4, 92-98   | 0.5  |     |
| 205 | Intravenous administration of flecainide or propafenone in patients with recent-onset atrial fibrillation does not predict adverse effects during 'pill-in-the-pocket' treatment. <i>Heart</i> , <b>2010</b> , 96, 546-9   | 5.1  | 37  |
| 204 | Balancing the risk of hemorrhage vs thromboembolism in patients with atrial fibrillation: how to navigate between Scylla and Charybdis?. <i>Chest</i> , <b>2010</b> , 138, 1032-3  | 5.3  | 4   |
| 203 | Anticancer drugs and cardiotoxicity: Insights and perspectives in the era of targeted therapy. <i>Pharmacology &amp; Therapeutics</i> , <b>2010</b> , 125, 196-218   | 13.9 | 100 |
| 202 | Radionuclide angiographic determination of regional left ventricular systolic function during rest and exercise in patients with nonischemic cardiomyopathy treated with cardiac resynchronization therapy. <i>American Journal of Cardiology</i> , <b>2010</b> , 106, 389-94  | 3    | 3   |
| 201 | Effect of cardiac resynchronization therapy on subendo- and subepicardial left ventricular twist mechanics and relation to favorable outcome. <i>American Journal of Cardiology</i> , <b>2010</b> , 106, 682-7   | 3    | 12  |
| 200 | A simplified biventricular defibrillator with fixed long detection intervals reduces implantable cardioverter defibrillator (ICD) interventions and heart failure hospitalizations in patients with non-ischaemic cardiomyopathy implanted for primary prevention: the RELEVANT [Role of long dEtECTION window programming in patients with LEft Ventricular dysfunction, Non-ischemic eTiology in primary prevention treated with a biventricular ICD] study. <i>European Heart Journal</i> , <b>2009</b> , 30, 2758-67 | 9.5  | 121 |
| 199 | Is cardiac resynchronization therapy cost-effective?. <i>Europace</i> , <b>2009</b> , 11 Suppl 5, v93-7  | 3.9  | 13  |
| 198 | Effectiveness of cardiac resynchronization therapy in heart failure patients with valvular heart disease: comparison with patients affected by ischaemic heart disease or dilated cardiomyopathy. The InSync/InSync ICD Italian Registry. <i>European Heart Journal</i> , <b>2009</b> , 30, 2275-83  | 9.5  | 19  |
| 197 | Expenditure and value for money: the challenge of implantable cardioverter defibrillators. <i>QJM - Monthly Journal of the Association of Physicians</i> , <b>2009</b> , 102, 349-56   | 2.7  | 16  |
| 196 | Lifetime cost-effectiveness of prophylactic implantation of a cardioverter defibrillator in patients with reduced left ventricular systolic function: results of Markov modelling in a European population. <i>Europace</i> , <b>2009</b> , 11, 716-26   | 3.9  | 58  |
| 195 | Phrenic stimulation: a challenge for cardiac resynchronization therapy. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2009</b> , 2, 402-10   | 6.4  | 96  |



|     |   |      |     |
|-----|---|------|-----|
| 194 | Resolution of atrial thrombosis with heparin in a newborn with atrial flutter. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2009</b> , 98, 1211-4   | 3.1  | 3   |
| 193 | Troponin I rise after pacemaker implantation at the time of "universal definition of myocardial infarction". <i>American Journal of Cardiology</i> , <b>2009</b> , 103, 1061-5  | 3    | 11  |
| 192 | Left ventricular rotational mechanics in acute myocardial infarction and in chronic (ischemic and nonischemic) heart failure patients. <i>American Journal of Cardiology</i> , <b>2009</b> , 103, 1506-12   | 3    | 36  |
| 191 | Reply to reader's comment: "Electrocardiographic optimization of cardiac resynchronization devices: simple, but not so simple!" by Mont et al. <i>American Journal of Cardiology</i> , <b>2009</b> , 103, 1625-6  | 3    |     |
| 190 | Impact of time to reperfusion after acute myocardial infarction on myocardial damage assessed by left ventricular longitudinal strain. <i>American Journal of Cardiology</i> , <b>2009</b> , 104, 480-5   | 3    | 21  |
| 189 | Prognostic implications of the Doppler restrictive filling pattern in hypertrophic cardiomyopathy. <i>American Journal of Cardiology</i> , <b>2009</b> , 104, 1727-31   | 3    | 71  |
| 188 | Clinical implications of left superior vena cava persistence in candidates for pacemaker or cardioverter-defibrillator implantation. <i>Heart and Vessels</i> , <b>2009</b> , 24, 142-6   | 2.1  | 43  |
| 187 | Automatic management of left ventricular stimulation: hints for technologic improvement. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2009</b> , 32, 346-53   | 1.6  | 20  |
| 186 | Decrease in patient radiation exposure by a tantalum filter during electrophysiological procedures. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2009</b> , 32 Suppl 1, S109-12   | 1.6  | 3   |
| 185 | A prospective randomized evaluation of VV delay optimization in CRT-D recipients: echocardiographic observations from the RHYTHM II ICD study. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2009</b> , 32 Suppl 1, S120-5   | 1.6  | 46  |
| 184 | Atrial fibrillation therapy in patients with a CRT defibrillator with wireless telemetry. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2009</b> , 32, 13-23   | 1.6  | 12  |
| 183 | Response:. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2009</b> , 32, 1361-1362  | 1.6  | 2   |
| 182 | Presence and duration of atrial fibrillation detected by continuous monitoring: crucial implications for the risk of thromboembolic events. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2009</b> , 20, 241-8  | 2.7  | 271 |
| 181 | Remote monitoring of patients with an implanted device and patients' outcomes: the potential for "win-win" dynamics. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2009</b> , 20, 1252-4  | 2.7  | 5   |
| 180 | Effects of cardiac resynchronization therapy on left ventricular twist. <i>Journal of the American College of Cardiology</i> , <b>2009</b> , 54, 1317-25  | 15.1 | 54  |
| 179 | Exercise stress echocardiography is superior to rest echocardiography in predicting left ventricular reverse remodelling and functional improvement after cardiac resynchronization therapy. <i>European Heart Journal</i> , <b>2009</b> , 30, 89-97  | 9.5  | 40  |
| 178 | A changing scenario in the clinical use of implantable defibrillators: the need for long-term data on lead performance. <i>Europace</i> , <b>2009</b> , 11, 1-3   | 3.9  | 4   |
| 177 | Clinical and arrhythmic outcomes after implantation of a defibrillator for primary prevention of sudden death in patients with post-myocardial infarction cardiomyopathy: The Survey to Evaluate Arrhythmia Rate in High-risk MI patients (SEARCH-MI). <i>Europace</i> , <b>2009</b> , 11, 476-82 | 3.9  | 24  |

|     |  |      |    |
|-----|--|------|----|
| 176 | Effect of high-pass filtering on ECG signal on the analysis of patients prone to atrial fibrillation. <i>Annali Dell'istituto Superiore Di Sanita</i> , <b>2009</b> , 45, 427-31   | 1.6  | 10 |
| 175 | Comparison of two strategies to reduce ventricular pacing in pacemaker patients. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2008</b> , 31, 167-76  | 1.6  | 31 |
| 174 | Heart transplantation in hypertrophic cardiomyopathy. <i>American Journal of Cardiology</i> , <b>2008</b> , 101, 387-93  | 3    | 55 |
| 173 | Interventricular delay interval optimization in cardiac resynchronization therapy guided by echocardiography versus guided by electrocardiographic QRS interval width. <i>American Journal of Cardiology</i> , <b>2008</b> , 102, 1373-7   | 3    | 38 |
| 172 | Local amyloidosis as a possible component of the atrial remodeling accompanying atrial fibrillation [corrected]. <i>Journal of the American College of Cardiology</i> , <b>2008</b> , 51, 2444-5; author reply 2445  | 15.1 | 2  |
| 171 | Antiarrhythmic effect of reverse ventricular remodeling induced by cardiac resynchronization therapy: the InSync ICD (Implantable Cardioverter-Defibrillator) Italian Registry. <i>Journal of the American College of Cardiology</i> , <b>2008</b> , 52, 1442-9  | 15.1 | 81 |
| 170 | A randomized comparison of amiodarone and class IC antiarrhythmic drugs to treat atrial fibrillation in patients paced for sinus node disease: the Prevention Investigation and Treatment: A Group for Observation and Research on Atrial arrhythmias (PITAGORA) trial. <i>American Heart Journal</i> , <b>2008</b> , 155, 1007-107-11 | 4.9  | 23 |
| 169 | The Drug And Pace Health clinical Evaluation (DAPHNE) study: a randomized trial comparing sotalol versus beta-blockers to treat symptomatic atrial fibrillation in patients with brady-tachycardia syndrome implanted with an antitachycardia pacemaker. <i>American Heart Journal</i> , <b>2008</b> , 155, 1072-1078                  | 4.9  | 17 |
| 168 | The MINERVA study design and rationale: a controlled randomized trial to assess the clinical benefit of minimizing ventricular pacing in pacemaker patients with atrial tachyarrhythmias. <i>American Heart Journal</i> , <b>2008</b> , 156, 445-51  | 4.9  | 17 |
| 167 | Electrical storm in patients with biventricular implantable cardioverter defibrillator: incidence, predictors, and prognostic implications. <i>American Heart Journal</i> , <b>2008</b> , 156, 847-54  | 4.9  | 24 |
| 166 | Uneventful right ventricular perforation with displacement of a pacing lead into the left thorax. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , <b>2008</b> , 22, 423-5   | 2.1  | 8  |
| 165 | <b>2008</b> ,  |      | 2  |
| 164 | Letter by Boriani et al regarding article, "Death without prior appropriate implantable cardioverter-defibrillator therapy: a competing risk study". <i>Circulation</i> , <b>2008</b> , 118, e515; author reply e516   | 16.7 |    |
| 163 | How to assess the efficacy of catheter ablation of atrial fibrillation?. <i>European Heart Journal</i> , <b>2008</b> , 29, 2183-4; author reply 2184-5   | 9.5  |    |
| 162 | Contribution of morphology discrimination algorithm for improving rhythm discrimination in slow and fast ventricular tachycardia zones in dual-chamber implantable cardioverter-defibrillators. <i>Europace</i> , <b>2008</b> , 10, 918-25   | 3.9  | 5  |
| 161 | Cardiac resynchronization therapy during rest and exercise: comparison of two optimization methods. <i>Europace</i> , <b>2008</b> , 10, 1161-9   | 3.9  | 33 |
| 160 | Longevity of implantable cardioverter-defibrillators: implications for clinical practice and health care systems. <i>Europace</i> , <b>2008</b> , 10, 1288-95  | 3.9  | 43 |
| 159 | Effects of cardiac resynchronization therapy on coronary blood flow: evaluation by transthoracic Doppler echocardiography. <i>European Journal of Heart Failure</i> , <b>2008</b> , 10, 514-20   | 12.3 | 15 |

|     |  |     |    |
|-----|--|-----|----|
| 158 | Strategy for a genetic assessment of antipsychotic and antidepressant-related proarrhythmia. <i>Current Medicinal Chemistry</i> , <b>2008</b> , 15, 2472-517   | 4.3 | 4  |
| 157 | Atrial fibrillation ablation: beyond electro-mechanical matters. <i>European Heart Journal</i> , <b>2008</b> , 29, 2818-9; author reply 2819   | 9.5 | 1  |
| 156 | Automatic verification of ventricular stimulation: fusion management algorithm. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2008</b> , 31, 64-9   | 1.6 | 7  |
| 155 | Left ventricular versus biventricular pacing: a randomized comparative study evaluating mid-term electromechanical and clinical effects. <i>Echocardiography</i> , <b>2008</b> , 25, 141-8   | 1.5 | 15 |
| 154 | Telecardiology and remote monitoring of implanted electrical devices: the potential for fresh clinical care perspectives. <i>Journal of General Internal Medicine</i> , <b>2008</b> , 23 Suppl 1, 73-7   | 4   | 41 |
| 153 | Persistent atrial fibrillation worsens heart rate variability, activity and heart rate, as shown by a continuous monitoring by implantable biventricular pacemakers in heart failure patients. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2008</b> , 19, 693-701                            | 2.7 | 25 |
| 152 | Effects of cardiac resynchronization therapy on diastolic function: evaluation by radionuclide angiography. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2007</b> , 30 Suppl 1, S43-6  | 1.6 | 2  |
| 151 | Duration of P-wave is associated with atrial fibrillation hospitalizations in patients with atrial fibrillation and paced for bradycardia. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2007</b> , 30, 961-9   | 1.6 | 7  |
| 150 | Cardioverter defibrillators in primary prevention of sudden cardiac death: a cost or an investment?. <i>Value in Health</i> , <b>2007</b> , 10, 1-2  | 3.3 | 5  |
| 149 | Electrical cardioversion for persistent atrial fibrillation or atrial flutter in clinical practice: predictors of long-term outcome. <i>International Journal of Clinical Practice</i> , <b>2007</b> , 61, 748-56  | 2.9 | 25 |
| 148 | How, why, and when may atrial defibrillation find a specific role in implantable devices? A clinical viewpoint. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2007</b> , 30, 422-33   | 1.6 | 8  |
| 147 | Atrial threshold variability: implications for automatic atrial stimulation algorithms. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2007</b> , 30, 1445-54  | 1.6 | 21 |
| 146 | Transvenous cardioverter-defibrillator implantation in a patient with tricuspid mechanical prosthesis. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2007</b> , 18, 329-31   | 2.7 | 12 |
| 145 | Temporal variability of atrial fibrillation in pacemaker recipients for bradycardia: implications for crossover designed trials, study sample size, and identification of responder patients by means of arrhythmia burden. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2007</b> , 18, 250-7 | 2.7 | 10 |
| 144 | Electrophysiologic manifestations of ventricular tachyarrhythmias provoking appropriate defibrillator interventions in high-risk patients with hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2007</b> , 18, 483-7   | 2.7 | 50 |
| 143 | Plateau waveform shape allows a much higher patient shock energy tolerance in AF patients. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2007</b> , 18, 728-34   | 2.7 | 5  |
| 142 | Painless shock therapy: more than just an attempt to square the circle?. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2007</b> , 18, 1101-3   | 2.7 | 5  |
| 141 | Cardiac resynchronization therapy: variations in echo-guided optimized atrioventricular and interventricular delays during follow-up. <i>Echocardiography</i> , <b>2007</b> , 24, 933-9  | 1.5 | 44 |

|     |   |      |     |
|-----|---|------|-----|
| 140 | Potential of medical treatment, device therapy, and conventional surgery in patients referred for heart transplantation. <i>Journal of Cardiac Surgery</i> , <b>2007</b> , 22, 456-8  | 1.3  |     |
| 139 | Outcome of cardioverter-defibrillator implant in patients with arrhythmogenic right ventricular cardiomyopathy. <i>Heart and Vessels</i> , <b>2007</b> , 22, 184-92   | 2.1  | 27  |
| 138 | Potential of non-antiarrhythmic drugs to provide an innovative upstream approach to the pharmacological prevention of sudden cardiac death. <i>Expert Opinion on Investigational Drugs</i> , <b>2007</b> , 16, 605-23   | 5.9  | 14  |
| 137 | Electromechanical effects of cardiac resynchronization therapy during rest and stress in patients with heart failure. <i>European Journal of Heart Failure</i> , <b>2007</b> , 9, 644-50  | 12.3 | 18  |
| 136 | Implantable cardioverter-defibrillators and prevention of sudden cardiac death in hypertrophic cardiomyopathy. <i>JAMA - Journal of the American Medical Association</i> , <b>2007</b> , 298, 405-12  | 27.4 | 554 |
| 135 | Left ventricular pacing by automatic capture verification. <i>Europace</i> , <b>2007</b> , 9, 1177-81   | 3.9  | 14  |
| 134 | Implantable cardioverter defibrillators: from evidence of trials to clinical practice. <i>Country Review Ukraine</i> , <b>2007</b> , 9, 166-173   |      | 11  |
| 133 | Evolution of pacing for bradycardia: Autocapture. <i>Country Review Ukraine</i> , <b>2007</b> , 9, 123-132  |      | 19  |
| 132 | Celebrating 50 years of electrical therapies for the heart. <i>Country Review Ukraine</i> , <b>2007</b> , 9, 11-12  |      | 1   |
| 131 | Rate control in patients with pacemaker affected by brady-tachy form of sick sinus syndrome. <i>American Heart Journal</i> , <b>2007</b> , 154, 193-200   | 4.9  | 6   |
| 130 | Wide spectrum of presentation and variable outcomes of isolated left ventricular non-compaction. <i>Heart</i> , <b>2007</b> , 93, 65-71   | 5.1  | 161 |
| 129 | Industry Pulse. <i>High Blood Pressure and Cardiovascular Prevention</i> , <b>2007</b> , 14, 243-246  | 2.9  |     |
| 128 | Cardiac resynchronization therapy in clinical practice: need for electrical, mechanical, clinical and logistic synchronization. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2006</b> , 17, 215-24   | 2.4  | 13  |
| 127 | Short QT syndrome and arrhythmogenic cardiac diseases in the young: the challenge of implantable cardioverter-defibrillator therapy for children. <i>European Heart Journal</i> , <b>2006</b> , 27, 2382-4  | 9.5  | 17  |
| 126 | The epidemiological burden of atrial fibrillation: a challenge for clinicians and health care systems. <i>European Heart Journal</i> , <b>2006</b> , 27, 893-4  | 9.5  | 70  |
| 125 | Biventricular vs. left univentricular pacing in heart failure: rationale, design, and endpoints of the B-LEFT HF study. <i>Europace</i> , <b>2006</b> , 8, 76-80  | 3.9  | 8   |
| 124 | Role of ventricular Autocapture function in increasing longevity of DDDR pacemakers: a prospective study. <i>Europace</i> , <b>2006</b> , 8, 216-20   | 3.9  | 52  |
| 123 | Design and rationale of a randomized study to compare amiodarone and Class IC anti-arrhythmic drugs in terms of atrial fibrillation treatment efficacy in patients paced for sinus node disease: the PITAGORA trial. <i>Europace</i> , <b>2006</b> , 8, 302-5 | 3.9  | 2   |

|     |   |     |     |
|-----|---|-----|-----|
| 122 | Randomized comparison between Ramp and Burst+ atrial antitachycardia pacing therapies in patients suffering from sinus node disease and atrial fibrillation and implanted with a DDDRp device. <i>Europace</i> , <b>2006</b> , 8, 465-73  | 3.9 | 13  |
| 121 | AB7-2. <i>Heart Rhythm</i> , <b>2006</b> , 3, S13   | 6.7 | 3   |
| 120 | Randomized comparison of simultaneous biventricular stimulation versus optimized interventricular delay in cardiac resynchronization therapy. The Resynchronization for the Hemodynamic Treatment for Heart Failure Management II implantable cardioverter defibrillator (RHYTHM II ICD) study. <i>American Heart Journal</i> , <b>2006</b> , 151, 1050-8 | 4.9 | 147 |
| 119 | Characteristics of ventricular tachyarrhythmias occurring in ischemic versus nonischemic patients implanted with a biventricular cardioverter-defibrillator for primary or secondary prevention of sudden death. <i>American Heart Journal</i> , <b>2006</b> , 152, 527.e1-11   | 4.9 | 9   |
| 118 | Electrocardiographic remodeling during cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , <b>2006</b> , 108, 165-70  | 3.2 | 22  |
| 117 | Acute and chronic haemodynamic effects of biventricular pacing and of switching to different pacing modalities in heart failure patients. <i>International Journal of Cardiology</i> , <b>2006</b> , 110, 318-23  | 3.2 | 12  |
| 116 | Neurohormones and inflammatory mediators in patients with heart failure undergoing cardiac resynchronization therapy: time courses and prediction of response. <i>Peptides</i> , <b>2006</b> , 27, 1776-86  | 3.8 | 37  |
| 115 | Role of severe functional mitral regurgitation in predicting electrical remodeling in idiopathic dilated cardiomyopathy. <i>Journal of Cardiovascular Medicine</i> , <b>2006</b> , 7, 691-5   | 1.9 |     |
| 114 | Relevance of cardioverter defibrillators for the prevention of sudden cardiac death on the timing of heart transplantation. <i>Clinical Transplantation</i> , <b>2006</b> , 20, 684-8   | 3.8 | 7   |
| 113 | Reducing unnecessary right ventricular pacing with the managed ventricular pacing mode in patients with sinus node disease and AV block. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2006</b> , 29, 697-705  | 1.6 | 126 |
| 112 | Optimization of pacing algorithms to prevent and treat supraventricular tachyarrhythmias. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2006</b> , 29 Suppl 2, S61-72  | 1.6 | 5   |
| 111 | Primary prevention of sudden cardiac death: can we afford the cost of cardioverter-defibrillators? Data from the Search-MI Registry-Italian sub-study. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2006</b> , 29 Suppl 2, S29-34   | 1.6 | 7   |
| 110 | Pacing with capture verification in candidates for resynchronisation therapy: a feasibility study. <i>Europace</i> , <b>2005</b> , 7, 255-65  | 3.9 | 7   |
| 109 | Temporal variability of atrial tachyarrhythmia burden in bradycardia-tachycardia syndrome patients. <i>European Heart Journal</i> , <b>2005</b> , 26, 165-72  | 9.5 | 27  |
| 108 | Mechanisms of pain associated with internal defibrillation shocks: results of a randomized study of shock waveform. <i>Heart Rhythm</i> , <b>2005</b> , 2, 708-13   | 6.7 | 19  |
| 107 | Long-term reduction of atrial tachyarrhythmia recurrences in patients paced for bradycardia-tachycardia syndrome. <i>Heart Rhythm</i> , <b>2005</b> , 2, 1047-57  | 6.7 | 8   |
| 106 | P wave dispersion and short-term vs. late atrial fibrillation recurrences after cardioversion. <i>International Journal of Cardiology</i> , <b>2005</b> , 101, 355-61   | 3.2 | 43  |
| 105 | Heart failure after myocardial revascularization: risk markers. <i>International Journal of Cardiology</i> , <b>2005</b> , 105, 11-4  | 3.2 | 3   |



|     |  |      |     |
|-----|--|------|-----|
| 104 | A controlled study on the effect of verapamil on atrial tachycarrhythmias in patients with brady-tachy syndrome implanted with a DDDR pacemaker. <i>International Journal of Cardiology</i> , <b>2005</b> , 104, 73-6  | 3.2  | 6   |
| 103 | Dilated-hypokinetic evolution of hypertrophic cardiomyopathy: prevalence, incidence, risk factors, and prognostic implications in pediatric and adult patients. <i>Journal of the American College of Cardiology</i> , <b>2005</b> , 46, 1543-50   | 15.1 | 161 |
| 102 | Monitored atrial fibrillation duration predicts arterial embolic events in patients suffering from bradycardia and atrial fibrillation implanted with antitachycardia pacemakers. <i>Journal of the American College of Cardiology</i> , <b>2005</b> , 46, 1913-20                                     | 15.1 | 326 |
| 101 | Cardiac resynchronization therapy: effects on left and right ventricular ejection fraction during exercise. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2005</b> , 28 Suppl 1, S11-4  | 1.6  | 23  |
| 100 | Predictors of atrial antitachycardia pacing efficacy in patients affected by brady-tachy form of sick sinus syndrome and implanted with a DDDRP device. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2005</b> , 16, 714-23  | 2.7  | 21  |
| 99  | Atrial fibrillation in patients with a dual defibrillator: characteristics of spontaneous and induced episodes and effect of ventricular tachyarrhythmia induction. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2005</b> , 16, 974-80  | 2.7  | 3   |
| 98  | Evaluation of fusion beat detection with a new ventricular automatic capture algorithm in ICDs. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2005</b> , 28 Suppl 1, S263-6   | 1.6  | 4   |
| 97  | Evaluation of the atrial evoked response for capture detection with high-polarization leads. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2005</b> , 28 Suppl 1, S57-62  | 1.6  | 7   |
| 96  | Comparison of induced and spontaneous atrial tachyarrhythmias in patients with a history of spontaneous atrial tachyarrhythmias. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2005</b> , 16, 818-22   | 2.7  | 6   |
| 95  | Implantable dual-chamber defibrillator for the selective treatment of spontaneous atrial and ventricular arrhythmias: arrhythmia incidence and device performance. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2005</b> , 12, 149-56   | 2.4  | 10  |
| 94  | Quantification of fatty tissue mass by magnetic resonance imaging in arrhythmogenic right ventricular dysplasia. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2005</b> , 16, 256-61   | 2.7  | 10  |
| 93  | Letter regarding article by Bokhari et al, "Long-term comparison of the implantable cardioverter defibrillator versus amiodarone: eleven-year follow-up of a subset of patients in the Canadian Implantable Defibrillator Study (CIDS)". <i>Circulation</i> , <b>2005</b> , 111, e26; author reply e26 | 16.7 | 2   |
| 92  | Prevention of sudden death in hypertrophic cardiomyopathy: but which defibrillator for which patient?. <i>Circulation</i> , <b>2004</b> , 110, e438-42   | 16.7 | 33  |
| 91  | Rhythm control and increased risk of noncardiovascular death in the Atrial Fibrillation Follow-up Investigation of Rhythm Management trial. <i>Circulation</i> , <b>2004</b> , 110, e307-8; author reply e307-8  | 16.7 | 1   |
| 90  | Closed loop stimulation in prevention of vasovagal syncope. Inotropy Controlled Pacing in Vasovagal Syncope (INVASY): a multicentre randomized, single blind, controlled study. <i>Europace</i> , <b>2004</b> , 6, 538-47  | 3.9  | 83  |
| 89  | Amyloid deposition as a cause of atrial remodelling in persistent valvular atrial fibrillation. <i>European Heart Journal</i> , <b>2004</b> , 25, 1237-41  | 9.5  | 73  |
| 88  | Far-field R wave oversensing in dual chamber pacemakers designed for atrial arrhythmia management: effect of pacing site and lead tip to ring distance. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2004</b> , 27, 1221-30  | 1.6  | 22  |
| 87  | Implications of cardiac resynchronization therapy and prophylactic defibrillator implantation among patients eligible for heart transplantation. <i>American Journal of Cardiology</i> , <b>2004</b> , 93, 371-3   | 3    | 12  |



|    |   |      |     |
|----|---|------|-----|
| 86 | Clinical and therapeutic implications of troponin elevation in cardiac arrest. <i>American Journal of Cardiology</i> , <b>2004</b> , 94, 1478   | 3    | 2   |
| 85 | Rate control in AFFIRM: considerations about the clinical implications. <i>American Journal of Cardiology</i> , <b>2004</b> , 94, 1104-5  | 3    | 0   |
| 84 | Atrial tachyarrhythmia recurrence temporal patterns in bradycardia patients implanted with antitachycardia pacemakers. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2004</b> , 15, 44-51   | 2.7  | 22  |
| 83 | Pharmacological cardioversion of atrial fibrillation: current management and treatment options. <i>Drugs</i> , <b>2004</b> , 64, 2741-62  | 12.1 | 60  |
| 82 | Efficacy of internal cardioversion for chronic atrial fibrillation in patients with and without left ventricular dysfunction. <i>International Journal of Cardiology</i> , <b>2004</b> , 95, 43-7   | 3.2  | 7   |
| 81 | Cardiac resynchronization by pacing: an electrical treatment of heart failure. <i>International Journal of Cardiology</i> , <b>2004</b> , 94, 151-61  | 3.2  | 34  |
| 80 | Increase in QT/QTc dispersion after low energy cardioversion of chronic persistent atrial fibrillation. <i>International Journal of Cardiology</i> , <b>2004</b> , 95, 245-50   | 3.2  | 7   |
| 79 | Ventricular fibrillation during sleep in an adolescent with hypertrophic cardiomyopathy: the difficulty of risk stratification and the power of the cardioverter-defibrillator. <i>International Journal of Cardiology</i> , <b>2004</b> , 97, 143-4      | 3.2  |     |
| 78 | Solution to a crushing dosage problem?. <i>Pediatrics</i> , <b>2004</b> , 113, 1468   | 7.4  | 1   |
| 77 | Solution to a Crushing Dosage Problem?. <i>Pediatrics</i> , <b>2004</b> , 113, 1468-1468  | 7.4  |     |
| 76 | Cardioverter-defibrillators after MADIT-II: the balance between weight of evidence and treatment costs. <i>European Journal of Heart Failure</i> , <b>2003</b> , 5, 419-25  | 12.3 | 23  |
| 75 | Clinical relevance of atrial fibrillation/flutter, stroke, pacemaker implant, and heart failure in Emery-Dreifuss muscular dystrophy: a long-term longitudinal study. <i>Stroke</i> , <b>2003</b> , 34, 901-8   | 6.7  | 126 |
| 74 | Effect of left ventricular function on long-term left ventricular pacing and sensing threshold. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2003</b> , 9, 21-4  | 2.4  | 15  |
| 73 | QRS interval time-related changes and prognosis in heart failure. <i>American Journal of Cardiology</i> , <b>2003</b> , 91, 514   | 3    | 3   |
| 72 | Cardiac resynchronization and implantable cardioverter defibrillator therapy: preliminary results from the InSync Implantable Cardioverter Defibrillator Italian Registry. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2003</b> , 26, 148-51 | 1.6  | 16  |
| 71 | Atrial evoked response integral for automatic capture verification in atrial pacing. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2003</b> , 26, 248-52   | 1.6  | 13  |
| 70 | Abnormal cardiac innervation in patients with idiopathic ventricular fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2003</b> , 26, 357-60   | 1.6  | 4   |
| 69 | Evaluation of a dual chamber implantable cardioverter defibrillator for the treatment of atrial and ventricular arrhythmias. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2003</b> , 26, 461-5  | 1.6  | 12  |

|    |   |      |    |
|----|---|------|----|
| 68 | Rhythm discrimination by rate branch and QRS morphology in dual chamber implantable cardioverter defibrillators. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2003</b> , 26, 466-70   | 1.6  | 31 |
| 67 | Late improvement in ventricular performance following internal cardioversion for persistent atrial fibrillation: an argument in support of concealed cardiomyopathy. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2003</b> , 26, 1218-26                | 1.6  | 7  |
| 66 | Rate control in atrial fibrillation: choice of treatment and assessment of efficacy. <i>Drugs</i> , <b>2003</b> , 63, 1489-5091   | 5.0  | 34 |
| 65 | Serial versus isolated assessment of clinical and instrumental parameters in heart failure: prognostic and therapeutic implications. <i>American Heart Journal</i> , <b>2003</b> , 146, 298-303   | 4.9  | 31 |
| 64 | Fluttering waves in electrocardiograms recorded in neonatal intensive care unit. <i>International Journal of Cardiology</i> , <b>2003</b> , 92, 299-301   | 3.2  | 4  |
| 63 | 108th ENMC International Workshop, 3rd Workshop of the MYO-CLUSTER project: EUROMEN, 7th International Emery-Dreifuss Muscular Dystrophy (EDMD) Workshop, 13-15 September 2002, Naarden, The Netherlands. <i>Neuromuscular Disorders</i> , <b>2003</b> , 13, 508-15 | 2.9  | 68 |
| 62 | A randomised cross-over study on the haemodynamic effects of oral dofetilide compared with oral sotalol in patients with ischaemic heart disease and sustained ventricular tachycardia. <i>European Journal of Clinical Pharmacology</i> , <b>2002</b> , 58, 165-9  | 2.8  | 5  |
| 61 | Atrial signal analysis and defibrillation threshold assessment in chronic persistent and reinduced atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2002</b> , 13, 449-54   | 2.7  | 8  |
| 60 | Atrial fibrillation precipitating sustained ventricular tachycardia in hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2002</b> , 13, 954  | 2.7  | 21 |
| 59 | Combined use of morphology discrimination, sudden onset, and stability as discriminating algorithms in single chamber cardioverter defibrillators. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2002</b> , 25, 1357-66                                  | 1.6  | 38 |
| 58 | Current clinical perspectives on implantable devices for atrial defibrillation. <i>Current Opinion in Cardiology</i> , <b>2002</b> , 17, 82-9   | 2.1  | 12 |
| 57 | Oral loading with propafenone for conversion of recent-onset atrial fibrillation: a review on in-hospital treatment. <i>Drugs</i> , <b>2002</b> , 62, 415-23  | 12.1 | 21 |
| 56 | Accelerated QRS widening as an independent predictor of cardiac death or of the need for heart transplantation in patients with congestive heart failure. <i>Journal of Heart and Lung Transplantation</i> , <b>2002</b> , 21, 899-902                              | 5.8  | 45 |
| 55 | Hypertrophic cardiomyopathy with massive hypertrophy, amiodarone treatment and high defibrillation threshold at cardioverter-defibrillator implant. <i>International Journal of Cardiology</i> , <b>2002</b> , 83, 171-3  | 3.2  | 8  |
| 54 | Transvenous internal cardioversion for atrial fibrillation: a randomized comparison between catheters with different coil length. <i>American Heart Journal</i> , <b>2002</b> , 144, 851-7  | 4.9  | 6  |
| 53 | Internal low energy atrial cardioversion: efficacy and safety in older patients with chronic persistent atrial fibrillation. <i>Journal of the American Geriatrics Society</i> , <b>2001</b> , 49, 80-4   | 5.6  | 2  |
| 52 | Transvenous low energy internal cardioversion for atrial fibrillation: a review of clinical applications and future developments. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2001</b> , 24, 99-107  | 1.6  | 22 |
| 51 | Clinical evaluation of morphology discrimination: an algorithm for rhythm discrimination in cardioverter defibrillators. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2001</b> , 24, 994-1001   | 1.6  | 21 |

|    |  |      |     |
|----|--|------|-----|
| 50 | Impact of consistent atrial pacing algorithm on premature atrial complex number and paroxysmal atrial fibrillation recurrences in brady-tachy syndrome: a randomized prospective cross over study. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2001</b> , 5, 33-44 | 2.4  | 52  |
| 49 | Neurocardiogenic syncope in selected pediatric patients--natural history during long-term follow-up and effect of prophylactic pharmacological therapy. <i>Cardiovascular Drugs and Therapy</i> , <b>2001</b> , 15, 161-7  | 3.9  | 4   |
| 48 | New Options for Pharmacological Conversion of Atrial Fibrillation <b>2001</b> , 5, 195-200   |      | 3   |
| 47 | Nightmares and sleep disturbances with simvastatin and metoprolol. <i>Annals of Pharmacotherapy</i> , <b>2001</b> , 35, 1292   | 2.9  | 15  |
| 46 | A multicentre, double-blind randomized crossover comparative study on the efficacy and safety of dofetilide vs sotalol in patients with inducible sustained ventricular tachycardia and ischaemic heart disease. <i>European Heart Journal</i> , <b>2001</b> , 22, 2180-91             | 9.5  | 36  |
| 45 | Cost-effectiveness of implantable cardioverter-defibrillators. <i>European Heart Journal</i> , <b>2001</b> , 22, 990-6   | 9.5  | 23  |
| 44 | Left superior vena cava persistence in patients undergoing pacemaker or cardioverter-defibrillator implantation: a 10-year experience. <i>Chest</i> , <b>2001</b> , 120, 139-44  | 5.3  | 184 |
| 43 | Effects of consistent atrial pacing and atrial rate stabilization - two pacing algorithms to suppress recurrent paroxysmal atrial fibrillation in brady-tachy syndrome. <i>European Heart Journal Supplements</i> , <b>2001</b> , 3, P7-P15  | 1.5  | 10  |
| 42 | Randomized crossover comparison of right atrial appendage pacing versus interatrial septum pacing for prevention of paroxysmal atrial fibrillation in patients with sinus bradycardia. <i>American Heart Journal</i> , <b>2001</b> , 142, 1047-55                                      | 4.9  | 123 |
| 41 | Antitachycardia pacing therapy to treat spontaneous atrial tachyarrhythmias: the 7250 dual defibrillator Italian Registry. <i>European Heart Journal Supplements</i> , <b>2001</b> , 3, P25-P32  | 1.5  | 15  |
| 40 | Antitachycardia pacing therapies to terminate atrial tachyarrhythmias: the AT500 Italian Registry. <i>European Heart Journal Supplements</i> , <b>2001</b> , 3, P16-P24  | 1.5  | 13  |
| 39 | Repolarization changes in a double-blind crossover study of dofetilide versus sotalol in the treatment of ventricular tachycardia. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2000</b> , 23, 1935-8  | 1.6  | 4   |
| 38 | Predictors of atrial defibrillation threshold in internal cardioversion. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2000</b> , 23, 1898-901  | 1.6  | 10  |
| 37 | Benefits in projected pacemaker longevity and in pacing related costs conferred by automatic threshold tracking. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2000</b> , 23, 1783-7  | 1.6  | 33  |
| 36 | DDD and single-lead VDD pacing: evaluation of atrial signal dynamic changes. <i>Clinical Cardiology</i> , <b>2000</b> , 23, 678-80   | 3.3  | 2   |
| 35 | Evaluation of myocardial injury following repeated internal atrial shocks by monitoring serum cardiac troponin I levels. <i>Chest</i> , <b>2000</b> , 118, 342-7   | 5.3  | 38  |
| 34 | High defibrillation threshold at cardioverter defibrillator implantation under amiodarone treatment: favorable effects of D, L-sotalol. <i>Heart and Lung: Journal of Acute and Critical Care</i> , <b>2000</b> , 29, 412-6  | 2.6  | 15  |
| 33 | Efficacy of implantable cardioverter-defibrillators for the prevention of sudden death in patients with hypertrophic cardiomyopathy. <i>New England Journal of Medicine</i> , <b>2000</b> , 342, 365-73  | 59.2 | 774 |

|    |   |      |    |
|----|---|------|----|
| 32 | Antiarrhythmic benefits of dual chamber stimulation with rate-response in patients with paroxysmal atrial fibrillation and chronotropic incompetence: a prospective, multicentre study. <i>Europace</i> , <b>1999</b> , 1, 220-5                  | 3.9  | 17 |
| 31 | Low energy internal atrial cardioversion in atrial fibrillation lasting more than a year. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>1999</b> , 22, 243-6   | 1.6  | 18 |
| 30 | Evaluation of atrial refractoriness and atrial fibrillation inducibility immediately after internal cardioversion in patients with chronic persistent atrial fibrillation. <i>Cardiovascular Drugs and Therapy</i> , <b>1999</b> , 13, 507-11     | 3.9  | 6  |
| 29 | Transvenous internal cardioversion for atrial fibrillation: a randomized study on defibrillation threshold and tolerability of asymmetrical compared with symmetrical shocks. <i>International Journal of Cardiology</i> , <b>1999</b> , 71, 63-9 | 3.2  | 11 |
| 28 | Favorable effects of flecainide in transvenous internal cardioversion of atrial fibrillation. <i>Journal of the American College of Cardiology</i> , <b>1999</b> , 33, 333-41   | 15.1 | 48 |
| 27 | Oral loading with propafenone: a placebo-controlled study in elderly and nonelderly patients with recent onset atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>1998</b> , 21, 2465-9                                | 1.6  | 16 |
| 26 | Conversion of recent-onset atrial fibrillation to sinus rhythm: effects of different drug protocols. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>1998</b> , 21, 2470-4   | 1.6  | 71 |
| 25 | Efficacy and tolerability in fully conscious patients of transvenous low-energy internal atrial cardioversion for atrial fibrillation. <i>American Journal of Cardiology</i> , <b>1998</b> , 81, 241-4  | 3    | 47 |
| 24 | Clinical reliability of single-lead VDD pacing from evaluation of P-wave sensing under dynamic conditions. <i>American Journal of Cardiology</i> , <b>1998</b> , 82, 676-9, A8  | 3    | 6  |
| 23 | Pharmacological treatment of atrial fibrillation: a review on prevention of recurrences and control of ventricular response. <i>Archives of Gerontology and Geriatrics</i> , <b>1998</b> , 27, 127-39   | 4    | 9  |
| 22 | Cardioverter-defibrillator oversensing due to double counting of ventricular tachycardia electrograms. <i>International Journal of Cardiology</i> , <b>1998</b> , 66, 91-5  | 3.2  | 15 |
| 21 | Clinical experience with downsized lower energy output implantable cardioverter defibrillators. Ventak Mini II Clinical Investigators. <i>International Journal of Cardiology</i> , <b>1998</b> , 66, 261-6                                       | 3.2  | 9  |
| 20 | Oral propafenone to convert recent-onset atrial fibrillation in patients with and without underlying heart disease. A randomized, controlled trial. <i>Annals of Internal Medicine</i> , <b>1997</b> , 126, 621-5                                 | 8    | 98 |
| 19 | Conversion of recent onset atrial fibrillation to sinus rhythm using a single oral loading dose of propafenone: comparison of two regimens. <i>International Journal of Cardiology</i> , <b>1997</b> , 58, 55-61                                  | 3.2  | 58 |
| 18 | Beta-blocker treatment guided by head-up tilt test in neurally mediated syncope. <i>Current Therapeutic Research</i> , <b>1997</b> , 58, 842-850  | 2.4  |    |
| 17 | Paroxysmal atrial fibrillation in sleep. <i>Sleep</i> , <b>1997</b> , 20, 396-8   | 1.1  | 34 |
| 16 | Ventricular fibrillation after intravenous amiodarone in Wolff-Parkinson-White syndrome with atrial fibrillation. <i>American Heart Journal</i> , <b>1996</b> , 131, 1214-6   | 4.9  | 39 |
| 15 | Propafenone in the treatment of cardiac arrhythmias. A risk-benefit appraisal. <i>Drug Safety</i> , <b>1995</b> , 12, 55-72   | 5.1  | 21 |

|    |  |      |     |
|----|--|------|-----|
| 14 | Propafenone for conversion of recent-onset atrial fibrillation. A controlled comparison between oral loading dose and intravenous administration. <i>Chest</i> , <b>1995</b> , 108, 355-8  | 5.3  | 96  |
| 13 | Dynamic electrophysiological behavior of human atria during paroxysmal atrial fibrillation. <i>Circulation</i> , <b>1995</b> , 92, 1193-202  | 16.7 | 122 |
| 12 | Conversion of recent-onset atrial fibrillation by a single oral loading dose of propafenone or flecainide. <i>American Journal of Cardiology</i> , <b>1994</b> , 74, 503-5   | 3    | 143 |
| 11 | A controlled study on oral propafenone versus digoxin plus quinidine in converting recent onset atrial fibrillation to sinus rhythm. <i>International Journal of Cardiology</i> , <b>1994</b> , 43, 305-13   | 3.2  | 104 |
| 10 | Blocking Properties of Propafenone in Extensive Oxidisers: A Study on Heart Rate Behaviour during Holter Monitoring. <i>Drug Investigation</i> , <b>1993</b> , 6, 25-32  |      | 7   |
| 9  | Drugs, surgery, cardioverter defibrillator: a decision based on the clinical problem. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>1993</b> , 16, 519-26   | 1.6  | 9   |
| 8  | Atrial premature beats coupling interval determines lone paroxysmal atrial fibrillation onset. <i>International Journal of Cardiology</i> , <b>1992</b> , 36, 87-93  | 3.2  | 52  |
| 7  | Intravenous administration of propafenone. <i>Journal of the American College of Cardiology</i> , <b>1992</b> , 19, 1368-91  | 5.1  | 6   |
| 6  | Evaluation by cardiopulmonary exercise test of DDDR versus DDD pacing. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>1992</b> , 15, 1908-13   | 1.6  | 31  |
| 5  | Effectiveness of loading oral flecainide for converting recent-onset atrial fibrillation to sinus rhythm in patients without organic heart disease or with only systemic hypertension. <i>American Journal of Cardiology</i> , <b>1992</b> , 70, 69-72 | 3    | 203 |
| 4  | Flecainide: evidence of non-linear kinetics. <i>European Journal of Clinical Pharmacology</i> , <b>1991</b> , 41, 57-9   | 2.8  | 15  |
| 3  | Usefulness of nicorandil in congestive heart failure. <i>American Journal of Cardiology</i> , <b>1990</b> , 65, 343-8  | 3    | 15  |
| 2  | Minimal effective concentration values of propafenone and 5-hydroxy-propafenone in acute and chronic therapy. <i>Cardiovascular Drugs and Therapy</i> , <b>1990</b> , 4, 281-7   | 3.9  | 22  |
| 1  | Cost-Effectiveness of Implantable Cardioverter-Defibrillators263-279   |      |     |