

# Soheil Mahdavi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7094959/publications.pdf>

Version: 2024-02-01

29  
papers

840  
citations

516710

16  
h-index

501196

28  
g-index

29  
all docs

29  
docs citations

29  
times ranked

639  
citing authors

#	ARTICLE	IF	CITATIONS
1	The microstructural features and corrosion behavior of Hydroxyapatite/ZnO nanocomposite electrodeposit on NiTi alloy: Effect of current density. <i>Ceramics International</i> , 2022, 48, 2191-2202.	4.8	12
2	Enhanced bioactivity of 316L stainless steel with deposition of polypyrrole/hydroxyapatite layered hybrid coating: Orthopedic applications. <i>Surfaces and Interfaces</i> , 2022, 28, 101604.	3.0	10
3	Modification of microstructure, hardness, and wear characteristics of an automotive-grade Al-Si alloy after friction stir processing. <i>Journal of Adhesion Science and Technology</i> , 2021, 35, 2696-2709.	2.6	17
4	Co-P alloy matrix composite deposits reinforced by nano-MoS <sub>2</sub> solid lubricant: An alternative tribological coating to hard chromium coatings. <i>Tribology International</i> , 2021, 159, 106956.	5.9	26
5	Wear and corrosion of Co-Cr coatings electrodeposited from a trivalent chromium solution: Effect of heat treatment temperature. <i>Surface and Coatings Technology</i> , 2021, 422, 127535.	4.8	13
6	Tribological and corrosion behavior of electrochemically deposited Co/TiO <sub>2</sub> micro/nano-composite coatings. <i>Surface and Coatings Technology</i> , 2021, 423, 127591.	4.8	16
7	The study of morphological evolution, biocorrosion resistance, and bioactivity of pulse electrochemically deposited Hydroxyapatite/ZnO composite on NiTi superelastic alloy. <i>Surface and Coatings Technology</i> , 2021, 423, 127628.	4.8	9
8	Characteristics and corrosion behavior of as-deposited and heat-treated Co-Cr/ZrO <sub>2</sub> coatings electrodeposited from Cr(III) baths. <i>Materials Chemistry and Physics</i> , 2021, 272, 125030.	4.0	7
9	Effect of alumina particle size on characteristics, corrosion, and tribological behavior of Co/Al <sub>2</sub> O <sub>3</sub> composite coatings. <i>Ceramics International</i> , 2020, 46, 5351-5359.	4.8	19
10	Electrodeposited Ni-Co alloy-particle composite coatings: A comprehensive review. <i>Surface and Coatings Technology</i> , 2020, 382, 125153.	4.8	66
11	Characteristics and properties of Co-Cr alloy coatings prepared by electrodeposition. <i>Surface Engineering</i> , 2020, 36, 966-974.	2.2	8
12	Characteristics and tribological behavior of the hard anodized 6061-T6 Al alloy. <i>Journal of Alloys and Compounds</i> , 2020, 842, 155988.	5.5	20
13	Cobalt/graphene electrodeposits: Characteristics, tribological behavior, and corrosion properties. <i>Surface and Coatings Technology</i> , 2020, 385, 125418.	4.8	25
14	Biocompatibility and drug delivery efficiency of PEG-b-PCL/hydroxyapatite bilayer coatings on Nitinol superelastic alloy. <i>Ceramics International</i> , 2020, 46, 12711-12717.	4.8	18
15	Tribological behavior of cobalt/graphene composite coatings. <i>Ceramics International</i> , 2020, 46, 16886-16894.	4.8	21
16	Effect of PTFE on characteristics, corrosion, and tribological behavior of Zn-Ni electrodeposits. <i>Surface Topography: Metrology and Properties</i> , 2020, 8, 045013.	1.6	4
17	Characteristics and properties of Cu/nano-SiC and Cu/nano-SiC/graphite hybrid composite coatings produced by pulse electrodeposition technique. <i>Canadian Metallurgical Quarterly</i> , 2018, 57, 358-366.	1.2	7
18	Deposition, Characterization and Evaluation of Monolayer and Multilayer Ni, Ni-P and Ni-P-Nano ZnO Coatings. <i>Transactions of the Indian Institute of Metals</i> , 2018, 71, 1301-1309.	1.5	9

#	ARTICLE	IF	CITATIONS
19	Ceramic nanoparticles addition in pure copper plate: FSP approach, microstructure evolution and texture study using EBSD. <i>Ceramics International</i> , 2018, 44, 3128-3133.	4.8	49
20	Effect of bath composition and pulse electrodeposition condition on characteristics and microhardness of cobalt coatings. <i>Transactions of Nonferrous Metals Society of China</i> , 2018, 28, 2017-2027.	4.2	17
21	Effect of pH, Surfactant, and Heat Treatment on Morphology, Structure, and Hardness of Electrodeposited Co-P Coatings. <i>Journal of Materials Engineering and Performance</i> , 2015, 24, 3209-3217.	2.5	16
22	Composition, characteristics and tribological behavior of Cr, Co/Cr and Co/Cr/TiO <sub>2</sub> nano-composite coatings electrodeposited from trivalent chromium based baths. <i>Journal of Alloys and Compounds</i> , 2015, 635, 150-157.	5.5	54
23	Corrosion behaviour of electrodeposited nanocrystalline Co and Co/ZrO <sub>2</sub> nanocomposite coatings. <i>Surface Engineering</i> , 2015, 31, 251-257.	2.2	29
24	Corrosion and tribological behavior of Ni/Cr alloy coatings electrodeposited on low carbon steel in Cr (III)/Ni (II) bath. <i>Surface and Coatings Technology</i> , 2015, 281, 144-149.	4.8	36
25	Fabrication and characteristics of Al6061/SiC/Gr hybrid composites processed by in situ powder metallurgy method. <i>Journal of Composite Materials</i> , 2013, 47, 437-447.	2.4	23
26	Characteristics of electrodeposited cobalt and titania nano-reinforced cobalt composite coatings. <i>Surface and Coatings Technology</i> , 2013, 232, 198-203.	4.8	29
27	Fabrication of Al/Al <sub>2</sub> O <sub>3</sub> composites by in-situ powder metallurgy (IPM). <i>Powder Technology</i> , 2012, 229, 276-284.	4.2	52
28	Effect of SiC content on the processing, compaction behavior, and properties of Al6061/SiC/Gr hybrid composites. <i>Journal of Materials Science</i> , 2011, 46, 1502-1511.	3.7	80
29	Effect of the Graphite Content on the Tribological Behavior of Al/Gr and Al/30SiC/Gr Composites Processed by In Situ Powder Metallurgy (IPM) Method. <i>Tribology Letters</i> , 2011, 44, 1-12.	2.6	148