

Hamid Mirzadeh

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7095265/hamid-mirzadeh-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143
papers

5,086
citations

41
h-index

64
g-index

149
ext. papers

5,737
ext. citations

4.3
avg, IF

6.02
L-index

#	Paper	IF	Citations
143	Fabrication of nanocomposite/nanofibrous functionally graded biomimetic scaffolds for osteochondral tissue regeneration. <i>Journal of Biomedical Materials Research - Part A</i> , 2021 , 109, 1657-1689	5.4	4
142	Mathematical modeling of electrospinning process of silk fibroin/gelatin nanofibrous mat: Comparison of the accuracy of GMDH and RSM models. <i>Journal of Industrial Textiles</i> , 2021 , 50, 1020-1039	1.6	3
141	Crosslinking strategies for silk fibroin hydrogels: promising biomedical materials. <i>Biomedical Materials (Bristol)</i> , 2021 , 16, 022004	3.5	7
140	Injectable and reversible preformed cryogels based on chemically crosslinked gelatin methacrylate (GelMA) and physically crosslinked hyaluronic acid (HA) for soft tissue engineering. <i>Colloids and Surfaces B: Biointerfaces</i> , 2021 , 203, 111725	6	3
139	In Situ Forming Hydrogels Based on Clickable Star-PEG for Biomedical Applications 2020 , 92-95		
138	Mechanical Characteristics of SPG-178 Hydrogels: Optimizing Viscoelastic Properties through Microrheology and Response Surface Methodology. <i>Iranian Biomedical Journal</i> , 2020 , 24, 110-8	2	0
137	Tunable viscoelastic features of aqueous mixtures of thermosensitive ethyl(hydroxyethyl)cellulose and cellulose nanowhiskers. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020 , 590, 124489	5.1	3
136	Injectable drug loaded gelatin based scaffolds as minimally invasive approach for drug delivery system: CNC/PAMAM nanoparticles. <i>European Polymer Journal</i> , 2020 , 139, 109992	5.2	10
135	PEGylated curcumin-loaded nanofibrous mats with controlled burst release through bead knot-on-spring design. <i>Progress in Biomaterials</i> , 2020 , 9, 175-185	4.4	0
134	Alginate Based Scaffolds for Cartilage Tissue Engineering: A Review. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2020 , 69, 230-247	3	81
133	Chitosan/gum tragacanth/PVA hybrid nanofibrous scaffold for tissue engineering applications. <i>Bioinspired, Biomimetic and Nanobiomaterials</i> , 2020 , 9, 16-23	1.3	2
132	Improvement of the Electrospinnability of Silk Fibroin Solution by Atmospheric Pressure Plasma Treatment. <i>Fibers and Polymers</i> , 2019 , 20, 1594-1600	2	9
131	Polyvinyl alcohol/soy protein isolate nanofibrous patch for wound-healing applications. <i>Progress in Biomaterials</i> , 2019 , 8, 185-196	4.4	16
130	Chitosan-based biocompatible dressing for treatment of recalcitrant lesions of cutaneous leishmaniasis: A pilot clinical study. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2019 , 85, 609-614	0.8	8
129	3D in vitro cancerous tumor models: Using 3D printers. <i>Medical Hypotheses</i> , 2019 , 124, 91-94	3.8	9
128	A review on nanocomposite hydrogels and their biomedical applications. <i>Science and Engineering of Composite Materials</i> , 2019 , 26, 154-174	1.5	54
127	On the analysis of microrheological responses of self-assembling RADA16-I peptide hydrogel. <i>Journal of Biomedical Materials Research - Part A</i> , 2019 , 107, 330-338	5.4	7

126	Graphene oxide containing chitosan scaffolds for cartilage tissue engineering. <i>International Journal of Biological Macromolecules</i> , 2019 , 127, 396-405	7.9	58
125	Combinational drug delivery using nanocarriers for breast cancer treatments: A review. <i>Journal of Biomedical Materials Research - Part A</i> , 2018 , 106, 2272-2283	5.4	28
124	In Situ Forming, Cytocompatible, and Self-Recoverable Tough Hydrogels Based on Dual Ionic and Click Cross-Linked Alginate. <i>Biomacromolecules</i> , 2018 , 19, 1646-1662	6.9	52
123	Chitosan/polyethylene glycol fumarate blend films for wound dressing application: in vitro biocompatibility and biodegradability assays. <i>Progress in Biomaterials</i> , 2018 , 7, 143-150	4.4	8
122	Enhanced cellular response elicited by addition of amniotic fluid to alginate hydrogel-electrospun silk fibroin fibers for potential wound dressing application. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018 , 172, 82-89	6	50
121	Electrospun nanofibers comprising of silk fibroin/gelatin for drug delivery applications: Thyme essential oil and doxycycline monohydrate release study. <i>Journal of Biomedical Materials Research - Part A</i> , 2018 , 106, 1092-1103	5.4	77
120	Designing and fabrication of curcumin loaded PCL/PVA multi-layer nanofibrous electrospun structures as active wound dressing. <i>Progress in Biomaterials</i> , 2017 , 6, 39-48	4.4	63
119	Fabrication and study of curcumin loaded nanoparticles based on folate-chitosan for breast cancer therapy application. <i>Carbohydrate Polymers</i> , 2017 , 168, 14-21	10.3	90
118	In situ forming PLGA implant for 90 days controlled release of leuprolide acetate for treatment of prostate cancer. <i>Polymers for Advanced Technologies</i> , 2017 , 28, 867-875	3.2	14
117	Piezoelectric electrospun nanocomposite comprising Au NPs/PVDF for nerve tissue engineering. <i>Journal of Biomedical Materials Research - Part A</i> , 2017 , 105, 1984-1993	5.4	36
116	Fabrication and characterization of hydrothermal cross-linked chitosan porous scaffolds for cartilage tissue engineering applications. <i>Materials Science and Engineering C</i> , 2017 , 80, 532-542	8.3	35
115	Synthesis and temperature-induced self-assembly of a positively charged symmetrical pentablock terpolymer in aqueous solutions. <i>European Polymer Journal</i> , 2017 , 97, 158-168	5.2	6
114	Platelet-Rich Plasma Incorporated Nanostructures for Tissue Engineering Applications 2017 , 211-227		
113	Effect of electrospinning parameters on morphological properties of PVDF nanofibrous scaffolds. <i>Progress in Biomaterials</i> , 2017 , 6, 113-123	4.4	68
112	Novel class of collector in electrospinning device for the fabrication of 3D nanofibrous structure for large defect load-bearing tissue engineering application. <i>Journal of Biomedical Materials Research - Part A</i> , 2017 , 105, 1535-1548	5.4	28
111	Gelatin/chondroitin sulfate nanofibrous scaffolds for stimulation of wound healing: In-vitro and in-vivo study. <i>Journal of Biomedical Materials Research - Part A</i> , 2017 , 105, 2020-2034	5.4	32
110	Novel 3D scaffold with enhanced physical and cell response properties for bone tissue regeneration, fabricated by patterned electrospinning/electrospraying. <i>Journal of Materials Science: Materials in Medicine</i> , 2016 , 27, 143	4.5	15
109	Roll-designed 3D nanofibrous scaffold suitable for the regeneration of load bearing bone defects. <i>Progress in Biomaterials</i> , 2016 , 5, 199-211	4.4	12

108	Rheological Study and Molecular Dynamics Simulation of Biopolymer Blend Thermogels of Tunable Strength. <i>Biomacromolecules</i> , 2016 , 17, 3474-3484	6.9	15
107	Comparison of the Application of Allogeneic Fibroblast and Autologous Mesh Grafting With the Conventional Method in the Treatment of Third-Degree Burns. <i>Journal of Burn Care and Research</i> , 2016 , 37, e90-5	0.8	14
106	A review of key challenges of electrospun scaffolds for tissue-engineering applications. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2016 , 10, 715-38	4.4	310
105	Differentiation of Wharton's Jelly-Derived Mesenchymal Stem Cells into Motor Neuron-Like Cells on Three-Dimensional Collagen-Grafted Nanofibers. <i>Molecular Neurobiology</i> , 2016 , 53, 2397-408	6.2	55
104	Development of a method for measuring and modeling the NH ₂ content and crosslinking density of chitosan/gelatin/nanohydroxyapatite based microspheres. <i>Polymer Testing</i> , 2016 , 51, 20-28	4.5	12
103	Novel chitosan-based nanobiohybrid membranes for wound dressing applications. <i>RSC Advances</i> , 2016 , 6, 7701-7711	3.7	39
102	Electrospun silk-based nanofibrous scaffolds: fiber diameter and oxygen transfer. <i>Progress in Biomaterials</i> , 2016 , 5, 71-80	4.4	26
101	Effect of crosslinking procedure on structural, thermal, and functional performances of cellulosic nanofibers: A comparison between chemical and photochemical crosslinking. <i>Journal of Applied Polymer Science</i> , 2016 , 133,	2.9	13
100	Nanoclay-reinforced electrospun chitosan/PVA nanocomposite nanofibers for biomedical applications. <i>RSC Advances</i> , 2015 , 5, 10479-10487	3.7	99
99	Electrospinning, mechanical properties, and cell behavior study of chitosan/PVA nanofibers. <i>Journal of Biomedical Materials Research - Part A</i> , 2015 , 103, 3081-93	5.4	129
98	Induction of human umbilical Wharton's jelly-derived mesenchymal stem cells toward motor neuron-like cells. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2015 , 51, 987-94	2.6	19
97	Gelatin-GAG electrospun nanofibrous scaffold for skin tissue engineering: fabrication and modeling of process parameters. <i>Materials Science and Engineering C</i> , 2015 , 48, 704-12	8.3	50
96	Fabrication of gelatin/chitosan nanofibrous scaffold: process optimization and empirical modeling. <i>Polymer International</i> , 2015 , 64, 571-580	3.3	31
95	Fabrication of cancellous biomimetic chitosan-based nanocomposite scaffolds applying a combinational method for bone tissue engineering. <i>Journal of Biomedical Materials Research - Part A</i> , 2015 , 103, 1882-92	5.4	32
94	Biomimetic modified clinical-grade POSS-PCU nanocomposite polymer for bypass graft applications: a preliminary assessment of endothelial cell adhesion and haemocompatibility. <i>Materials Science and Engineering C</i> , 2015 , 46, 400-8	8.3	45
93	Rationalization of specific structure formation in electrospinning process: Study on nano-fibrous PCL- and PLGA-based scaffolds. <i>Journal of Biomedical Materials Research - Part A</i> , 2015 , 103, 3927-39	5.4	10
92	Potential Application of a Visible Light-Induced Photocured Hydrogel Film as a Wound Dressing Material. <i>Journal of Polymers</i> , 2015 , 2015, 1-10		7
91	Thermoresponsive biopolymer hydrogels with tunable gel characteristics. <i>RSC Advances</i> , 2014 , 4, 39386-39393		17

90	Artificial neural networks for bilateral prediction of formulation parameters and drug release profiles from cochlear implant coatings fabricated as porous monolithic devices based on silicone rubber. <i>Journal of Pharmacy and Pharmacology</i> , 2014 , 66, 624-38	4.8	16
89	Microfluidic-assisted self-assembly of complex dendritic polyethylene drug delivery nanocapsules. <i>Advanced Materials</i> , 2014 , 26, 3118-23	24	41
88	Injectable scaffold as minimally invasive technique for cartilage tissue engineering: in vitro and in vivo preliminary study. <i>Progress in Biomaterials</i> , 2014 , 3, 143-151	4.4	12
87	Fabrication of a Nanofibrous Scaffold for the In Vitro Culture of Cardiac Progenitor Cells for Myocardial Regeneration. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2014 , 63, 229-239	3	24
86	Cell-loaded gelatin/chitosan scaffolds fabricated by salt-leaching/lyophilization for skin tissue engineering: in vitro and in vivo study. <i>Journal of Biomedical Materials Research - Part A</i> , 2014 , 102, 3908-14	5.4	49
85	Comparing supportive properties of poly lactic-co-glycolic acid (PLGA), PLGA/collagen and human amniotic membrane for human urothelial and smooth muscle cells engineering. <i>Urology Journal</i> , 2014 , 11, 1620-8	0.9	9
84	Miscibility study of chitosan/polyethylene glycol fumarate blends in dilute solutions. <i>Journal of Applied Polymer Science</i> , 2013 , 127, 3514-3521	2.9	10
83	Chitosan/polyethylene glycol fumarate blend film: physical and antibacterial properties. <i>Carbohydrate Polymers</i> , 2013 , 92, 48-56	10.3	94
82	Particle size modeling and morphology study of chitosan/gelatin/nanohydroxyapatite nanocomposite microspheres for bone tissue engineering. <i>Journal of Biomedical Materials Research - Part A</i> , 2013 , 101, 1758-67	5.4	23
81	Dexamethasone-releasing cochlear implant coatings: application of artificial neural networks for modelling of formulation parameters and drug release profile. <i>Journal of Pharmacy and Pharmacology</i> , 2013 , 65, 1145-57	4.8	14
80	Microfluidic self-assembly of polymeric nanoparticles with tunable compactness for controlled drug delivery. <i>Polymer</i> , 2013 , 54, 4972-4979	3.9	60
79	Interaction and miscibility study of fumarate-based macromers with chitosan. <i>Materials Chemistry and Physics</i> , 2013 , 139, 515-524	4.4	9
78	Dexamethasone eluting cochlear implant: Histological study in animal model. <i>Cochlear Implants International</i> , 2013 , 14, 45-50	1.7	54
77	Collagen-immobilized patch for repairing small tympanic membrane perforations: in vitro and in vivo assays. <i>Journal of Biomedical Materials Research - Part A</i> , 2012 , 100, 549-53	5.4	18
76	Polystyrene surface modification using excimer laser and radio-frequency plasma: blood compatibility evaluations. <i>Progress in Biomaterials</i> , 2012 , 1, 4	4.4	9
75	Investigation of gelation mechanism of an injectable hydrogel based on chitosan by rheological measurements for a drug delivery application. <i>Soft Matter</i> , 2012 , 8, 7128	3.6	57
74	Curing behavior of silicone elastomer in the presence of two corticosteroid drugs. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2012 , 100, 1636-44	3.5	10
73	Fabrication of a porous wall and higher interconnectivity scaffold comprising gelatin/chitosan via combination of salt-leaching and lyophilization methods. <i>Iranian Polymer Journal (English Edition)</i> , 2012 , 21, 191-200	2.3	24

72	Plasma graft polymerization of Acrylic Acid and immobilization of Heparin to improve blood compatibility of Polyethylene terephthalate (PET).. <i>Materials Research Society Symposia Proceedings</i> , 2012 , 1469, 137		1
71	Investigation of Plasma Treatment on Poly(3-hydroxybutyrate) Film Surface: Characterization and In Vitro Assay. <i>Polymer-Plastics Technology and Engineering</i> , 2012 , 51, 1319-1326		17
70	Novel materials to enhance corneal epithelial cell migration on keratoprosthesis. <i>British Journal of Ophthalmology</i> , 2011 , 95, 405-9	5.5	15
69	Differentiation of embryonic stem cells into neural cells on 3D poly (D, L-lactic acid) scaffolds versus 2D cultures. <i>International Journal of Artificial Organs</i> , 2011 , 34, 1012-23	1.9	19
68	Preparation, mechanical properties, and in vitro biocompatibility of novel nanocomposites based on polyhexamethylene carbonate fumarate and nanohydroxyapatite. <i>Polymers for Advanced Technologies</i> , 2011 , 22, 605-611	3.2	12
67	The effect of electron beam irradiation on dynamic shear rheological behavior of a poly (propylene-co-ethylene) heterophasic copolymer. <i>Polymers for Advanced Technologies</i> , 2011 , 22, 2039-2043	2.2	2
66	Simple and versatile method for the one-pot synthesis of segmented poly(urethane urea)s via in situ-formed AB-type macromonomers. <i>Polymer International</i> , 2011 , 60, 620-629	3.3	9
65	Laser-modified nanostructures of PET films and cell behavior. <i>Journal of Biomedical Materials Research - Part A</i> , 2011 , 98, 63-71	5.4	10
64	Hydroxyapatite scaffolds infiltrated with thermally crosslinked polycaprolactone fumarate and polycaprolactone itaconate. <i>Journal of Biomedical Materials Research - Part A</i> , 2011 , 98, 257-67	5.4	25
63	Surface modification of POSS-nanocomposite biomaterials using reactive oxygen plasma treatment for cardiovascular surgical implant applications. <i>Biotechnology and Applied Biochemistry</i> , 2011 , 58, 147-61	2.8	35
62	Application of plasma surface modification techniques to improve hemocompatibility of vascular grafts: A review. <i>Biotechnology and Applied Biochemistry</i> , 2011 , 58, 311-27	2.8	43
61	The study of collagen immobilization on a novel nanocomposite to enhance cell adhesion and growth. <i>Iranian Biomedical Journal</i> , 2011 , 15, 6-14	2	7
60	A novel approach for repairing of intestinal fistula using chitosan hydrogel. <i>Journal of Biomaterials Applications</i> , 2010 , 24, 545-53	2.9	3
59	Biodegradable mini plate and screw: a secure method for internal fixation of symphysis pubis in animal model of pubic diastasis. <i>Urology</i> , 2010 , 75, 676-81	1.6	7
58	Biocompatibility evaluation of nano-rod hydroxyapatite/gelatin coated with nano-HAp as a novel scaffold using mesenchymal stem cells. <i>Journal of Biomedical Materials Research - Part A</i> , 2010 , 92, 1244-54	5.4	30
57	Solvent-, ion- and pH-specific swelling of poly(2-acrylamido-2-methylpropane sulfonic acid) superabsorbing gels. <i>Journal of Polymer Research</i> , 2010 , 17, 203-212	2.7	65
56	Biological and mechanical properties of novel composites based on supramolecular polycaprolactone and functionalized hydroxyapatite. <i>Journal of Biomedical Materials Research - Part A</i> , 2010 , 95, 209-21	5.4	31
55	Corticosteroid-releasing cochlear implant: a novel hybrid of biomaterial and drug delivery system. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2010 , 94, 388-98	3.5	28

54	Effect of self-complementary motifs on phase compatibility and material properties in blends of supramolecular polymers. <i>Polymer</i> , 2010 , 51, 6303-6312	3.9	27
53	Particle size design of PLGA microspheres for potential pulmonary drug delivery using response surface methodology. <i>Journal of Microencapsulation</i> , 2009 , 26, 1-8	3.4	41
52	Synthesis, characterization, and biocompatibility of novel injectable, biodegradable, and in situ crosslinkable polycarbonate-based macromers. <i>Journal of Biomedical Materials Research - Part A</i> , 2009 , 90, 830-43	5.4	19
51	Type I collagen gel in seeding medium improves murine mesencymal stem cell loading onto the scaffold, increases their subsequent proliferation, and enhances culture mineralization. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2009 , 90, 659-67	3.5	20
50	Comparison of fibroblast and nerve cells response on plasma treated poly (L-lactide) surface. <i>Journal of Applied Polymer Science</i> , 2009 , 112, 3429-3435	2.9	14
49	The effect of process parameters on the size and morphology of poly(D,L-lactide-co-glycolide) micro/nanoparticles prepared by an oil in oil emulsion/solvent evaporation technique. <i>Journal of Applied Polymer Science</i> , 2009 , 116, NA-NA	2.9	3
48	Miscibility and tack of blends of poly (vinylpyrrolidone)/acrylic pressure-sensitive adhesive. <i>International Journal of Adhesion and Adhesives</i> , 2009 , 29, 302-308	3.4	16
47	Chitosan-modified nanoclay/poly(AMPS) nanocomposite hydrogels with improved gel strength. <i>Polymer International</i> , 2009 , 58, 1252-1259	3.3	48
46	Investigation of drug release and 1H-NMR analysis of the in situ forming systems based on poly(lactide-co-glycolide). <i>Polymers for Advanced Technologies</i> , 2009 , 20, 48-57	3.2	3
45	An investigation on the short-term biodegradability of chitosan with various molecular weights and degrees of deacetylation. <i>Carbohydrate Polymers</i> , 2009 , 78, 773-778	10.3	90
44	Injectable in situ forming drug delivery system based on poly(epsilon-caprolactone fumarate) for tamoxifen citrate delivery: Gelation characteristics, in vitro drug release and anti-cancer evaluation. <i>Acta Biomaterialia</i> , 2009 , 5, 1966-78	10.8	44
43	Preparation and in vitro evaluation of a new fentanyl patch based on acrylic/silicone pressure-sensitive adhesive blends. <i>Drug Development and Industrial Pharmacy</i> , 2009 , 35, 487-98	3.6	11
42	Influence of poly (lactide-co-glycolide) type and gamma irradiation on the betamethasone acetate release from the in situ forming systems. <i>Current Drug Delivery</i> , 2009 , 6, 184-91	3.2	9
41	Synthesis and characterization of nano-hydroxyapatite rods/poly(l-lactide acid) composite scaffolds for bone tissue engineering. <i>Composites Part A: Applied Science and Manufacturing</i> , 2008 , 39, 1589-1596	8.4	134
40	Synthesis and preparation of biodegradable and visible light crosslinkable unsaturated fumarate-based networks for biomedical applications. <i>Polymers for Advanced Technologies</i> , 2008 , 19, 1199-1208	3.2	27
39	Synthesis, photocrosslinking characteristics, and biocompatibility evaluation of N-vinyl pyrrolidone/polycaprolactone fumarate biomaterials using a new proton scavenger. <i>Polymers for Advanced Technologies</i> , 2008 , 19, 1828-1838	3.2	30
38	Photopolymerization and shrinkage kinetics of in situ crosslinkable N-vinyl-pyrrolidone/poly(epsilon-caprolactone fumarate) networks. <i>Journal of Biomedical Materials Research - Part A</i> , 2008 , 84, 545-56	5.4	30
37	Physicochemical and biological evaluation of plasma-induced graft polymerization of acrylamide onto polydimethylsiloxane. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 2343-2349	2.9	13

36	Undesirable effects of heating on hydrogels. <i>Journal of Applied Polymer Science</i> , 2008 , 110, 3420-3430	2.9	39
35	Simultaneous graft copolymerization of 2-hydroxyethyl methacrylate and acrylic acid onto polydimethylsiloxane surfaces using a two-step plasma treatment. <i>Journal of Applied Polymer Science</i> , 2007 , 105, 2208-2217	2.9	45
34	Early stages of gelation in gelatin solution detected by dynamic oscillating rheology and nuclear magnetic spectroscopy. <i>European Polymer Journal</i> , 2007 , 43, 1480-1486	5.2	27
33	Bone differentiation of marrow-derived mesenchymal stem cells using beta-tricalcium phosphate-alginate-gelatin hybrid scaffolds. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2007 , 1, 417-24	4.4	51
32	In Vitro Evaluation of Drug Solubility and Gamma Irradiation on the Release of Betamethasone under Simulated In Vivo Conditions. <i>Journal of Bioactive and Compatible Polymers</i> , 2007 , 22, 443-459	2	12
31	Hydrophilic interpenetrating polymer networks of poly(dimethyl siloxane) (PDMS) as biomaterial for cochlear implants. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2006 , 17, 341-55	3.5	45
30	Effect of surface charge and hydrophobicity of polyurethanes and silicone rubbers on L929 cells response. <i>Colloids and Surfaces B: Biointerfaces</i> , 2006 , 51, 112-9	6	55
29	Ultra high molecular weight polyethylene and polydimethylsiloxane blend as acetabular cup material. <i>Colloids and Surfaces B: Biointerfaces</i> , 2005 , 41, 169-74	6	17
28	Wettability of porous polydimethylsiloxane surface: morphology study. <i>Applied Surface Science</i> , 2005 , 242, 339-345	6.7	218
27	HPTLC procedure for determination of levonorgestrel in the drug-release media of an in-situ-forming delivery system. <i>Journal of Planar Chromatography - Modern TLC</i> , 2005 , 18, 326-329	0.9	6
26	Long-term evaluation of laser-treated silicone (LTS) membrane as a pericardial substitute: in vivo study. <i>Journal of Long-Term Effects of Medical Implants</i> , 2005 , 15, 347-54	0.2	5
25	Bioadhesion and biocompatibility evaluations of gelatin and polyacrylic acid as a crosslinked hydrogel in vitro. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2004 , 15, 1019-31	3.5	21
24	In vitro blood compatibility of modified PDMS surfaces as superhydrophobic and superhydrophilic materials. <i>Journal of Applied Polymer Science</i> , 2004 , 91, 2042-2047	2.9	101
23	Effect of polyvinylpyrrolidone on morphology and performance of hemodialysis membranes prepared from polyether sulfone. <i>Journal of Applied Polymer Science</i> , 2004 , 92, 3804-3813	2.9	75
22	Characterization of polyethersulfone hemodialysis membrane by ultrafiltration and atomic force microscopy. <i>Journal of Membrane Science</i> , 2004 , 237, 77-85	9.6	139
21	Adhesion between modified and unmodified poly(dimethylsiloxane) layers for a biomedical application. <i>International Journal of Adhesion and Adhesives</i> , 2004 , 24, 247-257	3.4	19
20	BHK cells behaviour on laser treated polydimethylsiloxane surface. <i>Colloids and Surfaces B: Biointerfaces</i> , 2004 , 35, 67-71	6	27
19	Laser surface modification of silicone rubber to reduce platelet adhesion in vitro. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2004 , 15, 59-72	3.5	30

18	In vitro and in vivo hemocompatibility evaluation of graphite coated polyester vascular grafts. <i>International Journal of Artificial Organs</i> , 2004 , 27, 691-8	1.9	10
17	Effect of silicon rubber crosslink density on fibroblast cell behavior in vitro. <i>Journal of Biomedical Materials Research Part B</i> , 2003 , 67, 727-32		25
16	Physical, mechanical, and biocompatibility evaluation of three different types of silicone rubber. <i>Journal of Applied Polymer Science</i> , 2003 , 88, 2522-2529	2.9	42
15	Properties of poly(dimethylsiloxane)/hydrogel multicomponent systems. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2003 , 41, 2145-2156	2.6	27
14	Sequential interpenetrating polymer networks of poly(2-hydroxyethyl methacrylate) and polydimethylsiloxane. <i>Journal of Applied Polymer Science</i> , 2002 , 85, 1825-1831	2.9	41
13	Comparison of viscoelastic properties of polydimethylsiloxane/poly(2-hydroxyethyl methacrylate) IPNs with their physical blends. <i>Journal of Applied Polymer Science</i> , 2002 , 86, 3480-3485	2.9	22
12	Platelet adhesion on laser-induced acrylic acid grafted polyethylene terephthalate. <i>Journal of Applied Polymer Science</i> , 2002 , 86, 3191-3196	2.9	25
11	Bulk and surface modification of silicone rubber for biomedical applications. <i>Polymer International</i> , 2002 , 51, 882-888	3.3	45
10	Modification of polysiloxane polymers for biomedical applications: a review. <i>Polymer International</i> , 2001 , 50, 1279-1287	3.3	40
9	In vitro studies of platelet adhesion on laser-treated polyethylene terephthalate surface. <i>Journal of Biomedical Materials Research Part B</i> , 2001 , 54, 540-6		32
8	Cell behavior on laser surface-modified polyethylene terephthalate in vitro. <i>Journal of Biomedical Materials Research Part B</i> , 2001 , 57, 183-9		45
7	Isocyanate-terminated urethane prepolymer as bioadhesive material: evaluation of bioadhesion and biocompatibility, in vitro and in vivo assays. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2001 , 12, 707-19	3.5	15
6	Surface modification of polyethylene terephthalate film by CO ₂ laser-induced graft copolymerization of acrylamide. <i>Journal of Applied Polymer Science</i> , 2000 , 76, 401-407	2.9	17
5	Isocyanate-terminated urethane prepolymer as bioadhesive base material: synthesis and characterization. <i>International Journal of Adhesion and Adhesives</i> , 2000 , 20, 299-304	3.4	26
4	Cell attachment to laser-induced AAm- and HEMA-grafted ethylene-propylene rubber as biomaterial: in vivo study. <i>Biomaterials</i> , 1995 , 16, 641-8	15.6	61
3	Biocompatibility evaluation of laser-induced AAm and HEMA grafted EPR. Part 1: In-vitro study. <i>Clinical Materials</i> , 1994 , 16, 177-87		10
2	Jute reinforced polyester structures. <i>Polymer Composites</i> , 1984 , 5, 141-142	3	22
1	Microstructure Manipulation of Polyurethane-Based Macromolecular Scaffold for Tendon/Ligament Tissue Engineering. <i>Macromolecular Materials and Engineering</i> , 2100584	3.9	2

