

Irina Chazova

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7095886/publications.pdf>

Version: 2024-02-01

90
papers

13,963
citations

257101

24
h-index

69108

77
g-index

103
all docs

103
docs citations

103
times ranked

17508
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | 2018 ESC/ESH Guidelines for the management of arterial hypertension. <i>European Heart Journal</i> , 2018, 39, 3021-3104. | 1.0 | 6,826 |
| 2 | Macitentan and Morbidity and Mortality in Pulmonary Arterial Hypertension. <i>New England Journal of Medicine</i> , 2013, 369, 809-818. | 13.9 | 1,168 |
| 3 | Riociguat for the Treatment of Pulmonary Arterial Hypertension. <i>New England Journal of Medicine</i> , 2013, 369, 330-340. | 13.9 | 1,120 |
| 4 | Selexipag for the Treatment of Pulmonary Arterial Hypertension. <i>New England Journal of Medicine</i> , 2015, 373, 2522-2533. | 13.9 | 790 |
| 5 | Olmesartan for the Delay or Prevention of Microalbuminuria in Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2011, 364, 907-917. | 13.9 | 741 |
| 6 | Cholesterol Lowering in Intermediate-Risk Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016, 374, 2021-2031. | 13.9 | 641 |
| 7 | Blood-Pressure Lowering in Intermediate-Risk Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016, 374, 2009-2020. | 13.9 | 526 |
| 8 | Pulmonary hypertension due to left heart disease. <i>European Respiratory Journal</i> , 2019, 53, 1801897. | 3.1 | 389 |
| 9 | Blood-Pressure and Cholesterol Lowering in Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016, 374, 2032-2043. | 13.9 | 299 |
| 10 | Rimonabant for prevention of cardiovascular events (CRESCENDO): a randomised, multicentre, placebo-controlled trial. <i>Lancet</i> , 2010, 376, 517-523. | 6.3 | 222 |
| 11 | Renin-angiotensin system blockade and cognitive function in patients at high risk of cardiovascular disease: analysis of data from the ONTARGET and TRANSCEND studies. <i>Lancet Neurology</i> , 2011, 10, 43-53. | 4.9 | 177 |
| 12 | Saxagliptin is non-inferior to glipizide in patients with type 2 diabetes mellitus inadequately controlled on metformin alone: a 52-week randomised controlled trial. <i>International Journal of Clinical Practice</i> , 2010, 64, 1619-1631. | 0.8 | 146 |
| 13 | Diet and Kidney Disease in High-Risk Individuals With Type 2 Diabetes Mellitus. <i>JAMA Internal Medicine</i> , 2013, 173, 1682-92. | 2.6 | 100 |
| 14 | Efficacy and safety of canagliflozin when used in conjunction with incretin mimetic therapy in patients with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2016, 18, 82-91. | 2.2 | 74 |
| 15 | Venous and arterial changes in pulmonary veno-occlusive disease, mitral stenosis and fibrosing mediastinitis. <i>European Respiratory Journal</i> , 2000, 15, 116-122. | 3.1 | 65 |
| 16 | Moxonidine improves glycaemic control in mildly hypertensive, overweight patients: a comparison with metformin. <i>Diabetes, Obesity and Metabolism</i> , 2006, 8, 456-465. | 2.2 | 63 |
| 17 | Blood pressure and other determinants of new-onset atrial fibrillation in patients at high cardiovascular risk in the Ongoing Telmisartan Alone and in Combination With Ramipril Global Endpoint Trial/Telmisartan Randomized Assessment Study in ACE Intolerant subjects with cardiovascular Disease studies. <i>Journal of Hypertension</i> , 2012, 30, 1004-1014. | 0.3 | 57 |
| 18 | Design, history and results of the Thiazolidinedione Intervention with vitamin D Evaluation (TIDE) randomised controlled trial. <i>Diabetologia</i> , 2012, 55, 36-45. | 2.9 | 56 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Improved Hypertension Control with the Imidazoline Agonist Moxonidine in a Multinational Metabolic Syndrome Population: Principal Results of the MERSY Study. <i>International Journal of Hypertension</i> , 2013, 2013, 1-9. | 0.5 | 46 |
| 20 | Oxidative stress in patients with primary pulmonary hypertension. <i>Bulletin of Experimental Biology and Medicine</i> , 2002, 133, 580-582. | 0.3 | 38 |
| 21 | Comparison of single-pill strategies first line in hypertension. <i>Journal of Hypertension</i> , 2015, 33, 401-411. | 0.3 | 37 |
| 22 | Overweight and Obesity in the Russian Population: Prevalence in Adults and Association with Socioeconomic Parameters and Cardiovascular Risk Factors. <i>Obesity Facts</i> , 2019, 12, 103-114. | 1.6 | 31 |
| 23 | Metabolically healthy obese and metabolically unhealthy non-obese phenotypes in a Russian population. <i>European Journal of Epidemiology</i> , 2017, 32, 251-254. | 2.5 | 28 |
| 24 | Novel Approaches in Primary Cardiovascular Disease Prevention: The HOPE-3 Trial Rationale, Design, and Participants' Baseline Characteristics. <i>Canadian Journal of Cardiology</i> , 2016, 32, 311-318. | 0.8 | 24 |
| 25 | Platelet aggregation in patients with primary pulmonary hypertension. <i>Blood Coagulation and Fibrinolysis</i> , 1996, 7, 225-227. | 0.5 | 20 |
| 26 | Real-life safety and effectiveness of amlodipine/valsartan combination in the treatment of hypertension. <i>Advances in Therapy</i> , 2011, 28, 134-149. | 1.3 | 19 |
| 27 | Effects on office and home blood pressure of the lercanidipine-enalapril combination in patients with Stage 2 hypertension. <i>Journal of Hypertension</i> , 2014, 32, 1700-1707. | 0.3 | 19 |
| 28 | Randomized evaluation of a novel, fixed-dose combination of perindopril 3.5 mg/amlodipine 2.5 mg as a first-step treatment in hypertension. <i>Journal of Hypertension</i> , 2015, 33, 653-662. | 0.3 | 16 |
| 29 | Effects of the lercanidipine-enalapril combination vs. the corresponding monotherapies on home blood pressure in hypertension. <i>Journal of Hypertension</i> , 2016, 34, 139-148. | 0.3 | 10 |
| 30 | Multiple rare and common variants in APOB gene locus associated with oxidatively modified low-density lipoprotein levels. <i>PLoS ONE</i> , 2019, 14, e0217620. | 1.1 | 9 |
| 31 | EURASIAN ASSOCIATION OF CARDIOLOGY (EAC) GUIDELINES FOR THE PREVENTION AND TREATMENT OF CARDIOVASCULAR DISEASES IN PATIENTS WITH DIABETES AND PREDIABETES (2021). <i>Eurasian Heart Journal</i> , 2021, , 6-61. | 0.2 | 9 |
| 32 | Russian Medical Society for Arterial Hypertension Expert Consensus: Hypertension and COVID-19. <i>Systemic Hypertension</i> , 2020, 17, 35-41. | 0.1 | 9 |
| 33 | Clinical practice guidelines on the diagnosis and treatment of patients with arterial hypertension and chronic obstructive pulmonary disease. <i>Systemic Hypertension</i> , 2020, 17, 7-34. | 0.1 | 9 |
| 34 | Russian medical society on arterial hypertension (RMSAH) Consensus of Experts on the use of radiofrequency denervation of the renal arteries in patients with arterial hypertension. <i>Systemic Hypertension</i> , 2020, 17, 7-18. | 0.1 | 8 |
| 35 | COMPLAINTS ON SLEEP BREATHING DISORDER AND CARDIOVASCULAR RISK FACTORS IN RUSSIAN REGIONS: DATA FROM ESSE-RF STUDY. <i>Russian Journal of Cardiology</i> , 2018, , 152-158. | 0.4 | 8 |
| 36 | May Measurement Month 2017 in Russia: hypertension treatment and control in Europe. <i>European Heart Journal Supplements</i> , 2019, 21, D101-D103. | 0.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Features of antihypertensive therapy and real-world prescription of selective imidazoline receptor agonists in Russia vs other countries: STRAIGHT study data analysis. <i>Terapevticheskii Arkhiv</i> , 2021, 93, 440-448. | 0.2 | 6 |
| 38 | Characteristics of patients with chronic thromboembolic pulmonary hypertension according to the Russian National Registry. <i>Terapevticheskii Arkhiv</i> , 2021, 93, 1058-1065. | 0.2 | 6 |
| 39 | Pulmonary capillary haemangiomas coexistence with sinus venosus ASD: morphometric analysis and literature review. <i>European Respiratory Journal</i> , 1998, 12, 240-244. | 3.1 | 5 |
| 40 | Radiofrequency renal denervation with mono-electrode and multi-electrode device for treatment in patient with uncontrolled hypertension: results of a 6-month follow-up. <i>Systemic Hypertension</i> , 2020, 17, 46-50. | 0.1 | 5 |
| 41 | Optimization of specific therapy for pulmonary hypertension: the possibilities of riociguat. <i>Terapevticheskii Arkhiv</i> , 2021, 93, 1117-1124. | 0.2 | 5 |
| 42 | Expert consensus. Effect of antihypertensive therapy on cognitive functions. <i>Systemic Hypertension</i> , 2021, 18, 5-12. | 0.1 | 4 |
| 43 | Myocardial perfusion in patients with pulmonary hypertension of different etiology. , 2015, , . | | 4 |
| 44 | The incidence of cardiovascular and cerebrovascular complications in patients with uncontrolled hypertension. <i>Terapevticheskii Arkhiv</i> , 2022, 94, 94-99. | 0.2 | 4 |
| 45 | Comparative genetic analysis of different forms of low-renin arterial hypertension. <i>Molecular Biology</i> , 2008, 42, 521-530. | 0.4 | 3 |
| 46 | Uncontrolled arterial hypertension: main causes, features of pathogenesis and approaches to treatment. <i>Systemic Hypertension</i> , 2021, 18, 13-18. | 0.1 | 3 |
| 47 | Pulmonary arterial hypertension: achievements and realities of modern treatment, a look into the future. <i>Terapevticheskii Arkhiv</i> , 2021, 93, 1009-1017. | 0.2 | 3 |
| 48 | Impact of metabolic syndrome parameters and different fat depots on arterial stiffness in patients with abdominal obesity. <i>Systemic Hypertension</i> , 2020, 17, 55-62. | 0.1 | 2 |
| 49 | Gender-age peculiarities of smoking and diabetes mellitus role in the development of myocardial infarction in patients with arterial hypertension. <i>Systemic Hypertension</i> , 2020, 17, 24-31. | 0.1 | 2 |
| 50 | Assessment of epicardial adipose tissue by echocardiography for risk stratification in young adults with abdominal obesity. <i>Systemic Hypertension</i> , 2020, 17, 74-79. | 0.1 | 2 |
| 51 | Experience with various occluder types for endovascular hemodynamic isolation of the left atrium appendage in patients with non-valvular atrial fibrillation. <i>Journal of Arrhythmology</i> , 2021, 28, 45-54. | 0.1 | 2 |
| 52 | The value of cardiopulmonary exercise test in assessment of the severity of pulmonary arterial hypertension patients. , 2017, , . | | 2 |
| 53 | Evaluation of serum cytokines in patients with idiopathic pulmonary arterial hypertension and chronic thromboembolic pulmonary hypertension with hypercholesterolemia. , 2017, , . | | 2 |
| 54 | Antecubital vein access for balloon pulmonary angioplasty in patients with chronic thromboembolic pulmonary hypertension: safe new approach. <i>Russian Open Medical Journal</i> , 2019, 8, e0107. | 0.1 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Hybrid approach for treating patient with chronic thromboembolic pulmonary hypertension and extrinsic compression of left main coronary artery. Russian Open Medical Journal, 2019, 8, . | 0.1 | 2 |
| 56 | Management of patients with arterial hypertension and atrial fibrillation. Systemic Hypertension, 2021, 18, 105-128. | 0.1 | 2 |
| 57 | Efficacy and safety of azilsartan medoxomil in various doses in patients with metabolic disorders. Systemic Hypertension, 2021, 18, 130-139. | 0.1 | 2 |
| 58 | Clinical features and course of arterial hypertension in patients with its various forms. Systemic Hypertension, 2021, 18, 140-146. | 0.1 | 2 |
| 59 | Treatment of patients with arterial hypertension in clinical practice in 2010–2020 (according to the) Tj ETQq1 1 0,784314, ggBT /Over | 0.2 | 2 |
| 60 | Interrelation of the damage of the target organs in patients with arterial hypertension in presence or absence of the metabolic syndrome. International Journal of Cardiology, 2009, 137, S55. | 0.8 | 1 |
| 61 | Special features of renal damage in arterial hypertension in presence and absence of metabolic syndrome. International Journal of Cardiology, 2009, 137, S57-S58. | 0.8 | 1 |
| 62 | Changes in the receptor activity of β_2 -adrenoreceptors of human T-lymphocytes under the effect of β_2 -agonists. Molecular Biology, 2016, 50, 880-886. | 0.4 | 1 |
| 63 | Influence of demographic characteristics on the clinical course and results of therapy in patients with precapillary pulmonary hypertension. Terapevticheskii Arkhiv, 2021, 93, 283-289. | 0.2 | 1 |
| 64 | The effect of adherence with long-term PAP therapy on the psycho-emotional state of patients with obstructive sleep apnea syndrome. Systemic Hypertension, 2020, 17, 56-60. | 0.1 | 1 |
| 65 | Left ventricular-arterial coupling and cardiac remodeling in patients with idiopathic arterial pulmonary hypertension. , 2015, , . | | 1 |
| 66 | Sleep duration and cardiovascular risk: results of the large-scale epidemiology study ESSE-RF. Arterial Hypertension, 2019, 23, 248-255. | 0.2 | 1 |
| 67 | Long-term positive airway pressure therapy in patients with various forms of atrial fibrillation and obstructive sleep apnea. Kardiologicheskii Vestnik, 2020, , 72-78. | 0.1 | 1 |
| 68 | STRUCTURAL CHANGES OF THE PULMONARY ARTERIES AFTER BALLOON PULMONARY ANGIOPLASTY IN PATIENTS WITH CHRONIC THROMBOEMBOLIC PULMONARY HYPERTENSION. Eurasian Heart Journal, 2020, , 12-20. | 0.2 | 1 |
| 69 | First results of Russian multicenter prospective clinical study VICTORY II: Vamloset® and Co-Vamloset effectiveness and safety in patients with stage 2 and 3 arterial hypertension. Systemic Hypertension, 2020, 17, 36-47. | 0.1 | 1 |
| 70 | Parameters of acute vasoreactivity testing after balloon pulmonary angioplasty in patients with chronic thromboembolic pulmonary hypertension. Systemic Hypertension, 2020, 17, 53-58. | 0.1 | 1 |
| 71 | The assessment of renal function during the therapy of arterial hypertension with azilsartan medoxomil in patients with obesity or overweight and concomitant metabolic disorders. Terapevticheskii Arkhiv, 2021, 93, 1510-1515. | 0.2 | 1 |
| 72 | Intima-media thickness of common carotid artery in patients with arterial hypertension and in presence or absence of metabolic syndrome. International Journal of Cardiology, 2009, 137, S57. | 0.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | ĐiPAP-therapy decrease arterial stiffness in patients with arterial hypertension and obstructive sleep apnea. International Journal of Cardiology, 2009, 137, S133. | 0.8 | 0 |
| 74 | PAP-therapy adherence in patients with obstructive sleep apnea and cardiovascular diseases. Systemic Hypertension, 2020, 17, 37-43. | 0.1 | 0 |
| 75 | Efficacy and safety of using a fixed-dose combination of azilsartan medoxomil and chlorthalidone in patients with diabetes mellitus. Systemic Hypertension, 2020, 17, 68-73. | 0.1 | 0 |
| 76 | Aspects of efficacy, safety and adherence to antihypertensive therapy with single pill combinations of valsartan, amlodipine and hydrochlorothiazide (Vamloset® and Co-Vamloset) in patients with 2 and 3 grade of arterial hypertension in the Russian clinical study VICTORY II. Systemic Hypertension, 2021, 18, 50-62. | 0.1 | 0 |
| 77 | From palpation of the pulse to cuff-free methods: evolution of arterial pressure measurement methods. Terapevticheskii Arkhiv, 2021, 93, 526-531. | 0.2 | 0 |
| 78 | Consensus of experts from the Russian Medical Society of Arterial Hypertension. Arterial hypertension and erectile dysfunction. Systemic Hypertension, 2021, 18, 69-79. | 0.1 | 0 |
| 79 | The clinical case of successful combined treatment of refractory arterial hypertension. Case report. Terapevticheskii Arkhiv, 2021, 93, 1086-1090. | 0.2 | 0 |
| 80 | Cardiac remodeling and left ventricular-arterial coupling in patients with chronic thromboembolic pulmonary hypertension. , 2015, , . | | 0 |
| 81 | The method of evaluation of \hat{I}^2 -receptor's activity changes. , 2015, , . | | 0 |
| 82 | Antecubital venous access for balloon pulmonary angioplasty in patients with chronic thromboembolic pulmonary hypertension. , 2016, , . | | 0 |
| 83 | Thermodilution and Fick cardiac output measurement comparison in patients with pulmonary hypertension. , 2017, , . | | 0 |
| 84 | Arterial hypertension in elderly and senile patients: clinical characteristics and treatment quality (according to the national register of arterial hypertension). Siberian Medical Journal, 2019, 34, 73-86. | 0.3 | 0 |
| 85 | Pulmonary hypertension in a patient with kyphoscoliotic heart disease. Siberian Medical Journal, 2019, 34, 172-178. | 0.3 | 0 |
| 86 | Speckle-tracking echocardiography in 3D mode in assessing the deformation of the myocardium and identifying subclinical cardiotoxicity during chemotherapy in breast cancer patients with arterial hypertension. Systemic Hypertension, 2020, 17, 42-47. | 0.1 | 0 |
| 87 | Implementation of the organoprotective properties of fixed combinations of valsartan, amlodipine and hydrochlorothiazide (Vamloset® and Co-Vamloset) in patients with grade 2 and 3 hypertension in the Russian clinical study VICTORY II. Systemic Hypertension, 2020, 17, 59-70. | 0.1 | 0 |
| 88 | COVID-19: a patient with cardiovascular disease at high risk. Systemic Hypertension, 2020, 17, 76-83. | 0.1 | 0 |
| 89 | Role of cardiac computed tomography in endovascular isolation of the left atrial appendage. Kardiologiya I Serdechno-Sosudistaya Khirurgiya, 2022, 15, 46. | 0.1 | 0 |
| 90 | The impact of left atrial appendage occlusion on the rhythm control in atrial fibrillation: a prospective cohort study. Kardiologicheskii Vestnik, 2022, 17, 73. | 0.1 | 0 |