

Erik Taal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7095892/publications.pdf>

Version: 2024-02-01

130
papers

7,584
citations

57758

44
h-index

60623

81
g-index

132
all docs

132
docs citations

132
times ranked

8005
citing authors

#	ARTICLE	IF	CITATIONS
1	The effects of mindfulness-based stress reduction therapy on mental health of adults with a chronic medical disease: A meta-analysis. <i>Journal of Psychosomatic Research</i> , 2010, 68, 539-544.	2.6	659
2	A Consensus-Based Checklist for Reporting of Survey Studies (CROSS). <i>Journal of General Internal Medicine</i> , 2021, 36, 3179-3187.	2.6	575
3	Empowering Processes and Outcomes of Participation in Online Support Groups for Patients With Breast Cancer, Arthritis, or Fibromyalgia. <i>Qualitative Health Research</i> , 2008, 18, 405-417.	2.1	378
4	Does the eHealth Literacy Scale (eHEALS) Measure What it Intends to Measure? Validation of a Dutch Version of the eHEALS in Two Adult Populations. <i>Journal of Medical Internet Research</i> , 2011, 13, e86.	4.3	296
5	Participation in online patient support groups endorses patients' empowerment. <i>Patient Education and Counseling</i> , 2009, 74, 61-69.	2.2	295
6	Self-Reported Differences in Empowerment Between Lurkers and Posters in Online Patient Support Groups. <i>Journal of Medical Internet Research</i> , 2008, 10, e18.	4.3	213
7	Fatigue and Factors Related to Fatigue in Rheumatoid Arthritis: A Systematic Review. <i>Arthritis Care and Research</i> , 2013, 65, 1128-1146.	3.4	204
8	Group education for patients with rheumatoid arthritis. <i>Patient Education and Counseling</i> , 1993, 20, 177-187.	2.2	154
9	Incorporating the patient perspective into outcome assessment in rheumatoid arthritis--progress at OMERACT 7. <i>Journal of Rheumatology</i> , 2005, 32, 2250-6.	2.0	152
10	Health status, adherence with health recommendations, self-efficacy and social support in patients with rheumatoid arthritis. <i>Patient Education and Counseling</i> , 1993, 20, 63-76.	2.2	143
11	Fatigue in rheumatoid arthritis: the role of self-efficacy and problematic social support. <i>British Journal of Rheumatology</i> , 1998, 37, 1042-1046.	2.3	137
12	Patient education for adults with rheumatoid arthritis. <i>The Cochrane Library</i> , 2003, , .	2.8	131
13	Outcomes from the Patient Perspective Workshop at OMERACT 6. <i>Journal of Rheumatology</i> , 2003, 30, 868-72.	2.0	129
14	Psychometric properties of the Dutch Five Facet Mindfulness Questionnaire (FFMQ) in patients with fibromyalgia. <i>Clinical Rheumatology</i> , 2011, 30, 1045-1054.	2.2	125
15	Depression and depressive symptoms in rheumatoid arthritis patients: an analysis of their occurrence and determinants. <i>British Journal of Rheumatology</i> , 1998, 37, 391-397.	2.3	121
16	Systematic review of rheumatoid arthritis patient education. <i>Arthritis and Rheumatism</i> , 2004, 51, 1045-1059.	6.7	120
17	Spa treatment for primary fibromyalgia syndrome: a combination of thalassotherapy, exercise and patient education improves symptoms and quality of life. <i>British Journal of Rheumatology</i> , 2005, 44, 539-546.	2.3	119
18	Determinants of compliance with medication in patients with rheumatoid arthritis: the importance of self-efficacy expectations. <i>Patient Education and Counseling</i> , 1999, 36, 57-64.	2.2	118

#	ARTICLE	IF	CITATIONS
19	Effects of patient education on compliance with basic treatment regimens and health in recent onset active rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 1998, 57, 146-151.	0.9	112
20	Patient-perceived satisfactory improvement (PPSI): Interpreting meaningful change in pain from the patient's perspective. <i>Pain</i> , 2006, 121, 151-157.	4.2	109
21	Patient education and self-management in the rheumatic diseases: A self-efficacy approach. <i>Arthritis and Rheumatism</i> , 1996, 9, 229-238.	6.7	95
22	Group education for patients with rheumatoid arthritis and their partners. <i>Arthritis and Rheumatism</i> , 2003, 49, 556-566.	6.7	95
23	Further validation of the 5-item Perceived Efficacy in Patient-Physician Interactions (PEPPI-5) scale in patients with osteoarthritis. <i>Patient Education and Counseling</i> , 2012, 87, 125-130.	2.2	92
24	Measuring Actual eHealth Literacy Among Patients With Rheumatic Diseases: a Qualitative Analysis of Problems Encountered Using Health 1.0 and Health 2.0 Applications. <i>Journal of Medical Internet Research</i> , 2013, 15, e27.	4.3	92
25	Health-related Internet use by patients with somatic diseases: Frequency of use and characteristics of users. <i>Informatics for Health and Social Care</i> , 2009, 34, 18-29.	2.6	87
26	Sexual functioning of people with rheumatoid arthritis: a multicenter study. <i>Clinical Rheumatology</i> , 2007, 26, 30-38.	2.2	86
27	Coping with somatic illnesses in online support groups: Do the feared disadvantages actually occur?. <i>Computers in Human Behavior</i> , 2008, 24, 309-324.	8.5	83
28	Risk-appraisal, outcome and self-efficacy expectancies: Cognitive factors in preventive behaviour related to cancer. <i>Psychology and Health</i> , 1990, 4, 99-109.	2.2	77
29	Impact of patient-accessible electronic medical records in rheumatology: use, satisfaction and effects on empowerment among patients. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 102.	1.9	75
30	Group education for rheumatoid arthritis patients. <i>Seminars in Arthritis and Rheumatism</i> , 1997, 26, 805-816.	3.4	69
31	Sexuality and People With Intellectual Disabilities: Assessment of Knowledge, Attitudes, Experiences, and Needs. <i>Mental Retardation</i> , 2006, 44, 283-294.	1.0	69
32	Perceptions about perceived functional disabilities and pain of people with rheumatoid arthritis: Differences between patients and their spouses and correlates with well-being. <i>Arthritis and Rheumatism</i> , 2000, 13, 255-261.	6.7	68
33	Productivity loss due to absenteeism and presenteeism by different instruments in patients with RA and subjects without RA. <i>Rheumatology</i> , 2012, 51, 354-361.	1.9	68
34	New insights into the experience of fatigue among patients with rheumatoid arthritis: a qualitative study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 895-897.	0.9	65
35	Validation of the Dutch functional, communicative and critical health literacy scales. <i>Patient Education and Counseling</i> , 2012, 89, 82-88.	2.2	65
36	Attitudes towards people with physical or intellectual disabilities: nursing students and non-nursing peers. <i>Journal of Advanced Nursing</i> , 2009, 65, 2562-2573.	3.3	61

#	ARTICLE	IF	CITATIONS
37	Application of the health assessment questionnaire disability index to various rheumatic diseases. <i>Quality of Life Research</i> , 2010, 19, 1255-1263.	3.1	59
38	Changes in priorities for improvement in patients with rheumatoid arthritis during 1 year of anti-tumour necrosis factor treatment. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 1485-1490.	0.9	57
39	Measurement properties of physical function scales validated for use in patients with rheumatoid arthritis: A systematic review of the literature. <i>Health and Quality of Life Outcomes</i> , 2011, 9, 99.	2.4	57
40	A tailored-guided internet-based cognitive-behavioral intervention for patients with rheumatoid arthritis as an adjunct to standard rheumatological care: results of a randomized controlled trial. <i>Pain</i> , 2017, 158, 868-878.	4.2	50
41	Determinants of Engagement in Face-to-Face and Online Patient Support Groups. <i>Journal of Medical Internet Research</i> , 2011, 13, e106.	4.3	50
42	Patient participation in decisions about disease modifying anti-rheumatic drugs: a cross-sectional survey. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 333.	1.9	49
43	Patient education programmes for adults with rheumatoid arthritis. <i>BMJ: British Medical Journal</i> , 2002, 325, 558-559.	2.3	47
44	Rasch analysis of the Dutch health assessment questionnaire disability index and the health assessment questionnaire II in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008, 59, 1721-1728.	6.7	47
45	Patient preferences for a hospital-based rheumatology Interactive Health Communication Application and factors associated with these preferences. <i>Rheumatology</i> , 2011, 50, 1618-1626.	1.9	45
46	Coordinated individual education with an arthritis passport for patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1997, 10, 238-249.	6.7	44
47	Cost-effectiveness of Spa treatment for fibromyalgia: general health improvement is not for free. <i>Rheumatology</i> , 2007, 46, 1454-1459.	1.9	43
48	Compliance in rheumatoid arthritis and the role of formal patient education. <i>Seminars in Arthritis and Rheumatism</i> , 1997, 26, 702-710.	3.4	38
49	Problematic and Positive Support in Relation to Depression in People with Rheumatoid Arthritis. <i>Journal of Health Psychology</i> , 2000, 5, 221-230.	2.3	38
50	The role of goal management for successful adaptation to arthritis. <i>Patient Education and Counseling</i> , 2013, 93, 130-138.	2.2	38
51	Efficacy of wrist working splints in patients with rheumatoid arthritis: A randomized controlled study. <i>Arthritis and Rheumatism</i> , 2008, 59, 1698-1704.	6.7	37
52	Physical activity and quality of life in long-term hospitalized patients with severe mental illness: a cross-sectional study. <i>BMC Psychiatry</i> , 2017, 17, 298.	2.6	37
53	Arthritis patients' motives for (not) wanting to be involved in medical decision-making and the factors that hinder or promote patient involvement. <i>Clinical Rheumatology</i> , 2016, 35, 1225-1235.	2.2	36
54	Performance of the Dutch SF-36 version 2 as a measure of health-related quality of life in patients with rheumatoid arthritis. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 77.	2.4	35

#	ARTICLE	IF	CITATIONS
55	Validation of a Dutch translation of the fibromyalgia impact questionnaire. <i>Rheumatology</i> , 2007, 46, 131-134.	1.9	34
56	Analysis of longitudinal randomized clinical trials using item response models. <i>Contemporary Clinical Trials</i> , 2009, 30, 158-170.	1.8	34
57	Four different patterns of fatigue in rheumatoid arthritis patients: results of a Q-sort study. <i>Rheumatology</i> , 2010, 49, 2191-2199.	1.9	33
58	Determinants of the use of wrist working splints in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008, 59, 531-536.	6.7	32
59	Arthritis patients show long-term benefits from 3 weeks intensive exercise training directly following hospital discharge. <i>Rheumatology</i> , 2007, 46, 1712-1717.	1.9	31
60	Long term follow-up of health-related quality of life in young adults born very preterm or with a very low birth weight. <i>Health and Quality of Life Outcomes</i> , 2012, 10, 49.	2.4	31
61	Need for Online Information and Support of Patients With Systemic Sclerosis. <i>Arthritis Care and Research</i> , 2013, 65, 594-600.	3.4	30
62	Calibration of the PROMIS Physical Function Item Bank in Dutch Patients with Rheumatoid Arthritis. <i>PLoS ONE</i> , 2014, 9, e92367.	2.5	30
63	Limited results of group self-management education for rheumatoid arthritis patients and their partners: explanations from the patient perspective. <i>Clinical Rheumatology</i> , 2008, 27, 1523-1528.	2.2	29
64	Experiences and attitudes of Dutch rheumatologists and oncologists with regard to their patients' health-related Internet use. <i>Clinical Rheumatology</i> , 2010, 29, 1229-1236.	2.2	29
65	Validity and measurement precision of the PROMIS physical function item bank and a content validity-driven 20-item short form in rheumatoid arthritis compared with traditional measures. <i>Rheumatology</i> , 2015, 54, kev265.	1.9	28
66	A review of instruments to assess illness representations in patients with rheumatic diseases: Table 1. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 305-309.	0.9	27
67	Psychometric properties of a Dutch short form of the Arthritis Impact Measurement Scales 2 (Dutch-AIMS2-SF). <i>British Journal of Rheumatology</i> , 2003, 42, 427-434.	2.3	26
68	A Cross-Cultural Study of Pain Intensity in Egyptian and Dutch Women With Rheumatoid Arthritis. <i>Journal of Pain</i> , 2007, 8, 730-736.	1.4	26
69	Patient-initiated online support groups: motives for initiation, extent of success and success factors. <i>Journal of Telemedicine and Telecare</i> , 2010, 16, 30-34.	2.7	26
70	Development and evaluation of a crosswalk between the SF-36 physical functioning scale and Health Assessment Questionnaire disability index in rheumatoid arthritis. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 199.	2.4	26
71	Opinions of patients with rheumatoid arthritis about their own functional capacity: how valid is it?. <i>Annals of the Rheumatic Diseases</i> , 1992, 51, 765-768.	0.9	24
72	Sensitivity to change of AIMS2 and AIMS2-SF components in comparison to M-HAQ and VAS-pain. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 1655-1658.	0.9	24

#	ARTICLE	IF	CITATIONS
73	Body-self unity and self-esteem in patients with rheumatic diseases. <i>Psychology, Health and Medicine</i> , 2010, 15, 672-684.	2.4	24
74	Comparison of measures of functional disability in patients with gout. <i>Rheumatology</i> , 2011, 50, 709-713.	1.9	23
75	The general public's knowledge and perceptions about rheumatic diseases. <i>Annals of the Rheumatic Diseases</i> , 2000, 59, 32-38.	0.9	22
76	Effects of pictures and textual arguments in sun protection public service announcements. <i>Cancer Detection and Prevention</i> , 2006, 30, 432-438.	2.1	22
77	Giving rheumatology patients online home access to their electronic medical record (EMR): advantages, drawbacks and preconditions according to care providers. <i>Rheumatology International</i> , 2013, 33, 2405-2410.	3.0	22
78	Patients' Considerations in the Decision-Making Process of Initiating Disease-Modifying Antirheumatic Drugs. <i>Arthritis Care and Research</i> , 2015, 67, 956-964.	3.4	22
79	Development of a web-based patient decision aid for initiating disease modifying anti-rheumatic drugs using user-centred design methods. <i>BMC Medical Informatics and Decision Making</i> , 2017, 17, 51.	3.0	21
80	Dutch translation and cross-cultural adaptation of the PROMIS® physical function item bank and cognitive pre-test in Dutch arthritis patients. <i>Arthritis Research and Therapy</i> , 2012, 14, R47.	3.5	20
81	Psychosocial aspects of rheumatic diseases: Introduction. <i>Patient Education and Counseling</i> , 1993, 20, 55-61.	2.2	19
82	Patient education and disease activity: A study among rheumatoid arthritis patients. <i>Arthritis and Rheumatism</i> , 1997, 10, 320-324.	6.7	19
83	The burden of care for informal caregivers of patients with rheumatoid arthritis. <i>Psychology and Health</i> , 1999, 14, 773-794.	2.2	19
84	The longitudinal relation between patterns of goal management and psychological health in people with arthritis: The need for adaptive flexibility. <i>British Journal of Health Psychology</i> , 2016, 21, 469-489.	3.5	19
85	Comparison of internal and external responsiveness of the generic Medical Outcome Study Short Form-36 (SF-36) with disease-specific measures in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2008, 35, 610-7.	2.0	19
86	Evaluation of a patient decision aid for initiating disease modifying anti-rheumatic drugs. <i>Arthritis Research and Therapy</i> , 2016, 18, 252.	3.5	18
87	Cross-cultural translation and validation of the IBD-control questionnaire in The Netherlands: a patient-reported outcome measure in inflammatory bowel disease. <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 155-161.	1.5	18
88	The Validity and Reliability of the Graphic Rating Scale and Verbal Rating Scale for Measuring Pain Across Cultures: A Study in Egyptian and Dutch Women With Rheumatoid Arthritis. <i>Clinical Journal of Pain</i> , 2006, 22, 827-830.	1.9	17
89	Which Dimensions of Fatigue Should be Measured in Patients with Rheumatoid Arthritis? A Delphi Study. <i>Musculoskeletal Care</i> , 2012, 10, 13-17.	1.4	17
90	Successfully living with chronic arthritis. <i>Clinical Rheumatology</i> , 2006, 25, 189-197.	2.2	16

#	ARTICLE	IF	CITATIONS
91	Confirmatory factor analysis of the Arthritis Impact Measurement Scales 2 short form in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008, 59, 692-698.	6.7	16
92	Comparative responsiveness of the EuroQolâ€5D and Short Form 6D to improvement in patients with rheumatoid arthritis treated with tumor necrosis factor blockers: Results of the Dutch Rheumatoid Arthritis Monitoring registry. <i>Arthritis Care and Research</i> , 2012, 64, 826-832.	3.4	15
93	Psychometric properties of the Rheumatoid Arthritis Disease Activity Index (RADAI) in a cohort of consecutive Dutch patients with RA starting anti-tumour necrosis factor treatment. <i>Annals of the Rheumatic Diseases</i> , 2008, 67, 789-793.	0.9	14
94	Items and dimensions for the construction of a multidimensional computerized adaptive test to measure fatigue in patients with rheumatoid arthritis. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 1175-1183.	5.0	14
95	The supply of and demand for informal and professional care for patients with rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 1998, 27, 7-15.	1.1	13
96	Future Expectations and Worstâ€Case Future Scenarios of Patients with Rheumatoid Arthritis: A Focus Group Study. <i>Musculoskeletal Care</i> , 2012, 10, 240-247.	1.4	13
97	A goal management intervention for polyarthritis patients: rationale and design of a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 239.	1.9	13
98	A mixed-methods process evaluation of a goal management intervention for patients with polyarthritis. <i>Psychology and Health</i> , 2017, 32, 38-60.	2.2	13
99	Media coverage of chronic diseases in the Netherlands. <i>Seminars in Arthritis and Rheumatism</i> , 1999, 28, 333-341.	3.4	12
100	The Effects of Motivational Elements in User Instructions. <i>Journal of Business and Technical Communication</i> , 2006, 20, 177-199.	2.0	12
101	Selection of items for a computer-adaptive test to measure fatigue in patients with rheumatoid arthritis: a Delphi approach. <i>Quality of Life Research</i> , 2012, 21, 863-872.	3.1	12
102	A self-report Thompson articular index: What does it measure?. <i>Clinical Rheumatology</i> , 1998, 17, 125-129.	2.2	11
103	Loneliness among women with rheumatoid arthritis: a cross-cultural study in the Netherlands and Egypt. <i>Clinical Rheumatology</i> , 2008, 27, 1109-1118.	2.2	11
104	Meta-analysis on the effectiveness of mindfulness-based stress reduction therapy on mental health of adults with a chronic disease: What should the reader not make of it?. <i>Journal of Psychosomatic Research</i> , 2010, 69, 614-615.	2.6	11
105	Feelings of guilt and shame in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2014, 33, 903-910.	2.2	11
106	Acceptance of New Technology: A Usability Test of a Computerized Adaptive Test for Fatigue in Rheumatoid Arthritis. <i>JMIR Human Factors</i> , 2014, 1, e4.	2.0	11
107	Crosscultural Measurement Equivalence of the Health Assessment Questionnaire II. <i>Arthritis Care and Research</i> , 2013, 65, 1000-1004.	3.4	10
108	Experiences and Preferences of Patients with Rheumatic Diseases Regarding an Interactive Health Communication Application. , 2010, , .		9

#	ARTICLE	IF	CITATIONS
109	Modern psychometrics applied in rheumatologyâ€”A systematic review. BMC Musculoskeletal Disorders, 2012, 13, 216.	1.9	9
110	What determines the possession of assistive devices among patients with rheumatic diseases? The influence of the country-related health care system. Disability and Rehabilitation, 2006, 28, 205-211.	1.8	8
111	Validating the 28-Tender Joint Count Using Item Response Theory. Journal of Rheumatology, 2011, 38, 2557-2564.	2.0	8
112	Worst-case future scenarios of patients with rheumatoid arthritis: a cross-sectional study. Rheumatology, 2012, 51, 2027-2033.	1.9	8
113	Patient perspectives on healthâ€”related behavior change after transient ischemic attack or ischemic stroke. Brain and Behavior, 2021, 11, e01993.	2.2	8
114	The design and evaluation of psychoeducational/self-management interventions. Journal of Rheumatology, 2005, 32, 2470-4.	2.0	8
115	Possession of assistive devices is related to improved psychological well-being in patients with rheumatic conditions. Journal of Rheumatology, 2006, 33, 1679-83.	2.0	8
116	Linking Physical Function Outcomes in Rheumatology: Performance of a Crosswalk for Converting Health Assessment Questionnaire Scores to Short Form 36 Physical Functioning Scale Scores. Arthritis Care and Research, 2014, 66, 1754-1758.	3.4	7
117	Working mechanism of a multidimensional computerized adaptive test for fatigue in rheumatoid arthritis. Health and Quality of Life Outcomes, 2015, 13, 23.	2.4	6
118	Exploring preferences for domain-specific goal management in patients with polyarthritis: what to do when an important goal becomes threatened?. Rheumatology International, 2015, 35, 1895-1907.	3.0	6
119	Outcome in adults with juvenile idiopathic arthritisComparison of the DUTCHâ€”AIMS2 between JIA and RA. Scandinavian Journal of Rheumatology, 2003, 32, 89-94.	1.1	5
120	Translation and validation of the Dutch version of the Effective Consumer Scale (EC-17). Quality of Life Research, 2013, 22, 423-429.	3.1	5
121	Contribution of assessing forefoot joints in early rheumatoid arthritis patients: Insights from item response theory. Arthritis Care and Research, 2013, 65, 212-219.	3.4	5
122	Experience of aging in patients with rheumatic disease: A comparison with the general population. Aging and Mental Health, 2012, 16, 666-672.	2.8	4
123	Construct Validation of a Multidimensional Computerized Adaptive Test for Fatigue in Rheumatoid Arthritis. PLoS ONE, 2015, 10, e0145008.	2.5	4
124	Rheumatoid Arthritis: Psychosocial Aspects. , 2015, , 655-659.		4
125	Construct validity of the interview Time Trade-Off and computer Time Trade-Off in patients with rheumatoid arthritis: A cross-sectional observational pilot study. BMC Musculoskeletal Disorders, 2012, 13, 112.	1.9	3
126	A computer Time Trade-Off: a feasible and reliable alternative for the interview Time Trade-Off in rheumatoid arthritis. Clinical and Experimental Rheumatology, 2011, 29, 783-9.	0.8	3

#	ARTICLE	IF	CITATIONS
127	What are the real effects of arthritis self-management education programs on pain and disability? Comment on the article by Warsi et al. <i>Arthritis and Rheumatism</i> , 2004, 50, 1012-1013.	6.7	2
128	A goal management intervention for patients with polyarthritis and elevated levels of depressive symptoms: a quasiexperimental study. <i>Disability and Rehabilitation</i> , 2020, 42, 957-966.	1.8	2
129	1116. Patient Access to Online Electronic Medical Records: Advantages, Disadvantages and Preconditions According to Care Providers. <i>Rheumatology</i> , 2014, 53, i25-i25.	1.9	0
130	Reply. <i>Arthritis Care and Research</i> , 2014, 66, 334-335.	3.4	0