List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7095892/publications.pdf Version: 2024-02-01

		57758	60623
130	7,584	44	81
papers	citations	h-index	g-index
132	132	132	8005
all docs	docs citations	times ranked	citing authors

Εριν Τλλι

#	Article	IF	CITATIONS
1	Cross-cultural translation and validation of the IBD-control questionnaire in The Netherlands: a patient-reported outcome measure in inflammatory bowel disease. Scandinavian Journal of Gastroenterology, 2021, 56, 155-161.	1.5	18
2	Patient perspectives on healthâ€related behavior change after transient ischemic attack or ischemic stroke. Brain and Behavior, 2021, 11, e01993.	2.2	8
3	A Consensus-Based Checklist for Reporting of Survey Studies (CROSS). Journal of General Internal Medicine, 2021, 36, 3179-3187.	2.6	575
4	A goal management intervention for patients with polyarthritis and elevated levels of depressive symptoms: a quasiexperimental study. Disability and Rehabilitation, 2020, 42, 957-966.	1.8	2
5	A tailored-guided internet-based cognitive-behavioral intervention for patients with rheumatoid arthritis as an adjunct to standard rheumatological care: results of a randomized controlled trial. Pain, 2017, 158, 868-878.	4.2	50
6	Development of a web-based patient decision aid for initiating disease modifying anti-rheumatic drugs using user-centred design methods. BMC Medical Informatics and Decision Making, 2017, 17, 51.	3.0	21
7	A mixed-methods process evaluation of a goal management intervention for patients with polyarthritis. Psychology and Health, 2017, 32, 38-60.	2.2	13
8	Physical activity and quality of life in long-term hospitalized patients with severe mental illness: a cross-sectional study. BMC Psychiatry, 2017, 17, 298.	2.6	37
9	Evaluation of a patient decision aid for initiating disease modifying anti-rheumatic drugs. Arthritis Research and Therapy, 2016, 18, 252.	3.5	18
10	The longitudinal relation between patterns of goal management and psychological health in people with arthritis: The need for adaptive flexibility. British Journal of Health Psychology, 2016, 21, 469-489.	3.5	19
11	Arthritis patients' motives for (not) wanting to be involved in medical decision-making and the factors that hinder or promote patient involvement. Clinical Rheumatology, 2016, 35, 1225-1235.	2.2	36
12	Patients' Considerations in the Decisionâ€Making Process of Initiating Diseaseâ€Modifying Antirheumatic Drugs. Arthritis Care and Research, 2015, 67, 956-964.	3.4	22
13	Construct Validation of a Multidimensional Computerized Adaptive Test for Fatigue in Rheumatoid Arthritis. PLoS ONE, 2015, 10, e0145008.	2.5	4
14	Rheumatoid Arthritis: Psychosocial Aspects. , 2015, , 655-659.		4
15	Validity and measurement precision of the PROMIS physical function item bank and a content validity–driven 20-item short form in rheumatoid arthritis compared with traditional measures. Rheumatology, 2015, 54, kev265.	1.9	28
16	Working mechanism of a multidimensional computerized adaptive test for fatigue in rheumatoid arthritis. Health and Quality of Life Outcomes, 2015, 13, 23.	2.4	6
17	Exploring preferences for domain-specific goal management in patients with polyarthritis: what to do when an important goal becomes threatened?. Rheumatology International, 2015, 35, 1895-1907.	3.0	6
18	Calibration of the PROMIS Physical Function Item Bank in Dutch Patients with Rheumatoid Arthritis. PLoS ONE, 2014, 9, e92367.	2.5	30

#	Article	IF	CITATIONS
19	l116.â€∱Patient Access to Online Electronic Medical Records: Advantages, Disadvantages and Preconditions According to Care Providers. Rheumatology, 2014, 53, i25-i25.	1.9	0
20	Patient participation in decisions about disease modifying anti-rheumatic drugs: a cross-sectional survey. BMC Musculoskeletal Disorders, 2014, 15, 333.	1.9	49
21	Reply. Arthritis Care and Research, 2014, 66, 334-335.	3.4	0
22	Impact of patient-accessible electronic medical records in rheumatology: use, satisfaction and effects on empowerment among patients. BMC Musculoskeletal Disorders, 2014, 15, 102.	1.9	75
23	Feelings of guilt and shame in patients with rheumatoid arthritis. Clinical Rheumatology, 2014, 33, 903-910.	2.2	11
24	Linking Physical Function Outcomes in Rheumatology: Performance of a Crosswalk for Converting Health Assessment Questionnaire Scores to Short Form 36 Physical Functioning Scale Scores. Arthritis Care and Research, 2014, 66, 1754-1758.	3.4	7
25	Acceptance of New Technology: A Usability Test of a Computerized Adaptive Test for Fatigue in Rheumatoid Arthritis. JMIR Human Factors, 2014, 1, e4.	2.0	11
26	Performance of the Dutch SF-36 version 2 as a measure of health-related quality of life in patients with rheumatoid arthritis. Health and Quality of Life Outcomes, 2013, 11, 77.	2.4	35
27	Translation and validation of the Dutch version of the Effective Consumer Scale (EC-17). Quality of Life Research, 2013, 22, 423-429.	3.1	5
28	Giving rheumatology patients online home access to their electronic medical record (EMR): advantages, drawbacks and preconditions according to care providers. Rheumatology International, 2013, 33, 2405-2410.	3.0	22
29	Crosscultural Measurement Equivalence of the Health Assessment Questionnaire II. Arthritis Care and Research, 2013, 65, 1000-1004.	3.4	10
30	A goal management intervention for polyarthritis patients: rationale and design of a randomized controlled trial. BMC Musculoskeletal Disorders, 2013, 14, 239.	1.9	13
31	Development and evaluation of a crosswalk between the SF-36 physical functioning scale and Health Assessment Questionnaire disability index in rheumatoid arthritis. Health and Quality of Life Outcomes, 2013, 11, 199.	2.4	26
32	Contribution of assessing forefoot joints in early rheumatoid arthritis patients: Insights from item response theory. Arthritis Care and Research, 2013, 65, 212-219.	3.4	5
33	Items and dimensions for the construction of a multidimensional computerized adaptive test to measure fatigue in patients with rheumatoid arthritis. Journal of Clinical Epidemiology, 2013, 66, 1175-1183.	5.0	14
34	The role of goal management for successful adaptation to arthritis. Patient Education and Counseling, 2013, 93, 130-138.	2.2	38
35	Fatigue and Factors Related to Fatigue in Rheumatoid Arthritis: A Systematic Review. Arthritis Care and Research, 2013, 65, 1128-1146.	3.4	204
36	Need for Online Information and Support of Patients With Systemic Sclerosis. Arthritis Care and Research, 2013, 65, 594-600.	3.4	30

#	Article	lF	CITATIONS
37	Measuring Actual eHealth Literacy Among Patients With Rheumatic Diseases: a Qualitative Analysis of Problems Encountered Using Health 1.0 and Health 2.0 Applications. Journal of Medical Internet Research, 2013, 15, e27.	4.3	92
38	Worst-case future scenarios of patients with rheumatoid arthritis: a cross-sectional study. Rheumatology, 2012, 51, 2027-2033.	1.9	8
39	Productivity loss due to absenteeism and presenteeism by different instruments in patients with RA and subjects without RA. Rheumatology, 2012, 51, 354-361.	1.9	68
40	Experience of aging in patients with rheumatic disease: A comparison with the general population. Aging and Mental Health, 2012, 16, 666-672.	2.8	4
41	Construct validity of the interview Time Trade-Off and computer Time Trade-Off in patients with rheumatoid arthritis: A cross-sectional observational pilot study. BMC Musculoskeletal Disorders, 2012, 13, 112.	1.9	3
42	Modern psychometrics applied in rheumatology–A systematic review. BMC Musculoskeletal Disorders, 2012, 13, 216.	1.9	9
43	Long term follow-up of health-related quality of life in young adults born very preterm or with a very low birth weight. Health and Quality of Life Outcomes, 2012, 10, 49.	2.4	31
44	Validation of the Dutch functional, communicative and critical health literacy scales. Patient Education and Counseling, 2012, 89, 82-88.	2.2	65
45	Dutch translation and cross-cultural adaptation of the PROMIS® physical function item bank and cognitive pre-test in Dutch arthritis patients. Arthritis Research and Therapy, 2012, 14, R47.	3.5	20
46	Future Expectations and Worstâ€Case Future Scenarios of Patients with Rheumatoid Arthritis: A Focus Group Study. Musculoskeletal Care, 2012, 10, 240-247.	1.4	13
47	Comparative responsiveness of the EuroQolâ€5D and Short Form 6D to improvement in patients with rheumatoid arthritis treated with tumor necrosis factor blockers: Results of the Dutch Rheumatoid Arthritis Monitoring registry. Arthritis Care and Research, 2012, 64, 826-832.	3.4	15
48	Selection of items for a computer-adaptive test to measure fatigue in patients with rheumatoid arthritis: a Delphi approach. Quality of Life Research, 2012, 21, 863-872.	3.1	12
49	Further validation of the 5-item Perceived Efficacy in Patient–Physician Interactions (PEPPI-5) scale in patients with osteoarthritis. Patient Education and Counseling, 2012, 87, 125-130.	2.2	92
50	Which Dimensions of Fatigue Should be Measured in Patients with Rheumatoid Arthritis? A Delphi Study. Musculoskeletal Care, 2012, 10, 13-17.	1.4	17
51	Psychometric properties of the Dutch Five Facet Mindfulness Questionnaire (FFMQ) in patients with fibromyalgia. Clinical Rheumatology, 2011, 30, 1045-1054.	2.2	125
52	Measurement properties of physical function scales validated for use in patients with rheumatoid arthritis: A systematic review of the literature. Health and Quality of Life Outcomes, 2011, 9, 99.	2.4	57
53	Patient preferences for a hospital-based rheumatology Interactive Health Communication Application and factors associated with these preferences. Rheumatology, 2011, 50, 1618-1626.	1.9	45
54	Validating the 28-Tender Joint Count Using Item Response Theory. Journal of Rheumatology, 2011, 38, 2557-2564.	2.0	8

#	Article	IF	CITATIONS
55	Comparison of measures of functional disability in patients with gout. Rheumatology, 2011, 50, 709-713.	1.9	23
56	Determinants of Engagement in Face-to-Face and Online Patient Support Groups. Journal of Medical Internet Research, 2011, 13, e106.	4.3	50
57	Does the eHealth Literacy Scale (eHEALS) Measure What it Intends to Measure? Validation of a Dutch Version of the eHEALS in Two Adult Populations. Journal of Medical Internet Research, 2011, 13, e86.	4.3	296
58	A computer Time Trade-Off: a feasible and reliable alternative for the interview Time Trade-Off in rheumatoid arthritis. Clinical and Experimental Rheumatology, 2011, 29, 783-9.	0.8	3
59	Experiences and attitudes of Dutch rheumatologists and oncologists with regard to their patients' health-related Internet use. Clinical Rheumatology, 2010, 29, 1229-1236.	2.2	29
60	Application of the health assessment questionnaire disability index to various rheumatic diseases. Quality of Life Research, 2010, 19, 1255-1263.	3.1	59
61	Experiences and Preferences of Patients with Rheumatic Diseases Regarding an Interactive Health Communication Application. , 2010, , .		9
62	Patient-initiated online support groups: motives for initiation, extent of success and success factors. Journal of Telemedicine and Telecare, 2010, 16, 30-34.	2.7	26
63	Four different patterns of fatigue in rheumatoid arthritis patients: results of a Q-sort study. Rheumatology, 2010, 49, 2191-2199.	1.9	33
64	New insights into the experience of fatigue among patients with rheumatoid arthritis: a qualitative study. Annals of the Rheumatic Diseases, 2010, 69, 895-897.	0.9	65
65	The effects of mindfulness-based stress reduction therapy on mental health of adults with a chronic medical disease: A meta-analysis. Journal of Psychosomatic Research, 2010, 68, 539-544.	2.6	659
66	Meta-analysis on the effectiveness of mindfulness-based stress reduction therapy on mental health of adults with a chronic disease: What should the reader not make of it?. Journal of Psychosomatic Research, 2010, 69, 614-615.	2.6	11
67	Body-self unity and self-esteem in patients with rheumatic diseases. Psychology, Health and Medicine, 2010, 15, 672-684.	2.4	24
68	A review of instruments to assess illness representations in patients with rheumatic diseases: Table 1. Annals of the Rheumatic Diseases, 2009, 68, 305-309.	0.9	27
69	Attitudes towards people with physical or intellectual disabilities: nursing students and nonâ€nursing peers. Journal of Advanced Nursing, 2009, 65, 2562-2573.	3.3	61
70	Participation in online patient support groups endorses patients' empowerment. Patient Education and Counseling, 2009, 74, 61-69.	2.2	295
71	Health-related Internet use by patients with somatic diseases: Frequency of use and characteristics of users. Informatics for Health and Social Care, 2009, 34, 18-29.	2.6	87
72	Analysis of longitudinal randomized clinical trials using item response models. Contemporary Clinical Trials, 2009, 30, 158-170.	1.8	34

#	Article	IF	CITATIONS
73	Loneliness among women with rheumatoid arthritis: a cross-cultural study in the Netherlands and Egypt. Clinical Rheumatology, 2008, 27, 1109-1118.	2.2	11
74	Limited results of group self-management education for rheumatoid arthritis patients and their partners: explanations from the patient perspective. Clinical Rheumatology, 2008, 27, 1523-1528.	2.2	29
75	Determinants of the use of wrist working splints in rheumatoid arthritis. Arthritis and Rheumatism, 2008, 59, 531-536.	6.7	32
76	Confirmatory factor analysis of the Arthritis Impact Measurement Scales 2 short form in patients with rheumatoid arthritis. Arthritis and Rheumatism, 2008, 59, 692-698.	6.7	16
77	Rasch analysis of the Dutch health assessment questionnaire disability index and the health assessment questionnaire II in patients with rheumatoid arthritis. Arthritis and Rheumatism, 2008, 59, 1721-1728.	6.7	47
78	Efficacy of wrist working splints in patients with rheumatoid arthritis: A randomized controlled study. Arthritis and Rheumatism, 2008, 59, 1698-1704.	6.7	37
79	Coping with somatic illnesses in online support groups: Do the feared disadvantages actually occur?. Computers in Human Behavior, 2008, 24, 309-324.	8.5	83
80	Empowering Processes and Outcomes of Participation in Online Support Groups for Patients With Breast Cancer, Arthritis, or Fibromyalgia. Qualitative Health Research, 2008, 18, 405-417.	2.1	378
81	Psychometric properties of the Rheumatoid Arthritis Disease Activity Index (RADAI) in a cohort of consecutive Dutch patients with RA starting anti-tumour necrosis factor treatment. Annals of the Rheumatic Diseases, 2008, 67, 789-793.	0.9	14
82	Self-Reported Differences in Empowerment Between Lurkers and Posters in Online Patient Support Groups. Journal of Medical Internet Research, 2008, 10, e18.	4.3	213
83	Comparison of internal and external responsiveness of the generic Medical Outcome Study Short Form-36 (SF-36) with disease-specific measures in rheumatoid arthritis. Journal of Rheumatology, 2008, 35, 610-7.	2.0	19
84	Arthritis patients show long-term benefits from 3 weeks intensive exercise training directly following hospital discharge. Rheumatology, 2007, 46, 1712-1717.	1.9	31
85	Cost-effectiveness of Spa treatment for fibromyalgia: general health improvement is not for free. Rheumatology, 2007, 46, 1454-1459.	1.9	43
86	Validation of a Dutch translation of the fibromyalgia impact questionnaire. Rheumatology, 2007, 46, 131-134.	1.9	34
87	Changes in priorities for improvement in patients with rheumatoid arthritis during 1 year of anti-tumour necrosis factor treatment. Annals of the Rheumatic Diseases, 2007, 66, 1485-1490.	0.9	57
88	A Cross-Cultural Study of Pain Intensity in Egyptian and Dutch Women With Rheumatoid Arthritis. Journal of Pain, 2007, 8, 730-736.	1.4	26
89	Sexual functioning of people with rheumatoid arthritis: a multicenter study. Clinical Rheumatology, 2007, 26, 30-38.	2.2	86
90	What determines the possession of assistive devices among patients with rheumatic diseases? The influence of the country-related health care system. Disability and Rehabilitation, 2006, 28, 205-211.	1.8	8

#	Article	IF	CITATIONS
91	Patient-perceived satisfactory improvement (PPSI): Interpreting meaningful change in pain from the patient's perspective. Pain, 2006, 121, 151-157.	4.2	109
92	The Validity and Reliability of the Graphic Rating Scale and Verbal Rating Scale for Measuring Pain Across Cultures: A Study in Egyptian and Dutch Women With Rheumatoid Arthritis. Clinical Journal of Pain, 2006, 22, 827-830.	1.9	17
93	Successfully living with chronic arthritis. Clinical Rheumatology, 2006, 25, 189-197.	2.2	16
94	Effects of pictures and textual arguments in sun protection public service announcements. Cancer Detection and Prevention, 2006, 30, 432-438.	2.1	22
95	Sexuality and People With Intellectual Disabilities: Assessment of Knowledge, Attitudes, Experiences, and Needs. Mental Retardation, 2006, 44, 283-294.	1.0	69
96	The Effects of Motivational Elements in User Instructions. Journal of Business and Technical Communication, 2006, 20, 177-199.	2.0	12
97	Possession of assistive devices is related to improved psychological well-being in patients with rheumatic conditions. Journal of Rheumatology, 2006, 33, 1679-83.	2.0	8
98	Spa treatment for primary fibromyalgia syndrome: a combination of thalassotherapy, exercise and patient education improves symptoms and quality of life. British Journal of Rheumatology, 2005, 44, 539-546.	2.3	119
99	Incorporating the patient perspective into outcome assessment in rheumatoid arthritisprogress at OMERACT 7. Journal of Rheumatology, 2005, 32, 2250-6.	2.0	152
100	The design and evaluation of psychoeducational/self-management interventions. Journal of Rheumatology, 2005, 32, 2470-4.	2.0	8
101	Sensitivity to change of AIMS2 and AIMS2-SF components in comparison to M-HAQ and VAS-pain. Annals of the Rheumatic Diseases, 2004, 63, 1655-1658.	0.9	24
102	What are the real effects of arthritis self-management education programs on pain and disability? Comment on the article by Warsi et al. Arthritis and Rheumatism, 2004, 50, 1012-1013.	6.7	2
103	Systematic review of rheumatoid arthritis patient education. Arthritis and Rheumatism, 2004, 51, 1045-1059.	6.7	120
104	Group education for patients with rheumatoid arthritis and their partners. Arthritis and Rheumatism, 2003, 49, 556-566.	6.7	95
105	Psychometric properties of a Dutch short form of the Arthritis Impact Measurement Scales 2 (Dutch-AIMS2-SF). British Journal of Rheumatology, 2003, 42, 427-434.	2.3	26
106	Patient education for adults with rheumatoid arthritis. The Cochrane Library, 2003, , .	2.8	131
107	Outcome in adults with juvenile idiopathic arthritisComparison of the DUTCHâ€AIMS2 between JIA and RA. Scandinavian Journal of Rheumatology, 2003, 32, 89-94.	1.1	5
108	Outcomes from the Patient Perspective Workshop at OMERACT 6. Journal of Rheumatology, 2003, 30, 868-72.	2.0	129

#	Article	IF	CITATIONS
109	Patient education programmes for adults with rheumatoid arthritis. BMJ: British Medical Journal, 2002, 325, 558-559.	2.3	47
110	Perceptions about perceived functional disabilities and pain of people with rheumatoid arthritis: Differences between patients and their spouses and correlates with well-being. Arthritis and Rheumatism, 2000, 13, 255-261.	6.7	68
111	Problematic and Positive Support in Relation to Depression in People with Rheumatoid Arthritis. Journal of Health Psychology, 2000, 5, 221-230.	2.3	38
112	The general public's knowledge and perceptions about rheumatic diseases. Annals of the Rheumatic Diseases, 2000, 59, 32-38.	0.9	22
113	Determinants of compliance with medication in patients with rheumatoid arthritis: the importance of self-efficacy expectations. Patient Education and Counseling, 1999, 36, 57-64.	2.2	118
114	Media coverage of chronic diseases in the Netherlands. Seminars in Arthritis and Rheumatism, 1999, 28, 333-341.	3.4	12
115	The burden of care for informal caregivers of patients with rheumatoid arthritis. Psychology and Health, 1999, 14, 773-794.	2.2	19
116	A self-report Thompson articular index: What does it measure?. Clinical Rheumatology, 1998, 17, 125-129.	2.2	11
117	The supply of and demand for informal and professional care for patients with rheumatoid arthritis. Scandinavian Journal of Rheumatology, 1998, 27, 7-15.	1.1	13
118	Fatigue in rheumatoid arthritis: the role of self-efficacy and problematic social support. British Journal of Rheumatology, 1998, 37, 1042-1046.	2.3	137
119	Effects of patient education on compliance with basic treatment regimens and health in recent onset active rheumatoid arthritis. Annals of the Rheumatic Diseases, 1998, 57, 146-151.	0.9	112
120	Depression and depressive symptoms in rheumatoid arthritis patients: an analysis of their occurrence and determinants. British Journal of Rheumatology, 1998, 37, 391-397.	2.3	121
121	Coordinated individual education with an arthritis passport for patients with rheumatoid arthritis. Arthritis and Rheumatism, 1997, 10, 238-249.	6.7	44
122	Patient education and disease activity: A study among rheumatoid arthritis patients. Arthritis and Rheumatism, 1997, 10, 320-324.	6.7	19
123	Compliance in rheumatoid arthritis and the roleof formal patient education. Seminars in Arthritis and Rheumatism, 1997, 26, 702-710.	3.4	38
124	Group education for rheumatoid arthritis patients. Seminars in Arthritis and Rheumatism, 1997, 26, 805-816.	3.4	69
125	Patient education and self-management in the rheumatic diseases: A self-efficacy approach. Arthritis and Rheumatism, 1996, 9, 229-238.	6.7	95
126	Psychosocial aspects of rheumatic diseases: Introduction. Patient Education and Counseling, 1993, 20, 55-61.	2.2	19

#	Article	IF	CITATIONS
127	Group education for patients with rheumatoid arthritis. Patient Education and Counseling, 1993, 20, 177-187.	2.2	154
128	Health status, adherence with health recommendations, self-efficacy and social support in patients with rheumatoid arthritis. Patient Education and Counseling, 1993, 20, 63-76.	2.2	143
129	Opinions of patients with rheumatoid arthritis about their own functional capacity: how valid is it?. Annals of the Rheumatic Diseases, 1992, 51, 765-768.	0.9	24
130	Risk-appraisal, outcome and self-efficacy expectancies: Cognitive factors in preventive behaviour related to cancer. Psychology and Health, 1990, 4, 99-109.	2.2	77