

Federica Pellati

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7095998/federica-pellati-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95
papers

2,780
citations

30
h-index

48
g-index

104
ext. papers

3,359
ext. citations

4.3
avg, IF

5.35
L-index

#	Paper	IF	Citations
95	Investigating the effect of polarity of stationary and mobile phases on retention of cannabinoids in normal phase liquid chromatography.. <i>Analytical and Bioanalytical Chemistry</i> , 2022 , 1	4.4	3
94	Chemical composition, antifungal and antiproliferative activities of essential oils from L. <i>Natural Product Research</i> , 2021 , 35, 5888-5893	2.3	3
93	Antifungal Activity and DNA Topoisomerase Inhibition of Hydrolysable Tannins from L. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	5
92	Micronized / ultramicronized palmitoylethanolamide (PEA) as natural neuroprotector against COVID-19 inflammation. <i>Prostaglandins and Other Lipid Mediators</i> , 2021 , 154, 106540	3.7	4
91	Emerging challenges in the extraction, analysis and bioanalysis of cannabidiol and related compounds. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 192, 113633	3.5	17
90	HR- H NMR spectroscopy and multivariate statistical analysis to determine the composition of herbal mixtures for infusions. <i>Phytochemical Analysis</i> , 2021 , 32, 544-553	3.4	5
89	Discriminating different Cannabis sativa L. chemotypes using attenuated total reflectance - infrared (ATR-FTIR) spectroscopy: A proof of concept. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 204, 114270	3.5	5
88	Separation and non-separation methods for the analysis of cannabinoids in Cannabis sativa L. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 206, 114346	3.5	6
87	Antiseizure Effects of Fully Characterized Non-Psychoactive L. Extracts in the Repeated 6-Hz Corneal Stimulation Test.. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	2
86	Use of a Zwitterionic Surfactant to Improve the Biofunctional Properties of Wool Dyed with an Onion (L.) Skin Extract. <i>Antioxidants</i> , 2020 , 9,	7.1	4
85	Assessment of the In Vivo Antioxidant Activity of an Anthocyanin-Rich Bilberry Extract Using the Model. <i>Antioxidants</i> , 2020 , 9,	7.1	4
84	The Effect of Polyphenols on Pomegranate Fruit Susceptibility to Provides Insights into Disease Tolerance Mechanisms. <i>Molecules</i> , 2020 , 25,	4.8	3
83	Propolis Affects Growth, Biofilm Formation, eDNA Release and Phenazine Production: Potential Involvement of Polyphenols. <i>Microorganisms</i> , 2020 , 8,	4.9	15
82	Innovative methods for the preparation of medical Cannabis oils with a high content of both cannabinoids and terpenes. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 186, 113296	3.5	20
81	Hippocampal synaptic and membrane function in the DBA/2J-mdx mouse model of Duchenne muscular dystrophy. <i>Molecular and Cellular Neurosciences</i> , 2020 , 104, 103482	4.8	2
80	Zingiber officinale Roscoe rhizome extract alleviates neuropathic pain by inhibiting neuroinflammation in mice. <i>Phytomedicine</i> , 2020 , 78, 153307	6.5	18
79	Effect-directed analysis of bioactive compounds in Cannabis sativa L. by high-performance thin-layer chromatography. <i>Journal of Chromatography A</i> , 2020 , 1629, 461511	4.5	9

78	Phytochemical Composition and In Vitro Antimicrobial Activity of Essential Oils from the Family against and Biofilms. <i>Antibiotics</i> , 2020 , 9,	4.9	7
77	Cannabinoids from L.: A New Tool Based on HPLC-DAD-MS/MS for a Rational Use in Medicinal Chemistry. <i>ACS Medicinal Chemistry Letters</i> , 2019 , 10, 539-544	4.3	29
76	Identification and determination of bioactive phenylpropanoid glycosides of <i>Aloysia polystachya</i> (Griseb. et Moldenke) by HPLC-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 166, 364-370	3.5	10
75	Botanical Sources, Chemistry, Analysis, and Biological Activity of Furanocoumarins of Pharmaceutical Interest. <i>Molecules</i> , 2019 , 24,	4.8	34
74	A new strategy based on microwave-assisted technology for the extraction and purification of beeswax policosanols for pharmaceutical purposes and beyond. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 172, 200-205	3.5	8
73	Use of C-qNMR Spectroscopy for the Analysis of Non-Psychoactive Cannabinoids in Fibre-Type L. (Hemp). <i>Molecules</i> , 2019 , 24,	4.8	14
72	Development of a new method for the analysis of cannabinoids in honey by means of high-performance liquid chromatography coupled with electrospray ionisation-tandem mass spectrometry detection. <i>Journal of Chromatography A</i> , 2019 , 1597, 179-186	4.5	21
71	Onion (L.) Skin: A Rich Resource of Biomolecules for the Sustainable Production of Colored Biofunctional Textiles. <i>Molecules</i> , 2019 , 24,	4.8	24
70	Antibacterial activity of L. and L. essential oils and their combination against food-borne pathogens and spoilage bacteria in ready-to-eat vegetables. <i>Natural Product Research</i> , 2019 , 33, 3568-3572	2.3	12
69	and essential oils: phytochemical composition and antimicrobial activity against foodborne pathogens. <i>Natural Product Research</i> , 2019 , 33, 3330-3335	2.3	23
68	In Silico Repositioning of Cannabigerol as a Novel Inhibitor of the Enoyl Acyl Carrier Protein (ACP) Reductase (InhA). <i>Molecules</i> , 2019 , 24,	4.8	17
67	Monitoring of Chlorogenic Acid and Antioxidant Capacity of L. (Eggplant) under Different Heat and Storage Treatments. <i>Antioxidants</i> , 2019 , 8,	7.1	12
66	Use of H NMR to Detect the Percentage of Pure Fruit Juices in Blends. <i>Molecules</i> , 2019 , 24,	4.8	10
65	Chemical Characterization and Evaluation of the Antibacterial Activity of Essential Oils from Fibre-Type L. (Hemp). <i>Molecules</i> , 2019 , 24,	4.8	52
64	Chemical Composition and In Vitro Neuroprotective Activity of Fibre-Type Cannabis sativa L. (Hemp). <i>Current Bioactive Compounds</i> , 2019 , 15, 201-210	0.9	13
63	High-performance liquid chromatography for the analytical characterization of anthocyanins in <i>Vaccinium myrtillus</i> L. (bilberry) fruit and food products. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 3559-3571	4.4	15
62	Nuclear magnetic resonance and high-performance liquid chromatography techniques for the characterization of bioactive compounds from <i>Humulus lupulus</i> L. (hop). <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 3521-3531	4.4	10
61	Phytochemical composition and in vitro screening of the antimicrobial activity of essential oils on oral pathogenic bacteria. <i>Natural Product Research</i> , 2018 , 32, 544-551	2.3	36

60	Analytical methods for the study of bioactive compounds from medicinally used Echinacea species. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 160, 443-477	3.5	17
59	L. and Nonpsychoactive Cannabinoids: Their Chemistry and Role against Oxidative Stress, Inflammation, and Cancer. <i>BioMed Research International</i> , 2018 , 2018, 1691428	3	140
58	Testing the influence of digestate from biogas on growth and volatile compounds of basil (<i>Ocimum basilicum</i> L.) and peppermint (<i>Mentha x piperita</i> L.) in hydroponics. <i>Journal of Applied Research on Medicinal and Aromatic Plants</i> , 2018 , 11, 18-26	2.6	16
57	New Methods for the Comprehensive Analysis of Bioactive Compounds in L. (hemp). <i>Molecules</i> , 2018 , 23,	4.8	89
56	Metabolite profiling of flavonols and in vitro antioxidant activity of young shoots of wild <i>Humulus lupulus</i> L. (hop). <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 142, 28-34	3.5	25
55	Metabolite fingerprinting of <i>Punica granatum</i> L. (pomegranate) polyphenols by means of high-performance liquid chromatography with diode array and electrospray ionization-mass spectrometry detection. <i>Journal of Chromatography A</i> , 2017 , 1480, 20-31	4.5	44
54	A new method based on supercritical fluid extraction for polyacetylenes and polyenes from <i>Echinacea pallida</i> (Nutt.) Nutt. roots. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 146, 1-6	3.5	6
53	Development of a new extraction technique and HPLC method for the analysis of non-psychoactive cannabinoids in fibre-type <i>Cannabis sativa</i> L. (hemp). <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 143, 228-236	3.5	130
52	Chemical composition, cytotoxicity, antimicrobial and antifungal activity of several essential oils. <i>Natural Product Research</i> , 2016 , 30, 332-9	2.3	22
51	Profiling of Flavonol Derivatives for the Development of Antitrypanosomatidic Drugs. <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 7598-616	8.3	30
50	Novel and less explored chemotypes of natural origin for the inhibition of Hsp90. <i>MedChemComm</i> , 2016 , 7, 2063-2075	5	1
49	HPLC-UV/DAD and ESI-MS(n) analysis of flavonoids and antioxidant activity of an Algerian medicinal plant: <i>Paronychia argentea</i> Lam. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 111, 231-40	3.5	25
48	The effect of desflurane on neuronal communication at a central synapse. <i>PLoS ONE</i> , 2015 , 10, e0123534	3.7	8
47	Enantiomeric resolution of [(2,2-diphenyl-1,3-dioxolan-4-yl)methyl](2-phenoxyethyl)amine, a potent α and 5-HT _{1A} receptor ligand: an in vitro and computational study. <i>MedChemComm</i> , 2015 , 6, 677-690	5	5
46	Optimization and validation of a chiral GC-MS method for the determination of free D-amino acids ratio in human urine: application to a gestational diabetes mellitus study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 107, 480-7	3.5	28
45	Metabolite profiling of polyphenols in the Tunisian plant <i>Tamarix aphylla</i> (L.) Karst. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 99, 97-105	3.5	26
44	Metabolite profiling of polyphenols in <i>Vaccinium</i> berries and determination of their chemopreventive properties. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 89, 257-67	3.5	42
43	Development of a new high-performance liquid chromatography method with diode array and electrospray ionization-mass spectrometry detection for the metabolite fingerprinting of bioactive compounds in <i>Humulus lupulus</i> L. <i>Journal of Chromatography A</i> , 2014 , 1349, 50-9	4.5	43

42	Innovative Methods for the Extraction and Chromatographic Analysis of Honey Bee Products. <i>ACS Symposium Series</i> , 2014 , 33-49	0.4	2
41	Metabolite profiling of polyphenols in a Terminalia chebula Retzius ayurvedic decoction and evaluation of its chemopreventive activity. <i>Journal of Ethnopharmacology</i> , 2013 , 147, 277-85	5	34
40	Gas chromatography combined with mass spectrometry, flame ionization detection and elemental analyzer/isotope ratio mass spectrometry for characterizing and detecting the authenticity of commercial essential oils of Rosa damascena Mill. <i>Rapid Communications in Mass Spectrometry</i> , 2013 , 27, 591-602	2.2	27
39	An efficient chemical analysis of phenolic acids and flavonoids in raw propolis by microwave-assisted extraction combined with high-performance liquid chromatography using the fused-core technology. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 81-82, 126-32	3.5	54
38	Antioxidant and anti-inflammatory activities of aqueous extract of Centipeda minima. <i>Journal of Ethnopharmacology</i> , 2013 , 147, 395-405	5	58
37	Headspace solid-phase microextraction-gas chromatography-mass spectrometry characterization of propolis volatile compounds. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 84, 103-11	3.5	42
36	Protein-Protein Interaction Inhibitors: Case Studies on Small Molecules and Natural Compounds 2013 , 31-60		5
35	Development of chromatographic methods for the determination of genotoxic impurities in cloperastine fendizoate. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 61, 230-6	3.5	12
34	Potential Therapeutic Applications of Common Agro-Food Byproducts and Chilean Wild Plants. <i>ACS Symposium Series</i> , 2012 , 117-130	0.4	
33	Isolation, Structure Elucidation, Synthesis, and Cytotoxic Activity of Polyacetylenes and Polyenes from Echinacea pallida. <i>ACS Symposium Series</i> , 2012 , 131-149	0.4	
32	Simultaneous metabolite fingerprinting of hydrophilic and lipophilic compounds in Echinacea pallida by high-performance liquid chromatography with diode array and electrospray ionization-mass spectrometry detection. <i>Journal of Chromatography A</i> , 2012 , 1242, 43-58	4.5	17
31	Chromatographic methods for metabolite profiling of virus- and phytoplasma-infected plants of Echinacea purpurea. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 10425-34	5.7	21
30	Lavender and peppermint essential oils as effective mushroom tyrosinase inhibitors: a basic study. <i>Flavour and Fragrance Journal</i> , 2011 , 26, 441-446	2.5	18
29	HPLC-DAD and HPLC-ESI-MS/MS methods for metabolite profiling of propolis extracts. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 934-48	3.5	129
28	Microparticulate polyelectrolyte complexes for gentamicin transport across intestinal epithelia. <i>Drug Delivery</i> , 2011 , 18, 26-37	7	11
27	Cytotoxic activity and G1 cell cycle arrest of a Dienynone from Echinacea pallida. <i>Planta Medica</i> , 2010 , 76, 444-6	3.1	14
26	Chronic benzylamine administration in the drinking water improves glucose tolerance, reduces body weight gain and circulating cholesterol in high-fat diet-fed mice. <i>Pharmacological Research</i> , 2010 , 61, 355-63	10.2	37
25	Development and validation of a HPLC method for the determination of sertraline and three non-chiral related impurities. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 122-9	3.5	8

24	Study on the racemization of synephrine by off-column chiral high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2010 , 1217, 3503-10	4.5	13
23	PLGA nanoparticles surface decorated with the sialic acid, N-acetylneuraminic acid. <i>Biomaterials</i> , 2010 , 31, 3395-403	15.6	56
22	Optimization and validation of a high-performance liquid chromatography method for the analysis of cardiac glycosides in <i>Digitalis lanata</i> . <i>Journal of Chromatography A</i> , 2009 , 1216, 3260-9	4.5	20
21	Synergistic immunopharmacological effects of N-alkylamides in <i>Echinacea purpurea</i> herbal extracts. <i>International Immunopharmacology</i> , 2009 , 9, 850-8	5.8	64
20	Cytotoxic activity of polyacetyles and polyenes isolated from roots of <i>Echinacea pallida</i> . <i>British Journal of Pharmacology</i> , 2008 , 153, 879-85	8.6	32
19	Isolation, structure elucidation and total synthesis of a cytotoxic dienone from <i>Echinacea pallida</i> . <i>Organic and Biomolecular Chemistry</i> , 2008 , 6, 4333-9	3.9	8
18	P-Glycoprotein inhibitory activity of lipophilic constituents of <i>Echinacea pallida</i> roots in a human proximal tubular cell line. <i>Planta Medica</i> , 2008 , 74, 264-6	3.1	24
17	Determination of ephedrine alkaloids in <i>Ephedra</i> natural products using HPLC on a pentafluorophenylpropyl stationary phase. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 254-63	3.5	40
16	Total synthesis of a dienynone from <i>Echinacea pallida</i> . <i>Tetrahedron</i> , 2008 , 64, 6324-6328	2.4	22
15	High-performance liquid chromatography analysis of polyacetyles and polyenes in <i>Echinacea pallida</i> by using a monolithic reversed-phase silica column. <i>Journal of Chromatography A</i> , 2007 , 1149, 56-65	4.5	21
14	Chromatographic and electrophoretic methods for the analysis of phenethylamine [corrected] alkaloids in <i>Citrus aurantium</i> . <i>Journal of Chromatography A</i> , 2007 , 1161, 71-88	4.5	72
13	Fast high-performance liquid chromatography analysis of phenethylamine alkaloids in <i>Citrus</i> natural products on a pentafluorophenylpropyl stationary phase. <i>Journal of Chromatography A</i> , 2007 , 1165, 58-66	4.5	35
12	Erratum to "Chromatographic and electrophoretic methods for the analysis of phenethylamine alkaloids in <i>Citrus aurantium</i> " [J. Chromatogr. A 1161 (2007) 71-88]. <i>Journal of Chromatography A</i> , 2007 , 1164, 334	4.5	3
11	Cytotoxic effects of <i>Echinacea</i> root hexanic extracts on human cancer cell lines. <i>Journal of Ethnopharmacology</i> , 2007 , 110, 148-53	5	27
10	Development and validation of HPLC methods for the analysis of phenethylamine and indoloquinazoline alkaloids in <i>Evodia</i> species. <i>Journal of Separation Science</i> , 2006 , 29, 641-9	3.4	19
9	Isolation and structure elucidation of cytotoxic polyacetyles and polyenes from <i>Echinacea pallida</i> . <i>Phytochemistry</i> , 2006 , 67, 1359-64	4	45
8	Herbal drug quality and phytochemical composition of <i>Hypericum perforatum</i> L. affected by ash yellows phytoplasma infection. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 964-8	5.7	33
7	Enantioselective LC analysis of synephrine in natural products on a protein-based chiral stationary phase. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 37, 839-49	3.5	39

6	Chromatographic performance of a new polar poly(ethylene glycol) bonded phase for the phytochemical analysis of <i>Hypericum perforatum</i> L. <i>Journal of Chromatography A</i> , 2005 , 1088, 205-17	4-5	23
5	Headspace solid-phase microextraction-gas chromatography--mass spectrometry analysis of the volatile compounds of <i>Evodia</i> species fruits. <i>Journal of Chromatography A</i> , 2005 , 1087, 265-73	4-5	81
4	Variability in the composition of anti-oxidant compounds in <i>Echinacea</i> species by HPLC. <i>Phytochemical Analysis</i> , 2005 , 16, 77-85	3-4	58
3	Analysis of phenolic compounds and radical scavenging activity of <i>Echinacea</i> spp. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004 , 35, 289-301	3-5	201
2	High-performance liquid chromatography methods for the analysis of adrenergic amines and flavanones in <i>Citrus aurantium</i> L. var. <i>amara</i> . <i>Phytochemical Analysis</i> , 2004 , 15, 220-5	3-4	62
1	Determination of adrenergic agonists from extracts and herbal products of <i>Citrus aurantium</i> L. var. <i>amara</i> by LC. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2002 , 29, 1113-9	3-5	97