

# JÃ–rg-Peter Schnitzler

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7097524/publications.pdf>

Version: 2024-02-01

171  
papers

10,711  
citations

23500

58  
h-index

40881

93  
g-index

184  
all docs

184  
docs citations

184  
times ranked

9119  
citing authors

#	ARTICLE	IF	CITATIONS
1	MOSES: A Novel Observation System to Monitor Dynamic Events across Earth Compartments. <i>Bulletin of the American Meteorological Society</i> , 2022, 103, E339-E348.	1.7	9
2	Isoprene enhances leaf cytokinin metabolism and induces early senescence. <i>New Phytologist</i> , 2022, 234, 961-974.	3.5	17
3	Immunity-associated volatile emissions of Î²-ionone and nonanal propagate defence responses in neighbouring barley plants. <i>Journal of Experimental Botany</i> , 2022, 73, 615-630.	2.4	25
4	Mycorrhiza-Tree-Herbivore Interactions: Alterations in Poplar Metabolome and Volatilome. <i>Metabolites</i> , 2022, 12, 93.	1.3	12
5	Modeling Intra- and Interannual Variability of BVOC Emissions From Maize, Oilseed Rape, and Ryegrass. <i>Journal of Advances in Modeling Earth Systems</i> , 2022, 14, .	1.3	2
6	Condensed tannins as antioxidants that protect poplar against oxidative stress from drought and UV-B. <i>Plant, Cell and Environment</i> , 2022, 45, 362-377.	2.8	14
7	Soil VOC emissions of a Mediterranean woodland are sensitive to shrub invasion. <i>Plant Biology</i> , 2022, 24, 967-978.	1.8	5
8	Ecotrons: Powerful and versatile ecosystem analysers for ecology, agronomy and environmental science. <i>Global Change Biology</i> , 2021, 27, 1387-1407.	4.2	32
9	Leaf isoprene emission as a trait that mediates the growth-defense tradeoff in the face of climate stress. <i>Oecologia</i> , 2021, 197, 885-902.	0.9	45
10	Editorial: Highlights of POG 2019 - Plant Oxygen Group Conference. <i>Frontiers in Plant Science</i> , 2021, 12, 639262.	1.7	2
11	Metabolic responses of date palm ( <i>Phoenix dactylifera</i> L.) leaves to drought differ in summer and winter climate. <i>Tree Physiology</i> , 2021, 41, 1685-1700.	1.4	10
12	Isoprene and Î²-caryophyllene confer plant resistance via different plant internal signalling pathways. <i>Plant, Cell and Environment</i> , 2021, 44, 1151-1164.	2.8	70
13	Protein expression plasticity contributes to heat and drought tolerance of date palm. <i>Oecologia</i> , 2021, 197, 903-919.	0.9	17
14	Plant Defense Proteins as Potential Markers for Early Detection of Forest Damage and Diseases. <i>Frontiers in Forests and Global Change</i> , 2021, 4, .	1.0	2
15	Nitric oxide coordinates growth, development, and stress response via histone modification and gene expression. <i>Plant Physiology</i> , 2021, 187, 336-360.	2.3	37
16	Volatile organic compound patterns predict fungal trophic mode and lifestyle. <i>Communications Biology</i> , 2021, 4, 673.	2.0	39
17	Oaks as Beacons of Hope for Threatened Mixed Forests in Central Europe. <i>Frontiers in Forests and Global Change</i> , 2021, 4, .	1.0	7
18	European oak chemical diversity – from ecotypes to herbivore resistance. <i>New Phytologist</i> , 2021, 232, 818-834.	3.5	14

#	ARTICLE	IF	CITATIONS
19	High productivity in hybrid-poplar plantations without isoprene emission to the atmosphere. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 1596-1605.	3.3	31
20	Metabolomic adjustments in the orchid mycorrhizal fungus <i>Tulasnella calospora</i> during symbiosis with <i>Serapias vomeracea</i> . New Phytologist, 2020, 228, 1939-1952.	3.5	21
21	Rapid conversion of isoprene photooxidation products in terrestrial plants. Communications Earth & Environment, 2020, 1, 44.	2.6	13
22	Under fire-simultaneous volatilome and transcriptome analysis unravels fine-scale responses of tansy chemotypes to dual herbivore attack. BMC Plant Biology, 2020, 20, 551.	1.6	12
23	Improving Air Quality by Nitric Oxide Consumption of Climate-Resilient Trees Suitable for Urban Greening. Frontiers in Plant Science, 2020, 11, 549913.	1.7	7
24	Root isoprene formation alters lateral root development. Plant, Cell and Environment, 2020, 43, 2207-2223.	2.8	21
25	Sniffing fungi “phenotyping of volatile chemical diversity in <i>Trichoderma</i> species. New Phytologist, 2020, 227, 244-259.	3.5	45
26	Origin of volatile organic compound emissions from subarctic tundra under global warming. Global Change Biology, 2020, 26, 1908-1925.	4.2	46
27	Climate and development modulate the metabolome and antioxidative system of date palm leaves. Journal of Experimental Botany, 2019, 70, 5959-5969.	2.4	21
28	A New Modeling Approach for Estimating Abiotic and Biotic Stress-Induced de novo Emissions of Biogenic Volatile Organic Compounds From Plants. Frontiers in Forests and Global Change, 2019, 2, .	1.0	21
29	Phytoglobulin overexpression promotes barley growth in the presence of enhanced level of atmospheric nitric oxide. Journal of Experimental Botany, 2019, 70, 4521-4537.	2.4	13
30	Systemic acquired resistance networks amplify airborne defense cues. Nature Communications, 2019, 10, 3813.	5.8	85
31	Mass differences in metabolome analyses of untargeted direct infusion ultra-high resolution MS data. , 2019, , 357-405.		6
32	Effects of elevated growth temperature and enhanced atmospheric vapour pressure deficit on needle and root terpenoid contents of two Douglas fir provenances. Environmental and Experimental Botany, 2019, 166, 103819.	2.0	13
33	Optimization of photosynthesis and stomatal conductance in the date palm <i>Phoenix dactylifera</i> during acclimation to heat and drought. New Phytologist, 2019, 223, 1973-1988.	3.5	18
34	Trichoderma Species Differ in Their Volatile Profiles and in Antagonism Toward Ectomycorrhiza <i>Laccaria bicolor</i> . Frontiers in Microbiology, 2019, 10, 891.	1.5	75
35	Effect of plant chemical variation and mutualistic ants on the local population genetic structure of an aphid herbivore. Journal of Animal Ecology, 2019, 88, 1089-1099.	1.3	15
36	Additive effects of plant chemotype, mutualistic ants and predators on aphid performance and survival. Functional Ecology, 2019, 33, 139-151.	1.7	11

#	ARTICLE	IF	CITATIONS
37	The Systems Architecture of Molecular Memory in Poplar after Abiotic Stress. <i>Plant Cell</i> , 2019, 31, 346-367.	3.1	29
38	VOC emissions and carbon balance of two bioenergy plantations in response to nitrogen fertilization: A comparison of <i>Miscanthus</i> and <i>Salix</i> . <i>Environmental Pollution</i> , 2018, 237, 205-217.	3.7	18
39	Mycorrhiza-Triggered Transcriptomic and Metabolomic Networks Impinge on Herbivore Fitness. <i>Plant Physiology</i> , 2018, 176, 2639-2656.	2.3	75
40	Volatilomics: a non-invasive technique for screening plant phenotypic traits. <i>Plant Methods</i> , 2018, 14, 109.	1.9	26
41	Long-term dynamics of monoterpene synthase activities, monoterpene storage pools and emissions in boreal Scots pine. <i>Biogeosciences</i> , 2018, 15, 5047-5060.	1.3	16
42	Short-Term Exposure to Nitrogen Dioxide Provides Basal Pathogen Resistance. <i>Plant Physiology</i> , 2018, 178, 468-487.	2.3	17
43	The Defense-Related Isoleucic Acid Differentially Accumulates in <i>Arabidopsis</i> Among Branched-Chain Amino Acid-Related 2-Hydroxy Carboxylic Acids. <i>Frontiers in Plant Science</i> , 2018, 9, 766.	1.7	23
44	Metabotype variation in a field population of tansy plants influences aphid host selection. <i>Plant, Cell and Environment</i> , 2018, 41, 2791-2805.	2.8	30
45	Physiological responses of date palm ( <i>Phoenix dactylifera</i> ) seedlings to acute ozone exposure at high temperature. <i>Environmental Pollution</i> , 2018, 242, 905-913.	3.7	23
46	Nitric oxide fixation by non-symbiotic haemoglobin proteins in <i>Arabidopsis thaliana</i> under N-limited conditions. <i>Plant, Cell and Environment</i> , 2017, 40, 36-50.	2.8	36
47	Nitrate leaching and soil nitrous oxide emissions diminish with time in a hybrid poplar short-rotation coppice in southern Germany. <i>GCB Bioenergy</i> , 2017, 9, 613-626.	2.5	20
48	Variation in short-term and long-term responses of photosynthesis and isoprenoid-mediated photoprotection to soil water availability in four Douglas-fir provenances. <i>Scientific Reports</i> , 2017, 7, 40145.	1.6	14
49	Net ecosystem fluxes and composition of biogenic volatile organic compounds over a maize field – interaction of meteorology and phenological stages. <i>GCB Bioenergy</i> , 2017, 9, 1627-1643.	2.5	18
50	Monoterpenes Support Systemic Acquired Resistance within and between Plants. <i>Plant Cell</i> , 2017, 29, 1440-1459.	3.1	184
51	C and N stocks are not impacted by land use change from Brazilian Savanna (Cerrado) to agriculture despite changes in soil fertility and microbial abundances. <i>Journal of Plant Nutrition and Soil Science</i> , 2017, 180, 436-445.	1.1	8
52	Environmental impacts of bioenergy wood production from poplar short-rotation coppice grown at a marginal agricultural site in Germany. <i>GCB Bioenergy</i> , 2017, 9, 1207-1221.	2.5	38
53	Characterization of poplar metabolotypes via mass difference enrichment analysis. <i>Plant, Cell and Environment</i> , 2017, 40, 1057-1073.	2.8	47
54	Isoprene and $\alpha$ -pinene deposition to grassland mesocosms. <i>Plant and Soil</i> , 2017, 410, 313-322.	1.8	16

#	ARTICLE	IF	CITATIONS
55	Ecologically Different Fungi Affect Arabidopsis Development: Contribution of Soluble and Volatile Compounds. PLoS ONE, 2016, 11, e0168236.	1.1	26
56	Chemotypic variation in terpenes emitted from storage pools influences early aphid colonisation on tansy. Scientific Reports, 2016, 6, 38087.	1.6	35
57	Circumvent CO <sub>2</sub> Effects in Volatile-Based Microbe-Plant Interactions. Trends in Plant Science, 2016, 21, 541-543.	4.3	30
58	Effects of heat and drought stress on post-illumination bursts of volatile organic compounds in isoprene-emitting and non-emitting poplar. Plant, Cell and Environment, 2016, 39, 1204-1215.	2.8	41
59	Selected environmental impacts of the technical production of wood chips from poplar short rotation coppice on marginal land. Biomass and Bioenergy, 2016, 85, 235-242.	2.9	22
60	Sesquiterpene emissions from Alternaria alternata and Fusarium oxysporum: Effects of age, nutrient availability and co-cultivation. Scientific Reports, 2016, 6, 22152.	1.6	50
61	Urban stress-induced biogenic VOC emissions and SOA-forming potentials in Beijing. Atmospheric Chemistry and Physics, 2016, 16, 2901-2920.	1.9	74
62	Acclimation to heat and drought—Lessons to learn from the date palm (Phoenix dactylifera). Environmental and Experimental Botany, 2016, 125, 20-30.	2.0	48
63	Modulation of Protein S-Nitrosylation by Isoprene Emission in Poplar. Plant Physiology, 2016, 170, 1945-1961.	2.3	39
64	Volatile organic compounds as non-invasive markers for plant phenotyping. Journal of Experimental Botany, 2015, 66, 5403-5416.	2.4	103
65	Sesquiterpene volatile organic compounds (VOCs) are markers of elicitation by sulfated laminarine in grapevine. Frontiers in Plant Science, 2015, 6, 350.	1.7	43
66	Facing the Future: Effects of Short-Term Climate Extremes on Isoprene-Emitting and Nonemitting Poplar. Plant Physiology, 2015, 169, 560-575.	2.3	33
67	Knocking Down of Isoprene Emission Modifies the Lipid Matrix of Thylakoid Membranes and Influences the Chloroplast Ultrastructure in Poplar. Plant Physiology, 2015, 168, 859-870.	2.3	37
68	Volatile signalling by sesquiterpenes from ectomycorrhizal fungi reprogrammes root architecture. Nature Communications, 2015, 6, 6279.	5.8	211
69	Isoprene emission by poplar is not important for the feeding behaviour of poplar leaf beetles. BMC Plant Biology, 2015, 15, 165.	1.6	20
70	RNAi-mediated downregulation of poplar plasma membrane intrinsic proteins (PIPs) changes plasma membrane proteome composition and affects leaf physiology. Journal of Proteomics, 2015, 128, 321-332.	1.2	19
71	Effect of land-use change and management on biogenic volatile organic compound emissions—selecting climate-smart cultivars. Plant, Cell and Environment, 2015, 38, 1896-1912.	2.8	16
72	UV-B mediated metabolic rearrangements in poplar revealed by non-targeted metabolomics. Plant, Cell and Environment, 2015, 38, 892-904.	2.8	69

#	ARTICLE	IF	CITATIONS
73	Metabolic Flux Analysis of Plastidic Isoprenoid Biosynthesis in Poplar Leaves Emitting and Nonemitting Isoprene Å. <i>Plant Physiology</i> , 2014, 165, 37-51.	2.3	124
74	Forest Trees Under Air Pollution as a Factor of Climate Change. <i>Plant Ecophysiology</i> , 2014, , 117-163.	1.5	11
75	The Venus flytrap attracts insects by the release of volatile organic compounds. <i>Journal of Experimental Botany</i> , 2014, 65, 755-766.	2.4	69
76	Biogenic volatile emissions from the soil. <i>Plant, Cell and Environment</i> , 2014, 37, 1866-1891.	2.8	294
77	Genetic Manipulation of Isoprene Emissions in Poplar Plants Remodels the Chloroplast Proteome. <i>Journal of Proteome Research</i> , 2014, 13, 2005-2018.	1.8	50
78	Deoxyxylulose 5-Phosphate Synthase Controls Flux through the Methylerythritol 4-Phosphate Pathway in Arabidopsis. <i>Plant Physiology</i> , 2014, 165, 1488-1504.	2.3	154
79	Plant volatiles and the environment. <i>Plant, Cell and Environment</i> , 2014, 37, 1905-1908.	2.8	174
80	Land availability and potential biomass production with poplar and willow short rotation coppices in Germany. <i>GCB Bioenergy</i> , 2014, 6, 521-533.	2.5	48
81	S-Nitroso-Proteome in Poplar Leaves in Response to Acute Ozone Stress. <i>PLoS ONE</i> , 2014, 9, e106886.	1.1	44
82	Increasing atmospheric $\text{CO}_2$ reduces metabolic and physiological differences between isoprene- and non-isoprene-emitting poplars. <i>New Phytologist</i> , 2013, 200, 534-546.	3.5	39
83	Why only some plants emit isoprene. <i>Plant, Cell and Environment</i> , 2013, 36, 503-516.	2.8	116
84	Inter- and intra-specific variability in isoprene production and photosynthesis of Central European oak species. <i>Plant Biology</i> , 2013, 15, 148-156.	1.8	13
85	Volatile profiles of fungi – Chemotyping of species and ecological functions. <i>Fungal Genetics and Biology</i> , 2013, 54, 25-33.	0.9	150
86	Two Herbivore-Induced Cytochrome P450 Enzymes CYP79D6 and CYP79D7 Catalyze the Formation of Volatile Aldoximes Involved in Poplar Defense Å. <i>Plant Cell</i> , 2013, 25, 4737-4754.	3.1	104
87	Isoprene function in two contrasting poplars under salt and sunflecks. <i>Tree Physiology</i> , 2013, 33, 562-578.	1.4	45
88	Integrated transcriptomics and metabolomics decipher differences in the resistance of pedunculate oak to the herbivore <i>Tortrix viridana</i> L.. <i>BMC Genomics</i> , 2013, 14, 737.	1.2	35
89	Genetic Engineering of BVOC Emissions from Trees. <i>Tree Physiology</i> , 2013, , 95-118.	0.9	17
90	Isoprene in poplar emissions: effects on new particle formation and OH concentrations. <i>Atmospheric Chemistry and Physics</i> , 2012, 12, 1021-1030.	1.9	47

#	ARTICLE	IF	CITATIONS
91	The diversification of terpene emissions in Mediterranean oaks: lessons from a study of <i>Quercus suber</i> , <i>Quercus canariensis</i> and its hybrid <i>Quercus afares</i> . <i>Tree Physiology</i> , 2012, 32, 1082-1091.	1.4	32
92	Modeling the isoprene emission rate from leaves. <i>New Phytologist</i> , 2012, 195, 541-559.	3.5	111
93	Contribution of Various Carbon Sources Toward Isoprene Biosynthesis in Poplar Leaves Mediated by Altered Atmospheric CO <sub>2</sub> Concentrations. <i>PLoS ONE</i> , 2012, 7, e32387.	1.1	47
94	Salt stress induces the formation of a novel type of "pressure wood"™ in two <i>Populus</i> species. <i>New Phytologist</i> , 2012, 194, 129-141.	3.5	85
95	Isoprene emission-free poplars "a chance to reduce the impact from poplar plantations on the atmosphere. <i>New Phytologist</i> , 2012, 194, 70-82.	3.5	50
96	Function of defensive volatiles in pedunculate oak ( <i>Quercus robur</i> ) is tricked by the moth <i>Tortrix viridana</i> . <i>Plant, Cell and Environment</i> , 2012, 35, 2192-2207.	2.8	80
97	Scaling-up leaf monoterpene emissions from a water limited <i>Quercus ilex</i> woodland. <i>Atmospheric Environment</i> , 2011, 45, 2888-2897.	1.9	22
98	Enhanced isoprene-related tolerance of heat- and light-stressed photosynthesis at low, but not high, CO <sub>2</sub> concentrations. <i>Oecologia</i> , 2011, 166, 273-282.	0.9	51
99	Biogenic Volatile Organic Compound and Respiratory CO <sub>2</sub> Emissions after <sup>13</sup> C-Labeling: Online Tracing of C Translocation Dynamics in Poplar Plants. <i>PLoS ONE</i> , 2011, 6, e17393.	1.1	67
100	Poplar volatiles "biosynthesis, regulation and (eco)physiology of isoprene and stress-induced isoprenoids. <i>Plant Biology</i> , 2010, 12, 302-316.	1.8	65
101	Analysis of 1-deoxy-d-xylulose 5-phosphate synthase activity in Grey poplar leaves using isotope ratio mass spectrometry. <i>Phytochemistry</i> , 2010, 71, 918-922.	1.4	15
102	RNAi-mediated suppression of isoprene emission in poplar transiently impacts phenolic metabolism under high temperature and high light intensities: a transcriptomic and metabolomic analysis. <i>Plant Molecular Biology</i> , 2010, 74, 61-75.	2.0	71
103	Isoprene emission protects photosynthesis in sunfleck exposed Grey poplar. <i>Photosynthesis Research</i> , 2010, 104, 5-17.	1.6	44
104	Pathway analysis of the transcriptome and metabolome of salt sensitive and tolerant poplar species reveals evolutionary adaptation of stress tolerance mechanisms. <i>BMC Plant Biology</i> , 2010, 10, 150.	1.6	141
105	Modeling the temporal dynamics of monoterpene emission by isotopic labeling in <i>Quercus ilex</i> leaves. <i>Atmospheric Environment</i> , 2010, 44, 392-399.	1.9	10
106	Determination of <i>de novo</i> and pool emissions of terpenes from four common boreal/alpine trees by <sup>13</sup> CO <sub>2</sub> labelling and PTR-MS analysis. <i>Plant, Cell and Environment</i> , 2010, 33, 781-792.	2.8	169
107	Structure of Isoprene Synthase Illuminates the Chemical Mechanism of Teragram Atmospheric Carbon Emission. <i>Journal of Molecular Biology</i> , 2010, 402, 363-373.	2.0	101
108	Abiotic stresses and induced BVOCs. <i>Trends in Plant Science</i> , 2010, 15, 154-166.	4.3	833

#	ARTICLE	IF	CITATIONS
109	Changes in sulphur metabolism of grey poplar ( <i>Populus x canescens</i> ) leaves during salt stress: a metabolic link to photorespiration. <i>Tree Physiology</i> , 2010, 30, 1161-1173.	1.4	17
110	Expression of the Arabidopsis Mutant <i>abi1</i> Gene Alters Abscisic Acid Sensitivity, Stomatal Development, and Growth Morphology in Gray Poplars. <i>Plant Physiology</i> , 2009, 151, 2110-2119.	2.3	72
111	RNAi-mediated suppression of isoprene biosynthesis in hybrid poplar impacts ozone tolerance. <i>Tree Physiology</i> , 2009, 29, 725-736.	1.4	69
112	Salt stress affects xylem differentiation of grey poplar ( <i>Populus x canescens</i> ). <i>Planta</i> , 2009, 229, 299-309.	1.6	68
113	Modelling the drought impact on monoterpene fluxes from an evergreen Mediterranean forest canopy. <i>Oecologia</i> , 2009, 160, 213-223.	0.9	54
114	Regulation of isoprene synthase promoter by environmental and internal factors. <i>Plant Molecular Biology</i> , 2009, 69, 593-604.	2.0	58
115	Dinitrogen fixation by biological soil crusts in an Inner Mongolian steppe. <i>Biology and Fertility of Soils</i> , 2009, 45, 679-690.	2.3	28
116	Nonmicrobial aerobic methane emission from poplar shoot cultures under low light conditions. <i>New Phytologist</i> , 2009, 182, 912-918.	3.5	64
117	Methane formation in aerobic environments. <i>Environmental Chemistry</i> , 2009, 6, 459.	0.7	96
118	Drought reduced monoterpene emissions from the evergreen Mediterranean oak <i>Quercus ilex</i> : results from a throughfall displacement experiment. <i>Biogeosciences</i> , 2009, 6, 1167-1180.	1.3	83
119	VOC emissions of Grey poplar leaves as affected by salt stress and different N sources. <i>Plant Biology</i> , 2008, 10, 86-96.	1.8	52
120	Volatile organic compounds in the biosphere-atmosphere system: a preface. <i>Plant Biology</i> , 2008, 10, 2-7.	1.8	17
121	Isoprene emission is not temperature-dependent during and after severe drought stress: a physiological and biochemical analysis. <i>Plant Journal</i> , 2008, 55, 687-697.	2.8	154
122	Isoprene interferes with the attraction of bodyguards by herbaceous plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 17430-17435.	3.3	129
123	Arabidopsis, a Model to Study Biological Functions of Isoprene Emission?. <i>Plant Physiology</i> , 2007, 144, 1066-1078.	2.3	85
124	Circadian Rhythms of Isoprene Biosynthesis in Grey Poplar Leaves. <i>Plant Physiology</i> , 2007, 143, 540-551.	2.3	98
125	Interaction of nitrogen nutrition and salinity in Grey poplar ( <i>Populus tremula</i> x <i>alba</i> ). <i>Plant, Cell and Environment</i> , 2007, 30, 796-811.	2.8	99
126	Transgenic, non-isoprene emitting poplars don't like it hot. <i>Plant Journal</i> , 2007, 51, 485-499.	2.8	229



#	ARTICLE	IF	CITATIONS
127	Nitrogen uptake and metabolism in <i>Populus alba</i> affected by salinity. <i>New Phytologist</i> , 2007, 173, 279-293.	3.5	100
128	Practical approaches to plant volatile analysis. <i>Plant Journal</i> , 2006, 45, 540-560.	2.8	494
129	Photosynthesis and substrate supply for isoprene biosynthesis in poplar leaves. <i>Atmospheric Environment</i> , 2006, 40, 138-151.	1.9	85
130	Process-based modelling of isoprenoid emissions from evergreen leaves of <i>Quercus ilex</i> (L.). <i>Atmospheric Environment</i> , 2006, 40, 152-165.	1.9	49
131	Biochemical properties of isoprene synthase in poplar ( <i>Populus alba</i> ). <i>Planta</i> , 2005, 222, 777-786.	1.6	83
132	Diurnal and Seasonal Variation of Isoprene Biosynthesis-Related Genes in Grey Poplar Leaves. <i>Plant Physiology</i> , 2005, 139, 474-484.	2.3	127
133	Transient Release of Oxygenated Volatile Organic Compounds during Light-Dark Transitions in Grey Poplar Leaves. <i>Plant Physiology</i> , 2004, 135, 1967-1975.	2.3	77
134	Contribution of Different Carbon Sources to Isoprene Biosynthesis in Poplar Leaves. <i>Plant Physiology</i> , 2004, 135, 152-160.	2.3	133
135	Impact of rising CO <sub>2</sub> on emissions of volatile organic compounds: isoprene emission from <i>Phragmites australis</i> growing at elevated CO <sub>2</sub> in a natural carbon dioxide spring. <i>Plant, Cell and Environment</i> , 2004, 27, 393-401.	2.8	81
136	Hybridization of European oaks ( <i>Quercus ilex</i> x <i>Q. robur</i> ) results in a mixed isoprenoid emitter type. <i>Plant, Cell and Environment</i> , 2004, 27, 585-593.	2.8	30
137	Carbon Balance in Leaves of Young Poplar Trees. <i>Plant Biology</i> , 2004, 6, 730-739.	1.8	23
138	Histochemical analysis of phenylphenalenone-related compounds in <i>Xiphidium caeruleum</i> (Haemodoraceae). <i>Planta</i> , 2003, 216, 881-889.	1.6	35
139	The process-based SIM-BIM model: towards more realistic prediction of isoprene emissions from adult <i>Quercus petraea</i> forest trees. <i>Atmospheric Environment</i> , 2003, 37, 1665-1671.	1.9	35
140	Light and temperature, but not UV radiation, affect chlorophylls and carotenoids in Norway spruce needles ( <i>Picea abies</i> (L.) Karst.). <i>Plant, Cell and Environment</i> , 2003, 26, 1169-1179.	2.8	36
141	Relationship of isopentenyl diphosphate (IDP) isomerase activity to isoprene emission of oak leaves. <i>Tree Physiology</i> , 2002, 22, 1011-1018.	1.4	35
142	Seasonal pattern of monoterpene synthase activities in leaves of the evergreen tree <i>Quercus ilex</i> . <i>Physiologia Plantarum</i> , 2002, 114, 354-360.	2.6	84
143	Diurnal variation of dimethylallyl diphosphate concentrations in oak ( <i>Quercus robur</i> ) leaves. <i>Physiologia Plantarum</i> , 2002, 115, 190-196.	2.6	55
144	VOCs - helping trees withstand global change?. <i>New Phytologist</i> , 2002, 155, 197-199.	3.5	8

#	ARTICLE	IF	CITATIONS
145	Xylem-transported glucose as an additional carbon source for leaf isoprene formation in <i>Quercus robur</i> . <i>New Phytologist</i> , 2002, 156, 171-178.	3.5	87
146	Title is missing!. <i>Journal of Atmospheric Chemistry</i> , 2002, 42, 159-177.	1.4	17
147	Comparison of Isoprene Emission, Intercellular Isoprene Concentration and Photosynthetic Performance in Water-Limited Oak ( <i>Quercus pubescens</i> Willd. and <i>Quercus robur</i> L.) Saplings. <i>Plant Biology</i> , 2002, 4, 456-463.	1.8	99
148	Modeling of annual variations of oak ( <i>Quercus robur</i> L.) isoprene synthase activity to predict isoprene emission rates. <i>Journal of Geophysical Research</i> , 2001, 106, 3157-3166.	3.3	82
149	Monoterpene emission and monoterpene synthase activities in the Mediterranean evergreen oak <i>Quercus ilex</i> L. grown at elevated CO <sub>2</sub> concentrations. <i>Global Change Biology</i> , 2001, 7, 709-717.	4.2	135
150	Isolation and functional analysis of a cDNA encoding a myrcene synthase from holm oak ( <i>Quercus ilex</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.2	27
151	Assimilate Transport in the Xylem Sap of Pedunculate Oak ( <i>Quercus robur</i> ) Saplings. <i>Plant Biology</i> , 2001, 3, 132-138.	1.8	59
152	Ozone and UV-B Responses of Trees and the Question of Forest Sustainability. <i>Tree Physiology</i> , 2001, , 157-166.	0.9	2
153	Process-based modelling of isoprene emission by oak leaves. <i>Plant, Cell and Environment</i> , 2000, 23, 585-595.	2.8	104
154	The effect of ozone in Scots pine ( <i>Pinus sylvestris</i> L.): gene expression, biochemical changes and interactions with UV-B radiation. <i>Plant, Cell and Environment</i> , 2000, 23, 975-982.	2.8	34
155	Monoterpene synthase activities in leaves of <i>Picea abies</i> (L.) Karst. and <i>Quercus ilex</i> L.. <i>Phytochemistry</i> , 2000, 54, 257-265.	1.4	69
156	Seasonal accumulation of ultraviolet-B screening pigments in needles of Norway spruce ( <i>Picea abies</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 T	2.8	74
157	Isoprene synthase activity and its relation to isoprene emission in <i>Quercus robur</i> L. leaves. <i>Plant, Cell and Environment</i> , 1999, 22, 495-504.	2.8	135
158	Ameliorating effect of UV-B radiation on the response of Norway spruce and Scots pine to ambient ozone concentrations. <i>Global Change Biology</i> , 1999, 5, 83-94.	4.2	16
159	Biosynthesis of Organic Compounds Emitted by Plants. <i>Plant Biology</i> , 1999, 1, 149-159.	1.8	83
160	Interactive effects of ozone and low UV-B radiation on antioxidants in spruce ( <i>Picea abies</i> ) and pine ( <i>Pinus sylvestris</i> ) needles. <i>Physiologia Plantarum</i> , 1998, 104, 248-254.	2.6	30
161	Seasonal Pattern of Isoprene Synthase Activity in <i>Quercus robur</i> Leaves and its Significance for Modeling Isoprene Emission Rates. <i>Botanica Acta</i> , 1997, 110, 240-243.	1.6	94
162	UV-B induction of flavonoid biosynthesis in Scots pine ( <i>Pinus sylvestris</i> L.) seedlings. <i>Trees - Structure and Function</i> , 1997, 11, 162-168.	0.9	19

#	ARTICLE	IF	CITATIONS
163	Styrylpyrone biosynthesis in <i>Equisetum arvense</i> . <i>Phytochemistry</i> , 1997, 44, 275-283.	1.4	54
164	Characterization of an Isoprene Synthase from Leaves of <i>Quercus petraea</i> (Mattuschka) Liebl.. <i>Botanica Acta</i> , 1996, 109, 216-221.	1.6	67
165	Tissue localization of u.v.-screening pigments and of chalcone synthase mRNA in needles of Scots pine seedlings. <i>New Phytologist</i> , 1996, 132, 247-258.	3.5	180
166	Structures of UV-B Induced Sunscreen Pigments of the Scots Pine ( <i>Pinus sylvestris</i> L.). <i>Angewandte Chemie International Edition in English</i> , 1995, 34, 312-314.	4.4	45
167	Elicitor-Induced Changes in Ca <sup>2+</sup> Influx, K <sup>+</sup> Efflux, and 4-Hydroxybenzoic Acid Synthesis in Protoplasts of <i>Daucus carota</i> L. <i>Plant Physiology</i> , 1993, 103, 407-412.	2.3	75
168	Biosynthesis of p-hydroxybenzoic acid in elicitor-treated carrot cell cultures. <i>Planta</i> , 1992, 188, 594-600.	1.6	102
169	Rapid Responses of Cultured Carrot Cells and Protoplasts to an Elicitor from the Cell Wall of <i>Pythium aphanidermatum</i> (Edson) Fitzp. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1989, 44, 1020-1028.	0.6	26
170	Ecology and Evolution of Intraspecific Chemodiversity of Plants. <i>Research Ideas and Outcomes</i> , 0, 6, .	1.0	15
171	Novel <i>Pseudomonas</i> sp. SCA7 Promotes Plant Growth in Two Plant Families and Induces Systemic Resistance in <i>Arabidopsis thaliana</i> . <i>Frontiers in Microbiology</i> , 0, 13, .	1.5	1