

# Ming-Dao Zhang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7101062/ming-dao-zhang-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88

papers

2,487

citations

26

h-index

48

g-index

92

ext. papers

3,072

ext. citations

5.7

avg, IF

5.55

L-index

#	Paper	IF	Citations
88	Two isostructural Ni/Co(II) MOFs based on nitrogen heterocyclic ligands and their derived carbon materials for HER performance. <i>Journal of Molecular Structure</i> , <b>2022</b> , 1252, 132184	3.4	3
87	Novel MOF-derived hollow CoFe alloy coupled with N-doped Ketjen Black as boosted bifunctional oxygen catalysts for Zn  air batteries. <i>Chemical Engineering Journal</i> , <b>2022</b> , 427, 131614	14.7	7
86	Implanted cobalt ions in two zinc-based frameworks: Improved electrocatalyst for hydrogen evolution reaction. <i>Chemical Engineering Journal</i> , <b>2022</b> , 427, 130952	14.7	3
85	Ion Channel Engineering in Super Thick Cathodes toward High-Energy-Density Li  Batteries. <i>Energy &amp; Fuels</i> , <b>2022</b> , 36, 4087-4093	4.1	1
84	Improved the Electrocatalytic Hydrogen Evolution Performances of Co-MOF Derivatives Through Introducing Zinc Ions by Two Ways. <i>Energy &amp; Fuels</i> , <b>2022</b> , 36, 5843-5851	4.1	1
83	The ligand effect resulted in different fluorescence responses of two similar zinc-based MOFs to high-valence metal ions and amino acids. <i>Microporous and Mesoporous Materials</i> , <b>2021</b> , 321, 111130	5.3	5
82	Nano-Hydroxyapatite Encapsulated inside an Anion Exchanger for Efficient Defluoridation of Neutral and Weakly Alkaline Water. <i>ACS ES&amp;T Engineering</i> , <b>2021</b> , 1, 46-54		14
81	MOF-derived Co-MOF,O-doped carbon as trifunctional electrocatalysts to enable highly efficient Zn  air batteries and water-splitting. <i>Journal of Energy Chemistry</i> , <b>2021</b> , 56, 290-298	12	41
80	Rh particles in N-doped porous carbon materials derived from ZIF-8 as an efficient bifunctional electrocatalyst for the ORR and HER.. <i>RSC Advances</i> , <b>2021</b> , 11, 13906-13911	3.7	4
79	Luminescent sensing for amino acids with a Cd-MOF based on 4-(1H-tetrazol-5-yl)-biphenyl-4-carboxylic acid. <i>Journal of Coordination Chemistry</i> , <b>2021</b> , 74, 630-636	1.6	1
78	Hydrogen evolution reaction of one 2D cobalt coordination polymer with coordinated sulfate ion. <i>Journal of Solid State Chemistry</i> , <b>2021</b> , 299, 122191	3.3	3
77	Ultrathin 2D catalysts with N-coordinated single Co atom outside Co cluster for highly efficient Zn-air battery. <i>Chemical Engineering Journal</i> , <b>2021</b> , 421, 129719	14.7	6
76	Energetic MOF-derived cobalt/iron nitrides embedded into N, S-codoped carbon nanotubes as superior bifunctional oxygen catalysts for Zn  air batteries. <i>Applied Surface Science</i> , <b>2021</b> , 569, 151030	6.7	1
75	Facile synthesis of Co, N enriched carbon nanotube and active site identifications for bifunctional oxygen reduction and evolution catalysis. <i>Energy Storage Materials</i> , <b>2021</b> , 43, 365-374	19.4	6
74	MOF-derived CoNi,CoO,NiO@N-C bifunctional oxygen electrocatalysts for liquid and all-solid-state Zn-air batteries. <i>Nanoscale</i> , <b>2021</b> , 13, 17655-17662	7.7	3
73	Two Co/Ni(II)-Based Coordination Polymers for Degradation of Dyes. <i>Crystallography Reports</i> , <b>2021</b> , 66, 1262-1267	0.6	
72	Bifunctional electrocatalysts for Zn  air batteries: recent developments and future perspectives. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 6144-6182	13	81

71	2D Metal-Organic Frameworks (MOFs) for High-Performance BatCap Hybrid Devices. <i>Small</i> , <b>2020</b> , 16, e2001987	11	113
70	A multifunctional pseudo-polyrotaxane coordination polymer based on the trinuclear cluster [Co <sub>3</sub> (COO) <sub>4</sub> (OH) <sub>2</sub> ]: Synthesis, structure and properties. <i>Polyhedron</i> , <b>2020</b> , 186, 114611	2.7	0
69	Selectively sensing and dye adsorption properties of one Zn(II) architecture based on a rigid biphenyltetracarboxylate ligand. <i>Journal of Solid State Chemistry</i> , <b>2020</b> , 284, 121216	3.3	8
68	Strontium Chloride-Passivated Perovskite Thin Films for Efficient Solar Cells with Power Conversion Efficiency over 21% and Superior Stability. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 3661-3669	9.5	14
67	Trimetal-based N-doped carbon nanotubes arrays on Ni foams as self-supported electrodes for hydrogen/oxygen evolution reactions and water splitting. <i>Journal of Power Sources</i> , <b>2020</b> , 480, 228866	8.9	22
66	Conductive MOFs as bifunctional oxygen electrocatalysts for all-solid-state Zn-air batteries. <i>Chemical Communications</i> , <b>2020</b> , 56, 13615-13618	5.8	15
65	MOF-derived Fe,Co@N-C bifunctional oxygen electrocatalysts for Zn-air batteries. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 9355-9363	13	77
64	Simulations on photovoltaic conversion in perovskite solar cells by solving hierarchical equations of motion. <i>AIP Advances</i> , <b>2019</b> , 9, 055322	1.5	2
63	Efficient air-stable perovskite solar cells with a (FAI)(MAI)(MABr)(PbI)(PbBr) active layer fabricated a vacuum flash-assisted method under RH > 50%. <i>RSC Advances</i> , <b>2019</b> , 9, 10148-10154	3.7	9
62	Flower-like MOF-derived Co-N-doped carbon composite with remarkable activity and durability for electrochemical hydrogen evolution reaction. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 30075-30083	6.7	22
61	3-Layer conductive metal-organic nanosheets as electrocatalysts to enable an ultralow detection limit of HO. <i>Nanoscale</i> , <b>2019</b> , 11, 5058-5063	7.7	17
60	Novel MOF-Derived Co@N-C Bifunctional Catalysts for Highly Efficient Zn-Air Batteries and Water Splitting. <i>Advanced Materials</i> , <b>2018</b> , 30, 1705431	24	514
59	Structure-performance relationship on the asymmetric methoxy substituents of spiro-OMeTAD for perovskite solar cells. <i>Solar Energy Materials and Solar Cells</i> , <b>2018</b> , 176, 318-323	6.4	14
58	Fewer-layer conductive metal-organic nanosheets enable ultrahigh mass activity for the oxygen evolution reaction. <i>Chemical Communications</i> , <b>2018</b> , 54, 13579-13582	5.8	33
57	Solid-State Rechargeable Zn//NiCo and Zn-Air Batteries with Ultralong Lifetime and High Capacity: The Role of a Sodium Polyacrylate Hydrogel Electrolyte. <i>Advanced Energy Materials</i> , <b>2018</b> , 8, 1802288	21.8	146
56	Three-dimensional D-πA organic sensitizer with coplanar triphenylamine moiety for dye-sensitized solar cells. <i>Dyes and Pigments</i> , <b>2017</b> , 140, 278-285	4.6	23
55	A pair of 3D enantiotopic zinc(ii) complexes based on two asymmetric achiral ligands. <i>Dalton Transactions</i> , <b>2017</b> , 46, 14779-14784	4.3	7
54	3D hole-transporting materials based on coplanar quinolizino acridine for highly efficient perovskite solar cells. <i>Chemical Science</i> , <b>2017</b> , 8, 7807-7814	9.4	28

53	Synthesis, aggregation-induced emission and application as chemosensor for explosives of a 1,10-phenanthroline derivative and its rhenium(I) carbonyl complex having triphenylamino and thienyl donors. <i>Inorganic Chemistry Communication</i> , <b>2017</b> , 84, 15-19	3.1	6
52	Two dimethoxyphenylamine-substituted carbazole derivatives as hole-transporting materials for efficient inorganic-organic hybrid perovskite solar cells. <i>Dyes and Pigments</i> , <b>2017</b> , 146, 589-595	4.6	22
51	One neutral metal-organic framework with an unusual dmp topology for adsorption of dyes. <i>Polyhedron</i> , <b>2017</b> , 121, 231-235	2.7	15
50	A luminescent 2D -> 3D Cd complex via $\pi$ interaction based on bis(4-(1H-imidazol-1-yl)phenyl)amine and 1,3-dicarboxybenzene acid. <i>Crystallography Reports</i> , <b>2017</b> , 62, 923-927	0.6	1
49	Luminescent metal-organic frameworks for nitro explosives detection. <i>Science China Chemistry</i> , <b>2016</b> , 59, 929-947	7.9	47
48	Enhanced performance of dye-sensitized solar cells with Y-shaped organic dyes containing di-anchoring groups. <i>New Journal of Chemistry</i> , <b>2016</b> , 40, 2799-2805	3.6	23
47	Architectures and DFT calculations of polyrotaxane MOFs with nanoscale macrocycles. <i>Dalton Transactions</i> , <b>2016</b> , 45, 3334-9	4.3	8
46	Effects of structural optimization on the performance of dye-sensitized solar cells: spirobifluorene as a promising building block to enhance Voc. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 11782-11788	13	31
45	Synthesis and structure of a cobalt coordination polymer based on 2,8-di(pyridin-4-yl)dibenzothiophene and 4,4-dicarboxydiphenylsulfone. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , <b>2016</b> , 71, 311-315	1	
44	Luminescent 2D->3D porous zinc complex based on bis[4-(pyridin-4-yl)phenyl]amine and benzene-p-dicarboxylic acid. <i>Mendeleev Communications</i> , <b>2016</b> , 26, 415-417	1.9	2
43	D-D-EA organic dye containing rhodanine-3-acetic acid moiety for dye-sensitized solar cells. <i>Mendeleev Communications</i> , <b>2016</b> , 26, 288-290	1.9	5
42	Hydrothermal syntheses, coordination isomerism and UV-VIS absorption of CoII and NiII complexes with mixed ligands. <i>Mendeleev Communications</i> , <b>2015</b> , 25, 296-298	1.9	2
41	Three Co complexes based on 1-(imidazol-1-yl)-4-(imidazol-4-yl)benzene: Syntheses, structures and stability property. <i>Polyhedron</i> , <b>2015</b> , 90, 28-33	2.7	2
40	Electric response of a metal-molecule-metal junction to laser pulse by solving hierarchical equations of motion. <i>Journal of Chemical Physics</i> , <b>2015</b> , 142, 084705	3.9	9
39	Improvement of dye-sensitized solar cells performance through introducing different heterocyclic groups to triarylamine dyes. <i>RSC Advances</i> , <b>2015</b> , 5, 3720-3727	3.7	11
38	Critical factors influencing the structures and properties of metal-organic frameworks. <i>CrystEngComm</i> , <b>2015</b> , 17, 981-991	3.3	28
37	Synthesis and structure of a 2D -> 3D framework with coexistence of hydrogen bonds and polythreading character. <i>Crystallography Reports</i> , <b>2015</b> , 60, 1106-1110	0.6	0
36	Effects of heterocycles containing different atoms as $\pi$ bridges on the performance of dye-sensitized solar cells. <i>Physical Chemistry Chemical Physics</i> , <b>2015</b> , 17, 16334-40	3.6	26

35	Picolinic acid as an efficient tridentate anchoring group adsorbing at Lewis acid sites and Brønsted acid sites of the TiO <sub>2</sub> surface in dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 14809-14816	13	25
34	Chiral crystallization and optical properties of three metal complexes based on two non-centrosymmetric tripodal ligands. <i>Dalton Transactions</i> , <b>2015</b> , 44, 5818-25	4-3	12
33	Chiral four-fold interpenetrating 2D cadmium networks based on two achiral ligands. <i>Mendeleev Communications</i> , <b>2015</b> , 25, 65-66	1-9	9
32	A series of MOFs based on a triangular tri(4-pyridylphenyl)amine ligand combined with carboxylate or nitrate auxiliary ligands. <i>Dalton Transactions</i> , <b>2015</b> , 44, 1412-9	4-3	24
31	A three-dimensional non-interpenetrated porous metal-organic framework based on cationic 1-D chains. <i>Inorganic Chemistry Communication</i> , <b>2014</b> , 40, 148-150	3-1	8
30	Improvement of photovoltaic performance of DSSCs by modifying panchromatic zinc porphyrin dyes with heterocyclic units. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 20841-20848	13	11
29	Two pairs of isomorphism and two 3D metal-organic frameworks based on a star-like ligand tri(4-pyridylphenyl)amine. <i>CrystEngComm</i> , <b>2014</b> , 16, 698-706	3-3	23
28	Syntheses, characterization, and properties of five coordination compounds based on the ligand tetrakis(4-pyridyloxymethylene)methane. <i>CrystEngComm</i> , <b>2014</b> , 16, 3917-3925	3-3	10
27	Luminescent and porous zinc complex with 2D → 3D parallel polycatenation based on a new rigid V-shaped pyridyl ligand. <i>Inorganic Chemistry Communication</i> , <b>2014</b> , 46, 285-288	3-1	5
26	Crystal Structures and Spectroscopic Properties of Metal-Organic Frameworks Based on Rigid Ligands with Flexible Functional Groups. <i>Crystal Growth and Design</i> , <b>2014</b> , 14, 491-499	3-5	57
25	Promising alkoxy-wrapped porphyrins with novel push-pull moieties for dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 14883-14889	13	16
24	A trilaminar cobalt coordination network with trinuclear and uninuclear building units. <i>Mendeleev Communications</i> , <b>2014</b> , 24, 180-181	1-9	12
23	Chiral and Noncentrosymmetric Metal-Organic Frameworks Featuring a 2D → 3D Parallel/Parallel Inclined Subpolycatenation. <i>Crystal Growth and Design</i> , <b>2013</b> , 13, 3381-3388	3-5	22
22	An Unprecedented Homochiral Metal-Organic Framework Based on Achiral Nanosized Pyridine and V-Shaped Polycarboxylate Acid Ligand. <i>Crystal Growth and Design</i> , <b>2013</b> , 13, 440-445	3-5	40
21	Application of WO <sub>3</sub> -based secondary building units in functional metal-organic frameworks. <i>CrystEngComm</i> , <b>2013</b> , 15, 9265	3-3	9
20	Syntheses, characterizations and properties of five new metal-organic complexes based on flexible ligand 4,4'-(phenylazanediy) dibenzoic acid. <i>CrystEngComm</i> , <b>2013</b> , 15, 616-627	3-3	23
19	The synthesis, structure and third-order nonlinear optical effect of a new 2D cluster polymer based on a [WS <sub>4</sub> Cu <sub>4</sub> ] <sup>2+</sup> SBU and 1,2-di(pyridin-4-yl)ethane. <i>CrystEngComm</i> , <b>2013</b> , 15, 7354	3-3	14
18	Synthesis and crystal structure of trinuclear zinc coordination polymer based on a triangle flexible carboxylic ligand. <i>Inorganic Chemistry Communication</i> , <b>2013</b> , 27, 88-91	3-1	6

17	Chiral 3D/3D hetero-interpenetrating framework with six kinds of helices, 3D polyrotaxane and 2D network via one-pot reaction. <i>CrystEngComm</i> , <b>2013</b> , 15, 227-230	3.3	28
16	Tuning Structural Topologies of a Series of Metal-Organic Frameworks: Different Bent Dicarboxylates. <i>Crystal Growth and Design</i> , <b>2013</b> , 13, 2111-2117	3.5	27
15	Series of Metal-Organic Frameworks Including Novel Architectural Features Based on a Star-like Tri(4-pyridylphenyl)amine Ligand. <i>Crystal Growth and Design</i> , <b>2013</b> , 13, 1961-1969	3.5	66
14	D-D-EA organic dyes containing 4,4'-di(2-thienyl)triphenylamine moiety for efficient dye-sensitized solar cells. <i>Physical Chemistry Chemical Physics</i> , <b>2013</b> , 15, 634-41	3.6	63
13	Three 2D/2D → 2D or 3D Coordination Polymers: Parallel Stacked, Interpenetration, and Polycatenated. <i>Crystal Growth and Design</i> , <b>2013</b> , 13, 5045-5049	3.5	29
12	The effect of optical properties on photovoltaic performance in dye-sensitized TiO <sub>2</sub> nanocrystalline solar cells. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2013</b> , 13, 3948-54	1.3	1
11	Improvement of dye-sensitized solar cells performance through introducing suitable heterocyclic groups to triarylamine dyes. <i>Physical Chemistry Chemical Physics</i> , <b>2012</b> , 14, 2809-15	3.6	26
10	Metal-Organic Frameworks Based on Flexible V-Shaped Polycarboxylate Acids: Hydrogen Bondings, Non-Interpenetrated and Polycatenated. <i>Crystal Growth and Design</i> , <b>2012</b> , 12, 4072-4082	3.5	65
9	Construction of Metal-Organic Frameworks Based on Two Neutral Tetradentate Ligands. <i>Crystal Growth and Design</i> , <b>2012</b> , 12, 4911-4918	3.5	24
8	Structure-property relationship of homochiral and achiral supramolecular isomers obtained by one-pot synthesis. <i>Chemical Communications</i> , <b>2012</b> , 48, 10757-9	5.8	42
7	Construction of a series of metal-organic frameworks with a neutral tetradentate ligand and rigid carboxylate co-ligands. <i>CrystEngComm</i> , <b>2012</b> , 14, 8274	3.3	12
6	Diverse Structures of Metal-Organic Frameworks Based on a New Star-Like Tri(4-pyridylphenyl)amine Ligand. <i>Crystal Growth and Design</i> , <b>2012</b> , 12, 3957-3963	3.5	50
5	Three self-penetrated, interlocked, and polycatenated supramolecular isomers via one-pot synthesis and crystallization. <i>Chemical Communications</i> , <b>2012</b> , 48, 681-3	5.8	75
4	Highly-ordered TiO <sub>2</sub> nanotube arrays with double-walled and bamboo-type structures in dye-sensitized solar cells. <i>Nano Energy</i> , <b>2012</b> , 1, 796-804	17.1	40
3	Syntheses, Structures, and Characteristics of Four New Metal-Organic Frameworks Based on Flexible Tetrpyridines and Aromatic Polycarboxylate Acids. <i>Crystal Growth and Design</i> , <b>2012</b> , 12, 3426-3435	3.5	70
2	Two Porous Zinc Coordination Polymers with (10,3) Topological Features Based on a N-Centered Tripodal Ligand and the Conversion of a (10,3)-d Subnet to a (10,3)-a Subnet. <i>Crystal Growth and Design</i> , <b>2011</b> , 11, 3039-3044	3.5	57
1	A novel and efficient method of MOF-derived electrocatalyst for HER performance through doping organic ligands. <i>Materials Chemistry Frontiers</i> ,	7.8	2