

# Xuebing Feng

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7103350/xuebing-feng-publications-by-year.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65  
papers

2,541  
citations

27  
h-index

50  
g-index

70  
ext. papers

3,030  
ext. citations

5.4  
avg, IF

4.6  
L-index

#	Paper	IF	Citations
65	Low dosage use of cyclophosphamide improves the survival of patients with systemic lupus erythematosus.. <i>Clinical Rheumatology</i> , <b>2022</b> , 1	3.9	1
64	Prediction of diagnosis results of rheumatoid arthritis patients based on autoantibodies and cost-sensitive neural network.. <i>Clinical Rheumatology</i> , <b>2022</b> , 1	3.9	
63	Decreased serum ACE2 levels in patients with connective tissue diseases. <i>Rheumatology</i> , <b>2021</b> , 60, 4401-4406	3.9	5
62	Impaired olfactory neural circuit in patients with SLE at early stages. <i>Lupus</i> , <b>2021</b> , 30, 1078-1085	2.6	
61	Association of anti-Ro52 autoantibodies with interstitial lung disease in connective tissue diseases. <i>Annals of the Rheumatic Diseases</i> , <b>2021</b> , 80, e151	2.4	4
60	Factors associated with event-free survival in Chinese patients with Takayasu's arteritis. <i>Clinical Rheumatology</i> , <b>2021</b> , 40, 1941-1948	3.9	1
59	Creatinine clearance rate predicts prognosis of patients with systemic lupus erythematosus: a large retrospective cohort study. <i>Clinical Rheumatology</i> , <b>2021</b> , 40, 2221-2231	3.9	2
58	Anti-Ro52 antibodies in clinical practice: A single-centre experience. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e13679	2.9	2
57	Association of antimalarial drugs with decreased overall and cause specific mortality in systemic lupus erythematosus. <i>Rheumatology</i> , <b>2021</b> , 60, 1774-1783	3.9	4
56	The relationship of polluted air and drinking water sources with the prevalence of systemic lupus erythematosus: a provincial population-based study. <i>Scientific Reports</i> , <b>2021</b> , 11, 18591	4.9	1
55	MSCs relieve SLE by modulation of Th17 cells through MMPs-CL2-CR2-IL-17 pathway. <i>Rheumatology &amp; Autoimmunity</i> , <b>2021</b> , 1, 28		
54	Human SLE variant -R90H promotes kidney damage and murine lupus through enhanced Tfh2 responses induced by defective efferocytosis of macrophages. <i>Annals of the Rheumatic Diseases</i> , <b>2021</b> ,	2.4	1
53	Reduced Let-7f in Bone Marrow-Derived Mesenchymal Stem Cells Triggers Treg/Th17 Imbalance in Patients With Systemic Lupus Erythematosus. <i>Frontiers in Immunology</i> , <b>2020</b> , 11, 233	8.4	21
52	Efficacy and safety of leflunomide treatment in Takayasu arteritis: Case series from the East China cohort. <i>Seminars in Arthritis and Rheumatism</i> , <b>2020</b> , 50, 59-65	5.3	10
51	Association of Autoantibody Quantification With Systemic Lupus Erythematosus Disease Activity: Comment on the Article by Kim et al. <i>Arthritis and Rheumatology</i> , <b>2019</b> , 71, 1588-1590	9.5	1
50	Protective effects of antimalarials in Chinese patients with systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , <b>2019</b> , 78, e80	2.4	6
49	Mesenchymal stem cells prevent podocyte injury in lupus-prone B6.MRL-Fas <sup>lpr</sup> mice via polarizing macrophage into an anti-inflammatory phenotype. <i>Nephrology Dialysis Transplantation</i> , <b>2019</b> , 34, 597-603	4.3	21

48	MicroRNA-663 induces immune dysregulation by inhibiting TGF- $\beta$ production in bone marrow-derived mesenchymal stem cells in patients with systemic lupus erythematosus. <i>Cellular and Molecular Immunology</i> , <b>2019</b> , 16, 260-274	15.4	38
47	A Long-Term Follow-Up Study of Allogeneic Mesenchymal Stem/Stromal Cell Transplantation in Patients with Drug-Resistant Systemic Lupus Erythematosus. <i>Stem Cell Reports</i> , <b>2018</b> , 10, 933-941	8	47
46	Citrullinated fibrinogen impairs immunomodulatory function of bone marrow mesenchymal stem cells by triggering toll-like receptor. <i>Clinical Immunology</i> , <b>2018</b> , 193, 38-45	9	11
45	Increased expression of Bruton's tyrosine kinase in peripheral blood is associated with lupus nephritis. <i>Clinical Rheumatology</i> , <b>2018</b> , 37, 43-49	3.9	20
44	Association between Type I interferon and depletion and dysfunction of endothelial progenitor cells in C57BL/6 mice deficient in both apolipoprotein E and Fas ligand. <i>Current Research in Translational Medicine</i> , <b>2018</b> , 66, 71-82	3.7	6
43	Mesenchymal stem cells induced CD4+ T cell apoptosis in treatment of lupus mice. <i>Biochemical and Biophysical Research Communications</i> , <b>2018</b> , 507, 30-35	3.4	6
42	Safety analysis in patients with autoimmune disease receiving allogeneic mesenchymal stem cells infusion: a long-term retrospective study. <i>Stem Cell Research and Therapy</i> , <b>2018</b> , 9, 312	8.3	44
41	Severe thrombocytopenia in connective tissue diseases: a single-center review of 131 cases. <i>Clinical Rheumatology</i> , <b>2018</b> , 37, 3337-3344	3.9	4
40	Genetic contribution to mesenchymal stem cell dysfunction in systemic lupus erythematosus. <i>Stem Cell Research and Therapy</i> , <b>2018</b> , 9, 149	8.3	20
39	Mesenchymal Stem Cells Promote the Osteogenesis in Collagen-Induced Arthritic Mice through the Inhibition of TNF-. <i>Stem Cells International</i> , <b>2018</b> , 2018, 4069032	5	19
38	The regulation of the Treg/Th17 balance by mesenchymal stem cells in human systemic lupus erythematosus. <i>Cellular and Molecular Immunology</i> , <b>2017</b> , 14, 423-431	15.4	109
37	Long-term safety of umbilical cord mesenchymal stem cells transplantation for systemic lupus erythematosus: a 6-year follow-up study. <i>Clinical and Experimental Medicine</i> , <b>2017</b> , 17, 333-340	4.9	33
36	Human Umbilical Cord Mesenchymal Stem Cells Inhibit T Follicular Helper Cell Expansion Through the Activation of iNOS in Lupus-Prone B6.MRL- Mice. <i>Cell Transplantation</i> , <b>2017</b> , 26, 1031-1042	4	34
35	Sustained benefit from combined plasmapheresis and allogeneic mesenchymal stem cells transplantation therapy in systemic sclerosis. <i>Arthritis Research and Therapy</i> , <b>2017</b> , 19, 165	5.7	18
34	HLA-DRB1 Alleles as Genetic Risk Factors for the Development of Anti-MDA5 Antibodies in Patients with Dermatomyositis. <i>Journal of Rheumatology</i> , <b>2017</b> , 44, 1389-1393	4.1	23
33	Serum IFN- $\gamma$ Predicts the Therapeutic Effect of Mesenchymal Stem Cells Transplantation in Systemic Lupus Erythematosus Patients. <i>Stem Cells Translational Medicine</i> , <b>2017</b> , 6, 1777-1785	6.9	21
32	Prognosis for Hospitalized Patients with Systemic Lupus Erythematosus in China: 5-Year Update of the Jiangsu Cohort. <i>PLoS ONE</i> , <b>2016</b> , 11, e0168619	3.7	14
31	Umbilical Cord-Derived Mesenchymal Stem Cells Suppress Autophagy of T Cells in Patients with Systemic Lupus Erythematosus via Transfer of Mitochondria. <i>Stem Cells International</i> , <b>2016</b> , 2016, 4062789	5.89	26

30	Hypoxia-inducible factor 1 in autoimmune diseases. <i>Cellular Immunology</i> , <b>2016</b> , 303, 7-15	4.4	37
29	Thalidomide treatment in cutaneous lesions of systemic lupus erythematosus: a multicenter study in China. <i>Clinical Rheumatology</i> , <b>2016</b> , 35, 1521-7	3.9	12
28	Umbilical cord mesenchymal stem cells inhibit the differentiation of circulating T follicular helper cells in patients with primary Sjögren's syndrome through the secretion of indoleamine 2,3-dioxygenase. <i>Rheumatology</i> , <b>2015</b> , 54, 332-42	3.9	30
27	Mesenchymal stem cells promote CD206 expression and phagocytic activity of macrophages through IL-6 in systemic lupus erythematosus. <i>Clinical Immunology</i> , <b>2015</b> , 161, 209-16	9	37
26	Identification of interferon-inducible genes as diagnostic biomarker for systemic lupus erythematosus. <i>Clinical Rheumatology</i> , <b>2015</b> , 34, 71-9	3.9	27
25	Discriminating infectious meningitis versus neuropsychiatric involvement in patients with systemic lupus erythematosus: a single-center experience. <i>Clinical Rheumatology</i> , <b>2015</b> , 34, 365-9	3.9	4
24	Exacerbation of lupus nephritis by high sodium chloride related to activation of SGK1 pathway. <i>International Immunopharmacology</i> , <b>2015</b> , 29, 568-573	5.8	22
23	Allogeneic mesenchymal stem cells inhibited T follicular helper cell generation in rheumatoid arthritis. <i>Scientific Reports</i> , <b>2015</b> , 5, 12777	4.9	53
22	Leptin and Neutrophil-Activating Peptide 2 Promote Mesenchymal Stem Cell Senescence Through Activation of the Phosphatidylinositol 3-Kinase/Akt Pathway in Patients With Systemic Lupus Erythematosus. <i>Arthritis and Rheumatology</i> , <b>2015</b> , 67, 2383-93	9.5	41
21	Umbilical Cord-Derived Mesenchymal Stem Cells Inhibit Cadherin-11 Expression by Fibroblast-Like Synoviocytes in Rheumatoid Arthritis. <i>Journal of Immunology Research</i> , <b>2015</b> , 2015, 137695	4.5	22
20	Mesenchymal stem cells from patients with rheumatoid arthritis display impaired function in inhibiting Th17 cells. <i>Journal of Immunology Research</i> , <b>2015</b> , 2015, 284215	4.5	40
19	A CD8 T cell/indoleamine 2,3-dioxygenase axis is required for mesenchymal stem cell suppression of human systemic lupus erythematosus. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, 2234-45	9.5	71
18	Allogeneic mesenchymal stem cell transplantation for lupus nephritis patients refractory to conventional therapy. <i>Clinical Rheumatology</i> , <b>2014</b> , 33, 1611-9	3.9	65
17	Restored immunosuppressive effect of mesenchymal stem cells on B cells after olfactory 1/early B cell factor-associated zinc-finger protein down-regulation in patients with systemic lupus erythematosus. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, 3413-23	9.5	28
16	Hypoxia inducible factor-1 alpha promotes mesangial cell proliferation in lupus nephritis. <i>American Journal of Nephrology</i> , <b>2014</b> , 40, 507-15	4.6	29
15	Association of TNF- $\beta$ with impaired migration capacity of mesenchymal stem cells in patients with systemic lupus erythematosus. <i>Journal of Immunology Research</i> , <b>2014</b> , 2014, 169082	4.5	22
14	CTLA-4 SNPs (CT60A/G, -1722T/C, -1661G/A, and -318C/T) and systemic lupus erythematosus: a meta-analysis. <i>Critical Reviews in Eukaryotic Gene Expression</i> , <b>2014</b> , 24, 89-100	1.3	5
13	Allogeneic mesenchymal stem cell transplantation in severe and refractory systemic lupus erythematosus: 4 years of experience. <i>Cell Transplantation</i> , <b>2013</b> , 22, 2267-77	4	177

12	Elevated apoptosis and impaired proliferation contribute to downregulated peripheral T <sub>H</sub> cells in patients with systemic lupus erythematosus. <i>Clinical and Developmental Immunology</i> , <b>2013</b> , 2013, 405395		5
11	Allogeneic mesenchymal stem cells transplantation in patients with refractory RA. <i>Clinical Rheumatology</i> , <b>2012</b> , 31, 157-61	3.9	86
10	Allogeneic mesenchymal stem cell transplantation in seven patients with refractory inflammatory bowel disease. <i>Gut</i> , <b>2012</b> , 61, 468-9	19.2	98
9	Double allogeneic mesenchymal stem cells transplantations could not enhance therapeutic effect compared with single transplantation in systemic lupus erythematosus. <i>Clinical and Developmental Immunology</i> , <b>2012</b> , 2012, 273291		28
8	Inhibition of aberrant circulating Tfh cell proportions by corticosteroids in patients with systemic lupus erythematosus. <i>PLoS ONE</i> , <b>2012</b> , 7, e51982	3.7	74
7	Efficacy of allogeneic mesenchymal stem cell transplantation in patients with drug-resistant polymyositis and dermatomyositis. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, 1285-8	2.4	55
6	Prognostic indicators of hospitalized patients with systemic lupus erythematosus: a large retrospective multicenter study in China. <i>Journal of Rheumatology</i> , <b>2011</b> , 38, 1289-95	4.1	30
5	Olf1/EBF associated zinc finger protein interfered with antinuclear antibody production in patients with systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , <b>2010</b> , 12, R59	5.7	8
4	Umbilical cord mesenchymal stem cell transplantation in severe and refractory systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , <b>2010</b> , 62, 2467-75		336
3	Transplantation of human bone marrow mesenchymal stem cell ameliorates the autoimmune pathogenesis in MRL/lpr mice. <i>Cellular and Molecular Immunology</i> , <b>2008</b> , 5, 417-24	15.4	160
2	ApoE <sup>-/-</sup> Fas <sup>-/-</sup> C57BL/6 mice: a novel murine model simultaneously exhibits lupus nephritis, atherosclerosis, and osteopenia. <i>Journal of Lipid Research</i> , <b>2007</b> , 48, 794-805	6.3	52
1	Association of increased interferon-inducible gene expression with disease activity and lupus nephritis in patients with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 2951-62		312