

Alessandra Braca

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7103385/alessandra-braca-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

157
papers

4,508
citations

32
h-index

60
g-index

167
ext. papers

5,053
ext. citations

3.7
avg, IF

5.2
L-index

#	Paper	IF	Citations
157	Antioxidant principles from Bauhinia tarapotensis. <i>Journal of Natural Products</i> , 2001 , 64, 892-5	4.9	608
156	Antioxidant activity of flavonoids from Licania licaniaeflora. <i>Journal of Ethnopharmacology</i> , 2002 , 79, 379-81	5	335
155	Flavonoids of Zizyphus jujuba L. and Zizyphus spina-christi (L.) Willd (Rhamnaceae) fruits. <i>Food Chemistry</i> , 2009 , 112, 858-862	8.5	156
154	Structure-antioxidant activity relationships of flavonoids isolated from different plant species. <i>Food Chemistry</i> , 2005 , 92, 349-355	8.5	134
153	Antioxidant and free radical scavenging activity of flavonol glycosides from different Aconitum species. <i>Journal of Ethnopharmacology</i> , 2003 , 86, 63-7	5	125
152	Phenolic compounds in olive oil and olive pomace from Cilento (Campania, Italy) and their antioxidant activity. <i>Food Chemistry</i> , 2010 , 121, 105-111	8.5	116
151	Quali-quantitative analyses of Flavonoids of Morus nigra L. and Morus alba L. (Moraceae) fruits. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 3377-80	5.7	113
150	Chemical composition and antioxidant activity of phenolic compounds from wild and cultivated Sclerocarya birrea (Anacardiaceae) leaves. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 6689-95	5.7	112
149	Chemical composition and antimicrobial activity of Momordica charantia seed essential oil. <i>Phytotherapy Research</i> , 2008 , 22, 123-5	3.2	90
148	Phenolics of Arbutus unedo L. (Ericaceae) fruits: identification of anthocyanins and gallic acid derivatives. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 10234-8	5.7	90
147	Quali-quantitative analysis of flavonoids of Cornus mas L. (Cornaceae) fruits. <i>Food Chemistry</i> , 2010 , 119, 1257-1261	8.5	70
146	Extracts and constituents of Lavandula multifida with topical anti-inflammatory activity. <i>Phytomedicine</i> , 2005 , 12, 271-7	6.5	68
145	Study of flavonoids of Sechium edule (Jacq) Swartz (Cucurbitaceae) different edible organs by liquid chromatography photodiode array mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 6510-5	5.7	65
144	Profiling the chemical content of Opuntia ficus-indica flowers by HPLC-DAD-ESI-MS and GC/EIMS analyses. <i>Phytochemistry Letters</i> , 2010 , 3, 48-52	1.9	62
143	α-Glucosidase and α-Amylase Inhibitors from Arcytophyllum thymifolium. <i>Journal of Natural Products</i> , 2016 , 79, 2104-12	4.9	61
142	Flavonoid characterization and in vitro antioxidant activity of Aconitum anthora L. (Ranunculaceae). <i>Phytochemistry</i> , 2008 , 69, 1220-6	4	58
141	Antioxidant chalcone glycosides and flavanones from Maclura (Chlorophora) tinctoria. <i>Journal of Natural Products</i> , 2003 , 66, 1061-4	4.9	53

140	Drug Affinity Responsive Target Stability (DARTS) Identifies Laurifolioside as a New Clathrin Heavy Chain Modulator. <i>Journal of Natural Products</i> , 2016 , 79, 2681-2692	4.9	53
139	Antimicrobial diterpenes from the seeds of <i>Cephalotaxus harringtonia</i> var. <i>drupacea</i> . <i>Planta Medica</i> , 2003 , 69, 468-70	3.1	51
138	Phytochemical Profile, Antioxidant and Antidiabetic Activities of <i>Adansonia digitata</i> L. (Baobab) from Mali, as a Source of Health-Promoting Compounds. <i>Molecules</i> , 2018 , 23,	4.8	50
137	Furostanol saponins and quercetin glycosides from the leaves of <i>Helleborus viridis</i> L. <i>Phytochemistry</i> , 2004 , 65, 2921-8	4	46
136	A chemical-biological study reveals C9-type iridoids as novel heat shock protein 90 (Hsp90) inhibitors. <i>Journal of Medicinal Chemistry</i> , 2013 , 56, 1583-95	8.3	45
135	New pregnane glycosides from <i>Caralluma dalzielii</i> . <i>Steroids</i> , 2005 , 70, 573-85	2.8	45
134	Triterpenoid saponins from <i>Pteleopsis suberosa</i> stem bark. <i>Phytochemistry</i> , 2006 , 67, 2623-9	4	42
133	Structure and absolute configuration of new diterpenes from <i>Lavandula multifida</i> . <i>Journal of Natural Products</i> , 2002 , 65, 1742-5	4.9	41
132	Antioxidant and free radical-scavenging activity of constituents from two <i>Scorzonera</i> species. <i>Food Chemistry</i> , 2014 , 160, 298-304	8.5	39
131	New pregnane glycosides from <i>Caralluma negevensis</i> . <i>Tetrahedron</i> , 2002 , 58, 5837-5848	2.4	39
130	Further constituents from <i>Caralluma negevensis</i> . <i>Phytochemistry</i> , 2003 , 62, 1277-81	4	36
129	Antioxidant and free-radical scavenging activity of constituents of the leaves of <i>Tachigalia paniculata</i> . <i>Journal of Natural Products</i> , 2002 , 65, 1526-9	4.9	36
128	Inhibitors of α -amylase and α -glucosidase from <i>Andromachia igniaria</i> Humb. & Bonpl.. <i>Phytochemistry Letters</i> , 2015 , 14, 45-50	1.9	35
127	New monoterpene glycosides from <i>Paeonia lactiflora</i> . <i>Phytotherapy Research</i> , 2008 , 79, 117-20	3.2	34
126	Secondary metabolites from <i>Ballota undulata</i> (Lamiaceae). <i>Biochemical Systematics and Ecology</i> , 2005 , 33, 341-351	1.4	34
125	Phenolic compounds from <i>Baseonema acuminatum</i> leaves: isolation and antimicrobial activity. <i>Planta Medica</i> , 2004 , 70, 841-6	3.1	32
124	Cytotoxic saponins from <i>Schefflera rotundifolia</i> . <i>Planta Medica</i> , 2004 , 70, 960-6	3.1	31
123	Carnosol controls the human glioblastoma stemness features through the epithelial-mesenchymal transition modulation and the induction of cancer stem cell apoptosis. <i>Scientific Reports</i> , 2017 , 7, 15174	4.9	29

122	Pyrrolizidine alkaloids from <i>Anchusa strigosa</i> and their antifeedant activity. <i>Phytochemistry</i> , 2005 , 66, 1593-600	4	29
121	Phenylpropanoids and flavonoids from <i>Phlomis kurdica</i> as inhibitors of human lactate dehydrogenase. <i>Phytochemistry</i> , 2015 , 116, 262-268	4	28
120	Antiproliferative activity of <i>Pteleopsis suberosa</i> leaf extract and its flavonoid components in human prostate carcinoma cells. <i>Planta Medica</i> , 2006 , 72, 604-10	3.1	27
119	Flavonol glycosides from the flowers of <i>Aconitum paniculatum</i> . <i>Journal of Natural Products</i> , 2000 , 63, 1563-5	4.9	27
118	New metabolites from <i>onopordum illyricum</i> . <i>Journal of Natural Products</i> , 1999 , 62, 1371-5	4.9	27
117	Effect of sesquiterpene lactone coronopilin on leukaemia cell population growth, cell type-specific induction of apoptosis and mitotic catastrophe. <i>Cell Proliferation</i> , 2012 , 45, 53-65	7.9	26
116	Thioredoxin system modulation by plant and fungal secondary metabolites. <i>Current Medicinal Chemistry</i> , 2010 , 17, 479-94	4.3	26
115	Steroidal saponins from the aerial parts of <i>Tribulus alatus</i> Del. <i>Phytochemistry</i> , 2006 , 67, 1011-8	4	26
114	Flavonoids from <i>Aconitum napellus</i> subsp. <i>neomontanum</i> . <i>Phytochemistry</i> , 2001 , 57, 543-6	4	26
113	Antioxidant and Antisenescence Effects of Bergamot Juice. <i>Oxidative Medicine and Cellular Longevity</i> , 2018 , 2018, 9395804	6.7	25
112	Pro-apoptotic and cytostatic activity of naturally occurring cardenolides. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 64, 793-802	3.5	25
111	New prenylated anthraquinones and xanthenes from <i>Vismia guineensis</i> . <i>Journal of Natural Products</i> , 2000 , 63, 16-21	4.9	25
110	Antiproliferative cardenolides from <i>Periploca graeca</i> . <i>Planta Medica</i> , 2007 , 73, 384-7	3.1	24
109	Diterpenes, ionol-derived, and flavone glycosides from <i>Podocarpus elongatus</i> . <i>Phytochemistry</i> , 2012 , 76, 172-7	4	23
108	Bioassay-guided isolation of allelochemicals from <i>Avena sativa</i> L.: allelopathic potential of flavone C-glycosides. <i>Chemoecology</i> , 2009 , 19, 169-176	2	23
107	Evaluation of tramadol and its main metabolites in horse plasma by high-performance liquid chromatography/fluorescence and liquid chromatography/electrospray ionization tandem mass spectrometry techniques. <i>Rapid Communications in Mass Spectrometry</i> , 2009 , 23, 228-36	2.2	23
106	Electrospray ionization mass spectrometry for identification and structural characterization of pregnane glycosides. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 1041-52	2.2	23
105	Myricetin glycosides from <i>Licania densiflora</i> . <i>Phytochemistry</i> , 2001 , 72, 182-5	3.2	23

104	Antimicrobial triterpenoids from <i>Licania heteromorpha</i> . <i>Planta Medica</i> , 2000 , 66, 768-9	3.1	23
103	Three flavonoids from <i>Licania densiflora</i> . <i>Phytochemistry</i> , 1999 , 51, 1125-1128	4	23
102	Bioactive limonoids from the leaves of <i>Azadirachta indica</i> (Neem). <i>Journal of Natural Products</i> , 2014 , 77, 596-602	4.9	22
101	Phenolic compounds from the roots of Jordanian viper's grass, <i>Scorzonera judaica</i> . <i>Journal of Natural Products</i> , 2011 , 74, 1421-6	4.9	22
100	Sesquiterpenes and diterpenes from <i>Ambrosia arborescens</i> . <i>Phytochemistry</i> , 2010 , 71, 804-9	4	22
99	Biological screening of <i>Nigella damascena</i> for antimicrobial and molluscicidal activities. <i>Phytotherapy Research</i> , 2004 , 18, 468-70	6.7	22
98	Sequestration of furostanol saponins by <i>Monophadnus</i> sawfly larvae. <i>Journal of Chemical Ecology</i> , 2007 , 33, 513-24	2.7	21
97	RAPD analysis and flavonoid composition of <i>Aconitum</i> as an aid for taxonomic discrimination. <i>Biochemical Systematics and Ecology</i> , 2003 , 31, 293-301	1.4	21
96	Bioassay-guided isolation of proanthocyanidins with antiangiogenic activities. <i>Journal of Natural Products</i> , 2013 , 76, 29-35	4.9	20
95	New Pyrrolizidine Alkaloids and Glycosides from <i>Anchusa strigosa</i> . <i>Planta Medica</i> , 2003 , 69, 835-41	3.1	20
94	Phytochemical and antioxidant activity studies on <i>Ononis angustissima</i> L. aerial parts: isolation of two new flavonoids. <i>Natural Product Research</i> , 2017 , 31, 507-514	2.3	18
93	Hsp90 Activity Modulation by Plant Secondary Metabolites. <i>Planta Medica</i> , 2015 , 81, 1223-39	3.1	18
92	Anti-ulcer, anti-inflammatory and antioxidant activities of the n-butanol fraction from <i>Pteleopsis suberosa</i> stem bark. <i>Journal of Ethnopharmacology</i> , 2008 , 115, 271-5	5	18
91	Cytotoxic saponins from <i>Schefflera faguetei</i> . <i>Planta Medica</i> , 2003 , 69, 750-6	3.1	18
90	New insights into the anticancer activity of carnosol: p53 reactivation in the U87MG human glioblastoma cell line. <i>International Journal of Biochemistry and Cell Biology</i> , 2016 , 74, 95-108	5.6	17
89	Secondary metabolites from <i>Paronychia argentea</i> . <i>Magnetic Resonance in Chemistry</i> , 2008 , 46, 88-93	2.1	17
88	New flavonol glycosides from the flowers of <i>Aconitum napellus</i> ssp. <i>tauricum</i> . <i>Planta Medica</i> , 2001 , 67, 287-90	3.1	17
87	Constituents of <i>Polygala flavescens</i> ssp. <i>flavescens</i> and Their Activity as Inhibitors of Human Lactate Dehydrogenase. <i>Journal of Natural Products</i> , 2017 , 80, 2077-2087	4.9	16

86	Structure of kaurane-type diterpenes from <i>Parinari sprucei</i> and their potential anticancer activity. <i>Planta Medica</i> , 2004 , 70, 540-50	3.1	16
85	Targeting Different Transthyretin Binding Sites with Unusual Natural Compounds. <i>ChemMedChem</i> , 2016 , 11, 1865-74	3.7	16
84	Reconsidering Hydrosols as Main Products of Aromatic Plants Manufactory: The Lavandin () Case Study in Tuscany. <i>Molecules</i> , 2020 , 25,	4.8	15
83	Essential-oil composition of <i>Daucus carota</i> ssp. major (Pastinocello Carrot) and nine different commercial varieties of <i>Daucus carota</i> ssp. sativus fruits. <i>Chemistry and Biodiversity</i> , 2014 , 11, 1022-33	2.5	15
82	New flavonol glycosides from <i>Aconitum burnatii</i> G. J. and <i>Aconitum variegatum</i> L. <i>Phytotherapy Research</i> , 2010 , 81, 940-7	3.2	15
81	Three New Flavonoids and Other Constituents from <i>Lonicera implexa</i> . <i>Journal of Natural Products</i> , 1997 , 60, 449-452	4.9	15
80	Triterpenes from <i>Licania licaniaeflora</i> . <i>Phytotherapy Research</i> , 2001 , 72, 585-7	3.2	15
79	<i>Cedrela</i> and <i>Toona</i> genera: a rich source of bioactive limonoids and triterpenoids. <i>Phytochemistry Reviews</i> , 2018 , 17, 751-783	7.7	14
78	Topical anti-inflammatory activity of <i>Bauhinia tarapotensis</i> leaves. <i>Phytomedicine</i> , 2002 , 9, 646-53	6.5	14
77	Study on secondary metabolite content of <i>Helleborus niger</i> L. leaves. <i>Phytotherapy Research</i> , 2011 , 82, 152-4	3.2	13
76	13-Hydroxy-15-oxo-zoapatlin, an ent-kaurane diterpene, induces apoptosis in human leukemia cells, affecting thiol-mediated redox regulation. <i>Free Radical Biology and Medicine</i> , 2007 , 43, 1409-22	7.8	13
75	A new kaurane diterpene dimer from <i>Parinari campestris</i> . <i>Phytotherapy Research</i> , 2005 , 76, 614-9	3.2	13
74	Anti-angiogenic activity of iridoids from <i>Galium tunetanum</i> . <i>Revista Brasileira De Farmacognosia</i> , 2018 , 28, 374-377	2	13
73	New Phenylethanoid Glycosides from <i>Cistanche phelypaea</i> and Their Activity as Inhibitors of Monoacylglycerol Lipase (MAGL). <i>Planta Medica</i> , 2018 , 84, 710-715	3.1	12
72	Negative effects of a high tumour necrosis factor- α concentration on human gingival mesenchymal stem cell trophism: the use of natural compounds as modulatory agents. <i>Stem Cell Research and Therapy</i> , 2018 , 9, 135	8.3	12
71	Biflavonoids from <i>Daphne linearifolia</i> Hart.. <i>Phytochemistry Letters</i> , 2012 , 5, 621-625	1.9	12
70	Phenolic derivatives from <i>Ruprechtia polystachya</i> and their inhibitory activities on the glucose-6-phosphatase system. <i>Chemistry and Biodiversity</i> , 2011 , 8, 2126-34	2.5	12
69	Triterpenes and anthraquinones from <i>Picramnia sellowii</i> Planchon in Hook (Simaroubaceae). <i>Biochemical Systematics and Ecology</i> , 2001 , 29, 331-333	1.4	12

68	Three flavonoids from <i>Licania heteromorpha</i> . <i>Phytochemistry</i> , 1999 , 51, 1121-1124	4	12
67	Flaxseed and Camelina Meals as Potential Sources of Health-Beneficial Compounds. <i>Plants</i> , 2021 , 10,	4.5	12
66	Fusicoccane Diterpenes from <i>Hypoestes forsskaolii</i> as Heat Shock Protein 90 (Hsp90) Modulators. <i>Journal of Natural Products</i> , 2019 , 82, 539-549	4.9	11
65	Diterpenes and phenolic compounds from <i>Sideritis pullulans</i> . <i>Phytochemistry</i> , 2014 , 106, 164-170	4	11
64	Benzophenone glycosides from <i>Hypericum humifusum</i> ssp. <i>austral</i> . <i>Journal of Natural Products</i> , 2013 , 76, 979-82	4.9	11
63	Minor pregnanes from <i>Caralluma adscendens</i> var. <i>gracilis</i> and <i>Caralluma pauciflora</i> . <i>Phytochemistry</i> , 2011 , 82, 1039-43	3.2	11
62	A new acylated quercetin glycoside and other secondary metabolites from <i>Helleborus foetidus</i> . <i>Phytochemistry</i> , 2006 , 77, 203-7	3.2	11
61	Competitive ELISA-based screening of plant derivatives for the inhibition of VEGF family members interaction with vascular endothelial growth factor receptor 1. <i>Planta Medica</i> , 2008 , 74, 401-6	3.1	10
60	Sulfated pregnane glycosides from <i>Periploca graeca</i> . <i>Journal of Natural Products</i> , 2005 , 68, 1164-8	4.9	10
59	Constituents of <i>Alchornea triplinervia</i> (Euphorbiaceae). <i>Biochemical Systematics and Ecology</i> , 2002 , 30, 1109-1111	1.4	10
58	A new phenolic compound from <i>Nigella damascena</i> seeds. <i>Phytochemistry</i> , 2001 , 72, 462-3	3.2	10
57	Flavonoids and triterpenoids from <i>Licania heteromorpha</i> (Chrysobalanaceae). <i>Biochemical Systematics and Ecology</i> , 1999 , 27, 527-530	1.4	10
56	New diterpenes from <i>Salvia pseudorosmarinus</i> and their activity as inhibitors of monoacylglycerol lipase (MAGL). <i>Phytochemistry</i> , 2018 , 130, 251-258	3.2	10
55	Antiangiogenic Iridoids from <i>Stachys ocymastrum</i> and <i>Premna resinosa</i> . <i>Planta Medica</i> , 2019 , 85, 1034-1039	9	9
54	Antioxidant and Free Radical Scavenging Activity of Phenolics from <i>Bidens humilis</i> . <i>Planta Medica</i> , 2015 , 81, 1056-64	3.1	9
53	Antioxidant Effect of Cocoa By-Product and Cherry Polyphenol Extracts: A Comparative Study. <i>Antioxidants</i> , 2020 , 9,	7.1	9
52	Phenolic glycosides from <i>Tabebuia argentea</i> and <i>Catalpa bignonioides</i> . <i>Phytochemistry Letters</i> , 2014 , 7, 85-88	1.9	9
51	Plant and Fungi 3,4-Dihydroisocoumarins: Structures, Biological Activity, and Taxonomic Relationships. <i>Studies in Natural Products Chemistry</i> , 2012 , 37, 191-215	1.5	9

50	Triterpenoid saponins from <i>Campsiandra guayanensis</i> . <i>Journal of Natural Products</i> , 2006 , 69, 240-6	4.9	9
49	Soyasaponins from Zolfino bean as aldose reductase differential inhibitors. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2019 , 34, 350-360	5.6	9
48	Limonoids from <i>Aphanamixis polystachya</i> Leaves and Their Interaction with Hsp90. <i>Planta Medica</i> , 2018 , 84, 964-970	3.1	9
47	Nanoparticles based on quaternary ammonium chitosan conjugate: A vehicle for oral administration of antioxidants contained in red grapes. <i>Journal of Drug Delivery Science and Technology</i> , 2016 , 32, 291-297	4.5	8
46	Modulation of COX, LOX and NFB activities by <i>Xanthium spinosum</i> L. root extract and ziniolide. <i>Phytotherapy</i> , 2013 , 91, 284-289	3.2	8
45	Gypsins A-D from <i>Gypsophila arabica</i> . <i>Journal of Natural Products</i> , 2008 , 71, 1336-42	4.9	8
44	Intramolecular interchain reactions in bidesmosidic glycosides, a new insight into carbohydrate rearrangements induced by electrospray ionisation. <i>Rapid Communications in Mass Spectrometry</i> , 2007 , 21, 286-96	2.2	8
43	A new acylated quercetin glycoside from <i>Ranunculus lanuginosus</i> . <i>Phytotherapy</i> , 2004 , 75, 533-8	3.2	8
42	Phenolic Derivatives From <i>Nigella Damascena</i> Seeds. <i>Pharmaceutical Biology</i> , 2000 , 38, 371-373	3.8	8
41	Chemical Profiling of <i>Astragalus membranaceus</i> Roots (Fish.) Bunge Herbal Preparation and Evaluation of Its Bioactivity. <i>Natural Product Communications</i> , 2020 , 15, 1934578X2092415	0.9	7
40	Terpenoids from the leaves of <i>Podocarpus gracilior</i> . <i>Phytochemistry Letters</i> , 2012 , 5, 297-300	1.9	7
39	Flavonoids from <i>Licania apetala</i> and <i>Licania licaniaeflora</i> (Chrysobalanaceae). <i>Biochemical Systematics and Ecology</i> , 2002 , 30, 271-273	1.4	7
38	Flavonol glycosides from <i>Aconitum vulparia</i> . <i>Phytotherapy</i> , 2003 , 74, 420-2	3.2	7
37	Chemical and Biological Studies on <i>Licania</i> Genus. <i>Studies in Natural Products Chemistry</i> , 2003 , 28, 35-67	1.5	7
36	Antiangiogenic Activity of Compounds Isolated from <i>Anarrhinum pedatum</i> . <i>Journal of Natural Products</i> , 2019 , 82, 510-519	4.9	6
35	A Herbal Mixture from Propolis, Pomegranate, and Grape Pomace Endowed with Anti-Inflammatory Activity in an In Vivo Rheumatoid Arthritis Model. <i>Molecules</i> , 2020 , 25,	4.8	6
34	Cytotoxic triterpenes from <i>Salvia buchananii</i> roots. <i>Natural Product Research</i> , 2018 , 32, 2025-2030	2.3	6
33	Chemical profile of <i>Festuca arundinacea</i> extract showing allelochemical activity. <i>Chemoecology</i> , 2012 , 22, 13-21	2	6

32	Phytochemical study of <i>Joannesia princeps</i> Vell. (Euphorbiaceae) leaves. <i>Biochemical Systematics and Ecology</i> , 2017 , 70, 69-72	1.4	6
31	Chemical constituents and cytotoxic activity of <i>Ranunculus pedatus</i> subsp. <i>pedatus</i> . <i>Chemistry of Natural Compounds</i> , 2012 , 48, 486-488	0.7	6
30	A new iridoid from <i>Adenosma caeruleum</i> R. Br. <i>Phytotherapy Research</i> , 2009 , 80, 358-60	3.2	6
29	Oleanane saponins from <i>Stylosanthes erecta</i> . <i>Journal of Natural Products</i> , 2007 , 70, 979-83	4.9	6
28	Chemical profile and nutraceutical features of <i>Salsola soda</i> (agretti): Anti-inflammatory and antidiabetic potential of its flavonoids. <i>Food Bioscience</i> , 2020 , 37, 100713	4.9	6
27	Antioxidant Activity of Compounds Isolated from Promotes Human Gingival Fibroblast Well-Being. <i>Journal of Natural Products</i> , 2020 , 83, 626-637	4.9	5
26	Current analytical methods to study plant water extracts: the example of two mushrooms species, <i>Inonotus hispidus</i> and <i>Sparassis crispa</i> . <i>Phytochemical Analysis</i> , 2007 , 18, 33-41	3.4	5
25	New Tirucallane-Type Triterpenoids from <i>Guarea guidonia</i> . <i>Planta Medica</i> , 2018 , 84, 716-720	3.1	4
24	Investigation on the flavonoid composition of <i>Aconitum angustifolium</i> Bernh. flowers and leaves. <i>Phytochemistry Letters</i> , 2012 , 5, 476-479	1.9	4
23	Constituents of <i>Conceveiba guianensis</i> (Euphorbiaceae). <i>Biochemical Systematics and Ecology</i> , 2004 , 32, 225-228	1.4	4
22	Molluscicidal and piscicidal activities of Venezuelan Chrysobalanaceae plants. <i>Life Sciences</i> , 2000 , 66, PL53-9	6.8	4
21	Protective Effects Induced by a Hydroalcoholic Extract in Isolated Mouse Heart. <i>Nutrients</i> , 2021 , 13,	6.7	4
20	Comparative chemical analysis of six ancient italian sweet cherry (<i>Prunus avium</i> L.) varieties showing antiangiogenic activity. <i>Food Chemistry</i> , 2021 , 360, 129999	8.5	4
19	Phytochemical investigation of <i>Pseudelephantopus spiralis</i> (Less.) Cronquist. <i>Phytochemistry Letters</i> , 2016 , 15, 256-259	1.9	3
18	Hydrosols from , , and : Phytochemical Analysis and Bioactivity Evaluation.. <i>Plants</i> , 2022 , 11,	4.5	3
17	By-Products from Winemaking and Olive Mill Value Chains for the Enrichment of Refined Olive Oil: Technological Challenges and Nutraceutical Features. <i>Foods</i> , 2020 , 9,	4.9	3
16	Contribution of irisin pathway in protective effects of mandarin juice (<i>Citrus reticulata</i> Blanco) on metabolic syndrome in rats fed with high fat diet. <i>Phytotherapy Research</i> , 2021 , 35, 4324-4333	6.7	3
15	Phytochemical data parallel morpho-colorimetric variation in <i>Polygala flavescens</i> DC.. <i>Plant Biosystems</i> , 2019 , 153, 817-834	1.6	2

14	A new monoterpene glycoside from <i>Siparuna thecaphora</i> . <i>Natural Product Research</i> , 2014 , 28, 57-60	2.3	2
13	Diterpenes and phenylpropanoids from <i>Clerodendrum splendens</i> . <i>Planta Medica</i> , 2013 , 79, 1341-7	3.1	2
12	Secondary metabolites from <i>Lasia spinosa</i> (L.) Thw. (Araceae). <i>Biochemical Systematics and Ecology</i> , 2006 , 34, 882-884	1.4	2
11	Limonoids from and : Heat Shock Protein 90 (Hsp90) Modulator Properties of Chisomicine D. <i>Journal of Natural Products</i> , 2021 , 84, 724-737	4.9	2
10	<i>Cornus sanguinea</i> Fruits: a Source of Antioxidant and Antisenescence Compounds Acting on Aged Human Dermal and Gingival Fibroblasts. <i>Planta Medica</i> , 2021 , 87, 879-891	3.1	2
9	Influence of the Atmosphere Composition during Malaxation and Storage on the Shelf Life of an Unfiltered Extra Virgin Olive Oil: Preliminary Results. <i>European Journal of Lipid Science and Technology</i> , 2021 , 123, 2000122	3	2
8	A new norkaurane-gamma-lactone from <i>Parinari sprucei</i> . <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2003 , 59, o644-6		1
7	New abietane-type diterpenes from <i>Perovskia abrotanoides</i> and their anti-inflammatory activity 2019 , 85,		1
6	Chemical composition, antioxidant and insecticidal activities of a new essential oil chemotype of <i>Pinus nigra</i> ssp. <i>mauritanica</i> (Pinaceae), Northern Algeria. <i>Plant Biosystems</i> , 2020 , 1-12	1.6	1
5	Two new triterpenes from (A. Rich.) Standl. aerial parts exudate.. <i>Natural Product Research</i> , 2022 , 1-9	2.3	1
4	Antioxidant Quercetin 3-O-Glycosylated Plant Flavonols Contribute to Transthyretin Stabilization. <i>Crystals</i> , 2022 , 12, 638	2.3	1
3	<i>Ziziphus lotus</i> (L.) Lam. as a Source of Health Promoting Products: Metabolomic Profile, Antioxidant and Tyrosinase Inhibitory Activities.. <i>Chemistry and Biodiversity</i> , 2022 , e202200237	2.5	1
2	Effect of Flavonoids from <i>Exellodendron coriaceum</i> (Chrysobalanaceae) on Glucose-6-Phosphatase. <i>Natural Product Communications</i> , 2009 , 4, 1934578X0900401	0.9	
1	Insight on antitumoral properties of plant diterpenes. <i>Planta Medica</i> , 2016 , 81, S1-S381	3.1	