Alessandra Braca

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7103385/alessandra-braca-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60 4,508 157 32 h-index g-index citations papers 167 5.2 5,053 3.7 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
157	Hydrosols from , , and : Phytochemical Analysis and Bioactivity Evaluation <i>Plants</i> , 2022 , 11,	4.5	3
156	Two new triterpenes from (A. Rich.) Standl. aerial parts exudate Natural Product Research, 2022, 1-9	2.3	1
155	Antioxidant Quercetin 3-O-Glycosylated Plant Flavonols Contribute to Transthyretin Stabilization. <i>Crystals</i> , 2022 , 12, 638	2.3	1
154	Ziziphus lotus (L.) Lam. as a Source of Health Promoting Products: Metabolomic Profile, Antioxidant and Tyrosinase Inhibitory Activities <i>Chemistry and Biodiversity</i> , 2022 , e202200237	2.5	1
153	Limonoids from and : Heat Shock Protein 90 (Hsp90) Modulator Properties of Chisomicine D. <i>Journal of Natural Products</i> , 2021 , 84, 724-737	4.9	2
152	Cornus sanguinea Fruits: a Source of Antioxidant and Antisenescence Compounds Acting on Aged Human Dermal and Gingival Fibroblasts. <i>Planta Medica</i> , 2021 , 87, 879-891	3.1	2
151	Contribution of irisin pathway in protective effects of mandarin juice (Citrus reticulata Blanco) on metabolic syndrome in rats fed with high fat diet. <i>Phytotherapy Research</i> , 2021 , 35, 4324-4333	6.7	3
150	Protective Effects Induced by a Hydroalcoholic Extract in Isolated Mouse Heart. <i>Nutrients</i> , 2021 , 13,	6.7	4
149	Influence of the Atmosphere Composition during Malaxation and Storage on the Shelf Life of an Unfiltered Extra Virgin Olive Oil: Preliminary Results. <i>European Journal of Lipid Science and Technology</i> , 2021 , 123, 2000122	3	2
148	Flaxseed and Camelina Meals as Potential Sources of Health-Beneficial Compounds. <i>Plants</i> , 2021 , 10,	4.5	12
147	Comparative chemical analysis of six ancient italian sweet cherry (Prunus avium L.) varieties showing antiangiogenic activity. <i>Food Chemistry</i> , 2021 , 360, 129999	8.5	4
146	Reconsidering Hydrosols as Main Products of Aromatic Plants Manufactory: The Lavandin () Case Study in Tuscany. <i>Molecules</i> , 2020 , 25,	4.8	15
145	A Herbal Mixture from Propolis, Pomegranate, and Grape Pomace Endowed with Anti-Inflammatory Activity in an In Vivo Rheumatoid Arthritis Model. <i>Molecules</i> , 2020 , 25,	4.8	6
144	Chemical Profiling of Astragalus membranaceus Roots (Fish.) Bunge Herbal Preparation and Evaluation of Its Bioactivity. <i>Natural Product Communications</i> , 2020 , 15, 1934578X2092415	0.9	7
143	Antioxidant Activity of Compounds Isolated from Promotes Human Gingival Fibroblast Well-Being. Journal of Natural Products, 2020 , 83, 626-637	4.9	5
142	Antioxidant Effect of Cocoa By-Product and Cherry Polyphenol Extracts: A Comparative Study. <i>Antioxidants</i> , 2020 , 9,	7.1	9
141	By-Products from Winemaking and Olive Mill Value Chains for the Enrichment of Refined Olive Oil: Technological Challenges and Nutraceutical Features. <i>Foods</i> , 2020 , 9,	4.9	3

(2018-2020)

140	Chemical composition, antioxidant and insecticidal activities of a new essential oil chemotype of Pinus nigra ssp. mauritanica (Pinaceae), Northern Algeria. <i>Plant Biosystems</i> , 2020 , 1-12	1.6	1
139	Chemical profile and nutraceutical features of Salsola soda (agretti): Anti-inflammatory and antidiabetic potential of its flavonoids. <i>Food Bioscience</i> , 2020 , 37, 100713	4.9	6
138	Phytochemical data parallel morpho-colorimetric variation in Polygala flavescens DC <i>Plant Biosystems</i> , 2019 , 153, 817-834	1.6	2
137	Antiangiogenic Activity of Compounds Isolated from Anarrhinum pedatum. <i>Journal of Natural Products</i> , 2019 , 82, 510-519	4.9	6
136	Fusicoccane Diterpenes from Hypoestes forsskaolii as Heat Shock Protein 90 (Hsp90) Modulators. Journal of Natural Products, 2019 , 82, 539-549	4.9	11
135	Antiangiogenic Iridoids from Stachys ocymastrum and Premna resinosa. <i>Planta Medica</i> , 2019 , 85, 1034-1	19319	9
134	New abietane-type diterpenes from Perovskia abrotanoides and their anti-inflammatory activity 2019 , 85,		1
133	Soyasaponins from Zolfino bean as aldose reductase differential inhibitors. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2019 , 34, 350-360	5.6	9
132	New Tirucallane-Type Triterpenoids from Guarea guidonia. <i>Planta Medica</i> , 2018 , 84, 716-720	3.1	4
131	New Phenylethanoid Glycosides from Cistanche phelypaea and Their Activity as Inhibitors of Monoacylglycerol Lipase (MAGL). <i>Planta Medica</i> , 2018 , 84, 710-715	3.1	12
130	Cedrela and Toona genera: a rich source of bioactive limonoids and triterpenoids. <i>Phytochemistry Reviews</i> , 2018 , 17, 751-783	7.7	14
129	Cytotoxic triterpenes from Salvia buchananii roots. <i>Natural Product Research</i> , 2018 , 32, 2025-2030	2.3	6
128	Antioxidant and Antisenescence Effects of Bergamot Juice. <i>Oxidative Medicine and Cellular Longevity</i> , 2018 , 2018, 9395804	6.7	25
127	Negative effects of a high tumour necrosis factor-toncentration on human gingival mesenchymal stem cell trophism: the use of natural compounds as modulatory agents. <i>Stem Cell Research and Therapy</i> , 2018 , 9, 135	8.3	12
126	Phytochemical Profile, Antioxidant and Antidiabetic Activities of Adansonia digitata L. (Baobab) from Mali, as a Source of Health-Promoting Compounds. <i>Molecules</i> , 2018 , 23,	4.8	50
125	New diterpenes from Salvia pseudorosmarinus and their activity as inhibitors of monoacylglycerol lipase (MAGL). <i>Floterap</i> [12018 , 130, 251-258	3.2	10
124	Limonoids from Aphanamixis polystachya Leaves and Their Interaction with Hsp90. <i>Planta Medica</i> , 2018 , 84, 964-970	3.1	9
123	Anti-angiogenic activity of iridoids from Galium tunetanum. <i>Revista Brasileira De Farmacognosia</i> , 2018 , 28, 374-377	2	13

122	Phytochemical and antioxidant activity studies on Ononis angustissima L. aerial parts: isolation of two new flavonoids. <i>Natural Product Research</i> , 2017 , 31, 507-514	2.3	18
121	Carnosol controls the human glioblastoma stemness features through the epithelial-mesenchymal transition modulation and the induction of cancer stem cell apoptosis. <i>Scientific Reports</i> , 2017 , 7, 15174	1 ^{4.9}	29
120	Constituents of Polygala flavescens ssp. flavescens and Their Activity as Inhibitors of Human Lactate Dehydrogenase. <i>Journal of Natural Products</i> , 2017 , 80, 2077-2087	4.9	16
119	Phytochemical study of Joannesia princeps Vell. (Euphorbiaceae) leaves. <i>Biochemical Systematics and Ecology</i> , 2017 , 70, 69-72	1.4	6
118	Nanoparticles based on quaternary ammoniumIhitosan conjugate: A vehicle for oral administration of antioxidants contained in red grapes. <i>Journal of Drug Delivery Science and Technology</i> , 2016 , 32, 291-297	4.5	8
117	Phytochemical investigation of Pseudelephantopus spiralis (Less.) Cronquist. <i>Phytochemistry Letters</i> , 2016 , 15, 256-259	1.9	3
116	New insights into the anticancer activity of carnosol: p53 reactivation in the U87MG human glioblastoma cell line. <i>International Journal of Biochemistry and Cell Biology</i> , 2016 , 74, 95-108	5.6	17
115	Insight on antitumoral properties of plant diterpenes. <i>Planta Medica</i> , 2016 , 81, S1-S381	3.1	
114	Targeting Different Transthyretin Binding Sites with Unusual Natural Compounds. <i>ChemMedChem</i> , 2016 , 11, 1865-74	3.7	16
113	Drug Affinity Responsive Target Stability (DARTS) Identifies Laurifolioside as a New Clathrin Heavy Chain Modulator. <i>Journal of Natural Products</i> , 2016 , 79, 2681-2692	4.9	53
112	EGlucosidase and Amylase Inhibitors from Arcytophyllum thymifolium. <i>Journal of Natural Products</i> , 2016 , 79, 2104-12	4.9	61
111	Phenylpropanoids and flavonoids from Phlomis kurdica as inhibitors of human lactate dehydrogenase. <i>Phytochemistry</i> , 2015 , 116, 262-268	4	28
110	Antioxidant and Free Radical Scavenging Activity of Phenolics from Bidens humilis. <i>Planta Medica</i> , 2015 , 81, 1056-64	3.1	9
109	Hsp90 Activity Modulation by Plant Secondary Metabolites. <i>Planta Medica</i> , 2015 , 81, 1223-39	3.1	18
108	Inhibitors of Hamylase and Eglucosidase from Andromachia igniaria Humb. & Bonpl <i>Phytochemistry Letters</i> , 2015 , 14, 45-50	1.9	35
107	Antioxidant and free radical-scavenging activity of constituents from two Scorzonera species. <i>Food Chemistry</i> , 2014 , 160, 298-304	8.5	39
106	Diterpenes and phenolic compounds from Sideritis pullulans. <i>Phytochemistry</i> , 2014 , 106, 164-170	4	11
105	Essential-oil composition of Daucus carota ssp. major (Pastinocello Carrot) and nine different commercial varieties of Daucus carota ssp. sativus fruits. <i>Chemistry and Biodiversity</i> , 2014 , 11, 1022-33	2.5	15

(2011-2014)

104	Bioactive limonoids from the leaves of Azaridachta indica (Neem). <i>Journal of Natural Products</i> , 2014 , 77, 596-602	4.9	22
103	Phenolic glycosides from Tabebuia argentea and Catalpa bignonioides. <i>Phytochemistry Letters</i> , 2014 , 7, 85-88	1.9	9
102	A new monoterpene glycoside from Siparuna thecaphora. <i>Natural Product Research</i> , 2014 , 28, 57-60	2.3	2
101	Modulation of COX, LOX and NF B activities by Xanthium spinosum L. root extract and ziniolide. <i>Floterap</i> [12013 , 91, 284-289	3.2	8
100	Bioassay-guided isolation of proanthocyanidins with antiangiogenic activities. <i>Journal of Natural Products</i> , 2013 , 76, 29-35	4.9	20
99	A chemical-biological study reveals C9-type iridoids as novel heat shock protein 90 (Hsp90) inhibitors. <i>Journal of Medicinal Chemistry</i> , 2013 , 56, 1583-95	8.3	45
98	Benzophenone glycosides from Hypericum humifusum ssp. austral. <i>Journal of Natural Products</i> , 2013 , 76, 979-82	4.9	11
97	Diterpenes and phenylpropanoids from Clerodendrum splendens. <i>Planta Medica</i> , 2013 , 79, 1341-7	3.1	2
96	Diterpenes, ionol-derived, and flavone glycosides from Podocarpus elongatus. <i>Phytochemistry</i> , 2012 , 76, 172-7	4	23
95	Terpenoids from the leaves of Podocarpus gracilior. <i>Phytochemistry Letters</i> , 2012 , 5, 297-300	1.9	7
94	Chemical profile of Festuca arundinacea extract showing allelochemical activity. <i>Chemoecology</i> , 2012 , 22, 13-21	2	6
93	Chemical constituents and cytotoxic activity of Ranunculus pedatus subsp. pedatus. <i>Chemistry of Natural Compounds</i> , 2012 , 48, 486-488	0.7	6
92	Plant and Fungi 3,4-Dihydroisocoumarins: Structures, Biological Activity, and Taxonomic Relationships. <i>Studies in Natural Products Chemistry</i> , 2012 , 37, 191-215	1.5	9
91	Investigation on the flavonoid composition of Aconitum angustifolium Bernh. flowers and leaves. <i>Phytochemistry Letters</i> , 2012 , 5, 476-479	1.9	4
90	Biflavonoids from Daphne linearifolia Hart <i>Phytochemistry Letters</i> , 2012 , 5, 621-625	1.9	12
89	Effect of sesquiterpene lactone coronopilin on leukaemia cell population growth, cell type-specific induction of apoptosis and mitotic catastrophe. <i>Cell Proliferation</i> , 2012 , 45, 53-65	7.9	26
88	Study on secondary metabolite content of Helleborus niger L. leaves. Floterap[1 2011 , 82, 152-4	3.2	13
87	Minor pregnanes from Caralluma adscendens var. gracilis and Caralluma pauciflora. <i>Floterap</i> [] 2011 , 82, 1039-43	3.2	11

86	Phenolic derivatives from Ruprechtia polystachya and their inhibitory activities on the glucose-6-phosphatase system. <i>Chemistry and Biodiversity</i> , 2011 , 8, 2126-34	2.5	12
85	Phenolic compounds from the roots of Jordanian viper s grass, Scorzonera judaica. <i>Journal of Natural Products</i> , 2011 , 74, 1421-6	4.9	22
84	Thioredoxin system modulation by plant and fungal secondary metabolites. <i>Current Medicinal Chemistry</i> , 2010 , 17, 479-94	4.3	26
83	New flavonol glycosides from Aconitum burnatii Gyer and Aconitum variegatum L. <i>Floterap</i> 2010 , 81, 940-7	3.2	15
82	Sesquiterpenes and diterpenes from Ambrosia arborescens. <i>Phytochemistry</i> , 2010 , 71, 804-9	4	22
81	Profiling the chemical content of Opuntia ficus-indica flowers by HPLCPDA-ESI-MS and GC/EIMS analyses. <i>Phytochemistry Letters</i> , 2010 , 3, 48-52	1.9	62
80	Quali-quantitative analysis of flavonoids of Cornus mas L. (Cornaceae) fruits. <i>Food Chemistry</i> , 2010 , 119, 1257-1261	8.5	70
79	Phenolic compounds in olive oil and olive pomace from Cilento (Campania, Italy) and their antioxidant activity. <i>Food Chemistry</i> , 2010 , 121, 105-111	8.5	116
78	A new iridoid from Adenosma caeruleum R. Br. <i>Flloterap</i> [] 2009 , 80, 358-60	3.2	6
77	Bioassay-guided isolation of allelochemicals from Avena sativa L.: allelopathic potential of flavone C-glycosides. <i>Chemoecology</i> , 2009 , 19, 169-176	2	23
76	Pro-apoptotic and cytostatic activity of naturally occurring cardenolides. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 64, 793-802	3.5	25
75	Evaluation of tramadol and its main metabolites in horse plasma by high-performance liquid chromatography/fluorescence and liquid chromatography/electrospray ionization tandem mass spectrometry techniques. <i>Rapid Communications in Mass Spectrometry</i> , 2009 , 23, 228-36	2.2	23
74	Flavonoids of Zizyphus jujuba L. and Zizyphus spina-christi (L.) Willd (Rhamnaceae) fruits. <i>Food Chemistry</i> , 2009 , 112, 858-862	8.5	156
73	Effect of Flavonoids from Exellodendron coriaceum (Chrysobalanaceae) on Glucose-6-Phosphatase. <i>Natural Product Communications</i> , 2009 , 4, 1934578X0900401	0.9	
72	New monoterpene glycosides from Paeonia lactiflora. <i>Floterap</i> [3 2008 , 79, 117-20	3.2	34
71	Chemical composition and antimicrobial activity of Momordica charantia seed essential oil. <i>Flioterap</i> [] 2008 , 79, 123-5	3.2	90
70	Quali-quantitative analyses of Flavonoids of Morus nigra L. and Morus alba L. (Moraceae) fruits. Journal of Agricultural and Food Chemistry, 2008 , 56, 3377-80	5.7	113
69	Anti-ulcer, anti-inflammatory and antioxidant activities of the n-butanol fraction from Pteleopsis suberosa stem bark. <i>Journal of Ethnopharmacology</i> , 2008 , 115, 271-5	5	18

68	Gypsins A-D from Gypsophila arabica. <i>Journal of Natural Products</i> , 2008 , 71, 1336-42	4.9	8
67	Competitive ELISA-based screening of plant derivatives for the inhibition of VEGF family members interaction with vascular endothelial growth factor receptor 1. <i>Planta Medica</i> , 2008 , 74, 401-6	3.1	10
66	Secondary metabolites from Paronychia argentea. Magnetic Resonance in Chemistry, 2008, 46, 88-93	2.1	17
65	Flavonoid characterization and in vitro antioxidant activity of Aconitum anthora L. (Ranunculaceae). <i>Phytochemistry</i> , 2008 , 69, 1220-6	4	58
64	Oleanane saponins from Stylosanthes erecta. <i>Journal of Natural Products</i> , 2007 , 70, 979-83	4.9	6
63	Intramolecular interchain reactions in bidesmosidic glycosides, a new insight into carbohydrate rearrangements induced by electrospray ionisation. <i>Rapid Communications in Mass Spectrometry</i> , 2007 , 21, 286-96	2.2	8
62	Current analytical methods to study plant water extracts: the example of two mushrooms species, Inonotus hispidus and Sparassis crispa. <i>Phytochemical Analysis</i> , 2007 , 18, 33-41	3.4	5
61	13-Hydroxy-15-oxo-zoapatlin, an ent-kaurane diterpene, induces apoptosis in human leukemia cells, affecting thiol-mediated redox regulation. <i>Free Radical Biology and Medicine</i> , 2007 , 43, 1409-22	7.8	13
60	Sequestration of furostanol saponins by Monophadnus sawfly larvae. <i>Journal of Chemical Ecology</i> , 2007 , 33, 513-24	2.7	21
59	Antiproliferative cardenolides from Periploca graeca. <i>Planta Medica</i> , 2007 , 73, 384-7	3.1	24
-0			
58	Steroidal saponins from the aerial parts of Tribulus alatus Del. <i>Phytochemistry</i> , 2006 , 67, 1011-8	4	26
57	Steroidal saponins from the aerial parts of Tribulus alatus Del. <i>Phytochemistry</i> , 2006 , 67, 1011-8 Triterpenoid saponins from Pteleopsis suberosa stem bark. <i>Phytochemistry</i> , 2006 , 67, 2623-9	4	26 42
57	Triterpenoid saponins from Pteleopsis suberosa stem bark. <i>Phytochemistry</i> , 2006 , 67, 2623-9 A new acylated quercetin glycoside and other secondary metabolites from Helleborus foetidus.	4	42
57 56	Triterpenoid saponins from Pteleopsis suberosa stem bark. <i>Phytochemistry</i> , 2006 , 67, 2623-9 A new acylated quercetin glycoside and other secondary metabolites from Helleborus foetidus. <i>Floterap</i> [1 2006 , 77, 203-7 Secondary metabolites from Lasia spinosa (L.) Thw. (Araceae). <i>Biochemical Systematics and Ecology</i> ,	3.2	42 11
57 56 55	Triterpenoid saponins from Pteleopsis suberosa stem bark. <i>Phytochemistry</i> , 2006 , 67, 2623-9 A new acylated quercetin glycoside and other secondary metabolites from Helleborus foetidus. <i>Flloterap</i> [12006, 77, 203-7 Secondary metabolites from Lasia spinosa (L.) Thw. (Araceae). <i>Biochemical Systematics and Ecology</i> , 2006 , 34, 882-884 Antiproliferative activity of Pteleopsis suberosa leaf extract and its flavonoid components in	3.2	42 11 2
57 56 55 54	Triterpenoid saponins from Pteleopsis suberosa stem bark. <i>Phytochemistry</i> , 2006 , 67, 2623-9 A new acylated quercetin glycoside and other secondary metabolites from Helleborus foetidus. <i>Ploterap</i> [12006, 77, 203-7 Secondary metabolites from Lasia spinosa (L.) Thw. (Araceae). <i>Biochemical Systematics and Ecology</i> , 2006 , 34, 882-884 Antiproliferative activity of Pteleopsis suberosa leaf extract and its flavonoid components in human prostate carcinoma cells. <i>Planta Medica</i> , 2006 , 72, 604-10 Phenolics of Arbutus unedo L. (Ericaceae) fruits: identification of anthocyanins and gallic acid	3.2 1.4 3.1	42 11 2 27

50	New pregnane glycosides from Caralluma dalzielii. Steroids, 2005, 70, 573-85	2.8	45
49	Pyrrolizidine alkaloids from Anchusa strigosa and their antifeedant activity. <i>Phytochemistry</i> , 2005 , 66, 1593-600	4	29
48	Structure?antioxidant activity relationships of flavonoids isolated from different plant species. <i>Food Chemistry</i> , 2005 , 92, 349-355	8.5	134
47	Secondary metabolites from Ballota undulata (Lamiaceae). <i>Biochemical Systematics and Ecology</i> , 2005 , 33, 341-351	1.4	34
46	A new kaurane diterpene dimer from Parinari campestris. Floterap [12005, 76, 614-9	3.2	13
45	Extracts and constituents of Lavandula multifida with topical anti-inflammatory activity. <i>Phytomedicine</i> , 2005 , 12, 271-7	6.5	68
44	Electrospray ionization mass spectrometry for identification and structural characterization of pregnane glycosides. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 1041-52	2.2	23
43	Phenolic compounds from Baseonema acuminatum leaves: isolation and antimicrobial activity. <i>Planta Medica</i> , 2004 , 70, 841-6	3.1	32
42	Cytotoxic saponins from Schefflera rotundifolia. <i>Planta Medica</i> , 2004 , 70, 960-6	3.1	31
41	Structure of kaurane-type diterpenes from Parinari sprucei and their potential anticancer activity. <i>Planta Medica</i> , 2004 , 70, 540-50	3.1	16
40	Constituents of Conceveiba guianensis (Euphorbiaceae). <i>Biochemical Systematics and Ecology</i> , 2004 , 32, 225-228	1.4	4
39	A new acylated quercetin glycoside from Ranunculus lanuginosus. <i>Flloterap</i> [1 2004 , 75, 533-8	3.2	8
38	Biological screening of Nigella damascena for antimicrobial and molluscicidal activities. <i>Phytotherapy Research</i> , 2004 , 18, 468-70	6.7	22
37	Furostanol saponins and quercetin glycosides from the leaves of Helleborus viridis L. <i>Phytochemistry</i> , 2004 , 65, 2921-8	4	46
36	Study of flavonoids of Sechium edule (Jacq) Swartz (Cucurbitaceae) different edible organs by liquid chromatography photodiode array mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 6510-5	5.7	65
35	Antimicrobial diterpenes from the seeds of Cephalotaxus harringtonia var. drupacea. <i>Planta Medica</i> , 2003 , 69, 468-70	3.1	51
34	Cytotoxic saponins from Schefflera fagueti. <i>Planta Medica</i> , 2003 , 69, 750-6	3.1	18
33	New Pyrrolizidine Alkaloids and Glycosides from Anchusa strigosa. <i>Planta Medica</i> , 2003 , 69, 835-41	3.1	20

(2001-2003)

32	Flavonol glycosides from Aconitum vulparia. Floterap (12003, 74, 420-2	3.2	7
31	RAPD analysis and flavonoid composition of Aconitum as an aid for taxonomic discrimination. <i>Biochemical Systematics and Ecology</i> , 2003 , 31, 293-301	1.4	21
30	Further constituents from Caralluma negevensis. <i>Phytochemistry</i> , 2003 , 62, 1277-81	4	36
29	A new norkaurane-gamma-lactone from Parinari sprucei. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2003 , 59, o644-6		1
28	Antioxidant and free radical scavenging activity of flavonol glycosides from different Aconitum species. <i>Journal of Ethnopharmacology</i> , 2003 , 86, 63-7	5	125
27	Chemical composition and antioxidant activity of phenolic compounds from wild and cultivated Sclerocarya birrea(Anacardiaceae) leaves. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 6689-95	5.7	112
26	Antioxidant chalcone glycosides and flavanones from Maclura (Chlorophora) tinctoria. <i>Journal of Natural Products</i> , 2003 , 66, 1061-4	4.9	53
25	Chemical and Biological Studies on Licania Genus. Studies in Natural Products Chemistry, 2003, 28, 35-67	1.5	7
24	Topical anti-inflammatory activity of Bauhinia tarapotensis leaves. <i>Phytomedicine</i> , 2002 , 9, 646-53	6.5	14
23	Flavonoids from Licania apetala and Licania licaniaeflora (Chrysobalanaceae). <i>Biochemical Systematics and Ecology</i> , 2002 , 30, 271-273	1.4	7
22	Constituents of Alchornea triplinervia (Euphorbiaceae). <i>Biochemical Systematics and Ecology</i> , 2002 , 30, 1109-1111	1.4	10
21	New pregnane glycosides from Caralluma negevensis. <i>Tetrahedron</i> , 2002 , 58, 5837-5848	2.4	39
20	Antioxidant and free-radical scavenging activity of constituents of the leaves of Tachigalia paniculata. <i>Journal of Natural Products</i> , 2002 , 65, 1526-9	4.9	36
19	Structure and absolute configuration of new diterpenes from Lavandula multifida. <i>Journal of Natural Products</i> , 2002 , 65, 1742-5	4.9	41
18	Antioxidant activity of flavonoids from Licania licaniaeflora. <i>Journal of Ethnopharmacology</i> , 2002 , 79, 379-81	5	335
17	Flavonoids from Aconitum napellus subsp. neomontanum. <i>Phytochemistry</i> , 2001 , 57, 543-6	4	26
16	Myricetin glycosides from Licania densiflora. <i>Floterap</i> [1 2001 , 72, 182-5	3.2	23
15	Triterpenes from Licania licaniaeflora. <i>Flioterap</i> []2001 , 72, 585-7	3.2	15

14	A new phenolic compound from Nigella damascena seeds. <i>Floterap</i> [1 2001 , 72, 462-3	3.2	10
13	Triterpenes and anthraquinones from Picramnia sellowii Planchon in Hook (Simaroubaceae). <i>Biochemical Systematics and Ecology</i> , 2001 , 29, 331-333	1.4	12
12	New flavonol glycosides from the flowers of Aconitum napellus ssp. tauricum. <i>Planta Medica</i> , 2001 , 67, 287-90	3.1	17
11	Antioxidant principles from Bauhinia tarapotensis. <i>Journal of Natural Products</i> , 2001 , 64, 892-5	4.9	608
10	Antimicrobial triterpenoids from Licania heteromorpha. <i>Planta Medica</i> , 2000 , 66, 768-9	3.1	23
9	Phenolic Derivatives From Nigella Damascena Seeds. <i>Pharmaceutical Biology</i> , 2000 , 38, 371-373	3.8	8
8	Flavonol glycosides from the flowers of Aconitum paniculatum. <i>Journal of Natural Products</i> , 2000 , 63, 1563-5	4.9	27
7	Molluscicidal and piscicidal activities of Venezuelan Chrysobalanaceae plants. <i>Life Sciences</i> , 2000 , 66, PL53-9	6.8	4
6	New prenylated anthraquinones and xanthones from Vismia guineensis. <i>Journal of Natural Products</i> , 2000 , 63, 16-21	4.9	25
5	Three flavonoids from Licania heteromorpha. <i>Phytochemistry</i> , 1999 , 51, 1121-1124	4	12
4	Three flavonoids from Licania densiflora. <i>Phytochemistry</i> , 1999 , 51, 1125-1128	4	23
3	Flavonoids and triterpenoids from Licania heteromorpha (Chrysobalanaceae). <i>Biochemical Systematics and Ecology</i> , 1999 , 27, 527-530	1.4	10
2	New metabolites from onopordum illyricum. <i>Journal of Natural Products</i> , 1999 , 62, 1371-5	4.9	27
1	Three New Flavonoids and Other Constituents from Lonicera implexa. <i>Journal of Natural Products</i> , 1997 , 60, 449-452	4.9	15