

Roger R Dmochowski

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7103798/roger-r-dmochowski-publications-by-citations.pdf>

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|-------------------------|----------------|----------------|
| 235 papers | 4,491 citations | 32 h-index | 60 g-index |
| 278 ext. papers | 5,359 ext. citations | 2.4 avg, IF | 5.6 L-index |

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 235 | Efficacy and safety of onabotulinumtoxinA for idiopathic overactive bladder: a double-blind, placebo controlled, randomized, dose ranging trial. <i>Journal of Urology</i> , 2010 , 184, 2416-22 | 2.5 | 286 |
| 234 | OnabotulinumtoxinA for the treatment of patients with overactive bladder and urinary incontinence: results of a phase 3, randomized, placebo controlled trial. <i>Journal of Urology</i> , 2013 , 189, 2186-93 | 2.5 | 266 |
| 233 | Duloxetine versus placebo for the treatment of North American women with stress urinary incontinence. <i>Journal of Urology</i> , 2003 , 170, 1259-63 | 2.5 | 246 |
| 232 | Comparative efficacy and safety of transdermal oxybutynin and oral tolterodine versus placebo in previously treated patients with urge and mixed urinary incontinence. <i>Urology</i> , 2003 , 62, 237-42 | 1.6 | 244 |
| 231 | Detrusor underactivity and the underactive bladder: a new clinical entity? A review of current terminology, definitions, epidemiology, aetiology, and diagnosis. <i>European Urology</i> , 2014 , 65, 389-98 | 10.2 | 234 |
| 230 | Update of AUA guideline on the surgical management of female stress urinary incontinence. <i>Journal of Urology</i> , 2010 , 183, 1906-14 | 2.5 | 211 |
| 229 | A contemporary assessment of nocturia: definition, epidemiology, pathophysiology, and management--a systematic review and meta-analysis. <i>European Urology</i> , 2012 , 62, 877-90 | 10.2 | 173 |
| 228 | Impact of overactive bladder on women in the United States: results of a national survey. <i>Current Medical Research and Opinion</i> , 2007 , 23, 65-76 | 2.5 | 88 |
| 227 | Urodynamic effects of once daily tadalafil in men with lower urinary tract symptoms secondary to clinical benign prostatic hyperplasia: a randomized, placebo controlled 12-week clinical trial. <i>Journal of Urology</i> , 2010 , 183, 1092-7 | 2.5 | 84 |
| 226 | Autologous muscle derived cells for treatment of stress urinary incontinence in women. <i>Journal of Urology</i> , 2014 , 192, 469-76 | 2.5 | 83 |
| 225 | Transdermal oxybutynin in the treatment of adults with overactive bladder: combined results of two randomized clinical trials. <i>World Journal of Urology</i> , 2005 , 23, 263-70 | 4 | 77 |
| 224 | Randomized, double-blind, placebo-controlled trial of flexible-dose fesoterodine in subjects with overactive bladder. <i>Urology</i> , 2010 , 75, 62-8 | 1.6 | 76 |
| 223 | Trospium 60 mg once daily (QD) for overactive bladder syndrome: results from a placebo-controlled interventional study. <i>Urology</i> , 2008 , 71, 449-54 | 1.6 | 70 |
| 222 | Use of Unsolicited Patient Observations to Identify Surgeons With Increased Risk for Postoperative Complications. <i>JAMA Surgery</i> , 2017 , 152, 522-529 | 5.4 | 63 |
| 221 | Botulinum toxin A in the overactive bladder: current status and future directions. <i>BJU International</i> , 2007 , 99, 247-62 | 5.6 | 61 |
| 220 | Toileting Behaviors of Women-What is Healthy?. <i>Journal of Urology</i> , 2019 , 201, 129-134 | 2.5 | 60 |
| 219 | International Continence Society consensus on the diagnosis and treatment of nocturia. <i>Neurourology and Urodynamics</i> , 2019 , 38, 478-498 | 2.3 | 58 |

| | | | |
|-----|---|------|----|
| 218 | The Burden of Overactive Bladder on US Public Health. <i>Current Bladder Dysfunction Reports</i> , 2016 , 11, 8-13 | 0.4 | 53 |
| 217 | Bladder-health diaries: an assessment of 3-day vs 7-day entries. <i>BJU International</i> , 2005 , 96, 1049-54 | 5.6 | 53 |
| 216 | Association of Coworker Reports About Unprofessional Behavior by Surgeons With Surgical Complications in Their Patients. <i>JAMA Surgery</i> , 2019 , 154, 828-834 | 5.4 | 51 |
| 215 | Efficacy and safety of onabotulinumtoxinA therapy are sustained over 4 years of treatment in patients with neurogenic detrusor overactivity: Final results of a long-term extension study. <i>Neurourology and Urodynamics</i> , 2017 , 36, 368-375 | 2.3 | 47 |
| 214 | Efficacy and safety of polyacrylamide hydrogel for the treatment of female stress incontinence: a randomized, prospective, multicenter North American study. <i>Journal of Urology</i> , 2014 , 192, 843-9 | 2.5 | 46 |
| 213 | Does central sensitization help explain idiopathic overactive bladder?. <i>Nature Reviews Urology</i> , 2016 , 13, 481-91 | 5.5 | 45 |
| 212 | Efficacy and tolerability of tolterodine extended release in male and female patients with overactive bladder. <i>European Urology</i> , 2007 , 51, 1054-64; discussion 1064 | 10.2 | 45 |
| 211 | Terminology report from the International Continence Society (ICS) Working Group on Underactive Bladder (UAB). <i>Neurourology and Urodynamics</i> , 2018 , 37, 2928-2931 | 2.3 | 45 |
| 210 | Are patient symptoms predictive of the diagnostic and/or therapeutic value of hydrodistention?. <i>Neurourology and Urodynamics</i> , 2005 , 24, 638-42 | 2.3 | 44 |
| 209 | Urinary retention rates after intravesical onabotulinumtoxinA injection for idiopathic overactive bladder in clinical practice and predictors of this outcome. <i>Neurourology and Urodynamics</i> , 2015 , 34, 675-83 | 2.3 | 40 |
| 208 | Stress urinary incontinence surgery trends in academic female pelvic medicine and reconstructive surgery urology practice in the setting of the food and drug administration public health notifications. <i>Neurourology and Urodynamics</i> , 2017 , 36, 1155-1160 | 2.3 | 39 |
| 207 | Postoperative pain outcomes after transvaginal mesh revision. <i>International Urogynecology Journal</i> , 2015 , 26, 65-9 | 2 | 37 |
| 206 | Patient Complaints and Adverse Surgical Outcomes. <i>American Journal of Medical Quality</i> , 2016 , 31, 415-22 | 1 | 36 |
| 205 | A review of published anticholinergic scales and measures and their applicability in database analyses. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 87, 103885 | 4 | 35 |
| 204 | Cystectomy with urinary diversion for benign disease: indications and outcomes. <i>Urology</i> , 2014 , 83, 1433-7 | 1.6 | 33 |
| 203 | Can we create a valid treatment algorithm for patients with drug resistant overactive bladder (OAB) syndrome or detrusor overactivity (DO)? Results from a think tank (ICI-RS 2015). <i>Neurourology and Urodynamics</i> , 2017 , 36, 882-893 | 2.3 | 32 |
| 202 | Pelvic Organ Prolapse Surgery in Academic Female Pelvic Medicine and Reconstructive Surgery Urology Practice in the Setting of the Food and Drug Administration Public Health Notifications. <i>Urology</i> , 2016 , 91, 46-51 | 1.6 | 32 |
| 201 | Primary Endoscopic Realignment of Urethral Disruption Injuries--A Double-Edged Sword?. <i>Journal of Urology</i> , 2015 , 194, 1022-6 | 2.5 | 31 |

| | | | |
|-----|--|-----|----|
| 200 | Pelvic organ prolapse (POP) surgery: the evidence for the repairs. <i>BJU International</i> , 2011 , 107, 1704-19 | 5.6 | 29 |
| 199 | Staying at the cutting edge: a review and analysis of evidence reporting and grading; the recommendations of the American Urological Association. <i>BJU International</i> , 2009 , 104, 294-7 | 5.6 | 29 |
| 198 | Mixed incontinence: current evidence and future perspectives. <i>Neurourology and Urodynamics</i> , 2010 , 29, 618-22 | 2.3 | 29 |
| 197 | Epidemiology of Blunt Lower Urinary Tract Trauma With and Without Pelvic Fracture. <i>Urology</i> , 2017 , 102, 234-239 | 1.6 | 28 |
| 196 | Evaluating the Role of Operative Repair of Extraperitoneal Bladder Rupture Following Blunt Pelvic Trauma. <i>Journal of Urology</i> , 2016 , 195, 661-5 | 2.5 | 28 |
| 195 | The Impact of Pallidal and Subthalamic Deep Brain Stimulation on Urologic Function in Parkinson's Disease. <i>Neuromodulation</i> , 2016 , 19, 717-723 | 3.1 | 24 |
| 194 | A double-blind, randomized, placebo-controlled clinical trial evaluating the safety and efficacy of autologous muscle derived cells in female subjects with stress urinary incontinence. <i>International Urology and Nephrology</i> , 2018 , 50, 2153-2165 | 2.3 | 24 |
| 193 | Incontinence rates after midurethral sling revision for vaginal exposure pain. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 764.e1-764.e5 | 6.4 | 23 |
| 192 | Erectile Dysfunction Following Pelvic Fracture Urethral Injury. <i>Sexual Medicine Reviews</i> , 2018 , 6, 114-123 | 5.6 | 23 |
| 191 | Advancements in minimally invasive treatments for female stress urinary incontinence: radiofrequency and bulking agents. <i>Current Urology Reports</i> , 2003 , 4, 350-5 | 2.9 | 22 |
| 190 | The Impact of Urethral Risk Factors on Transcervical Artificial Urinary Sphincter Erosion Rates and Device Survival. <i>Journal of Urology</i> , 2015 , 194, 1692-6 | 2.5 | 21 |
| 189 | Relationship between time in the operating room and incident pressure ulcers: a matched case-control study. <i>American Journal of Medical Quality</i> , 2015 , 30, 591-7 | 1.1 | 20 |
| 188 | How can we develop a more clinically useful and robust algorithm for diagnosing and treating nocturia? ICI-RS 2017. <i>Neurourology and Urodynamics</i> , 2018 , 37, S46-S59 | 2.3 | 20 |
| 187 | Safety and efficacy of sling for persistent stress urinary incontinence after bulking injection. <i>Urology</i> , 2011 , 77, 1076-80 | 1.6 | 20 |
| 186 | Urinary diversions after radiation for prostate cancer: indications and treatment. <i>Urology</i> , 2014 , 84, 702-6 | 6.6 | 19 |
| 185 | Update on the treatment of overactive bladder. <i>Current Opinion in Urology</i> , 2011 , 21, 286-90 | 2.8 | 19 |
| 184 | Radiofrequency for the treatment of stress urinary incontinence in women. <i>Current Urology Reports</i> , 2009 , 10, 369-74 | 2.9 | 19 |
| 183 | Refractory overactive bladder after urethrolisis for bladder outlet obstruction: management with sacral neuromodulation. <i>International Urogynecology Journal</i> , 2008 , 19, 277-82 | 2 | 19 |

| | | | |
|-----|---|-----|----|
| 182 | Improving the tolerability of anticholinergic agents in the treatment of overactive bladder. <i>Drug Safety</i> , 2005 , 28, 583-600 | 5.1 | 19 |
| 181 | Advances in drug delivery: improved bioavailability and drug effect. <i>Current Urology Reports</i> , 2002 , 3, 439-44 | 2.9 | 19 |
| 180 | Mixed incontinence: definitions, outcomes, and interventions. <i>Current Opinion in Urology</i> , 2005 , 15, 374-388 | 2.8 | 18 |
| 179 | Use of Botulinum Toxin A in the Treatment of Lower Urinary Tract Disorders: A Review of the Literature. <i>Toxins</i> , 2016 , 8, 88 | 4.9 | 18 |
| 178 | Urodynamic effects of once daily tadalafil in men with lower urinary tract symptoms secondary to clinical benign prostatic hyperplasia: a randomized, placebo controlled 12-week clinical trial. <i>Journal of Urology</i> , 2013 , 189, S135-40 | 2.5 | 17 |
| 177 | Extended-release trospium chloride improves quality of life in overactive bladder. <i>Value in Health</i> , 2010 , 13, 251-7 | 3.3 | 17 |
| 176 | Overactive bladder in men: special considerations for evaluation and management. <i>Urology</i> , 2002 , 60, 56-62; discussion 62-3 | 1.6 | 17 |
| 175 | Increased risk of incident dementia following use of anticholinergic agents: A systematic literature review and meta-analysis. <i>Neurourology and Urodynamics</i> , 2021 , 40, 28-37 | 2.3 | 17 |
| 174 | Autologous Pubovaginal Sling for the Treatment of Concomitant Female Urethral Diverticula and Stress Urinary Incontinence. <i>Urology</i> , 2015 , 85, 1300-3 | 1.6 | 16 |
| 173 | Surgery for urinary incontinence in women: Report from the 6th international consultation on incontinence. <i>Neurourology and Urodynamics</i> , 2019 , 38, 825-837 | 2.3 | 16 |
| 172 | Evaluation of the axonics modulation technologies sacral neuromodulation system for the treatment of urinary and fecal dysfunction. <i>Expert Review of Medical Devices</i> , 2017 , 14, 3-14 | 3.5 | 15 |
| 171 | Pharmacokinetics of oxybutynin chloride topical gel: effects of application site, baths, sunscreen and person-to-person transference. <i>Clinical Drug Investigation</i> , 2011 , 31, 559-571 | 3.2 | 15 |
| 170 | Mixed incontinence and cystocele: postoperative urge symptoms are not predicted by preoperative urodynamics. <i>International Urogynecology Journal</i> , 2011 , 22, 321-5 | 2 | 15 |
| 169 | Case reports: periurethral bulking agents and presumed urethral diverticula. <i>International Urogynecology Journal</i> , 2011 , 22, 1039-43 | 2 | 15 |
| 168 | Vesicovaginal fistula following a transobturator midurethral sling procedure. <i>International Urogynecology Journal</i> , 2007 , 18, 113-5 | 2 | 15 |
| 167 | Emerging periurethral bulking agents for female stress urinary incontinence: is new necessarily better?. <i>Current Urology Reports</i> , 2006 , 7, 405-13 | 2.9 | 15 |
| 166 | Management of Female and Functional Urology Patients During the COVID Pandemic. <i>European Urology Focus</i> , 2020 , 6, 1049-1057 | 5.1 | 14 |
| 165 | Efficacy and Safety of SER120 Nasal Spray in Patients with Nocturia: Pooled Analysis of 2 Randomized, Double-Blind, Placebo Controlled, Phase 3 Trials. <i>Journal of Urology</i> , 2018 , 200, 604-611 | 2.5 | 14 |

| | | | |
|-----|---|------|----|
| 164 | Difference between urethral circumference and artificial urinary sphincter cuff size, and its effect on postoperative incontinence. <i>Journal of Urology</i> , 2014 , 191, 138-42 | 2.5 | 14 |
| 163 | Methods and results of urethrolisis. <i>Current Urology Reports</i> , 2006 , 7, 384-94 | 2.9 | 13 |
| 162 | Transdermal drug delivery treatment for overactive bladder. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2006 , 32, 513-20 | 2 | 13 |
| 161 | An American Association for the Surgery of Trauma (AAST) prospective multi-center research protocol: outcomes of urethral realignment versus suprapubic cystostomy after pelvic fracture urethral injury. <i>Translational Andrology and Urology</i> , 2018 , 7, 512-520 | 2.3 | 13 |
| 160 | Overactive bladder and autonomic dysfunction: Lower urinary tract symptoms in females with postural tachycardia syndrome. <i>Neurourology and Urodynamics</i> , 2017 , 36, 610-613 | 2.3 | 12 |
| 159 | The efficacy of botulinum toxin A and sacral neuromodulation in the management of interstitial cystitis (IC)/bladder pain syndrome (BPS), what do we know? ICI-RS 2017 think thank, Bristol. <i>Neurourology and Urodynamics</i> , 2018 , 37, S99-S107 | 2.3 | 12 |
| 158 | Evaluating the Role of Postoperative Oral Antibiotic Administration in Artificial Urinary Sphincter and Inflatable Penile Prosthesis Explantation: A Nationwide Analysis. <i>Urology</i> , 2018 , 111, 92-98 | 1.6 | 12 |
| 157 | Overactive bladder in males. <i>Therapeutic Advances in Urology</i> , 2009 , 1, 209-21 | 3.2 | 12 |
| 156 | Antimuscarinic therapy in men with lower urinary tract symptoms: what is the evidence?. <i>Current Urology Reports</i> , 2006 , 7, 462-7 | 2.9 | 12 |
| 155 | The puzzle of overactive bladder: controversies, inconsistencies, and insights. <i>International Urogynecology Journal</i> , 2006 , 17, 650-8 | 2 | 12 |
| 154 | Do we understand how botulinum toxin works and have we optimized the way it is administered to the bladder? ICI-RS 2014. <i>Neurourology and Urodynamics</i> , 2016 , 35, 293-8 | 2.3 | 12 |
| 153 | Systematic Review of Combination Drug Therapy for Non-neurogenic Lower Urinary Tract Symptoms. <i>European Urology</i> , 2019 , 75, 129-168 | 10.2 | 12 |
| 152 | The Relative Efficacy and Safety of Mirabegron and OnabotulinumtoxinA in Patients With Overactive Bladder who Have Previously Been Managed With an Antimuscarinic: A Network Meta-analysis. <i>Urology</i> , 2019 , 127, 1-8 | 1.6 | 11 |
| 151 | Phenotyping women with detrusor underactivity by presumed etiology: Is it plausible?. <i>Neurourology and Urodynamics</i> , 2017 , 36, 1151-1154 | 2.3 | 11 |
| 150 | Reducing intraoperative red blood cell unit wastage in a large academic medical center. <i>Transfusion</i> , 2015 , 55, 2752-8 | 2.9 | 11 |
| 149 | Urodynamic effects of once-daily tadalafil in men with LUTS secondary to clinical BPH. <i>Current Urology Reports</i> , 2010 , 11, 254-60 | 2.9 | 11 |
| 148 | The Q-T interval and antimuscarinic drugs. <i>Current Urology Reports</i> , 2005 , 6, 405-9 | 2.9 | 11 |
| 147 | Toileting Behaviors and Bladder Symptoms in Women Who Limit Restroom Use at Work: A Cross-Sectional Study. <i>Journal of Urology</i> , 2019 , 202, 1008-1014 | 2.5 | 11 |

| | | | |
|-----|--|-----|----|
| 146 | Desmopressin acetate nasal spray for adults with nocturia. <i>Expert Review of Clinical Pharmacology</i> , 2017 , 10, 1281-1293 | 3.8 | 10 |
| 145 | Expert Panel Recommendations on Lower Urinary Tract Health of Women Across Their Life Span. <i>Journal of Women's Health</i> , 2016 , 25, 1086-1096 | 3 | 10 |
| 144 | Mirabegron for male lower urinary tract symptoms. <i>Current Urology Reports</i> , 2013 , 14, 580-4 | 2.9 | 10 |
| 143 | Somatic syndromes and chronic pain in women with overactive bladder. <i>Neurourology and Urodynamics</i> , 2017 , 36, 1113-1118 | 2.3 | 10 |
| 142 | Temporal summation to thermal stimuli is elevated in women with overactive bladder syndrome. <i>Neurourology and Urodynamics</i> , 2017 , 36, 1108-1112 | 2.3 | 10 |
| 141 | The role of male slings in post prostatectomy incontinence: ICI-RS 2015. <i>Neurourology and Urodynamics</i> , 2017 , 36, 927-934 | 2.3 | 9 |
| 140 | Perioperative complications of conduit urinary diversion with concomitant cystectomy for benign indications: A population-based analysis. <i>Neurourology and Urodynamics</i> , 2017 , 36, 1411-1416 | 2.3 | 9 |
| 139 | Contemporary comparison between retropubic midurethral sling and autologous pubovaginal sling for stress urinary incontinence after the FDA advisory notification. <i>Urology</i> , 2015 , 85, 321-5 | 1.6 | 9 |
| 138 | Measuring urgency in clinical practice. <i>World Journal of Urology</i> , 2009 , 27, 739-45 | 4 | 9 |
| 137 | Office urodynamics. <i>Urologic Clinics of North America</i> , 2005 , 32, 353-70, vii | 2.9 | 9 |
| 136 | Nocturia: Evaluation and Current Management Strategies. <i>Reviews in Urology</i> , 2018 , 20, 1-6 | 1 | 9 |
| 135 | Aging increases the expression of vasopressin receptors in both the kidney and urinary bladder. <i>Neurourology and Urodynamics</i> , 2019 , 38, 393-397 | 2.3 | 9 |
| 134 | Positive outcomes with first onabotulinumtoxinA treatment persist in the long term with repeat treatments in patients with neurogenic detrusor overactivity. <i>BJU International</i> , 2017 , 119, 926-932 | 5.6 | 8 |
| 133 | External electrical stimulation compared with intravaginal electrical stimulation for the treatment of stress urinary incontinence in women: A randomized controlled noninferiority trial. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1834-1843 | 2.3 | 8 |
| 132 | Overactive bladder pharmacotherapy: what does the future hold?. <i>BJU International</i> , 2007 , 99 Suppl 3, 13-6 | 5.6 | 8 |
| 131 | The clinical efficacy of tolterodine extended-release is maintained for 24 h in patients with overactive bladder. <i>BJU International</i> , 2007 , 100, 107-10 | 5.6 | 8 |
| 130 | Patient Characteristics that May Influence the Effect of Urethral Injection Therapy for Female Stress Urinary Incontinence. <i>Journal of Urology</i> , 2019 , 202, 125-131 | 2.5 | 8 |
| 129 | Penile Prosthesis Insertion in the Era of Antibiotic Stewardship-Are Postoperative Antibiotics Necessary?. <i>Journal of Urology</i> , 2020 , 203, 611-614 | 2.5 | 8 |

| | | | |
|-----|---|-----|---|
| 128 | Particulate Versus Non-Particulate Bulking Agents In The Treatment Of Stress Urinary Incontinence. <i>Research and Reports in Urology</i> , 2019 , 11, 299-310 | 1.3 | 8 |
| 127 | Initial clinical experience with selective bladder denervation for refractory overactive bladder. <i>Neurourology and Urodynamics</i> , 2019 , 38, 644-652 | 2.3 | 8 |
| 126 | Treatment of Pelvic Floor Disorders Following Neobladder. <i>Current Urology Reports</i> , 2017 , 18, 5 | 2.9 | 7 |
| 125 | Urinary retention and catheter use among U.S. female Medicare beneficiaries: Prevalence and risk factors. <i>Neurourology and Urodynamics</i> , 2017 , 36, 2101-2108 | 2.3 | 7 |
| 124 | An Evidence-Based Protocol for Antibiotic Use Prior to Cystoscopy Decreases Antibiotic Use without Impacting Post-Procedural Symptomatic Urinary Tract Infection Rates. <i>Journal of Urology</i> , 2018 , 199, 1004-1010 | 2.5 | 7 |
| 123 | New technology assessment and current and upcoming therapies for underactive bladder. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2932-2937 | 2.3 | 7 |
| 122 | Treatment of mixed urinary incontinence. <i>Central European Journal of Urology</i> , 2011 , 64, 120-6 | 0.9 | 7 |
| 121 | Temporal Trends in Conduit Urinary Diversion With Concomitant Cystectomy for Benign Indications: A Population-based Analysis. <i>Urology</i> , 2016 , 98, 70-74 | 1.6 | 7 |
| 120 | How can we improve the diagnosis and management of bladder pain syndrome? Part 2:ICI-RS 2018. <i>Neurourology and Urodynamics</i> , 2019 , 38 Suppl 5, S71-S81 | 2.3 | 7 |
| 119 | An enhanced recovery program in colorectal surgery is associated with decreased organ level rates of complications: a difference-in-differences analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019 , 33, 2222-2230 | 5.2 | 7 |
| 118 | Cost-effective management of pelvic fracture urethral injuries. <i>World Journal of Urology</i> , 2017 , 35, 1617-1623 | 4.6 | 6 |
| 117 | Direct visual internal urethrotomy for isolated, post-urethroplasty strictures: a retrospective analysis. <i>Therapeutic Advances in Urology</i> , 2017 , 9, 39-44 | 3.2 | 6 |
| 116 | Road to recovery after transvaginal surgery for urethral mesh perforation: evaluation of outcomes and subsequent procedures. <i>International Urogynecology Journal</i> , 2018 , 29, 887-892 | 2 | 6 |
| 115 | Postoperative Complications of Patients With Spina Bifida Undergoing Urologic Laparotomy: A Multi-institutional Analysis. <i>Urology</i> , 2017 , 108, 233-236 | 1.6 | 6 |
| 114 | Trends in urodynamics in U.S. female medicare beneficiaries, 2000-2010. <i>Neurourology and Urodynamics</i> , 2015 , 34, 420-3 | 2.3 | 6 |
| 113 | Trans-Vaginal Mesh Revision: A Comprehensive Review on Etiologies and Management Strategies with Emphasis on Postoperative Pain Outcomes. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2014 , 6, 69-75 | 1.9 | 6 |
| 112 | Benchmarking the use of a rapid response team by surgical services at a tertiary care hospital. <i>Journal of the American College of Surgeons</i> , 2014 , 218, 66-72 | 4.4 | 6 |
| 111 | Urinary incontinence: proper assessment and available treatment options. <i>Journal of Womens Health</i> , 2005 , 14, 906-16 | 3 | 6 |

| | | | |
|-----|---|-----|---|
| 110 | Oxybutynin chloride: alterations in drug delivery and improved therapeutic index. <i>Expert Opinion on Pharmacotherapy</i> , 2002 , 3, 443-54 | 4 | 6 |
| 109 | Surgery for female SUI: The ICI algorithm. <i>Neurourology and Urodynamics</i> , 2019 , 38 Suppl 4, S21-S27 | 2.3 | 5 |
| 108 | Women Undergoing Third Line Overactive Bladder Treatment Demonstrate Elevated Thermal Temporal Summation. <i>Journal of Urology</i> , 2018 , 200, 856-861 | 2.5 | 5 |
| 107 | Detrusor underactivity in women: A current understanding. <i>Neurourology and Urodynamics</i> , 2019 , 38, 2070-2076 | 2.3 | 5 |
| 106 | Women's Perceptions of Public Restrooms and the Relationships with Toileting Behaviors and Bladder Symptoms: A Cross-Sectional Study. <i>Journal of Urology</i> , 2020 , 204, 310-315 | 2.5 | 5 |
| 105 | Clinical Utility of Routine Follow-up Cystography in the Management of Traumatic Bladder Ruptures. <i>Urology</i> , 2018 , 113, 230-234 | 1.6 | 5 |
| 104 | Painful Bladder Symptoms Related to Somatic Syndromes in a Convenience Sample of Community Women with Overactive Bladder Symptoms. <i>Journal of Urology</i> , 2018 , 200, 1332-1337 | 2.5 | 5 |
| 103 | Under what circumstances should stress incontinence surgery be performed at the same time as prolapse surgery? ICI-RS 2015. <i>Neurourology and Urodynamics</i> , 2017 , 36, 909-914 | 2.3 | 4 |
| 102 | An Evaluation of Longitudinal Measures of Anticholinergic Exposure for Application in Retrospective Administrative Data Analyses. <i>Advances in Therapy</i> , 2019 , 36, 2247-2259 | 4.1 | 4 |
| 101 | Economic Burden of Illness in Adult Patients with Nocturia. <i>Journal of Managed Care & Specialty Pharmacy</i> , 2019 , 25, 593-604 | 1.9 | 4 |
| 100 | Recent Antibiotic Treatment Increases the Risk of Urinary Tract Infection after Outpatient Cystoscopy. <i>Urology Practice</i> , 2016 , 3, 90-96 | 0.8 | 4 |
| 99 | Biologic Materials for Pelvic Floor Reconstruction. <i>Current Bladder Dysfunction Reports</i> , 2012 , 7, 201-209 | 0.4 | 4 |
| 98 | Oxybutynin gel for the treatment of overactive bladder. <i>Expert Opinion on Pharmacotherapy</i> , 2012 , 13, 1337-43 | 4 | 4 |
| 97 | Bladder neck pubovaginal slings. <i>Expert Review of Medical Devices</i> , 2005 , 2, 327-40 | 3.5 | 4 |
| 96 | Six-Month Results of Selective Bladder Denervation in Women with Refractory Overactive Bladder. <i>Journal of Urology</i> , 2019 , 201, 573-580 | 2.5 | 4 |
| 95 | Gender specific pharmacokinetic and pharmacodynamic considerations for antimuscarinic drugs for overactive bladder treatment. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2020 , 16, 103-110 | 5.5 | 4 |
| 94 | Foundational Statistical Principles in Medical Research: Sensitivity, Specificity, Positive Predictive Value, and Negative Predictive Value. <i>Medicina (Lithuania)</i> , 2021 , 57, | 3.1 | 4 |
| 93 | Symptomatic Urinary Tract Infections in Renal Transplant Recipients after Cystoscopy for Ureteral Stent Removal. <i>Urology Practice</i> , 2017 , 4, 405-411 | 0.8 | 3 |

| | | | |
|----|--|-----|---|
| 92 | Management of Voiding Dysfunction After Female Neobladder Creation. <i>Current Urology Reports</i> , 2017 , 18, 33 | 2.9 | 3 |
| 91 | One-year results with selective bladder denervation in women with refractory overactive bladder. <i>Neurourology and Urodynamics</i> , 2019 , 38, 2178-2184 | 2.3 | 3 |
| 90 | GAG Layer Replenishment Therapy for Recurrent Infectious Bladder Dysfunction. <i>Current Bladder Dysfunction Reports</i> , 2012 , 7, 113-119 | 0.4 | 3 |
| 89 | A prospective randomized clinical trial comparing two doses of AbobotulinumtoxinA for idiopathic overactive bladder. <i>Neurourology and Urodynamics</i> , 2019 , 38, 660-667 | 2.3 | 3 |
| 88 | Impact of Autonomic Dysfunction on Lower Urinary Tract Symptoms. <i>Current Bladder Dysfunction Reports</i> , 2017 , 12, 273-279 | 0.4 | 2 |
| 87 | Women With Overactive Bladder Exhibit More Unhealthy Toileting Behaviors: A Cross-sectional Study. <i>Urology</i> , 2019 , 134, 97-102 | 1.6 | 2 |
| 86 | Use of Botulinum Toxin A (BoNT-A) in Detrusor External Sphincter Dyssynergia (DESD): A Systematic Review and Meta-analysis. <i>Urology</i> , 2020 , 140, 7-13 | 1.6 | 2 |
| 85 | Why Do Women Not Use the Bathroom? Women's Attitudes and Beliefs on Using Public Restrooms. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17, | 4.6 | 2 |
| 84 | Lessons Learned from Mesh Litigation for Prolapse and Incontinence. <i>Current Bladder Dysfunction Reports</i> , 2016 , 11, 73-78 | 0.4 | 2 |
| 83 | Evaluation and Management of Mid-Urethral Sling Complications. <i>Current Bladder Dysfunction Reports</i> , 2016 , 11, 160-168 | 0.4 | 2 |
| 82 | Delivery methods for drugs used in the treatment of overactive bladder. <i>Expert Opinion on Drug Delivery</i> , 2016 , 13, 361-71 | 8 | 2 |
| 81 | How can we improve the diagnosis and management of bladder pain syndrome? Part 1: ICI-RS 2018. <i>Neurourology and Urodynamics</i> , 2019 , 38 Suppl 5, S66-S70 | 2.3 | 2 |
| 80 | Urinary-cutaneous Fistulae Following Conservative Management of Extraperitoneal Bladder Ruptures. <i>Urology</i> , 2017 , 109, 195-200 | 1.6 | 2 |
| 79 | Stress Urinary Incontinence in Women with Neurogenic Voiding Dysfunction. <i>Current Bladder Dysfunction Reports</i> , 2010 , 5, 142-149 | 0.4 | 2 |
| 78 | Impact of food and drinks on urine production: A systematic review. <i>International Journal of Clinical Practice</i> , 2020 , 74, e13539 | 2.9 | 2 |
| 77 | Association of Knowledge and Presence of Pelvic Floor Disorders and Participation in Pelvic Floor Exercises: A Cross-sectional Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021 , 27, 310-314 | 1.9 | 2 |
| 76 | Foundational Statistical Principles in Medical Research: A Tutorial on Odds Ratios, Relative Risk, Absolute Risk, and Number Needed to Treat. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18, | 4.6 | 2 |
| 75 | Blinding in Clinical Trials: Seeing the Big Picture. <i>Medicina (Lithuania)</i> , 2021 , 57, | 3.1 | 2 |

| | | | |
|----|--|-----|---|
| 74 | Safety and efficacy of a patient-controlled bladder management system for treating urinary retention in men. <i>Neurourology and Urodynamics</i> , 2016 , 35, 630-5 | 2.3 | 2 |
| 73 | Cystectomy for Neurogenic Bladder. <i>Current Bladder Dysfunction Reports</i> , 2016 , 11, 341-345 | 0.4 | 2 |
| 72 | A patient-reported, non-interventional, cross-sectional discrete choice experiment to determine treatment attribute preferences in treatment-naïve overactive bladder patients in the US. <i>Patient Preference and Adherence</i> , 2018 , 12, 2139-2152 | 2.4 | 2 |
| 71 | (S)-oxybutynin (Sepracor). <i>Current Opinion in Investigational Drugs</i> , 2002 , 3, 1508-11 | | 2 |
| 70 | The Epidemiology and Population-Based Studies of Women with Lower Urinary Tract Symptoms: A Systematic Review.. <i>Turkish Journal of Urology</i> , 2022 , 48, 155-165 | 1.3 | 2 |
| 69 | Minimal Inpatient Narcotic Requirement and Immediate Complication Profile Supports Same Day Discharge Following Artificial Urinary Sphincter Insertion. <i>Urology Practice</i> , 2020 , 7, 305-308 | 0.8 | 1 |
| 68 | Diagnosis and Management of Male Genital Lichen Sclerosus. <i>Current Bladder Dysfunction Reports</i> , 2016 , 11, 234-241 | 0.4 | 1 |
| 67 | Early Sacral Neuromodulation in Spinal Cord Injury Can It Regenerate Nerves?. <i>Current Bladder Dysfunction Reports</i> , 2016 , 11, 350-355 | 0.4 | 1 |
| 66 | The Case for Robotics in Pelvic Prolapse Surgery. <i>Current Bladder Dysfunction Reports</i> , 2014 , 9, 1-5 | 0.4 | 1 |
| 65 | Advances in the Treatment of Urinary Incontinence in Women. <i>Clinical Medicine Insights Urology</i> , 2015 , 8, CMU.S13181 | 0 | 1 |
| 64 | Current Concepts in Female Neurogenic Voiding Dysfunction. <i>Current Bladder Dysfunction Reports</i> , 2011 , 6, 150-158 | 0.4 | 1 |
| 63 | Augmented repairs and use of interposition grafts in pelvic reconstructive surgery: Part II. <i>Current Bladder Dysfunction Reports</i> , 2007 , 2, 143-154 | 0.4 | 1 |
| 62 | Psychological comorbidities and functional neurological disorders in women with idiopathic urinary retention: International Consultation on Incontinence Research Society (ICI-RS) 2019. <i>Neurourology and Urodynamics</i> , 2020 , 39 Suppl 3, S60-S69 | 2.3 | 1 |
| 61 | The International Continence Society (ICS) report on the terminology for male lower urinary tract surgery. <i>Neurourology and Urodynamics</i> , 2020 , 39, 2072-2088 | 2.3 | 1 |
| 60 | The inFlow intraurethral valve-pump for women with detrusor underactivity: A summary of peer-reviewed literature. <i>Journal of Spinal Cord Medicine</i> , 2020 , 1-9 | 1.9 | 1 |
| 59 | What Matters About Overactive Bladder Outcomes. <i>Journal of Women's Health</i> , 2016 , 25, 767 | 3 | 1 |
| 58 | Nonclinical Barriers to Care for Neurogenic Patients Undergoing Complex Urologic Reconstruction. <i>Urology</i> , 2019 , 124, 271-275 | 1.6 | 1 |
| 57 | Can men with lower urinary tract symptoms (LUTs) predict voided volumes?. <i>World Journal of Urology</i> , 2020 , 38, 1261-1266 | 4 | 1 |

| | | | |
|----|---|------|---|
| 56 | Real-time daily assessment of work interference on healthcare professionals. Restroom use: A pilot study. <i>Neurourology and Urodynamics</i> , 2021 , 40, 728-734 | 2.3 | 1 |
| 55 | Study design and outcomes measures: The influence of composite endpoints and other design variables on outcomes in a study of a novel device for stress urinary incontinence. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2919-2927 | 2.3 | 1 |
| 54 | Factors associated with urinary incontinence in a community sample of young nulligravid women. <i>Neurourology and Urodynamics</i> , 2020 , 39, 1430-1436 | 2.3 | 0 |
| 53 | Mid-urethral slings: surgical evolution as manifest by technology. <i>Nature Reviews Urology</i> , 2007 , 4, 242-3 | | 0 |
| 52 | Nocturia and electrocardiographic abnormalities among patients at an inner-city cardiology clinic. <i>Neurourology and Urodynamics</i> , 2021 , 40, 509-514 | 2.3 | 0 |
| 51 | Should we routinely assess psychological morbidities in idiopathic lower urinary tract dysfunction: ICI-RS 2019?. <i>Neurourology and Urodynamics</i> , 2020 , 39 Suppl 3, S70-S79 | 2.3 | 0 |
| 50 | A randomized, placebo-controlled clinical development program exploring the use of litoxetine for treating urinary incontinence. <i>Neurourology and Urodynamics</i> , 2021 , 40, 1515-1523 | 2.3 | 0 |
| 49 | First voided volume: A novel approach to characterize nocturia. <i>Neurourology and Urodynamics</i> , 2021 , 40, 848-854 | 2.3 | 0 |
| 48 | Academic Urological Surgeons have Greater Exposure to Risk Management Activity than Community Urological Surgeons: An Empirical Analysis of Patient Complaint Data. <i>Urology Practice</i> , 2017 , 4, 437-443 | 0.8 | |
| 47 | Editorial Comment. <i>Journal of Urology</i> , 2017 , 197, 749-750 | 2.5 | |
| 46 | Proximal location of explanted midurethral slings is associated with urinary storage symptoms. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1611-1615 | 2.3 | |
| 45 | Author Reply. <i>Urology</i> , 2019 , 124, 275 | 1.6 | |
| 44 | Symptoms alone may lead to inaccurate diagnosis in men with possible bladder outlet obstruction. <i>Evidence-Based Medicine</i> , 2015 , 20, 120 | | |
| 43 | Words of Wisdom. Re: outcome of transvaginal mesh and tape removed for pain only. <i>European Urology</i> , 2015 , 67, 1190-1 | 10.2 | |
| 42 | Author Reply. <i>Urology</i> , 2018 , 111, 98 | 1.6 | |
| 41 | The Non-surgical Options for SUI: Any One Optimal?. <i>Current Bladder Dysfunction Reports</i> , 2016 , 11, 66-72 | 0.4 | |
| 40 | Operative safety 2018 , 103-111 | | |
| 39 | Medical management of urinary incontinence in women 2018 , 465-477 | | |

| | | |
|----|---|-----|
| 38 | Consideration in Quality and Safety for Pelvic Floor Interventions. <i>Current Bladder Dysfunction Reports</i> , 2014 , 9, 26-31 | 0.4 |
| 37 | Post-Prostatectomy Incontinence. Clinical GuideSinglaA.K.: Post-Prostatectomy Incontinence. Clinical Guide. Saarbrücken, Germany: Lambert Academic Publishing2013. 212 pages.. <i>Journal of Urology</i> , 2014 , 192, 620-620 | 2.5 |
| 36 | Prostate Related Urinary Tract Infections. <i>Current Bladder Dysfunction Reports</i> , 2013 , 8, 197-202 | 0.4 |
| 35 | Botox for the Neurogenic Bladder. <i>Current Bladder Dysfunction Reports</i> , 2013 , 8, 312-318 | 0.4 |
| 34 | Editorial Comment. <i>Journal of Urology</i> , 2017 , 198, 159 | 2.5 |
| 33 | Oral medication for overactive bladder 2015 , 83-90 | |
| 32 | Emerging treatments for urinary incontinence. <i>Expert Opinion on Emerging Drugs</i> , 2014 , 19, 281-90 | 3.7 |
| 31 | Patient Safety and Surgical Intervention for Urinary Incontinence and Pelvic Organ Prolapse. <i>Current Bladder Dysfunction Reports</i> , 2012 , 7, 187-193 | 0.4 |
| 30 | Trends in Care Delivery for Disorders of the Female Pelvic Floor. <i>Current Bladder Dysfunction Reports</i> , 2012 , 7, 194-200 | 0.4 |
| 29 | Mesh for Stress Incontinence. <i>Current Bladder Dysfunction Reports</i> , 2012 , 7, 210-214 | 0.4 |
| 28 | Cystocele repair with interpositional grafting. <i>Urologic Clinics of North America</i> , 2011 , 38, 47-53, vi | 2.9 |
| 27 | Update on Neuromodulation. <i>Current Bladder Dysfunction Reports</i> , 2011 , 6, 135-141 | 0.4 |
| 26 | Insertion of an Anterior Transobturator Mesh Kit in the Management of Recurrent Anterior Vaginal Wall Prolapse. <i>Current Bladder Dysfunction Reports</i> , 2011 , 6, 111-113 | 0.4 |
| 25 | Painful bladder syndrome: Is consensus possible?. <i>Current Bladder Dysfunction Reports</i> , 2009 , 4, 86-90 | 0.4 |
| 24 | An analysis of potential predictors of outcomes of therapy for urge urinary incontinence. <i>Current Bladder Dysfunction Reports</i> , 2009 , 4, 181-181 | 0.4 |
| 23 | Painful bladder syndrome: Is consensus possible?. <i>Current Prostate Reports</i> , 2009 , 7, 177-181 | |
| 22 | Current Status of Urodynamics for Evaluation of Incontinence. <i>Current Bladder Dysfunction Reports</i> , 2010 , 5, 168-174 | 0.4 |
| 21 | Outcomes and Pelvic Floor Interventions: Can We Predict?. <i>Current Bladder Dysfunction Reports</i> , 2010 , 5, 119-125 | 0.4 |

| | | |
|----|--|------|
| 20 | Editorial comment on: symptom bother and health care-seeking behavior among individuals with overactive bladder. <i>European Urology</i> , 2008 , 53, 1037-8 | 10.2 |
| 19 | Augmented repairs and use of interposition grafts in pelvic reconstructive surgery: Part I. <i>Current Bladder Dysfunction Reports</i> , 2007 , 2, 86-94 | 0.4 |
| 18 | Muscarinic receptors: What we know. <i>Current Bladder Dysfunction Reports</i> , 2007 , 2, 29-36 | 0.4 |
| 17 | Are autologous myoblasts and fibroblasts safe and effective for the treatment of stress urinary incontinence in women?. <i>Nature Reviews Urology</i> , 2008 , 5, 298-9 | |
| 16 | The Q-T interval and antimuscarinic drugs. <i>Current Bladder Dysfunction Reports</i> , 2006 , 1, 3-7 | 0.4 |
| 15 | Urinary frequency: event measure, outcome significance?. <i>Current Urology Reports</i> , 2005 , 6, 87-8 | 2.9 |
| 14 | Re: Six-Month Results of Selective Bladder Denervation in Women with Refractory Overactive Bladder. <i>Journal of Urology</i> , 2019 , 101097JU00000000000000274 | 2.5 |
| 13 | Urinary incontinence in women: non pharmacologic approaches and newer pharmacotherapies. An update. <i>Minerva Medica</i> , 2017 , 108, 255-267 | 2.2 |
| 12 | Salvage procedures in reconstructive urology. <i>Central European Journal of Urology</i> , 2014 , 66, 487 | 0.9 |
| 11 | AUTHOR REPLY. <i>Urology</i> , 2020 , 144, 276 | 1.6 |
| 10 | Ninth International Consultation on Incontinence-Research Society 2019: Introduction. <i>Neurourology and Urodynamics</i> , 2020 , 39 Suppl 3, S7-S8 | 2.3 |
| 9 | Associations between nighttime and daytime maximum voided volumes: Relevance for nocturia?. <i>Neurourology and Urodynamics</i> , 2020 , 39, 2301-2304 | 2.3 |
| 8 | Editorial Comment. <i>Journal of Urology</i> , 2021 , 205, 1753-1754 | 2.5 |
| 7 | Editorial Comment. <i>Journal of Urology</i> , 2016 , 196, 1477 | 2.5 |
| 6 | Female Urology - Quo Vadis?. <i>Current Opinion in Urology</i> , 2016 , 26, 289 | 2.8 |
| 5 | Editorial Comment. <i>Urology</i> , 2019 , 132, 206 | 1.6 |
| 4 | Effects of Pelvic Organ Prolapse on the Bladder. <i>Current Bladder Dysfunction Reports</i> , 2018 , 13, 118-124 | 0.4 |
| 3 | Risk Factor of De Novo Urgency and Urge Incontinence After Autologous Fascia Pubovaginal Sling. <i>Research and Reports in Urology</i> , 2021 , 13, 591-596 | 1.3 |

- 2 Letter to the Editor: RE: Neuromuscular treatment approach for women with chronic pelvic pain syndrome improving pelvic pain and functionality by S. Patil et al. *Neurourology and Urodynamics* in 2022;41:220-228.. *Neurourology and Urodynamics*, **2022**, 2.3
- 1 Response letter to comments on "Increased risk of incident dementia following use of anticholinergic agents: A systematic literature review and meta-analysis". *Neurourology and Urodynamics*, **2021**, 2.3