Roger R Dmochowski

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7103798/roger-r-dmochowski-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

235 papers

4,491 citations

32 h-index 60 g-index

278 ext. papers

5,359 ext. citations

2.4 avg, IF

5.6 L-index

#	Paper	IF	Citations
235	Letter to the Editor: RE: Neuromuscular treatment approach for women with chronic pelvic pain syndrome improving pelvic pain and functionality by S. Patil et al. Neurourology and Urodynamics in 2022;41:220-228 <i>Neurourology and Urodynamics</i> , 2022 ,	2.3	
234	The Epidemiology and Population-Based Studies of Women with Lower Urinary Tract Symptoms: A Systematic Review <i>Turkish Journal of Urology</i> , 2022 , 48, 155-165	1.3	2
233	Nocturia and electrocardiographic abnormalities among patients at an inner-city cardiology clinic. <i>Neurourology and Urodynamics</i> , 2021 , 40, 509-514	2.3	O
232	Association of Knowledge and Presence of Pelvic Floor Disorders and Participation in Pelvic Floor Exercises: A Cross-sectional Study. Female Pelvic Medicine and Reconstructive Surgery, 2021, 27, 310-31	4 ^{1.9}	2
231	Foundational Statistical Principles in Medical Research: A Tutorial on Odds Ratios, Relative Risk, Absolute Risk, and Number Needed to Treat. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
230	Foundational Statistical Principles in Medical Research: Sensitivity, Specificity, Positive Predictive Value, and Negative Predictive Value. <i>Medicina (Lithuania)</i> , 2021 , 57,	3.1	4
229	Editorial Comment. <i>Journal of Urology</i> , 2021 , 205, 1753-1754	2.5	
228	A randomized, placebo-controlled clinical development program exploring the use of litoxetine for treating urinary incontinence. <i>Neurourology and Urodynamics</i> , 2021 , 40, 1515-1523	2.3	0
227	Blinding in Clinical Trials: Seeing the Big Picture. <i>Medicina (Lithuania</i>), 2021 , 57,	3.1	2
226	Increased risk of incident dementia following use of anticholinergic agents: A systematic literature review and meta-analysis. <i>Neurourology and Urodynamics</i> , 2021 , 40, 28-37	2.3	17
225	Real-time daily assessment of work interference on healthcare professionals Qestroom use: A pilot study. <i>Neurourology and Urodynamics</i> , 2021 , 40, 728-734	2.3	1
224	First voided volume: A novel approach to characterize nocturia. <i>Neurourology and Urodynamics</i> , 2021 , 40, 848-854	2.3	0
223	Risk Factor of De Novo Urgency and Urge Incontinence After Autologous Fascia Pubovaginal Sling. <i>Research and Reports in Urology</i> , 2021 , 13, 591-596	1.3	
222	Response letter to comments on "Increased risk of incident dementia following use of anticholinergic agents: A systematic literature review and meta-analysis". <i>Neurourology and Urodynamics</i> , 2021 ,	2.3	
221	Management of Female and Functional Urology Patients During the COVID Pandemic. <i>European Urology Focus</i> , 2020 , 6, 1049-1057	5.1	14
220	Use of Botulinum Toxin A (BoNT-A) in Detrusor External Sphincter Dyssynergia (DESD): A Systematic Review and Meta-analysis. <i>Urology</i> , 2020 , 140, 7-13	1.6	2
219	Minimal Inpatient Narcotic Requirement and Immediate Complication Profile Supports Same Day Discharge Following Artificial Urinary Sphincter Insertion. <i>Urology Practice</i> , 2020 , 7, 305-308	0.8	1

(2019-2020)

218	Why Do Women Not Use the Bathroom? Women@ Attitudes and Beliefs on Using Public Restrooms. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
217	Factors associated with urinary incontinence in a community sample of young nulligravid women. <i>Neurourology and Urodynamics</i> , 2020 , 39, 1430-1436	2.3	O
216	Impact of food and drinks on urine production: A systematic review. <i>International Journal of Clinical Practice</i> , 2020 , 74, e13539	2.9	2
215	Penile Prosthesis Insertion in the Era of Antibiotic Stewardship-Are Postoperative Antibiotics Necessary?. <i>Journal of Urology</i> , 2020 , 203, 611-614	2.5	8
214	Women@Perceptions of Public Restrooms and the Relationships with Toileting Behaviors and Bladder Symptoms: A Cross-Sectional Study. <i>Journal of Urology</i> , 2020 , 204, 310-315	2.5	5
213	Gender specific pharmacokinetic and pharmacodynamic considerations for antimuscarinic drugs for overactive bladder treatment. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2020 , 16, 103-110	5.5	4
212	Psychological comorbidities and functional neurological disorders in women with idiopathic urinary retention: International Consultation on Incontinence Research Society (ICI-RS) 2019. <i>Neurourology and Urodynamics</i> , 2020 , 39 Suppl 3, S60-S69	2.3	1
211	The International Continence Society (ICS) report on the terminology for male lower urinary tract surgery. <i>Neurourology and Urodynamics</i> , 2020 , 39, 2072-2088	2.3	1
210	Should we routinely assess psychological morbidities in idiopathic lower urinary tract dysfunction: ICI-RS 2019?. <i>Neurourology and Urodynamics</i> , 2020 , 39 Suppl 3, S70-S79	2.3	О
209	The inFlow intraurethral valve-pump for women with detrusor underactivity: A summary of peer-reviewed literature. <i>Journal of Spinal Cord Medicine</i> , 2020 , 1-9	1.9	1
208	AUTHOR REPLY. <i>Urology</i> , 2020 , 144, 276	1.6	
207	Ninth International Consultation on Incontinence-Research Society 2019: Introduction. <i>Neurourology and Urodynamics</i> , 2020 , 39 Suppl 3, S7-S8	2.3	
206	Associations between nighttime and daytime maximum voided volumes: Relevance for nocturia?. <i>Neurourology and Urodynamics</i> , 2020 , 39, 2301-2304	2.3	
205	A review of published anticholinergic scales and measures and their applicability in database analyses. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 87, 103885	4	35
204	Can men with lower urinary tract symptoms (LUTs) predict voided volumes?. <i>World Journal of Urology</i> , 2020 , 38, 1261-1266	4	1
203	An Evaluation of Longitudinal Measures of Anticholinergic Exposure for Application in Retrospective Administrative Data Analyses. <i>Advances in Therapy</i> , 2019 , 36, 2247-2259	4.1	4
202	Women With Overactive Bladder Exhibit More Unhealthy Toileting Behaviors: A Cross-sectional Study. <i>Urology</i> , 2019 , 134, 97-102	1.6	2
201	Economic Burden of Illness in Adult Patients with Nocturia. <i>Journal of Managed Care & Specialty Pharmacy</i> , 2019 , 25, 593-604	1.9	4

200	Association of Coworker Reports About Unprofessional Behavior by Surgeons With Surgical Complications in Their Patients. <i>JAMA Surgery</i> , 2019 , 154, 828-834	5.4	51
199	Proximal location of explanted midurethral slings is associated with urinary storage symptoms. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1611-1615	2.3	
198	Surgery for female SUI: The ICI algorithm. <i>Neurourology and Urodynamics</i> , 2019 , 38 Suppl 4, S21-S27	2.3	5
197	Author Reply. <i>Urology</i> , 2019 , 124, 275	1.6	
196	The Relative Efficacy and Safety of Mirabegron and OnabotulinumtoxinA in Patients With Overactive Bladder who Have Previously Been Managed With an Antimuscarinic: A Network Meta-analysis. <i>Urology</i> , 2019 , 127, 1-8	1.6	11
195	Detrusor underactivity in women: A current understanding. <i>Neurourology and Urodynamics</i> , 2019 , 38, 2070-2076	2.3	5
194	One-year results with selective bladder denervation in women with refractory overactive bladder. <i>Neurourology and Urodynamics</i> , 2019 , 38, 2178-2184	2.3	3
193	External electrical stimulation compared with intravaginal electrical stimulation for the treatment of stress urinary incontinence in women: A randomized controlled noninferiority trial. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1834-1843	2.3	8
192	How can we improve the diagnosis and management of bladder pain syndrome? Part 1: ICI-RS 2018. <i>Neurourology and Urodynamics</i> , 2019 , 38 Suppl 5, S66-S70	2.3	2
191	Re: Six-Month Results of Selective Bladder Denervation in Women with Refractory Overactive Bladder. <i>Journal of Urology</i> , 2019 , 101097JU00000000000274	2.5	
190	Toileting Behaviors of Women-What is Healthy?. Journal of Urology, 2019, 201, 129-134	2.5	60
189	Six-Month Results of Selective Bladder Denervation in Women with Refractory Overactive Bladder. <i>Journal of Urology</i> , 2019 , 201, 573-580	2.5	4
188	Patient Characteristics that May Influence the Effect of Urethral Injection Therapy for Female Stress Urinary Incontinence. <i>Journal of Urology</i> , 2019 , 202, 125-131	2.5	8
187	Toileting Behaviors and Bladder Symptoms in Women Who Limit Restroom Use at Work: A Cross-Sectional Study. <i>Journal of Urology</i> , 2019 , 202, 1008-1014	2.5	11
186	International Continence Society consensus on the diagnosis and treatment of nocturia. <i>Neurourology and Urodynamics</i> , 2019 , 38, 478-498	2.3	58
185	Editorial Comment. <i>Urology</i> , 2019 , 132, 206	1.6	
184	Particulate Versus Non-Particulate Bulking Agents In The Treatment Of Stress Urinary Incontinence. <i>Research and Reports in Urology</i> , 2019 , 11, 299-310	1.3	8
183	How can we improve the diagnosis and management of bladder pain syndrome? Part 2:ICI-RS 2018. <i>Neurourology and Urodynamics</i> , 2019 , 38 Suppl 5, S71-S81	2.3	7

(2018-2019)

182	Nonclinical Barriers to Care for Neurogenic Patients Undergoing Complex Urologic Reconstruction. <i>Urology</i> , 2019 , 124, 271-275	1.6	1
181	Aging increases the expression of vasopressin receptors in both the kidney and urinary bladder. <i>Neurourology and Urodynamics</i> , 2019 , 38, 393-397	2.3	9
180	An enhanced recovery program in colorectal surgery is associated with decreased organ level rates of complications: a difference-in-differences analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019 , 33, 2222-2230	5.2	7
179	A prospective randomized clinical trial comparing two doses of AbobotulinumtoxinA for idiopathic overactive bladder. <i>Neurourology and Urodynamics</i> , 2019 , 38, 660-667	2.3	3
178	Initial clinical experience with selective bladder denervation for refractory overactive bladder. <i>Neurourology and Urodynamics</i> , 2019 , 38, 644-652	2.3	8
177	Surgery for urinary incontinence in women: Report from the 6th international consultation on incontinence. <i>Neurourology and Urodynamics</i> , 2019 , 38, 825-837	2.3	16
176	Systematic Review of Combination Drug Therapy for Non-neurogenic Lower Urinary Tract Symptoms. <i>European Urology</i> , 2019 , 75, 129-168	10.2	12
175	Efficacy and Safety of SER120 Nasal Spray in Patients with Nocturia: Pooled Analysis of 2 Randomized, Double-Blind, Placebo Controlled, Phase 3 Trials. <i>Journal of Urology</i> , 2018 , 200, 604-611	2.5	14
174	Road to recovery after transvaginal surgery for urethral mesh perforation: evaluation of outcomes and subsequent procedures. <i>International Urogynecology Journal</i> , 2018 , 29, 887-892	2	6
173	The efficacy of botulinum toxin A and sacral neuromodulation in the management of interstitial cystitis (IC)/bladder pain syndrome (BPS), what do we know? ICI-RS 2017 think thank, Bristol. <i>Neurourology and Urodynamics</i> , 2018 , 37, S99-S107	2.3	12
172	An Evidence-Based Protocol for Antibiotic Use Prior to Cystoscopy Decreases Antibiotic Use without Impacting Post-Procedural Symptomatic Urinary Tract Infection Rates. <i>Journal of Urology</i> , 2018 , 199, 1004-1010	2.5	7
171	Author Reply. <i>Urology</i> , 2018 , 111, 98	1.6	
170	Evaluating the Role of Postoperative Oral Antibiotic Administration in Artificial Urinary Sphincter and Inflatable Penile Prosthesis Explantation: A Nationwide Analysis. <i>Urology</i> , 2018 , 111, 92-98	1.6	12
169	New technology assessment and current and upcoming therapies for underactive bladder. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2932-2937	2.3	7
168	Operative safety 2018 , 103-111		
167	Medical management of urinary incontinence in women 2018 , 465-477		
166	Women Undergoing Third Line Overactive Bladder Treatment Demonstrate Elevated Thermal Temporal Summation. <i>Journal of Urology</i> , 2018 , 200, 856-861	2.5	5
165	How can we develop a more clinically useful and robust algorithm for diagnosing and treating nocturia? ICI-RS 2017. <i>Neurourology and Urodynamics</i> , 2018 , 37, S46-S59	2.3	20

164	An American Association for the Surgery of Trauma (AAST) prospective multi-center research protocol: outcomes of urethral realignment versus suprapubic cystostomy after pelvic fracture urethral injury. <i>Translational Andrology and Urology</i> , 2018 , 7, 512-520	2.3	13	
163	Nocturia: Evaluation and Current Management Strategies. <i>Reviews in Urology</i> , 2018 , 20, 1-6	1	9	
162	Clinical Utility of Routine Follow-up Cystography in the Management of Traumatic Bladder Ruptures. <i>Urology</i> , 2018 , 113, 230-234	1.6	5	
161	Erectile Dysfunction Following Pelvic Fracture Urethral Injury. Sexual Medicine Reviews, 2018, 6, 114-12	235.6	23	
160	A double-blind, randomized, placebo-controlled clinical trial evaluating the safety and efficacy of autologous muscle derived cells in female subjects with stress urinary incontinence. <i>International Urology and Nephrology</i> , 2018 , 50, 2153-2165	2.3	24	
159	A patient-reported, non-interventional, cross-sectional discrete choice experiment to determine treatment attribute preferences in treatment-nalle overactive bladder patients in the US. <i>Patient Preference and Adherence</i> , 2018 , 12, 2139-2152	2.4	2	
158	Terminology report from the International Continence Society (ICS) Working Group on Underactive Bladder (UAB). <i>Neurourology and Urodynamics</i> , 2018 , 37, 2928-2931	2.3	45	
157	Study design and outcomes measures: The influence of composite endpoints and other design variables on outcomes in a study of a novel device for stress urinary incontinence. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2919-2927	2.3	1	
156	Painful Bladder Symptoms Related to Somatic Syndromes in a Convenience Sample of Community Women with Overactive Bladder Symptoms. <i>Journal of Urology</i> , 2018 , 200, 1332-1337	2.5	5	
155	Effects of Pelvic Organ Prolapse on the Bladder. Current Bladder Dysfunction Reports, 2018, 13, 118-12	4 0.4		
154	Efficacy and safety of onabotulinumtoxinA therapy are sustained over 4 years of treatment in patients with neurogenic detrusor overactivity: Final results of a long-term extension study. Neurourology and Urodynamics, 2017, 36, 368-375	2.3	47	
153	Overactive bladder and autonomic dysfunction: Lower urinary tract symptoms in females with postural tachycardia syndrome. <i>Neurourology and Urodynamics</i> , 2017 , 36, 610-613	2.3	12	
152	Symptomatic Urinary Tract Infections in Renal Transplant Recipients after Cystoscopy for Ureteral Stent Removal. <i>Urology Practice</i> , 2017 , 4, 405-411	0.8	3	
151	Academic Urological Surgeons have Greater Exposure to Risk Management Activity than Community Urological Surgeons: An Empirical Analysis of Patient Complaint Data. <i>Urology Practice</i> , 2017 , 4, 437-443	0.8		
150	Editorial Comment. Journal of Urology, 2017, 197, 749-750	2.5		
149	Treatment of Pelvic Floor Disorders Following Neobladder. <i>Current Urology Reports</i> , 2017 , 18, 5	2.9	7	
148	Use of Unsolicited Patient Observations to Identify Surgeons With Increased Risk for Postoperative Complications. <i>JAMA Surgery</i> , 2017 , 152, 522-529	5.4	63	
147	Urinary retention and catheter use among U.S. female Medicare beneficiaries: Prevalence and risk factors. <i>Neurourology and Urodynamics</i> , 2017 , 36, 2101-2108	2.3	7	

Cost-effective management of pelvic fracture urethral injuries. World Journal of Urology, 2017, 35, 1617-1623 6 146 Positive outcomes with first onabotulinumtoxinA treatment persist in the long term with repeat 5.6 8 145 treatments in patients with neurogenic detrusor overactivity. BJU International, 2017, 119, 926-932 Impact of Autonomic Dysfunction on Lower Urinary Tract Symptoms. Current Bladder Dysfunction 144 0.4 2 Reports, 2017, 12, 273-279 Under what circumstances should stress incontinence surgery be performed at the same time as 143 2.3 4 prolapse surgery? ICI-RS 2015. Neurourology and Urodynamics, 2017, 36, 909-914 The role of male slings in post prostatectomy incontinence: ICI-RS 2015. Neurourology and 142 2.3 9 Urodynamics, 2017, 36, 927-934 Can we create a valid treatment algorithm for patients with drug resistant overactive bladder (OAB) syndrome or detrusor overactivity (DO)? Results from a think tank (ICI-RS 2015). 141 2.3 32 Neurourology and Urodynamics, 2017, 36, 882-893 Management of Voiding Dysfunction After Female Neobladder Creation. Current Urology Reports, 140 2.9 3 **2017**, 18, 33 Evaluation of the axonics modulation technologies sacral neuromodulation system for the 139 15 3.5 treatment of urinary and fecal dysfunction. Expert Review of Medical Devices, 2017, 14, 3-14 Direct visual internal urethrotomy for isolated, post-urethroplasty strictures: a retrospective 6 138 3.2 analysis. Therapeutic Advances in Urology, 2017, 9, 39-44 Epidemiology of Blunt Lower Urinary Tract Trauma With and Without Pelvic Fracture. Urology, 2017 1.6 28 137 , 102, 234-239 Desmopressin acetate nasal spray for adults with nocturia. Expert Review of Clinical Pharmacology, 136 3.8 10 2017, 10, 1281-1293 Editorial Comment. Journal of Urology, 2017, 198, 159 135 2.5 Postoperative Complications of Patients With Spina Bifida Undergoing Urologic Laparotomy: A 1.6 6 134 Multi-institutional Analysis. Urology, 2017, 108, 233-236 Urinary-cutaneous Fistulae Following Conservative Management of Extraperitoneal Bladder 1.6 2 133 Ruptures. *Urology*, **2017**, 109, 195-200 Phenotyping women with detrusor underactivity by presumed etiology: Is it plausible?. 132 2.3 11 Neurourology and Urodynamics, 2017, 36, 1151-1154 Somatic syndromes and chronic pain in women with overactive bladder. Neurourology and 131 10 2.3 Urodynamics, 2017, 36, 1113-1118 Stress urinary incontinence surgery trends in academic female pelvic medicine and reconstructive surgery urology practice in the setting of the food and drug administration public health 130 2.3 39 notifications. Neurourology and Urodynamics, 2017, 36, 1155-1160 Perioperative complications of conduit urinary diversion with concomitant cystectomy for benign 129 2.3 9 indications: A population-based analysis. Neurourology and Urodynamics, 2017, 36, 1411-1416

128	Temporal summation to thermal stimuli is elevated in women with overactive bladder syndrome. <i>Neurourology and Urodynamics</i> , 2017 , 36, 1108-1112	2.3	10
127	Urinary incontinence in women: non pharmacologic approaches and newer pharmacotherapies. An update. <i>Minerva Medica</i> , 2017 , 108, 255-267	2.2	
126	Patient Complaints and Adverse Surgical Outcomes. American Journal of Medical Quality, 2016, 31, 415-	22 1	36
125	Diagnosis and Management of Male Genital Lichen Sclerosus. <i>Current Bladder Dysfunction Reports</i> , 2016 , 11, 234-241	0.4	1
124	Incontinence rates after midurethral sling revision for vaginal exposure or pain. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 764.e1-764.e5	6.4	23
123	Early Sacral Neuromodulation in Spinal Cord Injurylan It Regenerate Nerves?. <i>Current Bladder Dysfunction Reports</i> , 2016 , 11, 350-355	0.4	1
122	Expert Panel Recommendations on Lower Urinary Tract Health of Women Across Their Life Span. Journal of Womeng Health, 2016 , 25, 1086-1096	3	10
121	Lessons Learned from Mesh Litigation for Prolapse and Incontinence. <i>Current Bladder Dysfunction Reports</i> , 2016 , 11, 73-78	0.4	2
120	Evaluation and Management of Mid-Urethral Sling Complications. <i>Current Bladder Dysfunction Reports</i> , 2016 , 11, 160-168	0.4	2
119	The Burden of Overactive Bladder on US Public Health. <i>Current Bladder Dysfunction Reports</i> , 2016 , 11, 8-13	0.4	53
118	Does central sensitization help explain idiopathic overactive bladder?. <i>Nature Reviews Urology</i> , 2016 , 13, 481-91	5.5	45
117	Pelvic Organ Prolapse Surgery in Academic Female Pelvic Medicine and Reconstructive Surgery Urology Practice in the Setting of the Food and Drug Administration Public Health Notifications. <i>Urology</i> , 2016 , 91, 46-51	1.6	32
116	Recent Antibiotic Treatment Increases the Risk of Urinary Tract Infection after Outpatient Cystoscopy. <i>Urology Practice</i> , 2016 , 3, 90-96	0.8	4
115	The Non-surgical Options for SUI L Any One Optimal?. <i>Current Bladder Dysfunction Reports</i> , 2016 , 11, 66-72	0.4	
114	Delivery methods for drugs used in the treatment of overactive bladder. <i>Expert Opinion on Drug Delivery</i> , 2016 , 13, 361-71	8	2
113	Evaluating the Role of Operative Repair of Extraperitoneal Bladder Rupture Following Blunt Pelvic Trauma. <i>Journal of Urology</i> , 2016 , 195, 661-5	2.5	28
112	Editorial Comment. <i>Journal of Urology</i> , 2016 , 196, 1477	2.5	
111	Use of Botulinum Toxin A in the Treatment of Lower Urinary Tract Disorders: A Review of the Literature. <i>Toxins</i> , 2016 , 8, 88	4.9	18

110	Female Urology - Quo Vadis?. Current Opinion in Urology, 2016 , 26, 289	2.8	
109	Safety and efficacy of a patient-controlled bladder management system for treating urinary retention in men. <i>Neurourology and Urodynamics</i> , 2016 , 35, 630-5	2.3	2
108	Do we understand how botulinum toxin works and have we optimized the way it is administered to the bladder? ICI-RS 2014. <i>Neurourology and Urodynamics</i> , 2016 , 35, 293-8	2.3	12
107	The Impact of Pallidal and Subthalamic Deep Brain Stimulation on Urologic Function in Parkinson@ Disease. <i>Neuromodulation</i> , 2016 , 19, 717-723	3.1	24
106	What Matters About Overactive Bladder Outcomes. Journal of Womeng Health, 2016, 25, 767	3	1
105	Cystectomy for Neurogenic Bladder. Current Bladder Dysfunction Reports, 2016, 11, 341-345	0.4	2
104	Temporal Trends in Conduit Urinary Diversion With Concomitant Cystectomy for Benign Indications: A Population-based Analysis. <i>Urology</i> , 2016 , 98, 70-74	1.6	7
103	Symptoms alone may lead to inaccurate diagnosis in men with possible bladder outlet obstruction. <i>Evidence-Based Medicine</i> , 2015 , 20, 120		
102	Words of Wisdom. Re: outcome of transvaginal mesh and tape removed for pain only. <i>European Urology</i> , 2015 , 67, 1190-1	10.2	
101	Autologous Pubovaginal Sling for the Treatment of Concomitant Female Urethral Diverticula and Stress Urinary Incontinence. <i>Urology</i> , 2015 , 85, 1300-3	1.6	16
100	The Impact of Urethral Risk Factors on Transcorporeal Artificial Urinary Sphincter Erosion Rates and Device Survival. <i>Journal of Urology</i> , 2015 , 194, 1692-6	2.5	21
99	Primary Endoscopic Realignment of Urethral Disruption InjuriesA Double-Edged Sword?. <i>Journal of Urology</i> , 2015 , 194, 1022-6	2.5	31
98	Relationship between time in the operating room and incident pressure ulcers: a matched case-control study. <i>American Journal of Medical Quality</i> , 2015 , 30, 591-7	1.1	20
97	Oral medication for overactive bladder 2015 , 83-90		
96	Advances in the Treatment of Urinary Incontinence in Women. <i>Clinical Medicine Insights Urology</i> , 2015 , 8, CMU.S13181	0	1
95	Trends in urodynamics in U.S. female medicare beneficiaries, 2000-2010. <i>Neurourology and Urodynamics</i> , 2015 , 34, 420-3	2.3	6
94	Urinary retention rates after intravesical onabotulinumtoxinA injection for idiopathic overactive bladder in clinical practice and predictors of this outcome. <i>Neurourology and Urodynamics</i> , 2015 , 34, 675	-28 3	40
93	Reducing intraoperative red blood cell unit wastage in a large academic medical center. <i>Transfusion</i> , 2015 , 55, 2752-8	2.9	11

92	Contemporary comparison between retropubic midurethral sling and autologous pubovaginal sling for stress urinary incontinence after the FDA advisory notification. <i>Urology</i> , 2015 , 85, 321-5	1.6	9
91	Postoperative pain outcomes after transvaginal mesh revision. <i>International Urogynecology Journal</i> , 2015 , 26, 65-9	2	37
90	Consideration in Quality and Safety for Pelvic Floor Interventions. <i>Current Bladder Dysfunction Reports</i> , 2014 , 9, 26-31	0.4	
89	The Case for Robotics in Pelvic Prolapse Surgery. Current Bladder Dysfunction Reports, 2014, 9, 1-5	0.4	1
88	Urinary diversions after radiation for prostate cancer: indications and treatment. <i>Urology</i> , 2014 , 84, 702	-6 .6	19
87	Autologous muscle derived cells for treatment of stress urinary incontinence in women. <i>Journal of Urology</i> , 2014 , 192, 469-76	2.5	83
86	Post-Prostatectomy Incontinence Clinical GuideSinglaA.K.: Post-Prostatectomy Incontinence Clinical Guide. Saarbrüken, Germany: Lambert Academic Publishing 2013. 212 pages <i>Journal of Urology</i> , 2014 , 192, 620-620	2.5	
85	Detrusor underactivity and the underactive bladder: a new clinical entity? A review of current terminology, definitions, epidemiology, aetiology, and diagnosis. <i>European Urology</i> , 2014 , 65, 389-98	10.2	234
84	Trans-Vaginal Mesh Revision: A Comprehensive Review on Etiologies and Management Strategies with Emphasis on Postoperative Pain Outcomes. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2014 , 6, 69-75	1.9	6
83	Emerging treatments for urinary incontinence. Expert Opinion on Emerging Drugs, 2014, 19, 281-90	3.7	
82	Cystectomy with urinary diversion for benign disease: indications and outcomes. <i>Urology</i> , 2014 , 83, 143	3 ₁ 76	33
81	Efficacy and safety of polyacrylamide hydrogel for the treatment of female stress incontinence: a randomized, prospective, multicenter North American study. <i>Journal of Urology</i> , 2014 , 192, 843-9	2.5	46
80	Benchmarking the use of a rapid response team by surgical services at a tertiary care hospital. <i>Journal of the American College of Surgeons</i> , 2014 , 218, 66-72	4.4	6
79	Difference between urethral circumference and artificial urinary sphincter cuff size, and its effect on postoperative incontinence. <i>Journal of Urology</i> , 2014 , 191, 138-42	2.5	14
78	Salvage procedures in reconstructive urology. Central European Journal of Urology, 2014, 66, 487	0.9	
77	Mirabegron for male lower urinary tract symptoms. <i>Current Urology Reports</i> , 2013 , 14, 580-4	2.9	10
76	Prostate Related Urinary Tract Infections. Current Bladder Dysfunction Reports, 2013, 8, 197-202	0.4	
75	Botox for the Neurogenic Bladder. <i>Current Bladder Dysfunction Reports</i> , 2013 , 8, 312-318	0.4	

(2011-2013)

74	OnabotulinumtoxinA for the treatment of patients with overactive bladder and urinary incontinence: results of a phase 3, randomized, placebo controlled trial. <i>Journal of Urology</i> , 2013 , 189, 2186-93	2.5	266
73	Urodynamic effects of once daily tadalafil in men with lower urinary tract symptoms secondary to clinical benign prostatic hyperplasia: a randomized, placebo controlled 12-week clinical trial. <i>Journal of Urology</i> , 2013 , 189, S135-40	2.5	17
72	A contemporary assessment of nocturia: definition, epidemiology, pathophysiology, and managementa systematic review and meta-analysis. <i>European Urology</i> , 2012 , 62, 877-90	10.2	173
71	Patient Safety and Surgical Intervention for Urinary Incontinence and Pelvic Organ Prolapse. <i>Current Bladder Dysfunction Reports</i> , 2012 , 7, 187-193	0.4	
70	Trends in Care Delivery for Disorders of the Female Pelvic Floor. <i>Current Bladder Dysfunction Reports</i> , 2012 , 7, 194-200	0.4	
69	Mesh for Stress Incontinence. Current Bladder Dysfunction Reports, 2012, 7, 210-214	0.4	
68	Biologic Materials for Pelvic Floor Reconstruction. Current Bladder Dysfunction Reports, 2012, 7, 201-20	90.4	4
67	GAG Layer Replenishment Therapy for Recurrent Infectious Bladder Dysfunction. <i>Current Bladder Dysfunction Reports</i> , 2012 , 7, 113-119	0.4	3
66	Oxybutynin gel for the treatment of overactive bladder. <i>Expert Opinion on Pharmacotherapy</i> , 2012 , 13, 1337-43	4	4
65	Cystocele repair with interpositional grafting. <i>Urologic Clinics of North America</i> , 2011 , 38, 47-53, vi	2.9	
64	Pharmacokinetics of oxybutynin chloride topical gel: effects of application site, baths, sunscreen and person-to-person transference. <i>Clinical Drug Investigation</i> , 2011 , 31, 559-571	3.2	15
63	Safety and efficacy of sling for persistent stress urinary incontinence after bulking injection. <i>Urology</i> , 2011 , 77, 1076-80	1.6	20
62	Update on the treatment of overactive bladder. Current Opinion in Urology, 2011, 21, 286-90	2.8	19
61	Pelvic organ prolapse (POP) surgery: the evidence for the repairs. <i>BJU International</i> , 2011 , 107, 1704-19	9 5.6	29
60	Mixed incontinence and cystocele: postoperative urge symptoms are not predicted by preoperative urodynamics. <i>International Urogynecology Journal</i> , 2011 , 22, 321-5	2	15
59	Case reports: periurethral bulking agents and presumed urethral diverticula. <i>International Urogynecology Journal</i> , 2011 , 22, 1039-43	2	15
58	Current Concepts in Female Neurogenic Voiding Dysfunction. <i>Current Bladder Dysfunction Reports</i> , 2011 , 6, 150-158	0.4	1
57	Update on Neuromodulation. Current Bladder Dysfunction Reports, 2011, 6, 135-141	0.4	

56	Insertion of an Anterior Transobturator Mesh Kit in the Management of Recurrent Anterior Vaginal Wall Prolapse. <i>Current Bladder Dysfunction Reports</i> , 2011 , 6, 111-113	0.4	
55	Treatment of mixed urinary incontinence. Central European Journal of Urology, 2011, 64, 120-6	0.9	7
54	Extended-release trospium chloride improves quality of life in overactive bladder. <i>Value in Health</i> , 2010 , 13, 251-7	3.3	17
53	Urodynamic effects of once daily tadalafil in men with lower urinary tract symptoms secondary to clinical benign prostatic hyperplasia: a randomized, placebo controlled 12-week clinical trial. <i>Journal of Urology</i> , 2010 , 183, 1092-7	2.5	84
52	Efficacy and safety of onabotulinumtoxinA for idiopathic overactive bladder: a double-blind, placebo controlled, randomized, dose ranging trial. <i>Journal of Urology</i> , 2010 , 184, 2416-22	2.5	286
51	Update of AUA guideline on the surgical management of female stress urinary incontinence. Journal of Urology, 2010 , 183, 1906-14	2.5	211
50	Randomized, double-blind, placebo-controlled trial of flexible-dose fesoterodine in subjects with overactive bladder. <i>Urology</i> , 2010 , 75, 62-8	1.6	76
49	Current Status of Urodynamics for Evaluation of Incontinence. <i>Current Bladder Dysfunction Reports</i> , 2010 , 5, 168-174	0.4	
48	Outcomes and Pelvic Floor Interventions: Can We Predict?. <i>Current Bladder Dysfunction Reports</i> , 2010 , 5, 119-125	0.4	
47	Stress Urinary Incontinence in Women with Neurogenic Voiding Dysfunction. <i>Current Bladder Dysfunction Reports</i> , 2010 , 5, 142-149	0.4	2
46	Urodynamic effects of once-daily tadalafil in men with LUTS secondary to clinical BPH. <i>Current Urology Reports</i> , 2010 , 11, 254-60	2.9	11
45	Mixed incontinence: current evidence and future perspectives. <i>Neurourology and Urodynamics</i> , 2010 , 29, 618-22	2.3	29
44	Overactive bladder in males. <i>Therapeutic Advances in Urology</i> , 2009 , 1, 209-21	3.2	12
43	Painful bladder syndrome: Is consensus possible?. Current Bladder Dysfunction Reports, 2009 , 4, 86-90	0.4	
42	An analysis of potential predictors of outcomes of therapy for urge urinary incontinence. <i>Current Bladder Dysfunction Reports</i> , 2009 , 4, 181-181	0.4	
41	Radiofrequency for the treatment of stress urinary incontinence in women. <i>Current Urology Reports</i> , 2009 , 10, 369-74	2.9	19
40	Measuring urgency in clinical practice. World Journal of Urology, 2009, 27, 739-45	4	9
39	Staying at the cutting edge: a review and analysis of evidence reporting and grading; the recommendations of the American Urological Association. <i>BJU International</i> , 2009 , 104, 294-7	5.6	29

Painful bladder syndrome: Is consensus possible?. *Current Prostate Reports*, **2009**, 7, 177-181

37	Editorial comment on: symptom bother and health care-seeking behavior among individuals with overactive bladder. <i>European Urology</i> , 2008 , 53, 1037-8	10.2	
36	Trospium 60 mg once daily (QD) for overactive bladder syndrome: results from a placebo-controlled interventional study. <i>Urology</i> , 2008 , 71, 449-54	1.6	70
35	Refractory overactive bladder after urethrolysis for bladder outlet obstruction: management with sacral neuromodulation. <i>International Urogynecology Journal</i> , 2008 , 19, 277-82	2	19
34	Are autologous myoblasts and fibroblasts safe and effective for the treatment of stress urinary incontinence in women?. <i>Nature Reviews Urology</i> , 2008 , 5, 298-9		
33	Impact of overactive bladder on women in the United States: results of a national survey. <i>Current Medical Research and Opinion</i> , 2007 , 23, 65-76	2.5	88
32	Botulinum toxin A in the overactive bladder: current status and future directions. <i>BJU International</i> , 2007 , 99, 247-62	5.6	61
31	Overactive bladder pharmacotherapy: what does the future hold?. <i>BJU International</i> , 2007 , 99 Suppl 3, 13-6	5.6	8
30	The clinical efficacy of tolterodine extended-release is maintained for 24 h in patients with overactive bladder. <i>BJU International</i> , 2007 , 100, 107-10	5.6	8
29	Efficacy and tolerability of tolterodine extended release in male and female patients with overactive bladder. <i>European Urology</i> , 2007 , 51, 1054-64; discussion 1064	10.2	45
28	Vesicovaginal fistula following a transobturator midurethral sling procedure. <i>International Urogynecology Journal</i> , 2007 , 18, 113-5	2	15
27	Augmented repairs and use of interposition grafts in pelvic reconstructive surgery: Part I. <i>Current Bladder Dysfunction Reports</i> , 2007 , 2, 86-94	0.4	
26	Augmented repairs and use of interposition grafts in pelvic reconstructive surgery: Part II. <i>Current Bladder Dysfunction Reports</i> , 2007 , 2, 143-154	0.4	1
25	Muscarinic receptors: What we know. <i>Current Bladder Dysfunction Reports</i> , 2007 , 2, 29-36	0.4	
24	Mid-urethral slings: surgical evolution as manifest by technology. <i>Nature Reviews Urology</i> , 2007 , 4, 242-	3	О
23	The Q-T interval and antimuscarinic drugs. Current Bladder Dysfunction Reports, 2006, 1, 3-7	0.4	
22	Methods and results of urethrolysis. <i>Current Urology Reports</i> , 2006 , 7, 384-94	2.9	13
21	Emerging periurethral bulking agents for female stress urinary incontinence: is new necessarily better?. <i>Current Urology Reports</i> , 2006 , 7, 405-13	2.9	15

20	Antimuscarinic therapy in men with lower urinary tract symptoms: what is the evidence?. <i>Current Urology Reports</i> , 2006 , 7, 462-7	2.9	12
19	Transdermal drug delivery treatment for overactive bladder. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2006 , 32, 513-20	2	13
18	The puzzle of overactive bladder: controversies, inconsistencies, and insights. <i>International Urogynecology Journal</i> , 2006 , 17, 650-8	2	12
17	Office urodynamics. <i>Urologic Clinics of North America</i> , 2005 , 32, 353-70, vii	2.9	9
16	Bladder neck pubovaginal slings. Expert Review of Medical Devices, 2005, 2, 327-40	3.5	4
15	Improving the tolerability of anticholinergic agents in the treatment of overactive bladder. <i>Drug Safety</i> , 2005 , 28, 583-600	5.1	19
14	Mixed incontinence: definitions, outcomes, and interventions. Current Opinion in Urology, 2005, 15, 374	-9 .8	18
13	Bladder-health diaries: an assessment of 3-day vs 7-day entries. <i>BJU International</i> , 2005 , 96, 1049-54	5.6	53
12	Are patient symptoms predictive of the diagnostic and/or therapeutic value of hydrodistention?. <i>Neurourology and Urodynamics</i> , 2005 , 24, 638-42	2.3	44
11	Transdermal oxybutynin in the treatment of adults with overactive bladder: combined results of two randomized clinical trials. <i>World Journal of Urology</i> , 2005 , 23, 263-70	4	77
10	The Q-T interval and antimuscarinic drugs. Current Urology Reports, 2005, 6, 405-9	2.9	11
9	Urinary frequency: event measure, outcome significance?. Current Urology Reports, 2005, 6, 87-8	2.9	
8	Urinary incontinence: proper assessment and available treatment options. <i>Journal of Womengs Health</i> , 2005 , 14, 906-16	3	6
7	Advancements in minimally invasive treatments for female stress urinary incontinence: radiofrequency and bulking agents. <i>Current Urology Reports</i> , 2003 , 4, 350-5	2.9	22
6	Duloxetine versus placebo for the treatment of North American women with stress urinary incontinence. <i>Journal of Urology</i> , 2003 , 170, 1259-63	2.5	246
5	Comparative efficacy and safety of transdermal oxybutynin and oral tolterodine versus placebo in previously treated patients with urge and mixed urinary incontinence. <i>Urology</i> , 2003 , 62, 237-42	1.6	244
4	Advances in drug delivery: improved bioavailability and drug effect. <i>Current Urology Reports</i> , 2002 , 3, 439-44	2.9	19
3	Oxybutynin chloride: alterations in drug delivery and improved therapeutic index. <i>Expert Opinion on Pharmacotherapy</i> , 2002 , 3, 443-54	4	6

LIST OF PUBLICATIONS

Overactive bladder in men: special considerations for evaluation and management. *Urology*, **2002**, 60, 56-62; discussion 62-3

1.6 17

(S)-oxybutynin (Sepracor). Current Opinion in Investigational Drugs, 2002, 3, 1508-11

2