

Chun-Xia Luo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7104334/chun-xia-luo-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38

papers

1,639

citations

20

h-index

39

g-index

39

ext. papers

2,092

ext. citations

8.6

avg, IF

4.26

L-index

#	Paper	IF	Citations
38	Projections from Infralimbic Cortex to Paraventricular Thalamus Mediate Fear Extinction Retrieval. <i>Neuroscience Bulletin</i> , 2021 , 37, 229-241	4.3	7
37	Dorsal Hippocampus to Infralimbic Cortex Circuit is Essential for the Recall of Extinction Memory. <i>Cerebral Cortex</i> , 2021 , 31, 1707-1718	5.1	5
36	Neuronal Nitric Oxide Synthase in Nucleus Accumbens Specifically Mediates Susceptibility to Social Defeat Stress through Cyclin-Dependent Kinase 5. <i>Journal of Neuroscience</i> , 2021 , 41, 2523-2539	6.6	3
35	A pain killer without analgesic tolerance designed by co-targeting PSD-95-nNOS interaction and μ -containing GABARs. <i>Theranostics</i> , 2021 , 11, 5970-5985	12.1	4
34	nNOS-expressing neurons in the vmPFC transform pPVT-derived chronic pain signals into anxiety behaviors. <i>Nature Communications</i> , 2020 , 11, 2501	17.4	22
33	HDAC2 (Histone deacetylase 2): A critical factor in environmental enrichment-mediated stroke recovery. <i>Journal of Neurochemistry</i> , 2020 , 155, 679-696	6	5
32	Prolonged Use of NMDAR Antagonist Develops Analgesic Tolerance in Neuropathic Pain via Nitric Oxide Reduction-Induced GABAergic Disinhibition. <i>Neurotherapeutics</i> , 2020 , 17, 1016-1030	6.4	7
31	Anterior Cingulate Cortex to Ventral Hippocampus Circuit Mediates Contextual Fear Generalization. <i>Journal of Neuroscience</i> , 2019 , 39, 5728-5739	6.6	26
30	Uncoupling nNOS-PSD-95 in the ACC can inhibit contextual fear generalization. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 513, 248-254	3.4	3
29	Dissociating nNOS (Neuronal NO Synthase)-CAPON (Carboxy-Terminal Postsynaptic Density-95/Discs Large/Zona Occludens-1 Ligand of nNOS) Interaction Promotes Functional Recovery After Stroke via Enhanced Structural Neuroplasticity. <i>Stroke</i> , 2019 , 50, 728-737	6.7	13
28	Extracellular regulated protein kinase is critical for the role of 5-HT1a receptor in modulating nNOS expression and anxiety-related behaviors. <i>Behavioural Brain Research</i> , 2019 , 357-358, 88-97	3.4	11
27	nNOS-CAPON interaction mediates amyloid- β -induced neurotoxicity, especially in the early stages. <i>Aging Cell</i> , 2018 , 17, e12754	9.9	12
26	(+)-Borneol suppresses conditioned fear recall and anxiety-like behaviors in mice. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 495, 1588-1593	3.4	11
25	Dissociation of nNOS from PSD-95 promotes functional recovery after cerebral ischaemia in mice through reducing excessive tonic GABA release from reactive astrocytes. <i>Journal of Pathology</i> , 2018 , 244, 176-188	9.4	19
24	Sucrose preference test for measurement of stress-induced anhedonia in mice. <i>Nature Protocols</i> , 2018 , 13, 1686-1698	18.8	198
23	2-Methyl-5H-benzo[d]pyrazolo[5,1-b][1,3]oxazin-5-imine, an edaravone analog, exerts neuroprotective effects against acute ischemic injury via inhibiting oxidative stress. <i>Journal of Biomedical Research</i> , 2018 , 32, 270-280	1.5	2
22	PSD-95-nNOS Coupling Regulates Contextual Fear Extinction in the Dorsal CA3. <i>Scientific Reports</i> , 2018 , 8, 12775	4.9	15

21	ZL006 promotes migration and differentiation of transplanted neural stem cells in male rats after stroke. <i>Journal of Neuroscience Research</i> , 2017 , 95, 2409-2419	4.4	6
20	Opening a New Time Window for Treatment of Stroke by Targeting HDAC2. <i>Journal of Neuroscience</i> , 2017 , 37, 6712-6728	6.6	41
19	MGE-derived nNOS interneurons promote fear acquisition in nNOS mice. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 493, 1560-1566	3.4	1
18	Inhibiting Histone Deacetylase 2 (HDAC2) Promotes Functional Recovery From Stroke. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	29
17	Disrupting nNOS-PSD-95 coupling in the hippocampal dentate gyrus promotes extinction memory retrieval. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 493, 862-868	3.4	10
16	(+)-Borneol is neuroprotective against permanent cerebral ischemia in rats by suppressing production of proinflammatory cytokines. <i>Journal of Biomedical Research</i> , 2017 , 31, 306-314	1.5	12
15	Neuroprotection of taurine against reactive oxygen species is associated with inhibiting NADPH oxidases. <i>European Journal of Pharmacology</i> , 2016 , 777, 129-35	5.3	27
14	CREB-mediated synaptogenesis and neurogenesis is crucial for the role of 5-HT1a receptors in modulating anxiety behaviors. <i>Scientific Reports</i> , 2016 , 6, 29551	4.9	27
13	Delayed Administration of Tat-HA-NR2B9c Promotes Recovery After Stroke in Rats. <i>Stroke</i> , 2015 , 46, 1352-8	6.7	30
12	CAPON-nNOS coupling can serve as a target for developing new anxiolytics. <i>Nature Medicine</i> , 2014 , 20, 1050-4	50.5	54
11	Interaction of nNOS with PSD-95 negatively controls regenerative repair after stroke. <i>Journal of Neuroscience</i> , 2014 , 34, 13535-48	6.6	51
10	The synergetic effect of edaravone and borneol in the rat model of ischemic stroke. <i>European Journal of Pharmacology</i> , 2014 , 740, 522-31	5.3	45
9	Hippocampal nitric oxide contributes to sex difference in affective behaviors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 14224-9	11.5	60
8	Research progress on neurobiology of neuronal nitric oxide synthase. <i>Neuroscience Bulletin</i> , 2011 , 27, 23-35	4.3	36
7	Hippocampal neuronal nitric oxide synthase mediates the stress-related depressive behaviors of glucocorticoids by downregulating glucocorticoid receptor. <i>Journal of Neuroscience</i> , 2011 , 31, 7579-90	6.6	101
6	Treatment of cerebral ischemia by disrupting ischemia-induced interaction of nNOS with PSD-95. <i>Nature Medicine</i> , 2010 , 16, 1439-43	50.5	255
5	Neuronal nitric oxide synthase alteration accounts for the role of 5-HT1A receptor in modulating anxiety-related behaviors. <i>Journal of Neuroscience</i> , 2010 , 30, 2433-41	6.6	107
4	Bidirectional regulation of neurogenesis by neuronal nitric oxide synthase derived from neurons and neural stem cells. <i>Stem Cells</i> , 2010 , 28, 2041-52	5.8	52

- 3 Chronic fluoxetine treatment improves ischemia-induced spatial cognitive deficits through increasing hippocampal neurogenesis after stroke. *Journal of Neuroscience Research*, **2009**, 87, 112-22 4.4 100
- 2 Negative regulation of neurogenesis and spatial memory by NR2B-containing NMDA receptors. *Journal of Neurochemistry*, **2008**, 106, 1900-13 6 57
- 1 Neuronal nitric oxide synthase contributes to chronic stress-induced depression by suppressing hippocampal neurogenesis. *Journal of Neurochemistry*, **2007**, 103, 1843-54 6 174