

# Paul Mick

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7104948/publications.pdf>

Version: 2024-02-01

27  
papers

1,160  
citations

687220

13  
h-index

580701

25  
g-index

27  
all docs

27  
docs citations

27  
times ranked

1681  
citing authors

#	ARTICLE	IF	CITATIONS
1	Self-report Measures of Hearing and Vision in Older Adults Participating in the Canadian Longitudinal Study of Aging are Explained by Behavioral Sensory Measures, Demographic, and Social Factors. <i>Ear and Hearing</i> , 2021, 42, 814-831.	1.0	21
2	Quality Indicators for the Diagnosis and Management of Sudden Sensorineural Hearing Loss. <i>Otology and Neurotology</i> , 2021, Publish Ahead of Print, e991-e1000.	0.7	1
3	Quality Indicators for the Diagnosis and Management of MeniÃ“re's Disease. <i>Otology and Neurotology</i> , 2021, 42, e1084-e1092.	0.7	1
4	Hearing Screening for Residents in Long-Term Care Homes Who Live with Dementia: A Scoping Review. <i>Journal of Alzheimer's Disease</i> , 2021, 84, 1-24.	1.2	1
5	Aerosol-generating otolaryngology procedures and the need for enhanced PPE during the COVID-19 pandemic: a literature review. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2020, 49, 29.	0.9	176
6	Hearing and Cognitive Impairments Increase the Risk of Long-term Care Admissions. <i>Innovation in Aging</i> , 2020, 4, igz053.	0.0	7
7	Detection of vision and /or hearing loss using the interRAI Community Health Assessment aligns well with common behavioral vision/hearing measurements. <i>PLoS ONE</i> , 2019, 14, e0223123.	1.1	13
8	Walk, Talk and Listen: a pilot randomised controlled trial targeting functional fitness and loneliness in older adults with hearing loss. <i>BMJ Open</i> , 2019, 9, e026169.	0.8	19
9	Sensory-cognitive associations are only weakly mediated or moderated by social factors in the Canadian Longitudinal Study on Aging. <i>Scientific Reports</i> , 2019, 9, 19660.	1.6	26
10	Hearing Difficulty Is Associated With Injuries Requiring Medical Care. <i>Ear and Hearing</i> , 2018, 39, 631-644.	1.0	11
11	Targeting the psychosocial and functional fitness challenges of older adults with hearing loss: a participatory approach to adaptation of the walk and talk for your life program. <i>International Journal of Audiology</i> , 2018, 57, 519-528.	0.9	3
12	Combined impairments in vision, hearing and cognition are associated with greater levels of functional and communication difficulties than cognitive impairment alone: Analysis of interRAI data for home care and long-term care recipients in Ontario. <i>PLoS ONE</i> , 2018, 13, e0192971.	1.1	102
13	Associations between sensory loss and social networks, participation, support, and loneliness: Analysis of the Canadian Longitudinal Study on Aging. <i>Canadian Family Physician</i> , 2018, 64, e33-e41.	0.1	51
14	Targeting functional fitness, hearing and health-related quality of life in older adults with hearing loss: Walk, Talk 'n' Listen, study protocol for a pilot randomized controlled trial. <i>Trials</i> , 2017, 18, 47.	0.7	6
15	Mental practice in surgical training. <i>Clinical Teacher</i> , 2016, 13, 443-444.	0.4	3
16	Is Hearing Loss Associated with Poorer Health in Older Adults Who Might Benefit from Hearing Screening?. <i>Ear and Hearing</i> , 2016, 37, e194-e201.	1.0	51
17	Hearing, Cognition, and Healthy Aging: Social and Public Health Implications of the Links between Age-Related Declines in Hearing and Cognition. <i>Seminars in Hearing</i> , 2015, 36, 122-139.	0.5	78
18	The Association between Hearing Loss and Social Isolation in Older Adults. <i>Otolaryngology - Head and Neck Surgery</i> , 2014, 150, 378-384.	1.1	402

#	ARTICLE	IF	CITATIONS
19	Cochlear Implantation in Patients With Advanced Ménière's Disease. <i>Otology and Neurotology</i> , 2014, 35, 1172-1178.	0.7	31
20	Hearing Loss is Associated with Poorer Ratings of Patient-Physician Communication and Healthcare Quality. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 2207-2209.	1.3	70
21	Hearing Preservation With Full Insertion of the FLEXsoft Electrode. <i>Otology and Neurotology</i> , 2014, 35, e40-e44.	0.7	41
22	Facial nerve prognostication in vestibular schwannoma surgery: The concept of percent maximum and its predictability. <i>Laryngoscope</i> , 2013, 123, 2533-2538.	1.1	8
23	Hearing Preservation After Adult Cochlear Implantation Using the FLEXsoft Electrode. <i>Laryngoscope</i> , 2011, 121, S329.	1.1	1
24	Lateral Intracanalicular Growth of Vestibular Schwannomas and Surgical Planning. <i>Otology and Neurotology</i> , 2010, 31, 267-270.	0.7	6
25	Growing Vestibular Schwannomas. <i>Otology and Neurotology</i> , 2009, 30, 101-104.	0.7	15
26	Epigenetic changes in the DAP-kinase CpG island in pediatric lymphoma. <i>Medical and Pediatric Oncology</i> , 2003, 41, 527-531.	1.0	12
27	A Newly Identified Impairment in Both Vision and Hearing Increases the Risk of Deterioration in Both Communication and Cognitive Performance. <i>Canadian Journal on Aging</i> , 0, , 1-14.	0.6	4