

# Ramin Heydari

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7107735/publications.pdf>

Version: 2024-02-01

56  
papers

342  
citations

933447

10  
h-index

1125743

13  
g-index

58  
all docs

58  
docs citations

58  
times ranked

138  
citing authors

#	ARTICLE	IF	CITATIONS
1	Description of <i>Aphelenchoides huntensis</i> sp. n. (Nematoda: Aphelenchoididae) isolated from <i>Pinus sylvestris</i> in western Iran. <i>Nematology</i> , 2016, 18, 357-366.	0.6	18
2	<i>Laimaphelenchus hyrcanus</i> n. sp. (Nematoda: Aphelenchoididae), a new species from northern Iran. <i>Zootaxa</i> , 2015, 3915, 591-600.	0.5	16
3	<i>Laimaphelenchus persicus</i> n. sp. (Nematoda: Aphelenchoididae) from Iran. <i>Zootaxa</i> , 2012, 3325, 59.	0.5	15
4	Molecular and morphological characterization of <i>Veleshkinema iranicum</i> n. gen., n. sp. (Nematoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.5	14
5	Description of <i>Ektaphelenchoides fuchsi</i> n. sp. (Nematoda: Ektaphelenchinae) from western Iran. <i>Zootaxa</i> , 2014, 3846, 430-8.	0.5	13
6	Molecular and Morphological Characterization of <i>Aphelenchoides fuchsi</i> sp. n. (Nematoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.9	13
7	Morphological and molecular characterisation of <i>Trichodorus golestanensis</i> (Nematoda: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.7	12
8	Investigating the effect of <i>Glomus mosseae</i> , <i>Bacillus subtilis</i> and <i>Trichoderma harzianum</i> on plant growth and controlling <i>Meloidogyne javanica</i> in tomato. <i>Indian Phytopathology</i> , 2020, 73, 293-300.	1.2	12
9	<i>Aphelenchoides iranicus</i> n. sp. (Nematoda: Aphelenchoididae) from West Azerbaijan province, Iran. <i>Nematology</i> , 2016, 18, 973-985.	0.6	11
10	Evaluation of four rhizobacteria on tomato growth and suppression of root-knot nematode, <i>Meloidogyne javanica</i> under greenhouse conditions, a pilot study. <i>Egyptian Journal of Biological Pest Control</i> , 2018, 28, .	1.8	11
11	Molecular characterisation of two known species of <i>Paratylenchus</i> Micoletzky, 1922 from Iran with notes on the validity of <i>Paratylenchus audriellus</i> Brown, 1959. <i>Nematology</i> , 2016, 18, 591-604.	0.6	10
12	A new needle nematode, <i>Longidorus persicus</i> n. sp. (Nematoda: Longidoridae), from Kermanshah province, western Iran. <i>European Journal of Plant Pathology</i> , 2017, 147, 27-41.	1.7	10
13	Description of <i>Ektaphelenchus oleae</i> n. sp. (Rhabditida: Ektaphelenchinae) from Iran. <i>Nematology</i> , 2017, 19, 1123-1134.	0.6	10
14	<i>Paurodontella iranica</i> sp. nov. of Sphaerulariidae (Nematoda) from North West Iran. <i>Annales Zoologici</i> , 2016, 66, 125-130.	0.8	9
15	Description of two new species of <i>Seinura</i> Fuchs, 1931 (Nematoda: Aphelenchoididae) from Iran. <i>Zootaxa</i> , 2016, 4168, 541-556.	0.5	9
16	Description of a New Anguinid Nematode, <i>Nothotylenchus phoenixae</i> n. sp. (Nematoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 14	0.9	9
17	New morphometric ranges for <i>Bursaphelenchus willibaldi</i> SchÄ¶nfeld et Äal. 2006 (Nematoda: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 14	1.1	8
18	Molecular and morphological characterisation of <i>Ditylenchus persicus</i> n. sp. (Nematoda: Anguinidae) from Kermanshah province, western Iran. <i>Nematology</i> , 2017, 19, 211-223.	0.6	8

#	ARTICLE	IF	CITATIONS
19	<i>Aphelenchoides gorganensis</i> n. sp. (Nematoda: Aphelenchoididae), a new species from Iran. <i>European Journal of Plant Pathology</i> , 2017, 149, 157-169.	1.7	8
20	Description of <i>Aphelenchoides macrospica</i> n. sp. (Nematoda: Aphelenchoididae) from Northwestern Iran. <i>Journal of Nematology</i> , 2017, 49, 67-76.	0.9	8
21	Description of <i>Cryptaphelenchus iranicus</i> n. sp. (Nematoda: Ektaphelenchinae) recovered from bark samples of <i>Pinus nigra</i> from Iran. <i>Zootaxa</i> , 2016, 4139, 117.	0.5	7
22	Molecular and morphological characterisation of <i>Aphelenchoides paraxui</i> n. sp. (Nematoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 T Pathology, 2017, 149, 625-637.	1.7	7
23	Molecular and morphological characterisation of <i>Cryptaphelenchus bajardi</i> n. sp. (Nematoda: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627 T Pathology, 2017, 149, 625-637.	0.6	7
24	First report of corn cyst nematode, <i>Heterodera zeae</i> in Afghanistan. <i>Australasian Plant Disease Notes</i> , 2013, 8, 93-96.	0.7	6
25	Morphological characterisation of a new and two known species of <i>Ditylenchus</i> Filipjev, 1936 (Nematoda: Anguinidae) from Iran. <i>Zootaxa</i> , 2017, 4216, 355.	0.5	6
26	Molecular and morphological characterisation of <i>Paurodontella persica</i> n. sp. (Hexatyliina: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462 T Pathology, 2017, 149, 625-637.	0.6	6
27	<i>Aphelenchoides salixae</i> n. sp. (Nematoda: Aphelenchoididae) isolated from <i>Salix alba</i> in western Iran. <i>Nematology</i> , 2017, 19, 697-707.	0.6	6
28	Description of <i>Ektaphelenchus cupressi</i> n. sp. (Nematoda: Ektaphelenchinae) from Iran. <i>Nematology</i> , 2019, 21, 679-691.	0.6	6
29	First report of stubby root nematode, <i>Paratrichodorus teres</i> (Nematoda: Trichodoridae) from Iran. <i>Australasian Plant Disease Notes</i> , 2014, 9, 1.	0.7	5
30	<i>Rotylenchus sardashtensis</i> n. sp., a monosexual species from Iran, with molecular identification and detailed morphological observations on an Iranian population of <i>Rotylenchus cypriensis</i> Antoniou, 1980 (Nematoda: Rhabditida: Hoplolaimidae). <i>Systematic Parasitology</i> , 2016, 93, 395-411.	1.1	5
31	<i>Nothotylenchus persicus</i> n. sp. (Nematoda: Anguinidae) from Kermanshah province, Iran. <i>Nematology</i> , 2016, 18, 29-37.	0.6	5
32	Morphological and molecular characterisation of <i>Ditylenchus stenurus</i> n. sp. (Nematoda: Anguinidae) from western Iran. <i>European Journal of Plant Pathology</i> , 2017, 149, 533-542.	1.7	5
33	<i>Paurodontella parapitica</i> n. sp. (Nematoda: Hexatyliina, Sphaerularioidea) from Kermanshah Province, Western Iran. <i>Journal of Nematology</i> , 2016, 48, 109-115.	0.9	5
34	Yield loss caused by soybean cyst nematode, <i>Heterodera glycines</i> , in Iran. <i>Nematology</i> , 2012, 14, 589-593.	0.6	4
35	<i>Tripylina gorganensis</i> n. sp. (Triplonchida: Tripylidae) from northern Iran. <i>Nematology</i> , 2012, 14, 613-621.	0.6	4
36	Effects of <i>Pseudomonas fluorescens</i> strain UTPF5 on the mobility, mortality and hatching of root-knot nematode <i>Meloidogyne javanica</i> . <i>Archives of Phytopathology and Plant Protection</i> , 2014, 47, 744-752.	1.3	4

#	ARTICLE	IF	CITATIONS
37	New record of three species of <i>Ditylenchus</i> Filipjev, 1936 (Nematoda: Anguinidae), with a key to the species reported from Iran. <i>Journal of Crop Protection</i> , 2016, 5, 565-579.	0.5	4
38	<i>Aphelenchoides eldaricus</i> n. sp. (Nematoda: Aphelenchoididae) isolated from <i>Pinus eldarica</i> in western Iran. <i>Nematology</i> , 2017, 19, 605-616.	0.6	3
39	Description of <i>Malenchus gilanensis</i> n. sp. from Iran. <i>Zootaxa</i> , 2019, 4638, 562-570.	0.5	3
40	Molecular and morphological characterization of <i>Ektaphelenchoides maafiae</i> n. sp. (Nematoda: Ektaphelenchinae) from northern forests of Iran. <i>Forest Pathology</i> , 2019, 49, e12565.	1.1	3
41	Comparative host suitability of common bean cultivars to the soybean cyst nematode, <i>Heterodera glycines</i> , in Iran. <i>Nematology</i> , 2010, 12, 335-341.	0.6	2
42	Molecular and morphological characterization of <i>Belondira coomansi</i> n. sp. (Nematoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 54)	1.0	2
43	Molecular and morphological characterisation of <i>Aphelenchoides kheirii</i> n. sp. (Nematoda: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 54)	0.6	2
44	Description of <i>Aphelenchoides tabarestanensis</i> n. sp. (Nematoda: Aphelenchoididae) isolated from <i>Pinus brutia</i> in Northern Iran. <i>Nematology</i> , 2019, 21, 159-169.	0.6	2
45	Description of a New Anguinid Nematode, n. sp. (Nematoda: Anguinidae) Associated with Palm Date Trees and Its Phylogenetic Relations within the Family Anguinidae. <i>Journal of Nematology</i> , 2017, 49, 268-275.	0.9	2
46	Morphological and molecular characterization of <i>Tylencholaimellus persicus</i> sp. n. (Dorylaimida: Tylencholaimellidae) from Iran. <i>Zootaxa</i> , 2015, 4040, 74.	0.5	1
47	Description of <i>Tylencholaimus discus</i> sp. n. (Nematoda, Dorylaimida, Tylencholaimidae) from Iran. <i>Zootaxa</i> , 2019, 4551, 379-384.	0.5	1
48	Molecular and morphological characterization of <i>Paurodontoides siddiqii</i> n. sp. (Nematoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 54) <i>Journal of Helminthology</i> , 2020, 94, e16.	1.0	1
49	<i>Basilaphelenchus hyrcanus</i> n. sp. (Rhabditida: Tylyphelenchinae) associated with bark of a beech tree ( <i>Fagus orientalis</i> Lipsky) from northern Iran. <i>Journal of Nematology</i> , 2021, 53, 1-11.	0.9	1
50	<i>Nothotylenchus andrassy</i> n. sp. (Nematoda: Anguinidae) from Northern Iran. <i>Journal of Nematology</i> , 2018, 50, 219-228.	0.9	1
51	Molecular and morphological characterization of <i>Paurodontella composticola</i> n. sp. (Nematoda: Hexatylinea, Sphaerulariidae) from Iran. <i>Journal of Nematology</i> , 2019, 51, 1-12.	0.9	1
52	Description of <i>Deladenus gilanica</i> n. sp. (Hexatylinea: Neotylenchidae) isolated from wood of black pine in Northern Iran. <i>Journal of Nematology</i> , 2020, 52, 1-10.	0.9	1
53	MEHRAB ESMAEILI, RAMIN HEYDARI, EBRAHIM POURJAM & MOHAMMAD REZA ATIGHI (2014) Description of <i>Ektaphelenchoides fuchsi</i> n. sp. (Nematoda: Ektaphelenchinae) from western Iran. <i>Zootaxa</i> , 3846(3): 430-438. <i>Zootaxa</i> , 2014, 3860, .	0.5	0
54	YASER AEDELDOOST, RAMIN HEYDARI & MAJID PEDRAM (2015) Morphological and molecular characterization of <i>Tylencholaimellus persicus</i> sp. n. (Dorylaimida: Tylencholaimellidae) from Iran. <i>Zootaxa</i> , 4040 (1): 074-082. <i>Zootaxa</i> , 2016, 4066, 600.	0.5	0

#	ARTICLE	IF	CITATIONS
55	Molecular phylogenetic study of <i>Bealius</i> Massey & Hinds, 1970 (Nematoda: Hexatylini) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.56	0
56	Description of four species of Tylenchidae Årley, 1880 (Nematoda: Tylenchomorpha) with two new records from Iran. Journal of Crop Protection, 2016, 5, 627-642.	0.5	0