

# Ewa Kwiatkowska

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7108004/publications.pdf>

Version: 2024-02-01

52  
papers

511  
citations

687220

13  
h-index

794469

19  
g-index

55  
all docs

55  
docs citations

55  
times ranked

677  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Mechanism of Drug Nephrotoxicity and the Methods for Preventing Kidney Damage. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6109.	1.8	71
2	Urinary Metalloproteinases-9 and -2 and Their Inhibitors TIMP-1 and TIMP-2 are Markers of Early and Long-Term Graft Function After Renal Transplantation. <i>Kidney and Blood Pressure Research</i> , 2016, 41, 288-297.	0.9	24
3	A Common Profile of Disordered Angiogenic Factor Production and the Exacerbation of Inflammation in Early Preeclampsia, Late Preeclampsia, and Intrauterine Growth Restriction. <i>PLoS ONE</i> , 2016, 11, e0165060.	1.1	23
4	Erythrocyte Antioxidant Defense System in Patients with Chronic Renal Failure According to the Hemodialysis Conditions. <i>Archives of Medical Research</i> , 2006, 37, 353-359.	1.5	22
5	Effect of delayed graft function, acute rejection and chronic allograft dysfunction on kidney allograft telomere length in patients after transplantation: a prospective cohort study. <i>BMC Nephrology</i> , 2015, 16, 23.	0.8	22
6	Maternal endothelial damage as a disorder shared by early preeclampsia, late preeclampsia and intrauterine growth restriction. <i>Journal of Perinatal Medicine</i> , 2017, 45, 793-802.	0.6	19
7	sFlt-1/PlGF and Doppler ultrasound parameters in SGA pregnancies with confirmed neonatal birth weight below 10th percentile. <i>Pregnancy Hypertension</i> , 2018, 14, 79-85.	0.6	18
8	The sFlt-1/PlGF ratio values within the <math>38, 38\leq 85</math> and >85 brackets as compared to perinatal outcomes. <i>Journal of Perinatal Medicine</i> , 2019, 47, 732-740.	0.6	17
9	Molecular Pathways of Cellular Senescence and Placental Aging in Late Fetal Growth Restriction and Stillbirth. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4186.	1.8	16
10	Association Between Plasma Concentration of Klotho Protein, Osteocalcin, Leptin, Adiponectin, and Bone Mineral Density in Patients with Chronic Kidney Disease. <i>Hormone and Metabolic Research</i> , 2018, 50, 816-821.	0.7	15
11	Podocytes – The Most Vulnerable Renal Cells in Preeclampsia. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5051.	1.8	15
12	Correlation between ICAM1 and VCAM1 gene polymorphisms and histopathological changes in kidney allograft biopsies. <i>Archives of Medical Science</i> , 2013, 2, 276-282.	0.4	13
13	Do the physiological aging of the placenta and the changes in angiogenesis marker sFlt-1 and PlGF concentrations predispose patients to late-onset preeclampsia?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 11-20.	0.7	13
14	The Clinical Importance of IL-6, IL-8, and TNF- $\alpha$ in Patients with Ovarian Carcinoma and Benign Cystic Lesions. <i>Diagnostics</i> , 2021, 11, 1625.	1.3	13
15	GNB3 C825T and ACE I/D Polymorphisms on the Sodium-Proton Exchanger and the Prevalence of Essential Hypertension in Males. <i>Archives of Medical Research</i> , 2006, 37, 150-157.	1.5	12
16	Development of a focal segmental glomerulosclerosis after pregnancy complicated by preeclampsia: case report and review of literature. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 1566-1569.	0.7	12
17	The Most Promising Biomarkers of Allogeneic Kidney Transplant Rejection. <i>Journal of Immunology Research</i> , 2022, 2022, 1-18.	0.9	12
18	Influence of Glucose in the Dialysate on the Activity of Erythrocyte-Glutathione-Peroxidase and Blood Selenium Concentration in Hemodialyzed Patients. <i>Archives of Medical Research</i> , 2007, 38, 330-336.	1.5	11

#	ARTICLE	IF	CITATIONS
19	Application of Telehealth in Prenatal Care during the COVID-19 Pandemicâ€”A Cross-Sectional Survey of Polish Women. <i>Journal of Clinical Medicine</i> , 2021, 10, 2570.	1.0	11
20	Effect of Hemodialysis on the Content of Fatty Acids in Monolayers of Erythrocyte Membranes in Patients with Chronic Renal Failure. <i>Renal Failure</i> , 2007, 29, 447-452.	0.8	10
21	The impact of <i>CTLA4</i> and <i>PTPN22</i> genes polymorphisms on long-term renal allograft function and transplant outcomes. <i>Renal Failure</i> , 2013, 35, 1223-1227.	0.8	10
22	C/D Ratio in Long-Term Renal Function. <i>Transplantation Proceedings</i> , 2019, 51, 3265-3270.	0.3	10
23	The role of disordered angiogenesis tissue markers (sflt-1, Plgf) in present day diagnosis of preeclampsia. <i>Ginekologia Polska</i> , 2019, 90, 173-176.	0.3	10
24	Trace elements modify the activity of sodium transporting systems in erythrocyte membrane in patients with essential hypertension-preliminary study. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 469-471.	0.4	9
25	<i>hTERT</i> , <i>BICD1</i> and Chromosome 18 Polymorphisms Associated with Telomere Length Affect Kidney Allograft Function After Transplantation. <i>Kidney and Blood Pressure Research</i> , 2015, 40, 111-120.	0.9	9
26	Successful pregnancy in the patient with Fanconiâ€™Bickel syndrome undergoing daily hemodialysis. <i>American Journal of Medical Genetics, Part A</i> , 2011, 155, 2028-2030.	0.7	8
27	Ischemic placental syndrome â€” prediction and new disease monitoring. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 1-7.	0.7	8
28	Does Glucose Present in the Dialysate Limit Oxidative Stress in Patients Undergoing Regular Hemodialysis?. <i>Blood Purification</i> , 2005, 23, 219-225.	0.9	7
29	IL2-IL21 gene cluster polymorphism is not associated with allograft function after kidney transplantation. <i>International Urology and Nephrology</i> , 2014, 46, 2415-2420.	0.6	6
30	Urinary IL-8 is a marker of early and long-term graft function after renal transplantation. <i>Renal Failure</i> , 2017, 39, 484-490.	0.8	6
31	Diagnosis of placental insufficiency independently of clinical presentations using sFlt-1/PLGF ratio, including SGA patients. <i>Pregnancy Hypertension</i> , 2021, 25, 244-248.	0.6	6
32	Gamma-Glutamyl Transpeptidase as the Marker of Kidney Graft Function. <i>Advances in Clinical and Experimental Medicine</i> , 2014, 23, 947-952.	0.6	6
33	SARS-CoV-2 mRNA Vaccine-Induced Cellular and Humoral Immunity in Hemodialysis Patients. <i>Biomedicines</i> , 2022, 10, 636.	1.4	6
34	Minimal-Change Disease Secondary to <i>Borrelia burgdorferi</i> Infection. <i>Case Reports in Nephrology</i> , 2012, 2012, 1-3.	0.2	5
35	How Is Body Composition and Nutrition Status Associated with Erythropoietin Response in Hemodialyzed Patients? A Single-Center Prospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 2426.	1.0	5
36	Urinary lysosomal enzyme excretion in pregnant women with hypertensive disorders. <i>Hypertension in Pregnancy</i> , 2014, 33, 349-359.	0.5	4

#	ARTICLE	IF	CITATIONS
37	Assessment and Prognosis in CSA-AKI Using Novel Kidney Injury Biomarkers: A Prospective Observational Study. <i>Biology</i> , 2021, 10, 823.	1.3	4
38	Do Trace Elements Modify the Activity of Erythrocyte Sodium-Proton Exchanger in Hemodialyzed Patients?. <i>Biological Trace Element Research</i> , 2005, 104, 107-120.	1.9	3
39	Activity of urine arylsulfatase A in brain-dead graft donors is a predictor of early and late graft function. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2017, 71, 1-4.	0.1	3
40	N-acetyl-beta-glucosaminidase urine activity as a marker of early proximal tubule damage and a predictor of the long-term function of the transplanted kidneys. <i>Acta Biochimica Polonica</i> , 2014, 61, 275-80.	0.3	3
41	Plasma concentration of urokinase plasminogen activator receptor is a marker of kidney allograft function. <i>Irish Journal of Medical Science</i> , 2018, 187, 1083-1087.	0.8	2
42	Urinary hepatocyte growth factor indicates ischemia/reperfusion injury after kidney transplantation. <i>Transplantation</i> , 2010, 120, 437-42.		2
43	Effectiveness of Different Algorithms and Cut-off Value in Preeclampsia First Trimester Screening. <i>Journal of Pregnancy</i> , 2022, 2022, 1-11.	1.1	2
44	PPAR $\alpha$ Factor Linking Metabolically Unhealthy Obesity with Placental Pathologies. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13167.	1.8	2
45	Using Doppler ultrasound of the uterine and umbilical arteries and disordered angiogenesis markers (sFlt-1/PlGF) in unified monitoring of ischemic placental syndrome patients. <i>Hypertension in Pregnancy</i> , 2016, 35, 490-498.	0.5	1
46	Kidney Allograft Telomere Length Is Not Associated with Sex, Recipient Comorbid Conditions, Post-Transplant Infections, or CMV Reactivation. <i>Annals of Transplantation</i> , 2016, 21, 392-399.	0.5	1
47	Activity of urine arylsulfatase A in brain-dead graft donors is a predictor of early and late graft function. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2017, 71, 1-4.	0.1	1
48	Clinical and Biochemical Characteristics of Brain-Dead Donors as Predictors of Early- and Long-Term Renal Function After Transplant. <i>Experimental and Clinical Transplantation</i> , 2017, 15, 387-393.	0.2	1
49	The Effects of EMMPRIN/CD147 on Late Function and Histopathological Lesions of the Renal Graft. <i>Biology</i> , 2022, 11, 232.	1.3	1
50	The role of uropathogenic <i>Escherichia coli</i> adhesive molecules in inflammatory response- comparative study on immunocompetent hosts and kidney recipients. <i>PLoS ONE</i> , 2022, 17, e0268243.	1.1	1
51	Urinary excretion of brush-border enzymes of the proximal renal tubules in pregnant women with hypertensive disorders. <i>Ginekologia Polska</i> , 2015, 86, 494-498.	0.3	0
52	The Effects of Sex and Body Weight on Renal Graft Function-The Role of CCL2. <i>Journal of Clinical Medicine</i> , 2021, 10, 4951.	1.0	0