

Angelo Parini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7108557/publications.pdf>

Version: 2024-02-01

126
papers

5,957
citations

61984

43
h-index

79698

73
g-index

133
all docs

133
docs citations

133
times ranked

7622
citing authors

#	ARTICLE	IF	CITATIONS
1	Kidney inflammaging is promoted by CCR2+ macrophages and tissue-derived micro-environmental factors. Cellular and Molecular Life Sciences, 2021, 78, 3485-3501.	5.4	13
2	Selective Cardiomyocyte Oxidative Stress Leads to Bystander Senescence of Cardiac Stromal Cells. International Journal of Molecular Sciences, 2021, 22, 2245.	4.1	7
3	Monoamine oxidases in age-associated diseases: New perspectives for old enzymes. Ageing Research Reviews, 2021, 66, 101256.	10.9	44
4	Low-energy electron beam sterilization of solid alginate and chitosan, and their polyelectrolyte complexes. Carbohydrate Polymers, 2021, 261, 117578.	10.2	7
5	Cardiac macrophage subsets differentially regulate lymphatic network remodeling during pressure overload. Scientific Reports, 2021, 11, 16801.	3.3	21
6	The INSPIRE research initiative: a program for GeroScience and healthy aging research going from animal models to humans and the healthcare system. Journal of Frailty & Aging, 2021, 10, 1-8.	1.3	30
7	The INSPIRE Bio-resource Research Platform for Healthy Aging and Geroscience: Focus on the Human Translational Research Cohort (The INSPIRE-T Cohort). Journal of Frailty & Aging, 2021, 10, 1-11.	1.3	17
8	Towards a large-scale assessment of the relationship between biological and chronological aging: The INSPIRE Mouse Cohort. Journal of Frailty & Aging, 2021, 10, 1-11.	1.3	9
9	REVISITING THE HALLMARKS OF AGING TO IDENTIFY MARKERS OF BIOLOGICAL AGE. journal of prevention of Alzheimer's disease, 2020, 7, 1-9.	2.7	56
10	Mitochondrial 4-HNE derived from MAO-A promotes mitoCa ²⁺ overload in chronic postischemic cardiac remodeling. Cell Death and Differentiation, 2020, 27, 1907-1923.	11.2	51
11	Extracellular vesicles of MSCs and cardiomyoblasts are vehicles for lipid mediators. Biochimie, 2020, 178, 69-80.	2.6	14
12	Rational Redesign of Monoamine Oxidase A into a Dehydrogenase to Probe ROS in Cardiac Aging. ACS Chemical Biology, 2020, 15, 1795-1800.	3.4	12
13	Cardiac monoamine oxidases: at the heart of mitochondrial dysfunction. Cell Death and Disease, 2020, 11, 54.	6.3	10
14	ICFSR TASK FORCE PERSPECTIVE ON BIOMARKERS FOR SARCOPENIA AND FRAILITY. Journal of Frailty & Aging, 2020, 9, 1-5.	1.3	28
15	In the heart of cardiac stromal senescence. Aging, 2020, 12, 1039-1041.	3.1	1
16	Aging induces cardiac mesenchymal stromal cell senescence and promotes endothelial cell fate of the CD90 ⁺ subset. Aging Cell, 2019, 18, e13015.	6.7	31
17	Alginate-chitosan PEC scaffolds: A useful tool for soft tissues cell therapy. International Journal of Pharmaceutics, 2019, 571, 118692.	5.2	24
18	Length-independent telomere damage drives postmitotic cardiomyocyte senescence. EMBO Journal, 2019, 38, .	7.8	307

#	ARTICLE	IF	CITATIONS
19	Vasohibin1, a new mouse cardiomyocyte IRES trans-acting factor that regulates translation in early hypoxia. <i>ELife</i> , 2019, 8, .	6.0	19
20	Tight-Binding Inhibition of Human Monoamine Oxidase B by Chromone Analogs: A Kinetic, Crystallographic, and Biological Analysis. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 4203-4212.	6.4	58
21	Therapeutic Benefit and Gene Network Regulation by Combined Gene Transfer of Apelin, FGF2, and SERCA2a into Ischemic Heart. <i>Molecular Therapy</i> , 2018, 26, 902-916.	8.2	20
22	Local production of tenascin-C acts as a trigger for monocyte/macrophage recruitment that provokes cardiac dysfunction. <i>Cardiovascular Research</i> , 2018, 114, 123-137.	3.8	38
23	Oleuropein Aglycone Protects against MAO-A-Induced Autophagy Impairment and Cardiomyocyte Death through Activation of TFEB. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-13.	4.0	35
24	Monoamine oxidase-A, serotonin and norepinephrine: synergistic players in cardiac physiology and pathology. <i>Journal of Neural Transmission</i> , 2018, 125, 1627-1634.	2.8	32
25	Monoamine oxidase is a novel driver of stress-induced premature senescence through inhibition of parkin-mediated mitophagy. <i>Aging Cell</i> , 2018, 17, e12811.	6.7	78
26	Multimodal gadolinium oxysulfide nanoparticles: a versatile contrast agent for mesenchymal stem cell labeling. <i>Nanoscale</i> , 2018, 10, 16775-16786.	5.6	20
27	Elaboration and evaluation of alginate foam scaffolds for soft tissue engineering. <i>International Journal of Pharmaceutics</i> , 2017, 524, 433-442.	5.2	30
28	Inhibition of PIKfyve prevents myocardial apoptosis and hypertrophy through activation of SIRT3 in obese mice. <i>EMBO Molecular Medicine</i> , 2017, 9, 770-785.	6.9	30
29	Monoamine Oxidases, Oxidative Stress, and Altered Mitochondrial Dynamics in Cardiac Ageing. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 1-8.	4.0	76
30	Apelin-13 administration protects against ischaemia/reperfusion-mediated apoptosis through the FoxO1 pathway in high-fat diet-induced obesity. <i>British Journal of Pharmacology</i> , 2016, 173, 1850-1863.	5.4	53
31	Intramyocardial transplantation of mesenchymal stromal cells for chronic myocardial ischemia and impaired left ventricular function: Results of the MESAMI 1 pilot trial. <i>International Journal of Cardiology</i> , 2016, 209, 258-265.	1.7	65
32	Oxidative Stress by Monoamine Oxidase-A Impairs Transcription Factor EB Activation and Autophagosome Clearance, Leading to Cardiomyocyte Necrosis and Heart Failure. <i>Antioxidants and Redox Signaling</i> , 2016, 25, 10-27.	5.4	76
33	Apelin regulates FoxO3 translocation to mediate cardioprotective responses to myocardial injury and obesity. <i>Scientific Reports</i> , 2015, 5, 16104.	3.3	36
34	Promoter-Dependent Translation Controlled by p54nrb and hnRNPM during Myoblast Differentiation. <i>PLoS ONE</i> , 2015, 10, e0136466.	2.5	19
35	Platelet activation and arterial peripheral serotonin turnover in cardiac remodeling associated to aortic stenosis. <i>American Journal of Hematology</i> , 2015, 90, 15-19.	4.1	26
36	Structural apelin analogues: mitochondrial ROS inhibition and cardiometabolic protection in myocardial ischaemia reperfusion injury. <i>British Journal of Pharmacology</i> , 2015, 172, 2933-2945.	5.4	51

#	ARTICLE	IF	CITATIONS
37	Transition from metabolic adaptation to maladaptation of the heart in obesity: role of apelin. <i>International Journal of Obesity</i> , 2015, 39, 312-320.	3.4	38
38	Gadd45 ³ regulates cardiomyocyte death and post-myocardial infarction left ventricular remodelling. <i>Cardiovascular Research</i> , 2015, 108, 254-267.	3.8	39
39	Sphingosine kinase 1 expressed by endothelial colony-forming cells has a critical role in their revascularization activity. <i>Cardiovascular Research</i> , 2014, 103, 121-130.	3.8	38
40	Monoamine oxidases as sources of oxidants in the heart. <i>Journal of Molecular and Cellular Cardiology</i> , 2014, 73, 34-42.	1.9	197
41	Evaluation of polyelectrolyte complex-based scaffolds for mesenchymal stem cell therapy in cardiac ischemia treatment. <i>Acta Biomaterialia</i> , 2014, 10, 901-911.	8.3	51
42	CD4 ⁺ T Cells Promote the Transition From Hypertrophy to Heart Failure During Chronic Pressure Overload. <i>Circulation</i> , 2014, 129, 2111-2124.	1.6	223
43	Role of serotonin 5-HT _{2A} receptors in the development of cardiac hypertrophy in response to aortic constriction in mice. <i>Journal of Neural Transmission</i> , 2013, 120, 927-935.	2.8	31
44	Difference in mobilization of progenitor cells after myocardial infarction in smoking versus non-smoking patients: insights from the BONAMI trial. <i>Stem Cell Research and Therapy</i> , 2013, 4, 152.	5.5	18
45	Anesthetic regimen for cardiac function evaluation by echocardiography in mice: comparison between ketamine, etomidate and isoflurane versus conscious state. <i>Laboratory Animals</i> , 2013, 47, 284-290.	1.0	29
46	First Evidence of Increased Plasma Serotonin Levels in Tako-Tsubo Cardiomyopathy. <i>BioMed Research International</i> , 2013, 2013, 1-5.	1.9	9
47	p53-PGC-1 β Pathway Mediates Oxidative Mitochondrial Damage and Cardiomyocyte Necrosis Induced by Monoamine Oxidase-A Upregulation: Role in Chronic Left Ventricular Dysfunction in Mice. <i>Antioxidants and Redox Signaling</i> , 2013, 18, 5-18.	5.4	117
48	Cardiac Fibroblasts Regulate Sympathetic Nerve Sprouting and Neurocardiac Synapse Stability. <i>PLoS ONE</i> , 2013, 8, e79068.	2.5	17
49	Intraparenchymal Injection of Bone Marrow Mesenchymal Stem Cells Reduces Kidney Fibrosis after Ischemia-Reperfusion in Cyclosporine-Immunosuppressed Rats. <i>Cell Transplantation</i> , 2012, 21, 2009-2019.	2.5	70
50	Alginate Scaffolds for Mesenchymal Stem Cell Cardiac Therapy: Influence of Alginate Composition. <i>Cell Transplantation</i> , 2012, 21, 1969-1984.	2.5	43
51	Apelin prevents cardiac fibroblast activation and collagen production through inhibition of sphingosine kinase 1. <i>European Heart Journal</i> , 2012, 33, 2360-2369.	2.2	130
52	Serotonin 5-HT _{2A} receptor-mediated hypertrophy is negatively regulated by caveolin-3 in cardiomyoblasts and neonatal cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2012, 52, 502-510.	1.9	21
53	Role of Endothelial AADC in Cardiac Synthesis of Serotonin and Nitrates Accumulation. <i>PLoS ONE</i> , 2012, 7, e34893.	2.5	17
54	Pargyline reduces renal damage associated with ischaemia-reperfusion and cyclosporin. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 489-498.	0.7	24

#	ARTICLE	IF	CITATIONS
55	Intracoronary autologous mononucleated bone marrow cell infusion for acute myocardial infarction: results of the randomized multicenter BONAMI trial. <i>European Heart Journal</i> , 2011, 32, 1748-1757.	2.2	158
56	Evaluation of Alginate Microspheres for Mesenchymal Stem Cell Engraftment on Solid Organ. <i>Cell Transplantation</i> , 2010, 19, 1623-1633.	2.5	42
57	Characterization of Monoamine Oxidases in Mesenchymal Stem Cells: Role in Hydrogen Peroxide Generation and Serotonin-Dependent Apoptosis. <i>Stem Cells and Development</i> , 2010, 19, 1571-1578.	2.1	17
58	Activation of catalase by apelin prevents oxidative stressâ€linked cardiac hypertrophy. <i>FEBS Letters</i> , 2010, 584, 2363-2370.	2.8	125
59	Essential role of TRPC1 channels in cardiomyoblasts hypertrophy mediated by 5-HT2A serotonin receptors. <i>Biochemical and Biophysical Research Communications</i> , 2010, 391, 979-983.	2.1	39
60	Dose-dependent activation of distinct hypertrophic pathways by serotonin in cardiac cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 297, H821-H828.	3.2	24
61	Mesenchymal Stem Cells Promote Matrix Metalloproteinase Secretion by Cardiac Fibroblasts and Reduce Cardiac Ventricular Fibrosis After Myocardial Infarction. <i>Stem Cells</i> , 2009, 27, 2734-2743.	3.2	233
62	Genetic deletion of MAO-A promotes serotonin-dependent ventricular hypertrophy by pressure overload. <i>Journal of Molecular and Cellular Cardiology</i> , 2009, 46, 587-595.	1.9	41
63	Platelet derived serotonin drives the activation of rat cardiac fibroblasts by 5-HT2A receptors. <i>Journal of Molecular and Cellular Cardiology</i> , 2009, 46, 518-525.	1.9	76
64	Ex Vivo Pretreatment with Melatonin Improves Survival, Proangiogenic/Mitogenic Activity, and Efficiency of Mesenchymal Stem Cells Injected into Ischemic Kidney. <i>Stem Cells</i> , 2008, 26, 1749-1757.	3.2	170
65	Carbonyl scavenger and antiatherogenic effects of hydrazine derivatives. <i>Free Radical Biology and Medicine</i> , 2008, 45, 1457-1467.	2.9	92
66	Vesicular monoamine transporter 1 mediates dopamine secretion in rat proximal tubular cells. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 292, F1592-F1598.	2.7	16
67	Oxidative Stressâ€Dependent Sphingosine Kinase-1 Inhibition Mediates Monoamine Oxidase Aâ€Associated Cardiac Cell Apoptosis. <i>Circulation Research</i> , 2007, 100, 41-49.	4.5	176
68	MAO-A-induced mitogenic signaling is mediated by reactive oxygen species, MMP-2, and the sphingolipid pathway. <i>Free Radical Biology and Medicine</i> , 2007, 43, 80-89.	2.9	47
69	New insights on receptor-dependent and monoamine oxidase-dependent effects of serotonin in the heart. <i>Journal of Neural Transmission</i> , 2007, 114, 823-827.	2.8	33
70	3-[5-(4,5-Dihydro-1H-imidazol-2-yl)-furan-2-yl]phenylamine (Amifuraline), a Promising Reversible and Selective Peripheral MAO-A Inhibitor. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 5578-5586.	6.4	19
71	A new hypertrophic mechanism of serotonin in cardiac myocytes: receptorâ€independent ROS generation. <i>FASEB Journal</i> , 2005, 19, 1-15.	0.5	91
72	Glucose handling in streptozotocin-induced diabetic rats is improved by tyramine but not by the amine oxidase inhibitor semicarbazide. <i>European Journal of Pharmacology</i> , 2005, 522, 139-146.	3.5	27

#	ARTICLE	IF	CITATIONS
73	Oxidative Stress by Monoamine Oxidase Mediates Receptor-Independent Cardiomyocyte Apoptosis by Serotonin and Postischemic Myocardial Injury. <i>Circulation</i> , 2005, 112, 3297-3305.	1.6	230
74	Involvement of Peripheral Benzodiazepine Receptor in the Oxidative Stress, Death-Signaling Pathways, and Renal Injury Induced by Ischemia-Reperfusion. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 2152-2160.	6.1	58
75	Dopamine D2-like receptor agonist bromocriptine protects against ischemia/reperfusion injury in rat kidney. <i>Kidney International</i> , 2004, 66, 633-640.	5.2	22
76	Differential substrate specificity of monoamine oxidase in the rat heart and renal cortex. <i>Life Sciences</i> , 2003, 73, 955-967.	4.3	4
77	Activation of Pro-Apoptotic Cascade by Dopamine in Renal Epithelial Cells is Fully Dependent on Hydrogen Peroxide Generation by Monoamine Oxidases. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 855-862.	6.1	55
78	Age-dependent increase in hydrogen peroxide production by cardiac monoamine oxidase A in rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 284, H1460-H1467.	3.2	127
79	Prevention of apoptotic and necrotic cell death, caspase-3 activation, and renal dysfunction by melatonin after ischemia/reperfusion. <i>FASEB Journal</i> , 2003, 17, 1-17.	0.5	70
80	Substrate-dependent regulation of MAO-A in rat mesangial cells: involvement of dopamine D2-like receptors. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 284, F167-F174.	2.7	16
81	Dopamine D4 Receptor Expression in Rat Kidney: Evidence for Pre- and Postjunctional Localization. <i>Journal of Histochemistry and Cytochemistry</i> , 2002, 50, 1091-1096.	2.5	25
82	Regulation of JNK/ERK activation, cell apoptosis, and tissue regeneration by monoamine oxidases after renal ischemia-reperfusion. <i>FASEB Journal</i> , 2002, 16, 1129-1131.	0.5	93
83	Hydrogen peroxide production by monoamine oxidase during ischemia/reperfusion. <i>European Journal of Pharmacology</i> , 2002, 448, 225-230.	3.5	50
84	Dopamine induces ERK activation in renal epithelial cells through H ₂ O ₂ produced by monoamine oxidase. <i>Kidney International</i> , 2001, 59, 76-86.	5.2	56
85	Monoamine oxidase in developing rat renal cortex: effect of dexamethasone treatment. <i>European Journal of Pharmacology</i> , 2001, 415, 19-26.	3.5	5
86	Analysis of the Pharmacological and Molecular Heterogeneity of I ₂ -Imidazoline-Binding Proteins using Monoamine Oxidase-Deficient Mouse Models. <i>Molecular Pharmacology</i> , 2000, 58, 1085-1090.	2.3	43
87	Hydrogen peroxide generation by monoamine oxidases in rat white adipocytes: role on cAMP production. <i>European Journal of Pharmacology</i> , 2000, 395, 177-182.	3.5	19
88	Monoamine Oxidase B Induces ERK-Dependent Cell Mitogenesis by Hydrogen Peroxide Generation. <i>Biochemical and Biophysical Research Communications</i> , 2000, 271, 181-185.	2.1	37
89	Serotonin metabolism in rat mesangial cells: Involvement of a serotonin transporter and monoamine oxidase A. <i>Kidney International</i> , 1999, 56, 1391-1399.	5.2	19
90	Relationship between I ₂ Imidazoline Binding Sites and Monoamine Oxidase B in Livera. <i>Annals of the New York Academy of Sciences</i> , 1999, 881, 32-34.	3.8	6

#	ARTICLE	IF	CITATIONS
91	Transfected Cells Expressing the Three Subtypes of Alpha2-Adrenergic Receptors Lack I1-Imidazoline Binding Sites. <i>Annals of the New York Academy of Sciences</i> , 1999, 881, 59-60.	3.8	2
92	Reactive oxygen species production by monoamine oxidases in intact cells. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1999, 359, 428-431.	3.0	87
93	High expression of monoamine oxidases in human white adipose tissue: evidence for their involvement in noradrenaline clearance. <i>Biochemical Pharmacology</i> , 1999, 58, 1735-1742.	4.4	61
94	Characterization of monoamine oxidase isoforms in human islets of langerhans. <i>Life Sciences</i> , 1999, 65, 441-448.	4.3	11
95	Characterization of [α]idazoxan binding proteins in solubilized membranes from rabbit and human liver. <i>Journal of the Autonomic Nervous System</i> , 1998, 72, 111-117.	1.9	4
96	The renal monoamine oxidases. <i>Current Opinion in Nephrology and Hypertension</i> , 1998, 7, 33-36.	2.0	7
97	109 Molecular and kinetic characterization of monoamine oxidases in the rat heart. <i>Biochemical Society Transactions</i> , 1998, 26, S392-S392.	3.4	0
98	Relationship between α 2-Adrenergic Receptors and Imidazoline/Guanidinium Receptive Sites. <i>Advances in Pharmacology</i> , 1997, 42, 474-477.	2.0	2
99	I2-imidazoline binding sites and monoamine oxidase activity in human postmortem brain from patients with Parkinson's disease. <i>Neurochemistry International</i> , 1997, 30, 31-36.	3.8	35
100	Predominant Expression of Monoamine Oxidase B Isoform in Rabbit Renal Proximal Tubule: Regulation By I2 Imidazoline Ligands in Intact Cells. <i>Molecular Pharmacology</i> , 1997, 51, 637-643.	2.3	23
101	Localization of the Imidazoline Binding Domain on Monoamine Oxidase B. <i>Molecular Pharmacology</i> , 1997, 52, 549-553.	2.3	61
102	RENAL MONOAMINE OXIDASES: POTENTIAL ROLE IN THE LONG TERM REGULATION OF BLOOD PRESSURE. <i>Fundamental and Clinical Pharmacology</i> , 1997, 11, 36s.	1.9	0
103	The elusive family of imidazoline binding sites. <i>Trends in Pharmacological Sciences</i> , 1996, 17, 13-16.	8.7	133
104	Clotrimazole and efaroxan inhibit red cell Gardos channel independently of imidazoline I1 and I2 binding sites. <i>European Journal of Pharmacology</i> , 1996, 295, 109-112.	3.5	12
105	Localization of I2-Imidazoline Binding Sites on Monoamine Oxidases. <i>Journal of Biological Chemistry</i> , 1995, 270, 9856-9861.	3.4	168
106	Imidazoline/Guanidinium Binding Domains on Monoamine Oxidases. <i>Journal of Biological Chemistry</i> , 1995, 270, 27961-27968.	3.4	58
107	Pharmacological and Molecular Characteristics. <i>Annals of the New York Academy of Sciences</i> , 1995, 763, 100-105.	3.8	9
108	[3H]Idazoxan Binds to Mitochondrial I2Imidazoline Binding Sites in Isolated Cells from Rabbit Kidney Proximal Tubule. <i>Annals of the New York Academy of Sciences</i> , 1995, 763, 172-173.	3.8	3

#	ARTICLE	IF	CITATIONS
109	Inhibition of Red Cell Ca ²⁺ -Activated K ⁺ -Transport by Clotrimazole Does Not Take Place via Imidazoline Binding Sites. <i>Annals of the New York Academy of Sciences</i> , 1995, 763, 287-289.	3.8	1
110	Evidence for a Role for Imidazoline I1 Binding Site in Rat Brown Adipocytes. <i>Annals of the New York Academy of Sciences</i> , 1995, 763, 398-400.	3.8	6
111	Renal Imidazoline-Guanidinium Receptive Site. <i>Journal of Cardiovascular Pharmacology</i> , 1992, 20, S21-S23.	1.9	6
112	Characterization of Mitochondrial Imidazoline-Guanidinium Receptive Sites (IGRS) in Liver. <i>American Journal of Hypertension</i> , 1992, 5, 80S-82S.	2.0	4
113	Tissue-specific localization of mitochondrial imidazoline-guanidinium receptive sites. <i>European Journal of Pharmacology</i> , 1992, 219, 335-338.	3.5	31
114	Characterization of Imidazoline-Guanidinium Receptive Sites in Renal Medulla From Human Kidney. <i>American Journal of Hypertension</i> , 1992, 5, 69S-71S.	2.0	5
115	Identification of an imidazoline-guanidinium receptive site in mitochondria from rabbit cerebral cortex. <i>European Journal of Pharmacology</i> , 1991, 208, 81-83.	2.6	55
116	Imidazoline-guanidinium and α -adrenergic binding sites in basolateral membranes from human kidney. <i>European Journal of Pharmacology</i> , 1991, 206, 23-31.	2.6	64
117	CONTRIBUTION OF α -ADRENOCEPTORS TO THE CENTRAL CARDIOVASCULAR EFFECTS OF CLONIDINE AND S 8350 IN ANAESTHETIZED RATS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1991, 18, 401-408.	1.9	12
118	Glycerol, sodium phosphate, and sodium chloride permit the solubilization and partial purification of rat hepatic α -1-receptors by 3-(3-cholamidylpropyl)-dimethylammonio-1-propanesulfonate. <i>Analytical Biochemistry</i> , 1989, 176, 375-381.	2.4	4
119	α -ADRENOCEPTOR PROPERTIES IN RAT STRAINS SENSITIVE OR RESISTANT TO SALT-INDUCED HYPERTENSION. <i>Fundamental and Clinical Pharmacology</i> , 1989, 3, 483-495.	1.9	8
120	Selective inhibition of adrenaline-induced human platelet aggregation by the structurally related Paf antagonist Ro 19-3704. <i>British Journal of Pharmacology</i> , 1989, 96, 759-766.	5.4	9
121	Noradrenaline Content and Adrenergic Receptors in Kidney and Heart of the Prehypertensive and Hypertensive Lyon Rat Strain. <i>American Journal of Hypertension</i> , 1988, 1, 140-145.	2.0	9
122	Selective modification of renal α -2-adrenergic receptors in Milan hypertensive rat strain. <i>Hypertension</i> , 1987, 10, 505-511.	2.7	11
123	Evidence for imidazoline binding sites in basolateral membranes from rabbit kidney. <i>Biochemical and Biophysical Research Communications</i> , 1987, 147, 1055-1060.	2.1	118
124	Changes in central α -adrenoceptors and noradrenaline content after high sodium intake in sabra salt-sensitive and salt-resistant rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1986, 333, 117-123.	3.0	2
125	Insulin degradation-in human erythrocytes. Effect of Triton X-100 treatment on insulin-degrading activity of membranes. <i>Journal of Endocrinological Investigation</i> , 1983, 6, 441-444.	3.3	3
126	Cardiovascular Response to Cigarette Smoking during Adrenergic Block in Essential Hypertension. <i>Drugs</i> , 1983, 25, 149.	10.9	5